## Maurizio Pierini

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8109577/publications.pdf

Version: 2024-02-01

535 papers 25,088 citations

7568 77 h-index 127 g-index

555 all docs

555
docs citations

555 times ranked 10821 citing authors

#	Article	IF	CITATIONS
1	Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 212.	3.9	541
2	Event generator tunes obtained from underlying event and multiparton scattering measurements. European Physical Journal C, 2016, 76, 155.	3.9	499
3	Observation of long-range, near-side angular correlations in proton-proton collisions at the LHC. Journal of High Energy Physics, 2010, 2010, 1.	4.7	497
4	FCC-ee: The Lepton Collider. European Physical Journal: Special Topics, 2019, 228, 261-623.	2.6	424
5	Study of high-p T charged particle suppression in PbPb compared to pp collisions at \$sqrt{s_{mathrm{NN}}}=2.76~mathrm{TeV}\$. European Physical Journal C, 2012, 72, 1.	3.9	369
6	FCC-hh: The Hadron Collider. European Physical Journal: Special Topics, 2019, 228, 755-1107.	2.6	367
7	Combined measurements of Higgs boson couplings in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2019, 79, 421.	3.9	355
8	Model-independent constraints on $\hat{i}$ 'i>F= 2 operators and the scale of new physics. Journal of High Energy Physics, 2008, 2008, 049-049.	4.7	352
9	FCC Physics Opportunities. European Physical Journal C, 2019, 79, 1.	3.9	346
10	Observation of the diphoton decay of the Higgs boson and measurement of its properties. European Physical Journal C, 2014, 74, 3076.	3.9	342
11	Observation of a new boson with mass near 125 GeV in pp collisions at $\ \sqrt{s}=7 \ and 8 \ TeV$ . Journal of High Energy Physics, 2013, 2013, 1.	4.7	320
12	Search for dark matter, extra dimensions, and unparticles in monojet events in protonâ $\in$ "proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,{mathrm{TeV}},\$\$ TeV. European Physical Journal C, 2015, 75, 235.	3.9	320
13	The Physics of the B Factories. European Physical Journal C, 2014, 74, 1.	3.9	292
14	First look at the physics case of TLEP. Journal of High Energy Physics, 2014, 2014, 1.	4.7	269
15	Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons and W, Z, and Higgs bosons in pp collisions at 8ÂTeV. European Physical Journal C, 2014, 74, 3036.	3.9	241
16	Fast inference of deep neural networks in FPGAs for particle physics. Journal of Instrumentation, 2018, 13, P07027-P07027.	1.2	232
17	Transverse-momentum and pseudorapidity distributions of charged hadrons in pp collisions at $q=0.9\$ and 2.36 TeV. Journal of High Energy Physics, 2010, 2010, 1.	4.7	230
18	Suppression of non-prompt $\iint$ , prompt $\iint$ , and \$ Upsilon \$(1S) in PbPb collisions at \$ sqrt $\{\{s_{ext}(NN)\}\}\}\} = 2.76$ \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	200

#	Article	IF	CITATIONS
19	Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. European Physical Journal C, 2020, 80, 4.	3.9	198
20	Measurement of the differential cross section for top quark pair production in pp collisions at $\$$ sqrt $\{s\} = 8$ ,ext $\{TeV\}$ $\$$ s = 8 TeV. European Physical Journal C, 2015, 75, 542.	3.9	191
21	Centrality dependence of dihadron correlations and azimuthal anisotropy harmonics in PbPb collisions at $\sqrt{s_{NN}} = 2.76$ mbox $TeV$ . European Physical Journal C, 2012, 72, 1.	3.9	181
22	Search for heavy neutrinos and \$\$mathrm {W}\$\$ W bosons with right-handed couplings in protonâ€"proton collisions at \$\$sqrt{s} = 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2014, 74, 3149.	3.9	179
23			

#	Article	IF	Citations
37	Precision luminosity measurement in proton–proton collisions at \$\$sqrt{s} = 13,hbox {TeV}\$\$ in 2015 and 2016 at CMS. European Physical Journal C, 2021, 81, 800.	3.9	123
38	Measurements of inclusive W and Z cross sections in pp collisions at $\$$ sqrt $\{s\}$ = 7 $\$$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	122
39	Charming penguins strike back. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2001, 515, 33-41.	4.1	120
40	CMS tracking performance results from early LHC operation. European Physical Journal C, 2010, 70, 1165-1192.	3.9	120
41	Searches for long-lived charged particles in pp collisions at $ \sqrt{s} =7 $ and $ \sqrt{8} $ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	118
42	Search for a light charged Higgs boson in top quark decays in pp collisions at $\$$ sqrt $\$$ = 7;TeV $\$$ . Journal of High Energy Physics, 2012, 2012, 1.	4.7	117
43	Electroweak precision observables and Higgs-boson signal strengths in the Standard Model and beyond: present and future. Journal of High Energy Physics, 2016, 2016, 1.	4.7	114
44	The unitarity triangle fit in the standard model and hadronic parameters from lattice QCD: a reappraisal after the measurements of î"msandBR(Bâ†'τντ). Journal of High Energy Physics, 2006, 2006, 081-	081. <sup>7</sup>	110
45	Charged particle multiplicities in pp interactions at \$ sqrt $\{s\} = 0.9 $ \$, 2.36, and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	106
46	Effect of Penguin Operators in theB0→J/Î^KOCPAsymmetry. Physical Review Letters, 2005, 95, 221804.	7.8	103
47	Charged-particle nuclear modification factors in PbPb and pPb collisions at s N N = $5.02 \$\$$ sqrt{s_{mathrm{N};mathrm{N}}}= $5.02 \$\$$ TeV. Journal of High Energy Physics, $2017$ , $2017$ , $1$ .	4.7	103
48	Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	101
49	Search for new physics in the multijet and missing transverse momentum final state in proton-proton collisions at $\$ sqrt{s} $\$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	100
50	Dependence on pseudorapidity and on centrality of charged hadron production in PbPb collisions at $\{\{s_{ext}\}\}\}$ = 2.76 $TeV$ . Journal of High Energy Physics, 2011, 2011, 1.	4.7	99
51	Search for new phenomena with the \$\$M_{mathrm {T2}}\$\$ M T 2 variable in the all-hadronic final state produced in proton–proton collisions at \$\$sqrt{s} = 13\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 710.	3.9	98
52	Measurement of the underlying event activity at the LHC with $\$ sqrt $\{s\} = 7 \$ TeV and comparison with $\$ sqrt $\{s\} = 0.9 \$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	97
53	Search for supersymmetry in hadronic final states using M T2 in pp collisions at $q=7 $ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	95
54	Searches for invisible decays of the Higgs boson in pp collisions at s $\$\$$ sqrt $\{s\}$ $\$\$$ = 7, 8, and 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	95

#	Article	lF	Citations
55	Variational autoencoders for new physics mining at the Large Hadron Collider. Journal of High Energy Physics, 2019, 2019, 1.	4.7	94
56	Higgs boson look-alikes at the LHC. Physical Review D, 2010, 82, .	4.7	92
57	Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons. Journal of High Energy Physics, 2015, 2015, 1.	4.7	92
58	Constraints on New Physics from the Quark Mixing Unitarity Triangle. Physical Review Letters, 2006, 97, 151803.	7.8	90
59	Measurements of differential and double-differential Drellâ€"Yan cross sections in protonâ€"proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 147.	3.9	88
60	Search for high-mass resonances in dilepton final states in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	86
61	Measurement of jet fragmentation into charged particles in pp and PbPb collisions at \$ $ \sqrt{{s_{mathrm{NN}}}} = 2.76 $ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	85
62	Study of double parton scattering using W + 2-jet events in proton-proton collisions at sqrts = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	85
63	Search for massive resonances in dijet systems containing jets tagged as W or Z boson decays in pp collisions at s $\$$ sqrt $\{s\}$ $\$$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	85
64	Study of the production of charged pions, kaons, and protons in pPb collisions at $\$$ sqrt $\{s_{NN}\} = \$$ s N N = 5.02 $\$$ ,ext $\{TeV\}$ TeV. European Physical Journal C, 2014, 74, 2847.	3.9	85
65	Performance of the CMS Level-1 trigger in proton-proton collisions at $\hat{a}\hat{s}\langle i\rangle s\langle i\rangle = 13$ TeV. Journal of Instrumentation, 2020, 15, P10017-P10017.	1.2	84
66	Measurement of the single-top-quark t-channel cross section in pp collisions at $\$ $ sqrt $\{s\}=7 \$$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	83
67	Measurement of the differential cross section and charge asymmetry for inclusive $\mbox{smathrm } \{p\}$ ightarrow mathrm $\{W\}^{p} \}+X$ pp $\hat{a}^*$ W $\hat{A}^*$ + X production at $\{p\}^{p} \}$ = 8\$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 469.	3.9	83
68	Measurement of prompt and nonprompt charmonium suppression in \$\$ext {PbPb}\$\$ collisions at 5.02\$\$,ext {Te}ext {V}\$\$. European Physical Journal C, 2018, 78, 509.	3.9	83
69	xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.gif" overflow="scroll"> <mml:mi mathvariant="italic"&gt;BR<mml:mo stretchy="false"&gt;(<mml:mi>B</mml:mi><mml:mo>â†'</mml:mo><mml:mi>Ï,,</mml:mi>;i/2</mml:mo </mml:mi 		• < <del>82</del> • < mml:mo)
70	Suppression and azimuthal anisotropy of prompt and nonprompt $f(J)^{(1)}/psi $ \$\ J \ J \ T \ Production in PbPb collisions at $f(J)^{(2)}/psi $ \$\ TeV. European Physical Journal C, 2017, 77, 252.	3.9	82
71	Search for narrow and broad dijet resonances in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV and constraints on dark matter mediators and other new particles. Journal of High Energy Physics, 2018, 2018, 1.	4.7	82
72	J/ $\hat{\Gamma}$ and $\ddot{\Gamma}$ (2S) production in pp collisions at \$ sqrt {s} = 7{ext{Tev}} \$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	81

#	Article	IF	CITATIONS
73	Search for neutral MSSM Higgs bosons decaying to a pair of tau leptons in pp collisions. Journal of High Energy Physics, 2014, 2014, 1.	4.7	81
74	Search for a charged Higgs boson in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	81
75	JEDI-net: a jet identification algorithm based on interaction networks. European Physical Journal C, 2020, 80, $1$ .	3.9	81
76	Automatic heterogeneous quantization of deep neural networks for low-latency inference on the edge for particle detectors. Nature Machine Intelligence, 2021, 3, 675-686.	16.0	80
77	Search for physics beyond the standard model in dilepton mass spectra in proton-proton collisions at $s = 8 $ sqrt $\{s\}=8 $ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	78
78	Learning representations of irregular particle-detector geometry with distance-weighted graph networks. European Physical Journal C, 2019, 79, 1.	3.9	78
79	Search for production of four top quarks in final states with same-sign or multiple leptons in proton–proton collisions at \$\$sqrt{s}=13\$\$ \$\$,ext {TeV}\$\$. European Physical Journal C, 2020, 80, 75.	3.9	78
80	Studies of azimuthal dihadron correlations in ultra-central PbPb collisions at $q = 2.76$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	77
81	Study of exclusive two-photon production of W+Wâ^' in pp collisions at \$ sqrt{s}=7 \$ TeV and constraints on anomalous quartic gauge couplings. Journal of High Energy Physics, 2013, 2013, 1.	4.7	75
82	Studies of dijet transverse momentum balance and pseudorapidity distributions in pPb collisions at $\frac{s_{y}}{TeV}$ TeV. European Physical Journal C, 2014, 74, 1.	3.9	75
83	HEPfit: a code for the combination of indirect and direct constraints on high energy physics models. European Physical Journal C, 2020, 80, 1.	3.9	75
84	Measurement of the $f(w) ^{+} \$ mathrm $f(w)^{-} \$ $w + w - cross section in pp collisions at s - w - w - w - w - w - w - w - w - w - $	3.9	74
85	Measurement of the X(3872) production cross section via decays to J/l̈́le + l̃e â² in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	73
86	Search for a standard model Higgs boson produced in association with a top-quark pair and decaying to bottom quarks using a matrix element method. European Physical Journal C, 2015, 75, 251.	3.9	73
87	Search for additional neutral MSSM Higgs bosons in the $\ddot{l}$ , $\ddot{l}$ , final state in proton-proton collisions at \$\$ $1.3 $ FeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	73
88	<pre><mml:math altimg="si1.gif" overflow="scroll" xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mi>D</mml:mi><mml:mtext>â€"</mml:mtext><mml:mover accent="true"><mml:mi>D</mml:mi><mml:mo>Â⁻</mml:mo></mml:mover></mml:math> mixing and new physics: General consideration and constraints.</pre>	4.1	71
89	Elementary Particle and High-Energy Physics, 2007, 655, 162-166.  The light stop window. European Physical Journal C, 2013, 73, 1.	3.9	71
90	Measurement of the t-channel single-top-quark production cross section and of the $ Vtb $ CKM matrix element in pp collisions at \$ sqrt{s} \$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	70

#	Article	IF	Citations
91	Searches for physics beyond the standard model with the \$\$M_{mathrm {T2}}\$\$ variable in hadronic final states with and without disappearing tracks in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2020, 80, 3.	3.9	70
92	The LHC Olympics 2020 a community challenge for anomaly detection in high energy physics. Reports on Progress in Physics, 2021, 84, 124201.	20.1	70
93	Measurement of the \$ mathrm{t}overline{mathrm $\{t\}$ } \$ production cross section in the dilepton channel in pp collisions at \$ sqrt $\{s\}$ =7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	69
94	Search for massive resonances decaying into pairs of boosted bosons in semi-leptonic final states at s $\$ sqrt{s} $\$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	69
95	Search for anomalous production of multilepton events in pp collisions at $\$$ sqrt $\{s\}$ = 7,TeV $\$$ . Journal of High Energy Physics, 2012, 2012, 1.	4.7	68
96	Search for a standard-model-like Higgs boson with a mass in the range 145 to 1000 GeV at the LHC. European Physical Journal C, 2013, 73, 2469.	3.9	68
97	Measurement of the differential and double-differential Drell-Yan cross sections in proton-proton collisions at $\$ sqrt{s} $\$ = 7 TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	68
98	Measurement of the inclusive 3-jet production differential cross section in proton–proton collisions at 7 TeVÂand determination of the strong coupling constant in the TeVÂrange. European Physical Journal C, 2015, 75, 186.	3.9	68
99	Measurement of the $f(t) = \frac{1}{2} \int_{t}^{t} $	3.9	68
100	Long-range and short-range dihadron angular correlations in central PbPb collisions at \$ sqrt {{{s_{ext{NN}}}}} \$  = 2.76 TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	65
101	Measurement of differential cross sections for the production of a pair of isolated photons in pp collisions at $\$$ sqrt $\{s\}$ =7,ext $\{TeV\}$ $\$$ s = 7 TeV. European Physical Journal C, 2014, 74, 3129.	3.9	65
102	Calorimetry with deep learning: particle simulation and reconstruction for collider physics. European Physical Journal C, 2020, 80, 1.	3.9	65
103	Measurement of the sum of WW and WZ production with W+dijet events in pp collisions at $q=7 \text{ mbox}$ European Physical Journal C, 2013, 73, 2283.	3.9	64
104	Search for new physics in same-sign dilepton events in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2016, 76, 439.	3.9	64
105	Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	63
106	Measurement of the W+W $\hat{a}$ cross section in pp collisions at $\sqrt{s} = 7mbox\{ TeV \}$ and limits on anomalous WW $\hat{a}$ and WWZ couplings. European Physical Journal C, 2013, 73, 1.	3.9	62
107	Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at $\$$ sqrt $\{s\}=8$ ,ext $\{TeV\}$ $\$$ s = 8 TeV. European Physical Journal C, 2016, 76, 13.	3.9	62
108	Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at s = $13 $ \$\$ sqrt{s}= $13 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	62

#	Article	IF	CITATIONS
109	Measurement of the inelastic proton-proton cross section at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	62
110	First evidence of new physics in b â†" stransitions. PMC Physics A, 2009, 3, .	9.1	61
111	Measurement of prompt J/ $\hat{\Gamma}$ pair production in pp collisions at s \$\$ sqrt{s} \$\$ = 7 Tev. Journal of High Energy Physics, 2014, 2014, 1.	4.7	61
112	Upper bounds on rare K and B decays from minimal flavour violation. Nuclear Physics B, 2005, 726, 252-274.	2.5	60
113	Measurement of the ratio of the inclusive 3-jet cross section to the inclusive 2-jet cross section in pp collisions at $q=7 + 7 + 7 + 7 + 7 + 7 + 7 + 7 + 7 + 7 +$	3.9	60
114	Measurement of the lepton charge asymmetry in inclusive $W$ production in pp collisions at \$ sqrt {s} = 7;{ext{TeV}} \$. Journal of High Energy Physics, 2011, 2011, 1.	4.7	59
115	Search for anomalous \$ toverline t \$ production in the highly-boosted all-hadronic final state. Journal of High Energy Physics, 2012, 2012, 1.	4.7	58
116	Interpreting LHC SUSY searches in the phenomenological MSSM. Journal of High Energy Physics, 2012, 2012, 1.	4.7	58
117	Jet production rates in association with W and Z bosons in pp collisions at $q = 7 $ {ext{TeV}} \$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	58
118	Studies of jet mass in dijet and $W/Z$ + jet events. Journal of High Energy Physics, 2013, 2013, 1.	4.7	58
119	Nuclear effects on the transverse momentum spectra of charged particles in pPb collisions at $\frac{s_{months}}{2015,75,237}$ .	3.9	58
120	Measurement of the weak mixing angle using the forward–backward asymmetry of Drell–Yan events in \$\$mathrm {p}mathrm {p}\$\$ p p collisions at 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 701.	3.9	58
121			

#	Article	IF	CITATIONS
127	Exclusive $\hat{1}^3\hat{1}^3$ $\hat{1}^4$ , $\hat{1}^4$ , $\hat{1}^4$ , $\hat{1}^4$ , $\hat{1}^6$ , production in proton-proton collisions at \$ sqrt {s} = {7} \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	56
128	Event activity dependence of \$ Y \$ (nS) production in \$ $qrt{\{s_{NN}\}}$ \$ = 5.02 TeV pPb and \$ $qrt{s}$ \$ = 2.76 TeV pp collisions. Journal of High Energy Physics, 2014, 2014, 1.	4.7	56
129	Measurement of masses in the $mathrm{t}$ overline $mathrm{t}$ \$ system by kinematic endpoints in pp collisions at $q=0.013$ , 73, 2494.	3.9	55
130	Measurement of associated W + charm production in pp collisions at $q = 7 \text{ TeV}$ . Journal of High Energy Physics, 2014, 2014, 1.	4.7	55
131	Measurement of the double-differential inclusive jet cross section in proton $\hat{a} \in \text{``proton collisions at $\$ sqrt\{s\} = 13,ext \{TeV\} \$\$ s = 13 TeV. European Physical Journal C, 2016, 76, 451.}$	3.9	55
132	Constraints on parton distribution functions and extraction of the strong coupling constant from the inclusive jet cross section in pp collisions at $\$\$qrt\{s\} = 7\$\$ s = 7 \$\$,ext \{TeV\}\$\$ TeV$ . European Physical Journal C, 2015, 75, 288.	3.9	54
133	Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at s = $8 $ \$\$ sqrt{s}= $8 $ \$\$ TeV and cross section ratios to 2.76 and 7 TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	54
134	Search for supersymmetry in proton-proton collisions at 13 TeV in final states with jets and missing transverse momentum. Journal of High Energy Physics, 2019, 2019, 1.	4.7	54
135	Measurement of the $\{m t\}$ for production cross section and the top quark mass in the dilepton channel in pp collisions at $\text{sqrt}$ fs = 7 feV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	53
136	Measurement of prompt and nonprompt $\mbox{mathrm{J}/{psi}}$ production in $\mbox{mathrm {p}mathrm {p}}$ p p and $\mbox{mathrm {p}mathrm {Pb}}$ p Pb collisions at $\mbox{sqrt{s_{mathrm {NN}}}} = 5.02$ ,ext {TeV} \$\$ s. European Physical Journal C, 2017, 77, 269.	3.9	53
137	Measurement of the $\$$ toverline $\{t\}$ $\$$ production cross section in the dilepton channel in pp collisions at $\$$ sqrt $\{s\}$ $\$$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	52
138	Measurement of double-differential cross sections for top quark pair production in pp collisions at $s=8$ = 8\$, ext {TeV}\$\$ TeV and impact on parton distribution functions. European Physical Journal C, 2017, 77, 459.	3.9	52
139	Measurements of the $\$ mathrm {p}mathrm {p}ightarrow mathrm{Z}mathrm{Z}\$\$ p p → Z Z production cross section and the $\$ mathrm{Z}ightarrow 4ell \$\$ Z → 4 â," branching fraction, and constraints on anomalous triple gauge couplings at. European Physical Journal C, 2018, 78, 165.	3.9	52
140	Search for exclusive or semi-exclusive $\hat{1}^3\hat{1}^3$ production and observation of exclusive and semi-exclusive e+eâ <sup>-2</sup> production in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	51
141	Search for the associated production of the Higgs boson with a top-quark pair. Journal of High Energy Physics, 2014, 2014, 1.	4.7	51
142	First measurement of the underlying event activity at $\hat{A}$ the $\hat{A}$ LHC $\hat{A}$ with $\hat{A}$ \$ sqrt {s} = 0.9\$ $\hat{A}$ TeV. European Physical Journal C, 2010, 70, 555-572.	3.9	50
143	Study of the underlying event at forward rapidity in pp collisions at \$ sqrt{s}=0.9,2.76,;mathrm{and};7;mathrm{TeV} \$. Journal of High Energy Physics, 2013, 2013, 1.	4.7	50
144	Search for a heavy pseudoscalar boson decaying to a Z and a Higgs boson at $\$$ sqrt $\{s\}=13$ ,ext $\{Te\}$ ext $\{V\}$ $\$$ 5. European Physical Journal C, 2019, 79, 564.	3.9	50

#	Article	IF	Citations
145	Search for new physics with jets and missing transverse momentum in pp collisions at sqrt s = 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	49
146	Search for leptonic decays of $W\hat{a}\in \mathbb{Z}^2$ bosons in pp collisions at \$ sqrt {s} = {7} \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	49
147	Measurement of pseudorapidity distributions of charged particles in proton–proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 ÂTeV by the CMS and TOTEM experiments. European Physical Journal C, 2014, 74, 1.	3.9	49
148	Search for new physics in events with same-sign dileptons and jets in pp collisions at $\$ sqrt{s} = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	48
149	Observation of Y(1S) pair production in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	48
150	Search for vector-like quarks in events with two oppositely charged leptons and jets in proton–proton collisions at \$\$sqrt{s} = 13,ext {Te}ext {V} \$\$ s = 13 Te. European Physical Journal C, 2019, 79, 364.	3.9	48
151	Measurement of the cross section and angular correlations for associated production of a Z boson with b hadrons in pp collisions at $ = 7 \text{ TeV}$ . Journal of High Energy Physics, 2013, 2013, 1.	4.7	47
152	Fast convolutional neural networks on FPGAs with hls4ml. Machine Learning: Science and Technology, 2021, 2, 045015.	5.0	47
153	Search for new physics with same-sign isolated dilepton events with jets and missing transverse energy at the LHC. Journal of High Energy Physics, 2011, 2011, 1.	4.7	46
154	Search for narrow resonances and quantum black holes in inclusive and b-tagged dijet mass spectra from pp collisions at $\$ sqrt $\{s\}=7\$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	46
155	Search for disappearing tracks in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	46
156	Search for third-generation scalar leptoquarks decaying to a top quark and a $\$$ au $\$$ i, lepton at $\$$ qrt $\{s\}=13$ ,ext $\{Te\}$ ext $\{V\}$ $\$$ s = 13 Te. European Physical Journal C, 2018, 78, 707.	3.9	46
157	Search for heavy bottom-like quarks in 4.9 fba $^{\circ}$ 1 of pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	45
158	Compressing deep neural networks on FPGAs to binary and ternary precision with <tt>hls4ml</tt> . Machine Learning: Science and Technology, 2021, 2, 015001.	5.0	45
159	Search for microscopic black holes in pp collisions at $ \sqrt{s}=8 $ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	44
160	Search for a light charged Higgs boson decaying to c s $\hat{A}^-$ \$\$ mathrm{c}overline{mathrm{s}} \$\$ in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1-37.	4.7	44
161	Search for decays of stopped long-lived particles produced in proton–proton collisions at \$\$sqrt{s}= 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 151.	3.9	44
162	Search for standard model production of four top quarks with same-sign and multilepton final states in protonâ $\in$ "proton collisions at $s=13$ , ext $TeV$ $s=13$ TeV. European Physical Journal C, 2018, 78, 140.	3.9	44

#	Article	IF	CITATIONS
163	Measurement of top quark–antiquark pair production in association with a W or Z boson in pp collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2014, 74, 3060.	3.9	43
164	Identification techniques for highly boosted W bosons that decay into hadrons. Journal of High Energy Physics, 2014, 2014, 1.	4.7	43
165	Constraints on the pMSSM, AMSB model and on other models from the search for long-lived charged particles in proton–proton collisions at \$\$sqrt{s} =8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 325.	3.9	43
166	Search for natural and split supersymmetry in proton-proton collisions at $\$\$$ sqrt $\$\$=13$ $\$\$$ TeV in final states with jets and missing transverse momentum. Journal of High Energy Physics, 2018, 2018, 1.	4.7	43
167	Pileup mitigation at the Large Hadron Collider with graph neural networks. European Physical Journal Plus, 2019, 134, 1.	2.6	43
168	The Dark Machines Anomaly Score Challenge: Benchmark Data and Model Independent Event Classification for the Large Hadron Collider. SciPost Physics, 2022, 12, .	4.9	43
169	Measurement of the top-quark mass in $mathrm\{t\}$ events with dilepton final states in pp collisions at $q=0$ mbox $TeV$ . European Physical Journal C, 2012, 72, 1.	3.9	42
170	Evidence for exclusive $\hat{1}^3\hat{1}^3$ $\hat{a}^4$ , $W+W$ $\hat{a}^2$ production and constraints on anomalous quartic gauge couplings in pp collisions at $s=7$ \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	42
171	Search for vector-like T and B quark pairs in final states with leptons at $\$\$$ sqrt $\{s\}=13$ $\$\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	42
172	Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at $s=13 $ \$\$ sqrt{ $s$ }=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	42
173	The UTfit collaboration report on the status of the unitarity triangle beyond the Standard Model I. Model-independent analysis and minimal flavour violation. Journal of High Energy Physics, 2006, 2006, 080-080.	4.7	41
174	Missing energy look-alikes with <mml:math display="inline" xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mn>100</mml:mn><mml:mtext>â€%</mml:mtext><mml:mtext>â€%</mml:mtext>â€%âffâffâffâffâffâffâffâff<td>าml<b>ะกา</b>sup&gt;</td><td>·<man.l:mi>pb</man.l:mi></td></mml:math>	าml <b>ะกา</b> sup>	· <man.l:mi>pb</man.l:mi>
175	Search for electroweak production of charginos and neutralinos using leptonic final states in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	41
176	Measurement of the t t $\hat{A}^-$ \$\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section in the $e\hat{l}^{1}/4$ channel in proton-proton collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	41
177	Measurement of the $\mbox{mathrm{t}}$ overline{{mathrm{t}}}\$ t t $\mbox{\^A}^-$ production cross section in the all-jets final state in pp collisions at \$\$sqrt{s}=8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 128.	3.9	41
178	Search for third-generation scalar leptoquarks and heavy right-handed neutrinos in final states with two tau leptons and two jets in proton-proton collisions at $s = 13 $ \$ sqrt{ $s$ }=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	41
179	Learning multivariate new physics. European Physical Journal C, 2021, 81, 1.	3.9	41
180	New bounds on the Cabibbo-Kobayashi-Maskawa matrix fromB→KππDalitz plot analyses. Physical Review D, 2006, 74, .	4.7	40

#	Article	lF	CITATIONS
181	Search for same-sign top-quark pair production at	4.7	40
182	Measurement of the $\mbox{mathrm{t}}$ overline{mathrm{t}} \$\$ t t $\hat{A}^-$ production cross section using events in the \$\$mathrm {e}mu \$\$ e $\hat{I}$ 4 final state in pp collisions at \$\$sqrt{s}=13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2017, 77, 172.	3.9	40
183	Search for new physics in dijet angular distributions using proton–proton collisions at \$\$sqrt{s}=13hbox {TeV}\$\$ and constraints on dark matter and other models. European Physical Journal C, 2018, 78, 789.	3.9	40
184	Measurement of the top quark mass in the all-jets final state at $\$$ sqrt $\{s\}$ =13,ext $\{TeV\}$ $\$$ s = 13 TeV and combination with the lepton+jets channel. European Physical Journal C, 2019, 79, 313.	3.9	40
185	Measurement of the Higgs boson production rate in association with top quarks in final states with electrons, muons, and hadronically decaying tau leptons at $\frac{5}{100} = 13$ ,ext $\frac{7}{100} = 10$ , the European Physical Journal C, 2021, 81, 378.	3.9	40
186	Search for resonances in the dilepton mass distribution in pp collisions at $\$$ sqrt $\{s\}$ = 7 $\$$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	39
187	Inclusive b-jet production in pp collisions at $sqrt {s} = 7TeV$ . Journal of High Energy Physics, 2012, 2012, 1.	4.7	39
188	Measurement of the $Z\hat{I}^3*\hat{a}$ $\in$ %+ $\hat{a}$ $\in$ %-jet cross section in pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	39
189	Search for the standard model Higgs boson produced in association with a top-quark pair in pp collisions at the LHC. Journal of High Energy Physics, 2013, 2013, 1.	4.7	39
190	Measurement of the ZZ production cross section and search for anomalous couplings in 2â,,"2â,,"′ final states in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	39
191	Measurement of the production cross sections for a Z boson and one or more b jets in pp collisions at s $\$ sqrt{s} $\$ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	39
192	Measurement of differential cross sections for $f(z)$ boson production in association with jets in proton-proton collisions at $f(z)$ at $f(z)$ boson production in association with jets in proton-proton collisions at $f(z)$ at $f(z)$ boson production in association with jets in proton-proton collisions at $f(z)$ be a section of $f(z)$ boson production in association with jets $f(z)$ be a section $f(z)$	3.9	39
193	MLPF: efficient machine-learned particle-flow reconstruction using graph neural networks. European Physical Journal C, 2021, 81, 1.	3.9	39
194	Search for heavy stable charged particles in pp collisions at sqrt s = 7;extTeV} 5. Journal of High Energy Physics, 2011, 2011, 1.	4.7	38
195	Measurement of the top-quark mass in $\mbox{mathrm{t}}\$ events with lepton+jets final states in pp collisions at $\$ sqrt{s}=7 $\$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	38
196	Search for dark matter produced in association with heavy-flavor quark pairs in proton-proton collisions at $\$$ sqrt $\{s\}$ = 13,ext $\{TeV\}$ $\$$ \$ s = 13 TeV. European Physical Journal C, 2017, 77, 845.	3.9	38
197	Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at $\$$ sqrt $\{s\} = 13$ \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 636.	3.9	38
198	Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying $\ddot{l}$ , leptons at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	38

#	Article	IF	Citations
199	Adversarially Learned Anomaly Detection on CMS open data: re-discovering the top quark. European Physical Journal Plus, 2021, 136, 1.	2.6	38
200	Measurement of the $mathrm{{tar{t}}}$ production cross section in pp collisions at $q=7$ TeV using the kinematic properties of events with leptons and jets. European Physical Journal C, 2011, 71, 1.	3.9	37
201	Searches for third-generation squark production in fully hadronic final states in proton-proton collisions at $s = 8 $ \$\$ sqrt $s=8 $ \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	37
202	Measurement of the WZ production cross section in pp collisions at $\$\$qrt\{s\} = 7\$\$ s = 7$ and 8 $\$\$,ext\{TeV\}\$\$$ TeV and search for anomalous triple gauge couplings at $\$\$qrt\{s\} = 8,ext\{TeV\}$ $\$\$$ s = 8 TeV. European Physical Journal C, 2017, 77, 236.	3.9	37
203	Search for a new scalar resonance decaying to a pair of Z bosons in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	37
204	Fast inference of Boosted Decision Trees in FPGAs for particle physics. Journal of Instrumentation, 2020, 15, P05026-P05026.	1.2	37
205	interaction networks for the identification of boosted <mml:math display="inline" xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mi>H</mml:mi><mml:mio stretchy="false">â†'<mml:mi>b</mml:mi><mml:mi>cmml:mover accent="true"&gt;<mml:mi>b</mml:mi></mml:mi>true"&gt;<mml:mi>b</mml:mi>cmml:mo stretchy="false"&gt;Â-</mml:mio></mml:math>	4.7	37
206	Measurement of the Drell-Yan cross section in pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	36
207	Search for resonant and nonresonant Higgs boson pair production in the b b $\hat{A}^ \hat{a}$ , " $\hat{1}^1/2\hat{a}$ ," " $\hat{1}^1/$	4.7	36
208	Measurement of the top-quark mass in all-jets $\frac{t}{ar}$ to $\hat{A}$ events in pp collisions at $\frac{\hat{A}}{s}$ s = 7 TeV. European Physical Journal C, 2014, 74, 2758.	3.9	35
209	Search for heavy Majorana neutrinos in $e\hat{A}\pm e\hat{A}\pm +$ jets and $e\hat{A}\pm \hat{1}$ $\hat{A}\pm +$ jets events in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	35
210	Search for anomalous Wtb couplings and flavour-changing neutral currents in t-channel single top quark production in pp collisions at $s=7$ \$\$ sqrt $\{s\}=7$ \$\$ and 8 TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	35
211	Measurement of the cross section for top quark pair production in association with a W or Z boson in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	35
212	Measurement of exclusive $\frac{\text{Upsilon}}{\text{p}}$ photoproduction from protons in $\frac{\text{p}}{\text{D}}$ European Physical Journal C, 2019, 79, 277.	3.9	35
213	Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2021, 81, 488.	3.9	35
214	Observation of Z decays to four leptons with the CMS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	4.7	34
215	Search for microscopic black holes in pp collisions at $\$$ sqrt $\{s\} = \{ext\{7TeV\}\} \$$ . Journal of High Energy Physics, 2012, 2012, 1.	4.7	34
216	Search for supersymmetry in final states with missing transverse energy and 0, 1, 2, or $\hat{a}\% = 3$ b-quark jets in 7 TeV pp collisions using the variable $\hat{l}\pm 1$ . Journal of High Energy Physics, 2013, 2013, 1.	4.7	34

#	Article	IF	Citations
217	Searches for supersymmetry using the M T2 variable in hadronic events produced in pp collisions at 8 TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	34
218	Measurement of $\mbox{smathrm {t}}$ overline{mathrm {t}}\$\$ t t $\mbox{A}^-$ production with additional jet activity, including \$\$mathrm {b}\$\$ b quark jets, in the dilepton decay channel using pp collisions at \$\$sqrt{s} = 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 379.	3.9	34
219	Measurements of the $\mbox{mathrm{t}}$ overline{mathrm{t}}\$\$ t t $\mbox{\^A}^-$ production cross section in lepton+jets final states in pp collisions at 8 \$\$,ext {TeV}\$\$ TeV and ratio of 8 to 7 $\mbox{\^A}$ \$\$,ext {TeV}\$\$ TeV cross sections. European Physical Journal C, 2017, 77, 15.	3.9	34
220	Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state of two muons and two $\ddot{l}$ , leptons in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	34
221	Measurement of the top quark mass with lepton+jets final states using $\$$ mathrm {p} $\$$ mathrm {p} $\$$ mathrm {p} $\$$ s collisions at $\$$ sqrt{s}=13,ext {TeV} $\$$ s. European Physical Journal C, 2018, 78, 891.	3.9	34
222	Search for a heavy right-handed W boson and a heavy neutrino in events with two same-flavor leptons and two jets at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	34
223	FPGA-Accelerated Machine Learning Inference as a Service for Particle Physics Computing. Computing and Software for Big Science, 2019, 3, 1.	2.9	34
224	Search for single production of vector-like quarks decaying to a top quark and a $\$$ mathrm $\{W\}$ $\$$ W boson in protonâ $\in$ proton collisions at $\$$ quark $\{s\}$ = 13 ,ext $\{TeV\}$ $\$$ s = 13 TeV. European Physical Journal C, 2019, 79, 90.	3.9	34
225	Measurement of the underlying event in the Drell–Yan process in proton–proton collisions at \$sqrt{s} = 7~mbox{TeV}\$. European Physical Journal C, 2012, 72, 1.	3.9	33
226	Search for new physics in events with same-sign dileptons and b jets in pp collisions at $q=8$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	33
227	Search for heavy resonances decaying to two Higgs bosons in final states containing four b quarks. European Physical Journal C, 2016, 76, 371.	3.9	33
228	Measurement of exclusive $\{\{\{uprho_{}^{}\}_{}^{}\}\{\{left(\{770\}ight)\}\{\}_{}^{}\}\} ^{0}$ \$\$\$\$\$photoproduction in ultraperipheral pPb collisions at \$\$sqrt{smash [b]{s_{mathrm {NN}}}} = 5.02,ext {Te}ext {V} \$\$. European Physical Journal C, 2019, 79, 702.	3.9	33
229	Search for dark matter produced in association with a leptonically decaying \$\${mathrm{Z}} \$\$ boson in protonâ€"proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2021, 81, 13.	3.9	33
230	Search for top squark pair production using dilepton final states in $\{p\}$ {ext $\{p\}$ } \$ collision data collected at $\{p\}$ = 13,ext $\{TeV\}$ \$\$. European Physical Journal C, 2021, 81, 3.	3.9	33
231	Measurement of $f$ hbox $f$ ar hbox $f$ normalised multi-differential cross sections in \$\$ ext $f$ show a simultaneous determination of the strong coupling strength, top quark pole mass, and parton distribution functions. European Physical Journal C. 2020. 80. 1.	3.9	33
232	Measurement of $\{\text{ext}\{B\}\}$ overline $\{\text{ext}\{B\}\}$ angular correlations based on secondary vertex reconstruction at $\{\text{s} = 7, \{\text{ext}\{\text{TeV}\}\}\}$ . Journal of High Energy Physics, 2011, 2011, 1.	4.7	32
233	Search for supersymmetry in pp collisions at $\$$ sqrt $\{s\}$ = $7$ $\$$ TeV in events with a single lepton, jets, and missing transverse momentum. Journal of High Energy Physics, 2011, 2011, 1.	4.7	32
234	Search in leptonic channels for heavy resonances decaying to long-lived neutral particles. Journal of High Energy Physics, 2013, 2013, 1.	4.7	32

#	Article	IF	CITATIONS
235	Jet and underlying event properties as a function of charged-particle multiplicity in proton–proton collisions at \$sqrt {s}= 7 ext{TeV}\$. European Physical Journal C, 2013, 73, 2674.	3.9	32
236	Measurements of the $\frac{Z}$ \$\$ Z \$\$mathrm{Z}\$\$ Z production cross sections in the \$\$2mathrm{I} 2u \$\$ 2 l 2 l ½ channel in proton–proton collisions at \$\$sqrt{s} = 7\$\$ s = 7 and \$\$8~. European Physical Journal C, 2015, 75, 511.	3.9	32
237	Searches for pair production of third-generation squarks in $\$$ sqrt $\{s\}=13$ \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV pp collisions. European Physical Journal C, 2017, 77, 327.	3.9	32
238	Shape, transverse size, and charged-hadron multiplicity of jets in pp collisions at $q=7$ ; TeV \$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	31
239	Measurement of the triple-differential cross section for photon + jets production in proton-proton collisions at	4.7	31
240	Measurement of electroweak production of two jets in association with a Z boson in protonâ $\in$ proton collisions at $s=0$ European Physical Journal C, 2015, 75, 66.	3.9	31
241	Measurement of transverse momentum relative to dijet systems in PbPb and pp collisions at s N N = $2.76$ \$\$ sqrt{s_{mathrm{NN}}}= $2.76$ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	31
242	Search for top squark pair production in pp collisions at $s=13 $ \$\$ sqrt $s=13 $ \$\$ TeV using single lepton events. Journal of High Energy Physics, 2017, 2017, 1.	4.7	31
243	Search for disappearing tracks as a signature of new long-lived particles in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	31
244	A multi-dimensional search for new heavy resonances decaying to boosted $\$\text{W}_{f}$ \$\\$\\$ \\$\\$\\$\\$\\$\\$\\$\ W \\$\{\}\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$	3.9	31
245	Distance-Weighted Graph Neural Networks on FPGAs for Real-Time Particle Reconstruction in High Energy Physics. Frontiers in Big Data, 2020, 3, 598927.	2.9	31
246	Measurement of Bose-Einstein correlations in pp collisions at $\$$ sqrt $\$$ = 0.9 $\$$ and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	30
247	Search for new physics in events with same-sign dileptons and b-tagged jets in pp collisions at $ sqrt $ {s} = 7 $ TeV$ . Journal of High Energy Physics, 2012, 2012, 1.	4.7	30
248	Search for a Higgs boson in the decay channel H $\hat{a}$ † $ZZ(*)$ $\hat{a}$ † $\hat{q}$ overline {ext{q}} \$ $\hat{a}$ ," $\hat{a}$ " $\hat{a}$ " + in pp collisions at \$ sqrt {s} = 7 \$TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	30
249	Measurement of the W-boson helicity in top-quark decays from \$ mathrm{t}overline{mathrm{t}} \$ production in lepton+jets events in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	30
250	Search for neutral MSSM Higgs bosons decaying into a pair of bottom quarks. Journal of High Energy Physics, 2015, 2015, 1.	4.7	30
251	Search for massive WH resonances decaying into the \$\$ell u mathrm{b} overline{mathrm{b}} \$\$ â," $\hat{l}^{1/2}$ b b $\hat{A}^-$ final state at \$\$sqrt{s}=8\$\$ s = 8 \$\$~ext {TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 237.	3.9	30
252	Measurements of the associated production of a Z boson and b jets in pp collisions at $\$\{qrt\{s\}\} = 8$ , ext $TeV\}$ \$\$ s = 8 TeV. European Physical Journal C, 2017, 77, 751.	3.9	30

#	Article	IF	CITATIONS
253	Search for supersymmetry in events with b jets and missing transverse momentum at the LHC. Journal of High Energy Physics, 2011, 2011, 1.	4.7	29
254	Measurement of inclusive jet production and nuclear modifications in pPb collisions at $s=\{mathrm \{NN\}\}\} = 5.02$ , mathrm $TeV$ \$\$ s NN. European Physical Journal C, 2016, 76, 372.	3.9	29
255	Correlations between jets and charged particles in PbPb and pp collisions at s N N = $2.76 \$\$$ sqrt $\{s_{nathrm{NN}}\}=2.76 \$\$$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	29
256	A search for new phenomena in pp collisions at $\$$ sqrt $\{s\} = 13$ ,ext $\{TeV\}$ $\$$ s = 13 TeV in final states with missing transverse momentum and at least one jet using the $\$$ alpha $_{\text{mathrm }}$ $\{T\}$ $\$$ \$ $\hat{I}$ ± T variable. European Physical Journal C, 2017, 77, 294.	3.9	29
257	Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at $s=8$ \$\$ sqrt{ $s$ }=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	29
258	Search for lepton flavour violating decays of the Higgs boson to $\hat{l}^{1}\!\!/\!4\ddot{l}_{n}$ , and $e\ddot{l}_{n}$ , in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29
259	Observation of proton-tagged, central (semi)exclusive production of high-mass lepton pairs in pp collisions at 13 TeV with the CMS-TOTEM precision proton spectrometer. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29
260	Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$ s = 13 Te. European Physical Journal C, 2019, 79, 280.	3.9	29
261	Search for \$\$ mathrm{t}}overline{mathrm{t}}mathrm{H} \$\$ production in the \$\$ mathrm{H}o mathrm{b}overline{mathrm{b}} \$\$ decay channel with leptonic \$\$ mathrm{t}overline{mathrm{t}} \$\$ decays in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	28
262	Measurements of differential Z boson production cross sections in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	28
263	Study of Z production in PbPb and pp collisions at s N N = $2.76 \$$ sqrt $\$ _{n} = 2.76 \$$ TeV in the dimuon and dielectron decay channels. Journal of High Energy Physics, 2015, 2015, 1.	4.7	27
264	Search for anomalous single top quark production in association with a photon in pp collisions at s = $8 $ \$\$ sqrt{s}= $8 $ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	27
265	Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure in proton-proton collisions at $$$ sqrt ${s}=13$ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	27
266	Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in protonâ $\in$ "proton collisions at \$\$sqrt{s} \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 291.	3.9	27
267	Performance of the reconstruction and identification of high-momentum muons in proton-proton collisions at $\hat{a}^* \leq i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < $	1.2	27
268	Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	27
269	display="inline"> <mml:msub><mml:mi>B</mml:mi><mml:mi>s</mml:mi></mml:msub> <mml:mo>af stretchy="false"&gt;(</mml:mo> <mml:mo>*</mml:mo> <mml:mo) 0.784314="" 1="" 10="" 50<br="" etqq1="" overlock="" rgbt="" tf="" tj="">accent="true"&gt;<mml:mi>K</mml:mi><mml:mo>Â<sup>-</sup></mml:mo><mml:mrow><mml:mo< td=""><td>o&gt;<mmi:ms 107 Td (stro 7.8</mmi:ms </td><td>sup&gt; &lt; mml:ni etchy="false" 26</td></mml:mo<></mml:mrow></mml:mo)>	o> <mmi:ms 107 Td (stro 7.8</mmi:ms 	sup> < mml:ni etchy="false" 26
270	Search for physics beyond the standard model in opposite-sign dilepton events in pp collisions at \$ sqrt {s} = 7,{ext{TeV}} \$. Journal of High Energy Physics, 2011, 2011, 1.	77 Td (stret 4.7	tchy="false"> 26

#	Article	IF	CITATIONS
271	Search for resonant $\mbox{mathrm{t}}$ overline{mathrm{t}} \$ production in lepton+jets events in pp collisions at $\mbox{sqrt{s}=7 }$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	26
272	Ratios of dijet production cross sections as a function of the absolute difference in rapidity between jets in proton–proton collisions at \$sqrt{s} = 7 mathrm{TeV}\$. European Physical Journal C, 2012, 72, 1.	3.9	26
273	Search for the standard model Higgs boson in the H → ZZ → 2â,,"2ν channel in pp collisions = {7};{ext{TeV}} \$. Journal of High Energy Physics, 2012, 2012, 1.	at \$ sqrt 4.7	{ext{s}}
274	Measurement of the production cross section for pairs of isolated photons in pp collisions at $\$ sqrt $\$ s} = 7; TeV $\$ . Journal of High Energy Physics, 2012, 2012, 1.	4.7	26
275	Search for $W\hat{a}\in \hat{a}$ $\hat{a}$ to decays in the lepton + jets final state in pp collisions at \$ sqrt{s} \$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	26
276	Measurement of the W boson helicity in events with a single reconstructed top quark in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	26
277	Measurement of the inclusive jet cross section in pp collisions at $\$$ sqrt $\{s\} = 2.76$ ,ext $\{TeV\}$ $\$$ s = 2.76 TeV. European Physical Journal C, 2016, 76, 1.	3.9	26
278	Measurement of energy flow at large pseudorapidities in pp collisions at $\$$ sqrt $\{s\}$ = 0. $\{9\}$ $\$$ and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	25
279	Forward–backward asymmetry of Drell–Yan lepton pairs in pp collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,mathrm{TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 325.	3.9	25
280	Search for high-mass resonances in final states with a lepton and missing transverse momentum at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	25
281	Measurement of the $mathrm{t}ar{mathrm{t}}$ production cross section in the $\ddot{l}_{n}$ +jets channel in pp collisions at $q=1$ mbox $q=1$ mbox $q=1$ by collisions at $q=1$ mbox $q=1$ mbox $q=1$ mbox $q=1$ by collisions at $q=1$ mbox $q=1$ mbo	3.9	24
282	Search for physics beyond the standard model in events with two leptons, jets, and missing transverse momentum in pp collisions at s $$$ sqrt ${s}$ $$$ = 8 TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	24
283	Search for third-generation scalar leptoquarks in the $t\ddot{i}$ , channel in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	24
284	Search for vector-like T quarks decaying to top quarks and Higgs bosons in the all-hadronic channel using jet substructure. Journal of High Energy Physics, 2015, 2015, 1.	4.7	24
285	Measurements of $f^{p}} {\mathbf{p}} {\mathbf{p}$	3.9	24
286	Inclusive b-hadron production cross section with muons in pp collisions at $\$ sqrt $\{s\}$ = 7; $\{ext\{TeV\}\}\$ \$. Journal of High Energy Physics, 2011, 2011, 1.	4.7	23
287	Measurement of WZ and ZZ production in pp collisions at $\$\$qrt\{s\} = 8$ ,ext $\{TeV\}$ $\$\$$ s = 8 TeV in final states with b-tagged jets. European Physical Journal C, 2014, 74, 2973.	3.9	23
288	Observation of top quark pairs produced in association with a vector boson in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	23

#	Article	IF	Citations
289	Measurement of the jet mass in highly boosted $f(t)=0$ when the j	3.9	23
290	Search for heavy resonances decaying to tau lepton pairs in proton-proton collisions at $s=13 $ \$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23
291	Measurement of the transverse momentum spectra of weak vector bosons produced in proton-proton collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23
292	Measurement of the top quark mass using single top quark events in proton-proton collisions at $s=8$ and $s=8$ are	3.9	23
293	Measurement of the triple-differential dijet cross section in proton-proton collisions at $s=0.00$ % s = 8 TeV and constraints on parton distribution functions. European Physical Journal C, 2017, 77, 746.	3.9	23
294	Searches for pair production of charginos and top squarks in final states with two oppositely charged leptons in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	23
295	Search for physics beyond the standard model in events with jets and two same-sign or at least three charged leptons in proton-proton collisions at $\frac{1}{5}=13$ , {ext {TeV}} \$\$. European Physical Journal C, 2020, 80, 752.	3.9	23
296	Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23
297	Searching for new physics with <mml:math altimg="si1.gif" overflow="scroll" xmins:mml="http://www.w3.org/1998/Math/MathML"><mml:mi>B</mml:mi><mml:mo>â†'</mml:mo><mml:mi>K</mml:mi><mml:mi>K</mml:mi><mml:mi>K</mml:mi><mml:mi>K</mml:mi><mml:mi>K</mml:mi><mml:mi>K</mml:mi><mml:mi>K</mml:mi><mml:mi>K</mml:mi><mml:mi>K</mml:mi><mml:mi>K</mml:mi>KKK<td>/m<b>rhlt</b>math</td><td>1&gt; 22</td></mml:math>	/m <b>rhlt</b> math	1> 22
298	Search for large extra dimensions in the diphoton final state at the Large Hadron Collider. Journal of High Energy Physics, 2011, 2011, 1.	4.7	22
299	Search for physics beyond the standard model in events with $\ddot{l}$ , leptons, jets, and large transverse momentum imbalance in pp collisions at $q=1$ mathrm{TeV}\$. European Physical Journal C, 2013, 73, 2493.	3.9	22
300	Search for t t $\hat{A}^-$ \$\$ mathrm{t}overline{mathrm{t}} \$\$ resonances in highly boosted lepton+jets and fully hadronic final states in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
301	Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at s = $13 $ \$\$ sqrt{s}= $13 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
302	Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
303	Search for heavy neutrinos or third-generation leptoquarks in final states with two hadronically decaying $I_{\rm m}$ leptons and two jets in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
304	Search for direct pair production of supersymmetric partners to the \$\${uptau }_{{}^{}^{}}\$\$ lepton in protonâ€"proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$. European Physical Journal C, 2020, 80, 189.	3.9	22
305	Measurement of differential cross sections and charge ratios for t-channel single top quark production in proton–proton collisions at \$\$sqrt{s}=13\$\$ \$\$,ext {Te}ext {V}\$\$. European Physical Journal C, 2020, 80, 370.	3.9	22
306	Search for associated production of a Z boson with a single top quark and for tZ flavour-changing interactions in pp collisions at $s = 8 $ \$ sqrt $\{s\}=8 $ \$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	21

#	Article	IF	CITATIONS
307	Search for beyond the standard model Higgs bosons decaying into a $$$ mathrm{b}overline{mathrm{b}} \$\$ pair in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	21
308	A Deep Neural Network for Simultaneous Estimation of b Jet Energy and Resolution. Computing and Software for Big Science, 2020, 4, 10.	2.9	21
309	Search for direct top squark pair production in events with one lepton, jets, and missing transverse momentum at 13 TeV with the CMS experiment. Journal of High Energy Physics, 2020, 2020, 1.	4.7	21
310	Autoencoders on field-programmable gate arrays for real-time, unsupervised new physics detection at 40 MHz at the Large Hadron Collider. Nature Machine Intelligence, 2022, 4, 154-161.	16.0	21
311	Measurement of the inclusive Z cross section via decays to tau pairs in pp collisions at sqrt s = 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	20
312	Search for exotic resonances decaying into WZ/ZZ in pp collisions at $q=1$ FeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	20
313	Search for supersymmetry in pp collisions at \$sqrt{s} =7\$ TeV in events with a single lepton, jets, and missing transverse momentum. European Physical Journal C, 2013, 73, 2404.	3.9	20
314	Measurements of the $\mbox{mathrm{t}}$ overline{mathrm{t}} \$ charge asymmetry using the dilepton decay channel in pp collisions at \$ $\mbox{sqrt{s}} = 7$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	20
315	Search for the production of dark matter in association with top-quark pairs in the single-lepton final state in proton-proton collisions at $s=8$ \$\$ sqrt{ $s$ }=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	20
316	Azimuthal decorrelation of jets widely separated in rapidity in pp collisions at $s = 7 $ \$\$ sqrt{s}=7 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	20
317	Search for $\$$ mathrm{t}overline{mathrm{t}}mathrm{H} $\$$ production in the all-jet final state in proton-proton collisions at $\$$ sqrt{s}=13 $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	20
318	Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	20
319	Topology Classification with Deep Learning to Improve Real-Time Event Selection at the LHC. Computing and Software for Big Science, 2019, 3, 1.	2.9	20
320	Search for rare decays of $\frac{Z}$ \$ Z and Higgs bosons to $\frac{J}{psi}$ \$ J / $\Gamma$ and a photon in proton-proton collisions at $\frac{s}{s}$ \$ s = 13 \$\$,ext {TeV}\$ TeV. European Physical Journal C, 2019, 79, 94.	3.9	20
321	Measurement of top quark pair production in association with a Z boson in proton-proton collisions at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	20
322	Applications and Techniques for Fast Machine Learning in Science. Frontiers in Big Data, 2022, 5, 787421.	2.9	20
323	Update of the electroweak precision fit, interplay with Higgs-boson signal strengths and model-independent constraints on new physics. Nuclear and Particle Physics Proceedings, 2016, 273-275, 2219-2225.	0.5	19
324	Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at $s=7$ \$\$ $sqrt{s}=7$ \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	19

#	Article	IF	Citations
325	Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into $\ddot{l}$ , leptons in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	19
326	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $$$ sqrt ${s}=13 $ \$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	19
327	Search for charged Higgs bosons produced in vector boson fusion processes and decaying into vector boson pairs in proton–proton collisions at \$\$sqrt{s} = 13,{ext {TeV}} \$\$. European Physical Journal C, 2021, 81, 723.	3.9	19
328	Search for quark compositeness in dijet angular distributions from pp collisions at  sqrt  = 7 } TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	18
329	Decomposing transverse momentum balance contributions for quenched jets in PbPb collisions at s N N = 2.76 $\$$ sqrt{s_{mathrm{N};mathrm{N}}}=2.76 $\$$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	18
330	Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states in pp collisions at $\$$ qrt $\{s\} = 8$ ;ext $\{TeV\}$ $\$$ s = 8 TeV. European Physical Journal C, 2016, 76, 460.	3.9	18
331	Measurement of normalized differential $\$ mathrm{t}overline{mathrm{t}} \$\$ cross sections in the dilepton channel from pp collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	18
332	Search for resonant pair production of Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	18
333	Measurement of differential cross sections for inclusive isolated-photon and photon+jet production in proton-proton collisions at $s=13$ , ext $TeV$ $s=13$ TeV. European Physical Journal C, 2019, 79, 20.	3.9	18
334	Measurement of the differential Drell-Yan cross section in proton-proton collisions at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	18
335	MUSiC: a model-unspecific search for new physics in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2021, 81, 629.	3.9	18
336	Combined searches for the production of supersymmetric top quark partners in proton–proton collisions at \$\$sqrt{s} = 13,ext {Te}ext {V} \$\$. European Physical Journal C, 2021, 81, 970.	3.9	18
337	Publishing statistical models: Getting the most out of particle physics experiments. SciPost Physics, 2022, 12, .	4.9	18
338	Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton–proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$. European Physical Journal C, 2022, 82, 290.	3.9	18
339	Performance of second generation BABAR resistive plate chambers. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2005, 552, 276-291.	1.6	17
340	Hunting the CKM weak phase with time-integrated Dalitz analyses of decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2007, 645, 201-203.	4.1	17
341	Search for stopped long-lived particles produced in pp collisions at	4.7	17
342	Measurement of the \$ Lambda_{mathrm{b}}^0 \$ lifetime in pp collisions at \$ $qt{s}=7 $ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	17

#	Article	IF	CITATIONS
343	Search for standard model production of four top quarks in the lepton + jets channel in pp collisions at $s = 8 $ \$\$ sqrt $s$ =8 \$\$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	17
344	Probing color coherence effects in pp collisions at \$\$sqrt{s}=7,ext {TeV} \$\$ s = 7 TeV. European Physical Journal C, 2014, 74, 2901.	3.9	17
345	and B± â†' J/ſ^K ± and ℬ B c ± â†' J / ſ^ Ĭ€ ± Ĭ€ ± Ĭ€ â^" / â,¬ B c ± â†' J / ſ^ Ĭ€ ± \$\$ mathrm{mathcal{B}}left({mathrm{B}}_{mathrm{c}}^{pm}o mathrm{J}/psi {pi}^{pm} }{pi}^{pm} Tj ETQq1 1 0.	. / \-	BT /Overlock
346	2015. 1 Search for Higgs boson off-shell production in proton-proton collisions at 7 and 8 TeV and derivation of constraints on its total decay width. Journal of High Energy Physics, 2016, 2016, 1.	4.7	17
347	Search for new physics with the M T2 variable in all-jets final states produced in pp collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	17
348	Search for new physics in the monophoton final state in proton-proton collisions at $s=13 \$$ sqrt $\{s\}=13 \$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
349	Measurement of electroweak-induced production of $\hat{W}^3$ with two jets in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV and constraints on anomalous quartic gauge couplings. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
350	Measurements of jet charge with dijet events in pp collisions at $s = 8 $ \$\$ sqrt{ $s$ }=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
351	Constraints on the double-parton scattering cross section from same-sign W boson pair production in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
352	Charged-particle nuclear modification factors in XeXe collisions at $\$$ sqrt $\{s_{NN}\}$ = 5.44 $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
353	Search for $Z\hat{I}^3$ resonances using leptonic and hadronic final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
354	Measurement of the production cross section for single top quarks in association with W bosons in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
355	Measurement of charged particle spectra in minimum-bias events from proton–proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 697.	3.9	17
356	Electroweak production of two jets in association with a Z boson in protonâ $\in$ "proton collisions at \$\$sqrt{s}= \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 1.	3.9	17
357	Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	17
358	Measurement of the inclusive production cross sections for forward jets and for dijet events with one forward and one central jet in pp collisions at	4.7	16
359	Measurement of the \$ mathrm{t}overline{mathrm{t}} \$ production cross section in the all-jet final state in pp collisions at \$ $qt{s}=7 $ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	16
360	Measurement of the hadronic activity in events with a Z and two jets and extraction of the cross section for the electroweak production of a Z with two jets in pp collisions at $\$ sqrt{s}=7 $\$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	16

#	Article	IF	CITATIONS
361	Measurement of jet multiplicity distributions in $\frac{t}{0}$ mathrm $t}$ overline mathrm $t}$ t t $\hat{A}^-$ production in pp collisions at $\frac{s}{0}$ = 7,ext $TeV$ \$\$ s = 7 TeV. European Physical Journal C, 2014, 74, 3014.	3.9	16
362	Search for lepton flavour violating decays of heavy resonances and quantum black holes to an \$\$mathrm {e}mu \$\$ e μ pair in proton–proton collisions at \$\$sqrt{s}=8~ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 317.	3.9	16
363	Measurement of dijet azimuthal decorrelation in ppÂcollisions at $\$$ sqrt $\{s\}$ =8,mathrm $\{TeV\}$ $\$$ s = 8 TeV. European Physical Journal C, 2016, 76, 536.	3.9	16
364	Search for excited leptons in proton-proton collisions at s = $8 $ \$\$ sqrt{s}= $8 $ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	16
365	Search for a massive resonance decaying into a Higgs boson and a W or Z boson in hadronic final states in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	16
366	Measurement of the production cross section of a WÂboson in association with two b jets in pp collisions at $\$$ sqrt{s} = 8{,mathrm{{TeV}}} \$\$ s = 8 TeV. European Physical Journal C, 2017, 77, 92.	3.9	16
367	Measurement of associated Z + charm production in proton–proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 287.	3.9	16
368	Search for single production of vector-like quarks decaying to a b quark and a Higgs boson. Journal of High Energy Physics, 2018, 2018, 1.	4.7	16
369	Search for new physics in top quark production in dilepton final states in proton-proton collisions at $s=13,ext \{TeV\}$ . European Physical Journal C, 2019, 79, 886.	3.9	16
370	Learning new physics from an imperfect machine. European Physical Journal C, 2022, 82, 275.	3.9	16
371	xm <sup>l</sup> lns:mml="http://www.w3.org/1998/Math/MathML" display="inline"> <mml:mi>α</mml:mi> from <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"&gt;<mml:mi>B</mml:mi><mml:mo>â†'</mml:mo><mml:mi> €</mml:mi><mml:mi> 6</mml:mi></mml:math 	4.7 mml:math	15 >decays.
372	Physical Review D, 2007, 76, . Search for a fermiophobic Higgs boson in pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	15
373	Measurement of the mass difference between top and antitop quarks. Journal of High Energy Physics, 2012, 2012, 1.	4.7	15
374	Search for new physics in events with photons, jets, and missing transverse energy in pp collisions at $\frac{1}{5}=7$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	15
375	The UTfit collaboration average of D meson mixing data: Winter 2014. Journal of High Energy Physics, 2014, 2014, 1.	4.7	15
376	Measurement of top quark polarisation in t-channel single top quark production. Journal of High Energy Physics, 2016, 2016, 1.	4.7	15
377	Search for electroweak production of charginos and neutralinos in WH events in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	15
378	Search for top quark decays via Higgs-boson-mediated flavor-changing neutral currents in pp collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	15

#	Article	IF	CITATIONS
379	Measurement of the t t $\hat{A}^-$ \$\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section using events with one lepton and at least one jet in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	15
380	Search for new physics with dijet angular distributions in proton-proton collisions at $s=13 $ \$ sqrt $s=13 $ \$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	15
381	Search for a singly produced third-generation scalar leptoquark decaying to a $\ddot{\text{l}}$ , lepton and a bottom quark in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	15
382	Measurement of b hadron lifetimes in pp collisions at $\$\$qrt\{s\} = 8\$\$ s = 8\$\$,ext \{Te\}ext \{V\}\$\$$ TeV. European Physical Journal C, 2018, 78, 457.	3.9	15
383	Search for third-generation leptoquarks and scalar bottom quarks in pp collisions at \$ sqrt{s}=7;TeV \$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	14
384	Search for s channel single top quark production in pp collisions at $s = 7 $ \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	14
385	Search for supersymmetry in pp collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV in the single-lepton final state using the sum of masses of large-radius jets. Journal of High Energy Physics, 2016, 2016, 1.	4.7	14
386	Search for associated production of dark matter with a Higgs boson decaying to b b $\hat{A}^-$ \$\$ mathrm{b}overline{mathrm{b}} \$\$ or $\hat{I}^3\hat{I}^3$ at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
387	Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at $s = 8 $ sqrt $\{s\}=8 $ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
388	Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
389	Search for supersymmetry in events with at least one photon, missing transverse momentum, and large transverse event activity in proton-proton collisions at $s=13~$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
390	Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at $s=13 $ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	14
391	Studies of \$\${mathrm {B}} ^{*}_{{mathrm {s}}2}(5840)^0 \$\$ B s 2 $\hat{a}$ — ( 5840 ) 0 and \$\${mathrm {B}}		

#	Article	IF	CITATIONS
397	Search for light resonances decaying into pairs of muons as a signal of new physics. Journal of High Energy Physics, 2011, 2011, 1.	4.7	13
398	Measurement of the underlying event activity in pp collisions at $\$$ sqrt $\$$ = 0.9 $\$$ and 7 TeV with the novel jet-area/median approach. Journal of High Energy Physics, 2012, 2012, 1.	4.7	13
399	Search for heavy quarks decaying into a top quark and a W or Z boson using lepton + jets events in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	13
400	Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	13
401	Search for dark matter in proton-proton collisions at 8 TeV with missing transverse momentum and vector boson tagged jets. Journal of High Energy Physics, 2016, 2016, 1.	4.7	13
402	Search for single production of vector-like quarks decaying to a Z boson and a top or a bottom quark in proton-proton collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	13
403	Search for top squarks decaying via four-body or chargino-mediated modes in single-lepton final states in proton-proton collisions at $$$ sqrt ${s}=13$ $$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	13
404	Measurement of the underlying event activity in inclusive Z boson production in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	13
405	Measurements of differential cross sections of top quark pair production as a function of kinematic event variables in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	13
406	Jet properties in PbPb and pp collisions at $\$$ sqrt $\{s_{mathrm{N};mathrm{N}}\}=5.02 \$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	13
407	Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at $$$ sqrt ${s}$ $$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	13
408	Standard Model updates and new physics analysis with the Unitarity Triangle fit. Nuclear Physics, Section B, Proceedings Supplements, 2013, 241-242, 89-94.	0.4	12
409	Search for supersymmetry in the vector-boson fusion topology in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	12
410	Phenomenological MSSM interpretation of CMS searches in pp collisions at $s=7$ \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	12
411	Comparing transverse momentum balance of b jet pairs in pp and PbPb collisions at \$\$ sqrt{s_{mathrm{NN}}}=5.02 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	12
412	Measurement of the groomed jet mass in PbPb and pp collisions at $\$$ sqrt $\{s_{NN}\}=5.02 \$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	12
413	Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at $\$$ sqrt $\{s\}=13$ \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	12
414	Search for dark matter produced in association with a Higgs boson decaying to $\hat{I}^3\hat{I}^3$ or $\hat{I}_3$ , $\hat{I}_3$ , $\hat{I}_3$ at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	12

#	Article	IF	Citations
415	Measurement of the energy density as a function of pseudorapidity in proton–proton collisions at \$\$sqrt{s} =13,ext {TeV} \$\$. European Physical Journal C, 2019, 79, 1.	3.9	12
416	Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a W or Z boson in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	12
417	Measurement of the average very forward energy as a function of the track multiplicity at central pseudorapidities in proton-proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$. European Physical Journal C, 2019, 79, 893.	3.9	12
418	Development and validation of HERWIGÂ7 tunes from CMS underlying-event measurements. European Physical Journal C, 2021, 81, 312.	3.9	12
419	Accelerating Recurrent Neural Networks for Gravitational Wave Experiments., 2021,,.		12
420	The DNNLikelihood: enhancing likelihood distribution with Deep Learning. European Physical Journal C, 2020, 80, 1.	3.9	12
421	Search for a right-handed W boson and a heavy neutrino in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	12
422	Search for new physics with long-lived particles decaying to photons and missing energy in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	11
423	Forward energy flow, central charged-particle multiplicities, and pseudorapidity gaps in W and Z boson events from pp collisions at \$sqrt{s}= 7\$ TeV. European Physical Journal C, 2012, 72, 1.	3.9	11
424	Search for the standard model Higgs boson in the H $\hat{a}^{\dagger}$ ZZ $\hat{a}^{\dagger}$ $\hat{a}$ , "+ $\hat{a}$ ," " $\hat{a}^{\dagger}$ ", + $\hat{i}$ , $\hat{a}^{\dagger}$ " decay channel in pp collisions at {s} = {7};{ext{TeV}} \$. Journal of High Energy Physics, 2012, 2012, 1.	\$ sart	11
425	Measurement of the $Z\hat{I}^3$ production cross section in pp collisions at 8 TeV and search for anomalous triple gauge boson couplings. Journal of High Energy Physics, 2015, 2015, 1.	4.7	11
426	Global Bayesian Analysis of the Higgs-boson Couplings. Nuclear and Particle Physics Proceedings, 2016, 273-275, 834-840.	0.5	11
427	Search for electroweak production of charginos in final states with two $\ddot{i}$ , leptons in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	11
428	Measurement of the semileptonic t t $\hat{A}^-$ \$\$ mathrm{t}overline{mathrm{t}} \$\$ + $\hat{I}^3$ production cross section in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	11
429	Measurement of the transverse momentum spectrum of the Higgs boson produced in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV using H â†' WW decays. Journal of High Energy Physics, 2017, 2017, 1.	4.7	11
430	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	11
431	Search for a heavy resonance decaying to a pair of vector bosons in the lepton plus merged jet final state at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	11
432	Search for supersymmetry in events with a photon, jets, \$\$mathrm {b}\$\$-jets, and missing transverse momentum in proton–proton collisions at 13\$\$,ext {Te}ext {V}\$\$. European Physical Journal C, 2019, 79, 444.	3.9	11

#	Article	IF	Citations
433	Study of the underlying event in top quark pair production in \$\$mathrm {p}mathrm {p}\$\$ p p collisions at 13 \$\$~ext {Te}ext {V}\$\$ Te. European Physical Journal C, 2019, 79, 123.	3.9	11
434	Measurement of electroweak production of a \$\$mathrm{W} \$\$ boson in association with two jets in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2020, 80, 43.	3.9	11
435	Multi-particle reconstruction in the High Granularity Calorimeter using object condensation and graph neural networks. EPJ Web of Conferences, 2021, 251, 03072.	0.3	11
436	Search for a heavy Higgs boson decaying into two lighter Higgs bosons in the Ï,,Ï,,bb final state at 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	11
437	Particle-based fast jet simulation at the LHC with variational autoencoders. Machine Learning: Science and Technology, 2022, 3, 035003.	5.0	11
438	Search for supersymmetry in events with a lepton, a photon, and large missing transverse energy in pp collisions at sqrt s} = 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	10
439	Measurement of the underlying event activity using charged-particle jets in proton-proton collisions at $s=2.76$ \$\$ sqrt{s}=2.76 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	10
440	Combination of Run-1 exotic searches in diboson final states at the LHC. Journal of High Energy Physics, 2016, 2016, 1-38.	4.7	10
441	Measurements of the pp $\hat{a}^{\dagger}$ $\hat{W}^{\hat{i}\hat{j}\hat{i}}$ and pp $\hat{a}^{\dagger}$ $\hat{Z}^{\hat{i}\hat{j}\hat{i}}$ cross sections and limits on anomalous quartic gauge coupling at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	<sup>S</sup> 4.7	10
442	Measurement of the inclusive energy spectrum in the very forward direction in proton-proton collisions at $s=13 $ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	10
443	Search for a light pseudoscalar Higgs boson produced in association with bottom quarks in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	10
444	Study of dijet events with a large rapidity gap between the two leading jets in pp collisions at \$\$\$qrt{s}=7\$\$ \$\$,ext {TeV}\$\$. European Physical Journal C, 2018, 78, 242.	3.9	10
445	Measurement of the \$\$mathrm {Z}/gamma ^{*} ightarrow au au \$\$ $Z/\hat{i}^3$ $\hat{a}$ — $\hat{a}^\dagger$ , $\hat{i}$ ,, $\hat{i}$ , cross section in pp collisions at \$\$sqrt{s} = 13 hbox { TeV}\$\$ s = 13 TeV and validation of \$\$. European Physical Journal C, 2018, 78, 708.	3.9	10
446	Search for a heavy resonance decaying into a Z boson and a vector boson in the $\$ u overline{u}mathrm{q}overline{mathrm{q}} \$\$ final state. Journal of High Energy Physics, 2018, 2018, 1.	4.7	10
447	Evidence for \$\$ext {W}ext {W}\$\$ production from double-parton interactions in proton–proton collisions at \$\$sqrt{s} = 13 ,ext {TeV} \$\$. European Physical Journal C, 2020, 80, 1.	3.9	10
448	Autoencoders for semivisible jet detection. Journal of High Energy Physics, 2022, 2022, 1.	4.7	10
449	Improving Variational Autoencoders for New Physics Detection at the LHC With Normalizing Flows. Frontiers in Big Data, 2022, 5, 803685.	2.9	10
450	Search for lepton-flavor violating decays of heavy resonances and quantum black holes to $e^{1}/4$ final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	9

#	Article	IF	CITATIONS
451	Azimuthal correlations for inclusive 2-jet, 3-jet, and 4-jet events in pp collisions at $\$$ sqrt $\{s\}$ = 13-hbox $\{TeV\}$ \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 1.	3.9	9
452	Search for a heavy resonance decaying to a top quark and a vector-like top quark in the lepton + jets final state in pp collisions at $\$$ sqrt $\{s\} = 13$ ,ext $\{TeV\}$ $\$$ s = 13 TeV. European Physical Journal C, 2019, 79, 1.	3.9	9
453	Detector Monitoring with Artificial Neural Networks at the CMS Experiment at the CERN Large Hadron Collider. Computing and Software for Big Science, 2019, 3, 1.	2.9	9
454	Search for a heavy vector resonance decaying to a $f(z) = 13$ , and a Higgs boson in proton-proton collisions at $f(z) = 13$ , and $f(z) = 13$ ,	3.9	9
455	Searches for W′ bosons decaying to a top quark and a bottom quark in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	8
456	Pseudorapidity distributions of charged hadrons in proton-lead collisions at s N N = $5.02 $ \$ sqrt{s_{mathrm{NN}}}= $5.02 $ \$ and $8.16 $ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	8
457	Search for a heavy resonance decaying into a Z boson and a Z or W boson in $2\hat{a}$ , "2q final states at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	8
458	Azimuthal separation in nearly back-to-back jet topologies in inclusive 2- and 3-jet events in $f(x) = 13$ , ext $f(x) = 13$ ,	3.9	8
459	Search for new physics in final states with two opposite-sign, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	8
460	The UTfit collaboration average of D meson mixing data: spring 2012. Journal of High Energy Physics, 2012, 2012, 1.	4.7	7
461	Search for the standard model Higgs boson produced in association with W and Z bosons in pp collisions at $\$ sqrt $\$ 3=7 $\$ 7TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	7
462	Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at $s=8$ \$\$ sqrt{ $s$ }=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	7
463	Study the effect of beam energy spread and detector resolution on the search for Higgs boson decays to invisible particles at a future e $$^+ + $ + e $^+ $ - circular collider. European Physical Journal C, 2017, 77, 1.	3.9	7
464	Search for high-mass $Z\hat{l}^3$ resonances in e+eâ <sup>-</sup> $\hat{l}^3$ and $\hat{l}^1/4 + \hat{l}^1/4$ â <sup>-</sup> $\hat{l}^3$ final states in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ and 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	<sup>5</sup> 4.7	7
465	Study of central exclusive "Equation missing" No EquationSource Format="TEX", only image production in proton-proton collisions at $\$$ sqrt $\{s\} = 5.02\$$ and 13TeV. European Physical Journal C, 2020, 80, 718.	3.9	7
466	Analysis-Specific Fast Simulation at the LHC with Deep Learning. Computing and Software for Big Science, 2021, 5, 15.	2.9	7
467	LHC physics dataset for unsupervised New Physics detection at 40 MHz. Scientific Data, 2022, 9, 118.	<b>5.</b> 3	7
468	Investigating the physics case of running a B-factory at the Upsilon (5S) resonance. Journal of High Energy Physics, 2007, 2007, 005-005.	4.7	6

#	Article	IF	Citations
469	Measurement of the cross section for production of $\$$ boverline b X $\$$ decaying to muons in pp collisions at $\$$ sqrt $\{s\}$ = 7 $\$$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	6
470	Comparison of the $Z/\hat{i}$ $\hat{a}$ — + jets to $\hat{i}$ + jets cross sections in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	6
471	Distributions of topological observables in inclusive three- and four-jet events in pp collisions at $s=7$ s = 7 s,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 302.	3.9	6
472	Measurement of the mass of the top quark in decays with a J/l meson in pp collisions at 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	6
473	Search for supersymmetry in events with at least three electrons or muons, jets, and missing transverse momentum in proton-proton collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	6
474	Measurements of triple-differential cross sections for inclusive isolated-photon+jet events in $\frac{p}{mathrm{p}}$ collisions at $\frac{s}{r} = 8$ , ext $TeV$ \$\$. European Physical Journal C, 2019, 79, 969.	3.9	6
475	Search for the associated production of the Higgs boson with a top-quark pair. , 2014, 2014, 1.		6
476	Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at $$$ sqrt{s} $$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	6
477	Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	6
478	Measurement of electroweak production of a W boson and two forward jets in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	5
479	Search for the production of an excited bottom quark decaying to tW in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	5
480	Search for a heavy resonance decaying to a top quark and a vector-like top quark at $s=13 \$$ sqrt $\{s\}=13 \$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	5
481	Measurement of the inclusive \$\$ mathrm{t}overline{mathrm{t}} \$\$ cross section in pp collisions at \$\$ sqrt{s}=5.02 \$\$ TeV using final states with at least one charged lepton. Journal of High Energy Physics, 2018, 2018, 1.	4.7	5
482	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	5
483	Search for the pair production of light top squarks in the $e\hat{A}\pm\hat{1}\frac{1}{4}\hat{a}$ final state in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	5
484	Measurement of energy flow at large pseudorapidities in pp collisions at ( sqrt $\{s\}$ = 0. $\{9\}$ ) and 7 TeV. , 2011, 2011, 1.		5
485	Measurement of single-diffractive dijet production in proton–proton collisions at \$\$sqrt{s} = 8,ext {Te}ext {V} \$\$ with the CMS and TOTEM experiments. European Physical Journal C, 2020, 80, 1164.	3.9	5
486	Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at $$$ sqrt ${s}$ $$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	5

#	Article	IF	Citations
487	Search for long-lived particles decaying into muon pairs in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV collected with a dedicated high-rate data stream. Journal of High Energy Physics, 2022, 2022, .	4.7	5
488	Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at $\$\$$ sqrt $\{\$\}$ $\$\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	5
489	Search for electroweak production of charginos and neutralinos in proton-proton collisions at $\$\$$ sqrt $\$\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	5
490	Search for pair production of excited top quarks in the lepton + jets final state. Journal of High Energy Physics, 2014, 2014, 1.	4.7	4
491	Search for dark matter particles in proton-proton collisions at $s = 8 $ \$\$ sqrt{ $s$ }=8 \$\$ TeV using the razor variables. Journal of High Energy Physics, 2016, 2016, 1.	4.7	4
492	Search for CP violation in t t $\hat{A}^-$ \$\$ toverline{t} \$\$ production and decay in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	4
493	Measurement of differential cross sections in the kinematic angular variable i* for inclusive Z boson production in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	4
494	Search for ZZ resonances in the $2\hat{a}$ , " $2\hat{l}$ ½ final state in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	4
495	Search for resonant production of second-generation sleptons with same-sign dimuon events in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2019, 79, 305.	3.9	4
496	Search for supersymmetry using Higgs boson to diphoton decays at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	4
497	Source-Agnostic Gravitational-Wave Detection with Recurrent Autoencoders. Machine Learning: Science and Technology, 0, , .	5.0	4
498	Search for higgsinos decaying to two Higgs bosons and missing transverse momentum in proton-proton collisions at $\$\$$ sqrt $\$\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, .	4.7	4
499	Performance and Aging Studies of BaBar Resistive Plate Chambers. Nuclear Physics, Section B, Proceedings Supplements, 2006, 158, 139-142.	0.4	3
500	Study of hadronic event-shape variables in multijet final states in pp collisions at $s = 7 $ \$\$ sqrt{s} = 7 \$\$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	3
501	Search for W′ â†' tb in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	3
502	Search for top quark partners with charge $5/3$ in proton-proton collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	3
503	Calibration of the CMS hadron calorimeters using proton-proton collision data at â^šs = 13 TeV. Journal of Instrumentation, 2020, 15, P05002-P05002.	1.2	3
504	Measurement of the (toverline $\{t\}$ ) production cross section in the dilepton channel in pp collisions at (sqrt $\{s\}$ ) = 8 TeV., 2014, 2014, 1.		3

#	Article	IF	CITATIONS
505	Measurements of the (mathrm {p}mathrm {p}ightarrow mathrm{Z}mathrm{Z}) production cross section and the (mathrm{Z}ightarrow 4ell ) branching fraction, and constraints on anomalous triple gauge couplings at (sqrt{s} = 13,ext {TeV})., 2018, 78, 1.		3
506	Unitarity Triangle Analysis: An Update. Nuclear Physics, Section B, Proceedings Supplements, 2010, 209, 109-114.	0.4	2
507	Phenomenology of Minimal Unified Tree Level Gauge Mediation at the LHC. Journal of High Energy Physics, 2013, 2013, 1.	4.7	2
508	Search for new phenomena with multiple charged leptons in proton–proton collisions at \$\$sqrt{s}= 13\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 1.	3.9	2
509	Measurements of angular distance and momentum ratio distributions in three-jet and $\{Z\}$ + two-jet final states in $\{p\}$ ext $\{p\}$ collisions. European Physical Journal C, 2021, 81, 852.	3.9	2
510	Search for new physics in events with same-sign dileptons and b jets in pp collisions at ( $sqrt\{s\}=8$ ) TeV. , 2013, 2013, 1.		2
511	Source-Agnostic Gravitational-Wave Detection with Recurrent Autoencoders. Machine Learning: Science and Technology, 0, , .	5.0	2
512	Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at \$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	2
513	Measurement of the inclusive $\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section in proton-proton collisions at \$\$ sqrt{s} \$\$ = 5.02 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	2
514	Search for heavy resonances decaying to a pair of Lorentz-boosted Higgs bosons in final states with leptons and a bottom quark pair at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, .	4.7	2
515	Lattice QCD confronts the Unitarity Triangle Fit. Nuclear Physics, Section B, Proceedings Supplements, 2007, 163, 43-49.	0.4	1
516	Status of the Cabibbo-Kobayashi-Maskawa matrix and Unitarity Triangle fits. AIP Conference Proceedings, 2007, , .	0.4	1
517	Dealing with O( $\hat{b}$ QCD/mb) corrections in charmless hadronic B decays. Journal of Physics: Conference Series, 2008, 110, 052045.	0.4	1
518	Tests of the standard model and search for new physics using flavor. Progress in Particle and Nuclear Physics, 2009, 62, 1-47.	14.4	1
519	Search for neutral color-octet weak-triplet scalar particles in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	1
520	Study of dijet events with large rapidity separation in proton-proton collisions at $\$\$$ sqrt $\$\$$ = 2.76 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	1
521	Observation of B\$\$^0\$\$ \$\$ightarrow \$\$ \$\$uppsi \$\$(2S)K\$\$^0_mathrm $\{S\}$ uppi ^+uppi ^-\$\$ and B\$\$^0_mathrm $\{s\}$ \$\$ \$\$ightarrow \$\$ \$\$uppsi \$\$(2S)K\$\$^0_mathrm $\{S\}$ \$\$ decays. European Physical Journal C, 2022, 82, .	3.9	1
522	Lightweight Jet Reconstruction and Identiffation as an Object Detection Task. Machine Learning: Science and Technology, 0, , .	5.0	1

#	Article	IF	Citations
523	Unitarity Triangle Analysis beyond the Standard Model. AIP Conference Proceedings, 2005, , .	0.4	O
524	Testing Standard Model and New Physics with the Unitarity Triangle Fit. AIP Conference Proceedings, 2006, , .	0.4	0
525	Testing New Physics with Unitarity Triangle Fit. AIP Conference Proceedings, 2007, , .	0.4	o
526	The Unitarity Triangle Analysis in the Standard Model. Nuclear Physics, Section B, Proceedings Supplements, 2008, 185, 5-10.	0.4	0
527	Probing the TeV scale (and above) with flavor physics. Journal of Physics: Conference Series, 2008, 110, 072033.	0.4	O
528	Discrepancy in the Unitarity Triangle fit from bâ†"s transitions. , 2008, , .		0
529	Search for natural supersymmetry in events with top quark pairs and photons in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	O
530	Deep learning for inferring cause of data anomalies. Journal of Physics: Conference Series, 2018, 1085, 042015.	0.4	0
531	STATUS OF THE UNITARITY TRIANGLE IN THE STANDARD MODEL. , 2007, , .		O
532	TESTING NEW PHYSICS WITH UNITARITY TRIANGLE FITS. , 2007, , .		0
533	B, D and K decays. Advances in the Physics of Particles and Nuclei, 2009, , 297-480.	0.1	O
534	Model-independent Analysis of î"F = 2 Transitions. , 2008, , 139-143.		0
535	Detecting long-lived particles trapped in detector material at the LHC. Physical Review D, 2022, 105, .	4.7	0