

Homer Yang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8111689/publications.pdf>

Version: 2024-02-01

22
papers

2,752
citations

933264

10
h-index

677027

22
g-index

24
all docs

24
docs citations

24
times ranked

2342
citing authors

#	ARTICLE	IF	CITATIONS
1	Efficacy and safety of sugammadex versus neostigmine in reversing neuromuscular blockade in morbidly obese adult patients: A systematic review and meta-analysis. <i>Anesthesia: Essays and Researches</i> , 2021, 15, 111.	0.2	4
2	Post Discharge after Surgery Virtual Care with Remote Automated Monitoring Technology (PVC-RAM): protocol for a randomized controlled trial. <i>CMAJ Open</i> , 2021, 9, E142-E148.	1.1	3
3	Incidence, Risk Factors, and Outcomes of Perioperative Atrial Fibrillation following Noncardiothoracic Surgery: A Systematic Review and Meta-Regression Analysis of Observational Studies. <i>Anesthesiology Research and Practice</i> , 2021, 2021, 1-13.	0.2	4
4	Post-discharge after surgery Virtual Care with Remote Automated Monitoring-1 (PVC-RAM-1) technology versus standard care: randomised controlled trial. <i>BMJ, The</i> , 2021, 374, n2209.	3.0	24
5	Perioperative satisfaction and health economic questionnaires in patients undergoing an elective hip and knee arthroplasty: A prospective observational cohort study. <i>Anesthesia: Essays and Researches</i> , 2021, 15, 413.	0.2	2
6	Risk of stroke and other adverse outcomes in patients with perioperative atrial fibrillation 1 year after non-cardiac surgery. <i>European Heart Journal</i> , 2020, 41, 645-651.	1.0	48
7	Perioperative beta-adrenergic antagonism: panacea or poison?. <i>British Journal of Anaesthesia</i> , 2019, 123, 97-100.	1.5	3
8	A Systematic Review of the Impact of Surgical Special Care Units on Patient Outcomes and Health Care Resource Utilization. <i>Anesthesia and Analgesia</i> , 2019, 128, 533-542.	1.1	11
9	Postoperative Home Monitoring After Joint Replacement: Retrospective Outcome Study Comparing Cases With Matched Historical Controls. <i>JMIR Perioperative Medicine</i> , 2018, 1, e10169.	0.3	6
10	Postoperative Home Monitoring After Joint Replacement: Feasibility Study. <i>JMIR Perioperative Medicine</i> , 2018, 1, e10168.	0.3	10
11	Postoperative real-time electrocardiography monitoring detects myocardial ischemia: a case report. <i>Canadian Journal of Anaesthesia</i> , 2017, 64, 411-415.	0.7	4
12	Association of delay of urgent or emergency surgery with mortality and use of health care resources: a propensity score-matched observational cohort study. <i>Cmaj</i> , 2017, 189, E905-E912.	0.9	100
13	Professionalism in anesthesia. <i>Canadian Journal of Anaesthesia</i> , 2017, 64, 149-157.	0.7	8
14	Signal Quality Analysis of Ambulatory Electrocardiograms to Gate False Myocardial Ischemia Alarms. <i>IEEE Transactions on Biomedical Engineering</i> , 2017, 64, 1318-1325.	2.5	31
15	Assessment of safety and efficacy of mesenchymal stromal cell therapy in preclinical models of acute myocardial infarction: a systematic review protocol. <i>Systematic Reviews</i> , 2017, 6, 226.	2.5	8
16	Comparative assessment of two frailty instruments for risk-stratification in elderly surgical patients: study protocol for a prospective cohort study. <i>BMC Anesthesiology</i> , 2016, 16, 111.	0.7	16
17	Perioperative medicine: why do we care?. <i>Canadian Journal of Anaesthesia</i> , 2015, 62, 338-344.	0.7	3
18	Effect of β -blocker Prescription on the Incidence of Postoperative Myocardial Infarction after Hip and Knee Arthroplasty. <i>Anesthesiology</i> , 2009, 111, 717-724.	1.3	62

#	ARTICLE	IF	CITATIONS
19	Effects of extended-release metoprolol succinate in patients undergoing non-cardiac surgery (POISE) Tj ETQq1 1 0.784314 rgBT /Overlo 6.3 1,984	6.3	1,984
20	The effects of perioperative β -blockade: Results of the Metoprolol after Vascular Surgery (MaVS) study, a randomized controlled trial. American Heart Journal, 2006, 152, 983-990.	1.2	331
21	Patients with aortic stenosis: Cardiac complications in non-cardiac surgery. Canadian Journal of Anaesthesia, 1998, 45, 855-859.	0.7	82
22	Intraoperative automated ST segment analysis: a reliable "Black Box"™?. Canadian Journal of Anaesthesia, 1996, 43, 1041-1051.	0.7	8