

Timo Partonen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8115231/publications.pdf>

Version: 2024-02-01

335
papers

15,502
citations

16451

64
h-index

25787

108
g-index

342
all docs

342
docs citations

342
times ranked

16776
citing authors

#	ARTICLE	IF	CITATIONS
1	Lifetime Prevalence of Psychotic and Bipolar I Disorders in a General Population. Archives of General Psychiatry, 2007, 64, 19.	12.3	1,112
2	High Concordance of Bipolar I Disorder in a Nationwide Sample of Twins. American Journal of Psychiatry, 2004, 161, 1814-1821.	7.2	320
3	Circadian Clock-Related Polymorphisms in Seasonal Affective Disorder and their Relevance to Diurnal Preference. Neuropsychopharmacology, 2003, 28, 734-739.	5.4	307
4	Haplotype transmission analysis provides evidence of association for DISC1 to schizophrenia and suggests sex-dependent effects. Human Molecular Genetics, 2003, 12, 3151-3159.	2.9	290
5	Chromosome 1 loci in Finnish schizophrenia families. Human Molecular Genetics, 2001, 10, 1611-1617.	2.9	274
6	Associations of Chronotype and Sleep With Cardiovascular Diseases and Type 2 Diabetes. Chronobiology International, 2013, 30, 470-477.	2.0	270
7	Systematic review of light exposure impact on human circadian rhythm. Chronobiology International, 2019, 36, 151-170.	2.0	253
8	Three circadian clock genes Per2, Arntl, and Npas2 contribute to winter depression. Annals of Medicine, 2007, 39, 229-238.	3.8	234
9	Is Low Dietary Intake of Omega-3 Fatty Acids Associated With Depression?. American Journal of Psychiatry, 2004, 161, 567-569.	7.2	223
10	Trends in self-reported sleep duration and insomnia-related symptoms in Finland from 1972 to 2005: a comparative review and reanalysis of Finnish population samples. Journal of Sleep Research, 2008, 17, 54-62.	3.2	216
11	Relation of Chronotype to Sleep Complaints in the General Finnish Population. Chronobiology International, 2012, 29, 311-317.	2.0	205
12	Association of low serum total cholesterol with major depression and suicide. British Journal of Psychiatry, 1999, 175, 259-262.	2.8	204
13	Evening types are prone to depression. Chronobiology International, 2013, 30, 719-725.	2.0	192
14	Seasonal affective disorder. Lancet, The, 1998, 352, 1369-1374.	13.7	183
15	Self-reported sleep duration and cognitive functioning in the general population. Journal of Sleep Research, 2009, 18, 436-446.	3.2	174
16	Bright light improves vitality and alleviates distress in healthy people. Journal of Affective Disorders, 2000, 57, 55-61.	4.1	169
17	Tendency Toward Eveningness Is Associated With Unhealthy Dietary Habits. Chronobiology International, 2012, 29, 920-927.	2.0	163
18	Self-reported sleep duration, all-cause mortality, cardiovascular mortality and morbidity in Finland. Sleep Medicine, 2011, 12, 215-221.	1.6	159

#	ARTICLE	IF	CITATIONS
19	Determinants and Outcomes of Serious Attempted Suicide: A Nationwide Study in Finland, 1996-2003. <i>American Journal of Epidemiology</i> , 2008, 167, 1155-1163.	3.4	157
20	Investigating the possible causal association of smoking with depression and anxiety using Mendelian randomisation meta-analysis: the CARTA consortium. <i>BMJ Open</i> , 2014, 4, e006141.	1.9	150
21	The associations between chronotype, a healthy diet and obesity. <i>Chronobiology International</i> , 2016, 33, 972-981.	2.0	147
22	The Diagnosis, Symptomatology, and Epidemiology of Seasonal Affective Disorder. <i>CNS Spectrums</i> , 2005, 10, 625-634.	1.2	144
23	A haplotype within the DISC1 gene is associated with visual memory functions in families with a high density of schizophrenia. <i>Molecular Psychiatry</i> , 2005, 10, 1097-1103.	7.9	143
24	Genome-wide scan in a nationwide study sample of schizophrenia families in Finland reveals susceptibility loci on chromosomes 2q and 5q. <i>Human Molecular Genetics</i> , 2001, 10, 3037-3048.	2.9	142
25	DISC1 association, heterogeneity and interplay in schizophrenia and bipolar disorder. <i>Molecular Psychiatry</i> , 2009, 14, 865-873.	7.9	140
26	Circadian preference links to depression in general adult population. <i>Journal of Affective Disorders</i> , 2015, 188, 143-148.	4.1	135
27	Nighttime work predisposes to non-Hodgkin lymphoma. <i>International Journal of Cancer</i> , 2008, 123, 2148-2151.	5.1	134
28	CRY2 Is Associated with Depression. <i>PLoS ONE</i> , 2010, 5, e9407.	2.5	132
29	NPAS2 and PER2 are linked to risk factors of the metabolic syndrome. <i>Journal of Circadian Rhythms</i> , 2014, 7, 5.	1.3	128
30	The association of air pollution and depressed mood in 70,928 individuals from four European cohorts. <i>International Journal of Hygiene and Environmental Health</i> , 2016, 219, 212-219.	4.3	126
31	Reduced left hemispheric white matter volume in twins with bipolar I disorder. <i>Biological Psychiatry</i> , 2003, 54, 896-905.	1.3	122
32	Self-reported sleep duration in Finnish general population. <i>Journal of Sleep Research</i> , 2006, 15, 276-290.	3.2	121
33	PER2 variant is associated with depression vulnerability. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 570-581.	1.7	118
34	Association of distinct allelic haplotypes of DISC1 with psychotic and bipolar spectrum disorders and with underlying cognitive impairments. <i>Human Molecular Genetics</i> , 2007, 16, 2517-2528.	2.9	112
35	Circadian Clock Gene Polymorphisms in Alcohol Use Disorders and Alcohol Consumption. <i>Alcohol and Alcoholism</i> , 2010, 45, 303-311.	1.6	111
36	Sociodemographic and socioeconomic differences in sleep duration and insomnia-related symptoms in Finnish adults. <i>BMC Public Health</i> , 2012, 12, 565.	2.9	111

#	ARTICLE	IF	CITATIONS
37	Systematic Analysis of Circadian Genes in a Population-Based Sample Reveals Association of TIMELESS with Depression and Sleep Disturbance. PLoS ONE, 2010, 5, e9259.	2.5	108
38	Memory and verbal learning functions in twins with bipolar-I disorder, and the role of information-processing speed. Psychological Medicine, 2005, 35, 205-215.	4.5	107
39	High Concordance of Bipolar I Disorder in a Nationwide Sample of Twins. American Journal of Psychiatry, 2004, 161, 1814.	7.2	106
40	Sleep-related disturbances and physical inactivity are independently associated with obesity in adults. International Journal of Obesity, 2007, 31, 1713-1721.	3.4	104
41	Referral and Final Diagnoses of Patients Assessed in an Academic Vertigo Center. Frontiers in Neurology, 2012, 3, 169.	2.4	103
42	Familial loading associates with impairment in visual span among healthy siblings of schizophrenia patients. Biological Psychiatry, 2003, 54, 623-628.	1.3	98
43	Association of the OPRM1 Variant rs1799971 (A118G) with Non-Specific Liability to Substance Dependence in a Collaborative de novo Meta-Analysis of European-Ancestry Cohorts. Behavior Genetics, 2016, 46, 151-169.	2.1	98
44	Chronotype differences in timing of energy and macronutrient intakes: A population-based study in adults. Obesity, 2017, 25, 608-615.	3.0	96
45	Habitual sleep duration is associated with BMI and macronutrient intake and may be modified by CLOCK genetic variants. American Journal of Clinical Nutrition, 2015, 101, 135-143.	4.7	93
46	Analysis of the seasonal pattern in suicide. Journal of Affective Disorders, 2004, 81, 133-139.	4.1	91
47	Replication of linkage on chromosome 7q22 and association of the regional Reelin gene with working memory in schizophrenia families. Molecular Psychiatry, 2008, 13, 673-684.	7.9	91
48	ARNTL (BMAL1) and NPAS2 Gene Variants Contribute to Fertility and Seasonality. PLoS ONE, 2010, 5, e10007.	2.5	91
49	Clock gene variants in mood and anxiety disorders. Journal of Neural Transmission, 2012, 119, 1133-1145.	2.8	84
50	Association Between Genes of Disrupted in Schizophrenia 1 (DISC1) Interactors and Schizophrenia Supports the Role of the DISC1 Pathway in the Etiology of Major Mental Illnesses. Biological Psychiatry, 2009, 65, 1055-1062.	1.3	82
51	An Association Analysis of Circadian Genes in Anxiety Disorders. Biological Psychiatry, 2010, 67, 1163-1170.	1.3	82
52	Morningness-eveningness, depressive symptoms, and emotional eating: A population-based study. Chronobiology International, 2014, 31, 554-563.	2.0	80
53	Age at onset and cognitive functioning in schizophrenia. British Journal of Psychiatry, 2004, 185, 215-219.	2.8	79
54	Long-term consistency of diurnal-type preferences among men. Chronobiology International, 2014, 31, 182-188.	2.0	79

#	ARTICLE	IF	CITATIONS
55	CLOCK is suggested to associate with comorbid alcohol use and depressive disorders. <i>Journal of Circadian Rhythms</i> , 2014, 8, 1.	1.3	78
56	Findings from bipolar disorder genome-wide association studies replicate in a Finnish bipolar family-cohort. <i>Molecular Psychiatry</i> , 2009, 14, 351-353.	7.9	75
57	Sleep-Related Factors and Mobility in Older Men and Women. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2010, 65A, 649-657.	3.6	75
58	Heritability and number of quantitative trait loci of neurocognitive functions in families with schizophrenia. <i>American Journal of Medical Genetics Part A</i> , 2002, 114, 483-490.	2.4	74
59	Search for cognitive trait components of schizophrenia reveals a locus for verbal learning and memory on 4q and for visual working memory on 2q. <i>Human Molecular Genetics</i> , 2004, 13, 1693-1702.	2.9	74
60	Families with the risk allele of DISC1 reveal a link between schizophrenia and another component of the same molecular pathway, NDE1. <i>Human Molecular Genetics</i> , 2007, 16, 453-462.	2.9	74
61	Circadian Phenotype in Patients with the Co-Morbid Alcohol Use and Bipolar Disorders. <i>Alcohol and Alcoholism</i> , 2008, 43, 564-568.	1.6	74
62	Bright-light exposure combined with physical exercise elevates mood. <i>Journal of Affective Disorders</i> , 2002, 72, 139-144.	4.1	73
63	Cognitive functioning in patients with familial bipolar I disorder and their unaffected relatives. <i>Psychological Medicine</i> , 2007, 37, 679.	4.5	72
64	Miscarriage and mental health: Results of two population-based studies. <i>Psychiatry Research</i> , 2013, 205, 151-158.	3.3	72
65	Evidence of susceptibility loci on 4q32 and 16p12 for bipolar disorder. <i>Human Molecular Genetics</i> , 2003, 12, 1907-1915.	2.9	70
66	Seasonal changes, sleep length and circadian preference among twins with bipolar disorder. <i>BMC Psychiatry</i> , 2003, 3, 6.	2.6	68
67	Sleep and Sickness Absence: A Nationally Representative Register-Based Follow-Up Study. <i>Sleep</i> , 2014, 37, 1413-1425.	1.1	68
68	Melatonin in perimenopausal and postmenopausal women. <i>Menopause</i> , 2014, 21, 493-500.	2.0	67
69	Chronotype and Health Outcomes. <i>Current Sleep Medicine Reports</i> , 2015, 1, 205-211.	1.4	66
70	Prevalence of insomnia-related symptoms continues to increase in the Finnish working-age population. <i>Journal of Sleep Research</i> , 2016, 25, 454-457.	3.2	66
71	Transition to daylight saving time reduces sleep duration plus sleep efficiency of the deprived sleep. <i>Neuroscience Letters</i> , 2006, 406, 174-177.	2.1	63
72	Early exposure to antibiotic drugs and risk for psychiatric disorders: a population-based study. <i>Translational Psychiatry</i> , 2019, 9, 317.	4.8	60

#	ARTICLE	IF	CITATIONS
73	Moclobemide and fluoxetine in treatment of seasonal affective disorder. <i>Journal of Affective Disorders</i> , 1996, 41, 93-99.	4.1	59
74	Climate impact on suicide rates in Finland from 1971 to 2003. <i>International Journal of Biometeorology</i> , 2009, 53, 167-175.	3.0	59
75	Hormone therapy and mood in perimenopausal and postmenopausal women. <i>Menopause</i> , 2015, 22, 564-578.	2.0	59
76	Effect of controlled-release melatonin on sleep quality, mood, and quality of life in subjects with seasonal or weather-associated changes in mood and behaviour. <i>European Neuropsychopharmacology</i> , 2003, 13, 137-145.	0.7	58
77	Replication of Association Between Working Memory and Reelin, a Potential Modifier Gene in Schizophrenia. <i>Biological Psychiatry</i> , 2010, 67, 983-991.	1.3	58
78	Hippocampal morphology in lithium and non-lithium-treated bipolar I disorder patients, non-bipolar co-twins, and control twins. <i>Human Brain Mapping</i> , 2012, 33, 501-510.	3.6	58
79	Late bedtimes weaken school performance and predispose adolescents to health hazards. <i>Sleep Medicine</i> , 2013, 14, 1105-1111.	1.6	58
80	Lithium is associated with decrease in all-cause and suicide mortality in high-risk bipolar patients: A nationwide registry-based prospective cohort study. <i>Journal of Affective Disorders</i> , 2015, 183, 159-165.	4.1	58
81	Narrow-band ultraviolet B radiation induces the expression of β -endorphin in human skin in vivo. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2016, 155, 104-108.	3.8	58
82	Randomized trial of physical exercise alone or combined with bright light on mood and health-related quality of life. <i>Psychological Medicine</i> , 1998, 28, 1359-1364.	4.5	57
83	A population-based association study of candidate genes for depression and sleep disturbance. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 468-476.	1.7	56
84	Smoking, nicotine dependence and nicotine intake by socio-economic status and marital status. <i>Addictive Behaviors</i> , 2014, 39, 1145-1151.	3.0	56
85	Prevalence and diagnosis of schizophrenia based on register, case record and interview data in an isolated Finnish birth cohort born 1940–1969. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005, 40, 808-816.	3.1	55
86	The role of DTNBP1, NRG1, and AKT1 in the genetics of schizophrenia in Finland. <i>Schizophrenia Research</i> , 2007, 91, 27-36.	2.0	55
87	The association of depression and anxiety with dental caries and periodontal disease among Finnish adults. <i>Community Dentistry and Oral Epidemiology</i> , 2015, 43, 540-549.	1.9	55
88	Cyclic time patterns of death from suicide in northern Finland. <i>Journal of Affective Disorders</i> , 2004, 78, 11-19.	4.1	53
89	Food and nutrient intake in relation to mental wellbeing. <i>Nutrition Journal</i> , 2004, 3, 14.	3.4	53
90	Seasonal Changes in Mood and Behavior Are Linked to Metabolic Syndrome. <i>PLoS ONE</i> , 2008, 3, e1482.	2.5	52

#	ARTICLE	IF	CITATIONS
91	Sex differences in cognition among persons with schizophrenia and healthy first-degree relatives. <i>Psychiatry Research</i> , 2011, 188, 7-12.	3.3	52
92	Gene-Environment Interactions of Circadian-Related Genes for Cardiometabolic Traits. <i>Diabetes Care</i> , 2015, 38, 1456-1466.	8.6	52
93	Pubertal timing, menstrual irregularity, and mental health: results of a population-based study. <i>Archives of Women's Mental Health</i> , 2014, 17, 127-135.	2.6	50
94	Evening chronotypes have the increased odds for bronchial asthma and nocturnal asthma. <i>Chronobiology International</i> , 2014, 31, 95-101.	2.0	50
95	Contribution of adenosine related genes to the risk of depression with disturbed sleep. <i>Journal of Affective Disorders</i> , 2010, 126, 134-139.	4.1	49
96	Hormonal contraception and mental health: results of a population-based study. <i>Human Reproduction</i> , 2011, 26, 3085-3093.	0.9	48
97	Seasonal Affective Disorder and Serotonin-Related Polymorphisms. <i>Neurobiology of Disease</i> , 2001, 8, 351-357.	4.4	47
98	Higher serum 25-hydroxyvitamin D concentrations are related to a reduced risk of depression. <i>British Journal of Nutrition</i> , 2015, 113, 1418-1426.	2.3	47
99	Trajectories of mental health before and after old-age and disability retirement: a register-based study on purchases of psychotropic drugs. <i>Scandinavian Journal of Work, Environment and Health</i> , 2012, 38, 409-417.	3.4	47
100	Clinical phenotype of schizophrenia in a Finnish isolate. <i>Schizophrenia Research</i> , 2004, 67, 195-205.	2.0	46
101	Transitions into and out of daylight saving time compromise sleep and the rest-activity cycles. <i>BMC Physiology</i> , 2008, 8, 3.	3.6	46
102	Further evidence for lack of negative associations between hormonal contraception and mental health. <i>Contraception</i> , 2012, 86, 470-480.	1.5	46
103	General Health Questionnaire (GHQ-12), Beck Depression Inventory (BDI-6), and Mental Health Index (MHI-5): psychometric and predictive properties in a Finnish population-based sample. <i>Psychiatry Research</i> , 2020, 289, 112973.	3.3	45
104	Fish Consumption and Omega-3 Polyunsaturated Fatty Acids in Relation to Depressive Episodes: A Cross-Sectional Analysis. <i>PLoS ONE</i> , 2010, 5, e10530.	2.5	44
105	Genome-wide association study of sleep duration in the Finnish population. <i>Journal of Sleep Research</i> , 2014, 23, 609-618.	3.2	44
106	Chronotype and energy intake timing in relation to changes in anthropometrics: a 7-year follow-up study in adults. <i>Chronobiology International</i> , 2019, 36, 27-41.	2.0	44
107	Heritability of cognitive functions in families with bipolar disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007, 144B, 802-808.	1.7	43
108	Temperature-associated suicide mortality: contrasting roles of climatic warming and the suicide prevention program in Finland. <i>Environmental Health and Preventive Medicine</i> , 2013, 18, 349-355.	3.4	43

#	ARTICLE	IF	CITATIONS
109	Eveningness relates to burnout and seasonal sleep and mood problems among young adults. <i>Nordic Journal of Psychiatry</i> , 2016, 70, 72-80.	1.3	43
110	Light treatment for seasonal affective disorder:. <i>Acta Psychiatrica Scandinavica</i> , 1994, 89, 41-45.	4.5	42
111	Variation and seasonal patterns of suicide mortality in Finland and Sweden since the 1750s. <i>Environmental Health and Preventive Medicine</i> , 2013, 18, 494-501.	3.4	42
112	CRY2 Genetic Variants Associate with Dysthymia. <i>PLoS ONE</i> , 2013, 8, e71450.	2.5	42
113	Seasonal Variation in Bipolar Disorder. <i>British Journal of Psychiatry</i> , 1996, 169, 641-646.	2.8	41
114	Incidence of Schizophrenia in a Nationwide Cohort of Patients With Type 1 Diabetes Mellitus. <i>Archives of General Psychiatry</i> , 2007, 64, 894.	12.3	41
115	Mixture Model Clustering of Phenotype Features Reveals Evidence for Association of DTNBP1 to a Specific Subtype of Schizophrenia. <i>Biological Psychiatry</i> , 2009, 66, 990-996.	1.3	41
116	Cognitive Impairments in Schizophrenia and Schizoaffective Disorder. <i>Journal of Nervous and Mental Disease</i> , 2012, 200, 316-322.	1.0	41
117	A Randomised, Double-Blind, Placebo-Controlled Trial of As-Needed Naltrexone in the Treatment of Pathological Gambling. <i>European Addiction Research</i> , 2016, 22, 70-79.	2.4	41
118	Time patterns of attempted suicide. <i>Journal of Affective Disorders</i> , 2006, 90, 201-207.	4.1	40
119	Evening typology and morning tiredness associates with low leisure time physical activity and high sitting. <i>Chronobiology International</i> , 2015, 32, 1090-1100.	2.0	40
120	Non-medical use of psychoactive prescription drugs is associated with fatal poisoning. <i>Addiction</i> , 2018, 113, 464-472.	3.3	40
121	Mapping Corpus Callosum Morphology in Twin Pairs Discordant for Bipolar Disorder. <i>Cerebral Cortex</i> , 2011, 21, 2415-2424.	2.9	39
122	Work-family conflicts and subsequent sleep medication among women and men: A longitudinal registry linkage study. <i>Social Science and Medicine</i> , 2013, 79, 66-75.	3.8	39
123	Anhedonic behavior in cryptochrome 2-deficient mice is paralleled by altered diurnal patterns of amygdala gene expression. <i>Amino Acids</i> , 2015, 47, 1367-1377.	2.7	39
124	Gender, age and socioeconomic variation in 24-hour physical activity by wrist-worn accelerometers: the FinHealth 2017 Survey. <i>Scientific Reports</i> , 2019, 9, 6534.	3.3	39
125	Effect of simulated dawn on quality of sleep – a community-based trial. <i>BMC Psychiatry</i> , 2003, 3, 14.	2.6	38
126	The serotonin transporter promoter repeat length polymorphism, seasonal affective disorder and seasonality. <i>Psychological Medicine</i> , 2003, 33, 785-792.	4.5	37

#	ARTICLE	IF	CITATIONS
127	Circadian clock disruptions and the risk of cancer. <i>Annals of Medicine</i> , 2012, 44, 847-853.	3.8	36
128	Impaired executive performance in healthy siblings of schizophrenia patients in a population-based study. <i>Schizophrenia Research</i> , 2007, 92, 142-150.	2.0	35
129	Does diurnal temperature range influence seasonal suicide mortality? Assessment of daily data of the Helsinki metropolitan area from 1973 to 2010. <i>International Journal of Biometeorology</i> , 2014, 58, 1039-1045.	3.0	35
130	Clock genes in human alcohol abuse and comorbid conditions. <i>Alcohol</i> , 2015, 49, 359-365.	1.7	35
131	CRY1, CRY2 and PRKCDBP genetic variants in metabolic syndrome. <i>Hypertension Research</i> , 2015, 38, 186-192.	2.7	35
132	Behavioral Trait of Morningness-Eveningness in Association with Articular and Spinal Diseases in a Population. <i>PLoS ONE</i> , 2014, 9, e114635.	2.5	35
133	Patients Excluded From an Antidepressant Efficacy Trial. <i>Journal of Clinical Psychiatry</i> , 1996, 57, 572-575.	2.2	35
134	Frequencies of seasonal major depressive symptoms at high latitudes. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1993, 243, 189-192.	3.2	34
135	The Effect of Processing Speed on Cognitive Functioning in Patients with Familial Bipolar I Disorder and Their Unaffected Relatives. <i>Psychopathology</i> , 2011, 44, 40-45.	1.5	34
136	Winter is coming: nightmares and sleep problems during seasonal affective disorder. <i>Journal of Sleep Research</i> , 2016, 25, 612-619.	3.2	34
137	Effects of bright light on sleepiness, melatonin, and 25-hydroxyvitamin D3 in winter seasonal affective disorder. <i>Biological Psychiatry</i> , 1996, 39, 865-872.	1.3	33
138	Relationship between daylength and suicide in Finland. <i>Journal of Circadian Rhythms</i> , 2014, 9, 10.	1.3	33
139	Daylight saving time transitions and hospital treatments due to accidents or manic episodes. <i>BMC Public Health</i> , 2008, 8, 74.	2.9	32
140	Seasonal vegetative and affective symptoms in the Finnish general population: Testing the dual vulnerability and latitude effect hypotheses. <i>Nordic Journal of Psychiatry</i> , 2009, 63, 397-404.	1.3	32
141	General health and quality-of-life measures in active, recent, and comorbid mental disorders: a population-based health 2000 study. <i>Comprehensive Psychiatry</i> , 2009, 50, 108-114.	3.1	32
142	Physical activity and sleep profiles in Finnish men and women. <i>BMC Public Health</i> , 2014, 14, 82.	2.9	32
143	Increase in eveningness and insufficient sleep among adults in population-based cross-sections from 2007 to 2017. <i>Sleep Medicine</i> , 2020, 75, 368-379.	1.6	32
144	Timed bright-light exposure and complaints related to shift work among women. <i>Scandinavian Journal of Work, Environment and Health</i> , 2003, 29, 22-26.	3.4	32

#	ARTICLE	IF	CITATIONS
145	Prevention of winter seasonal affective disorder by bright-light treatment. <i>Psychological Medicine</i> , 1996, 26, 1075-1080.	4.5	31
146	Local daily temperatures, thermal seasons, and suicide rates in Finland from 1974 to 2010. <i>Environmental Health and Preventive Medicine</i> , 2014, 19, 286-294.	3.4	31
147	Brief Behavioral Sleep Intervention for Adolescents: An Effectiveness Study. <i>Behavioral Sleep Medicine</i> , 2016, 14, 351-366.	2.1	31
148	Daylight Saving Time Transitions and Road Traffic Accidents. <i>Journal of Environmental and Public Health</i> , 2010, 2010, 1-3.	0.9	30
149	Transition into daylight saving time influences the fragmentation of the rest-activity cycle. <i>Journal of Circadian Rhythms</i> , 2014, 4, 1.	1.3	30
150	Health-related quality of life 6 months after burns among hospitalized patients: Predictive importance of mental disorders and burn severity. <i>Burns</i> , 2015, 41, 742-748.	1.9	30
151	Associations of common noncommunicable medical conditions and chronic diseases with chronotype in a population-based health examination study. <i>Chronobiology International</i> , 2017, 34, 462-470.	2.0	30
152	Common Genetic Variation Near Melatonin Receptor 1A Gene Linked to Job-Related Exhaustion in Shift Workers. <i>Sleep</i> , 2017, 40, .	1.1	30
153	Shared Genetic Background for Regulation of Mood and Sleep: Association of GRIA3 with Sleep Duration in Healthy Finnish Women. <i>Sleep</i> , 2011, 34, 1309-1316.	1.1	28
154	Îµ-Opioid Receptor Gene (OPRM1) Polymorphism A118G: Lack of Association in Finnish Populations with Alcohol Dependence or Alcohol Consumption. <i>Alcohol and Alcoholism</i> , 2013, 48, 519-525.	1.6	28
155	Eveningness increases risks for depressive and anxiety symptoms and hospital treatments mediated by insufficient sleep in a population-based study of 18,039 adults. <i>Depression and Anxiety</i> , 2021, 38, 1066-1077.	4.1	28
156	Effects of morning light treatment on subjective sleepiness and mood in winter depression. <i>Journal of Affective Disorders</i> , 1994, 30, 47-56.	4.1	27
157	Time patterns and seasonal mismatch in suicide. <i>Acta Psychiatrica Scandinavica</i> , 2004, 109, 110-115.	4.5	27
158	Cognitive functioning of bipolar I patients and relatives from families with or without schizophrenia or schizoaffective disorder. <i>Journal of Affective Disorders</i> , 2009, 116, 70-79.	4.1	27
159	Replication of GWAS of bipolar disorder: association of SNPs near CDH7 with bipolar disorder and visual processing. <i>Molecular Psychiatry</i> , 2010, 15, 4-6.	7.9	27
160	Seasonal affective disorder and the G-protein Î²-3-subunit C825T polymorphism. <i>Biological Psychiatry</i> , 2004, 55, 317-319.	1.3	26
161	Psychomotor slowness is associated with self-reported sleep duration among the general population. <i>Journal of Sleep Research</i> , 2011, 20, 288-297.	3.2	26
162	Influence of seasonal variation in mood and behavior on cognitive test performance among young adults. <i>Nordic Journal of Psychiatry</i> , 2012, 66, 303-310.	1.3	26

#	ARTICLE	IF	CITATIONS
163	Atmospheric pressure and suicide attempts in Helsinki, Finland. <i>International Journal of Biometeorology</i> , 2012, 56, 1045-1053.	3.0	26
164	Statin usage and all-cause and disease-specific mortality in a nationwide study. <i>Pharmacoepidemiology and Drug Safety</i> , 2012, 21, 61-69.	1.9	26
165	The relationship between mood and sleep in different female reproductive states. <i>BMC Psychiatry</i> , 2014, 14, 177.	2.6	26
166	Circadian Time Effects on NB-UVB-Induced Erythema in Human Skin In Vivo. <i>Journal of Investigative Dermatology</i> , 2018, 138, 464-467.	0.7	26
167	Seasonal Affective Disorder. <i>CNS Drugs</i> , 1998, 9, 203-212.	5.9	25
168	Drop-out and mood improvement: a randomised controlled trial with light exposure and physical exercise [ISRCTN36478292]. <i>BMC Psychiatry</i> , 2004, 4, 22.	2.6	25
169	Development and implementation of guidelines for the management of depression: a systematic review. <i>Bulletin of the World Health Organization</i> , 2020, 98, 683-697H.	3.3	25
170	Vitamin D and serotonin in winter. <i>Medical Hypotheses</i> , 1998, 51, 267-268.	1.5	24
171	Bipolar disorder susceptibility region on Xq24-q27.1 in Finnish families. <i>Molecular Psychiatry</i> , 2002, 7, 453-459.	7.9	24
172	The effect of seasons and seasonal variation on neuropsychological test performance in patients with bipolar I disorder and their first-degree relatives. <i>Journal of Affective Disorders</i> , 2010, 127, 58-65.	4.1	24
173	TRIB1 constitutes a molecular link between regulation of sleep and lipid metabolism in humans. <i>Translational Psychiatry</i> , 2012, 2, e97-e97.	4.8	24
174	Working conditions and psychotropic medication: a prospective cohort study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012, 47, 663-670.	3.1	24
175	SIRT1 Polymorphisms Associate with Seasonal Weight Variation, Depressive Disorders, and Diastolic Blood Pressure in the General Population. <i>PLoS ONE</i> , 2015, 10, e0141001.	2.5	23
176	Workplace lighting for improving alertness and mood in daytime workers. <i>The Cochrane Library</i> , 2018, 2018, CD012243.	2.8	23
177	Association between social jet lag, quality of diet and obesity by diurnal preference in Finnish adult population. <i>Chronobiology International</i> , 2021, 38, 720-731.	2.0	23
178	Affective flattening and alogia associate with the familial form of schizophrenia. <i>Psychiatry Research</i> , 2006, 141, 161-172.	3.3	22
179	Indoors illumination and seasonal changes in mood and behavior are associated with the health-related quality of life. <i>Health and Quality of Life Outcomes</i> , 2008, 6, 56.	2.4	22
180	Animal Welfare Attitudes: Effects of Gender and Diet in University Samples from 22 Countries. <i>Animals</i> , 2021, 11, 1893.	2.3	22

#	ARTICLE	IF	CITATIONS
181	Return to work six months after burn: A prospective study at the Helsinki Burn Center. Burns, 2015, 41, 1152-1160.	1.9	21
182	Alcohol use and smoking in burn patients at the Helsinki Burn Center. Burns, 2018, 44, 158-167.	1.9	21
183	Effects of morning light treatment on subjective sleepiness and mood in winter depression. Journal of Affective Disorders, 1994, 30, 99-108.	4.1	20
184	Association of dietary amino acids with low mood. Depression and Anxiety, 2003, 18, 89-94.	4.1	20
185	Evidence for a relationship between chronotype and reproductive function in women. Chronobiology International, 2013, 30, 756-765.	2.0	20
186	Circadian preferences and sleep in 15- to 20-year old Finnish students. Sleep Science, 2016, 9, 78-83.	1.0	20
187	Seasonal variations in mood and behavior associate with common chronic diseases and symptoms in a population-based study. Psychiatry Research, 2016, 238, 181-188.	3.3	20
188	PRKCDBP (CAVIN3) and CRY2 associate with major depressive disorder. Journal of Affective Disorders, 2017, 207, 136-140.	4.1	20
189	Diurnal Evening Type is Associated with Current Smoking, Nicotine Dependence and Nicotine Intake in the Population Based National FINRISK 2007 Study. Journal of Addiction Research & Therapy, 2012, 01, .	0.2	20
190	Effects of light treatment on sleep structure in seasonal affective disorder. European Archives of Psychiatry and Clinical Neuroscience, 1993, 242, 310-313.	3.2	19
191	Family-based clusters of cognitive test performance in familial schizophrenia. BMC Psychiatry, 2004, 4, 20.	2.6	19
192	Association of a Nonsynonymous Variant of DAOA with Visuospatial Ability in a Bipolar Family Sample. Biological Psychiatry, 2008, 64, 438-442.	1.3	19
193	Associations of common chronic non-communicable diseases and medical conditions with sleep-related problems in a population-based health examination study. Sleep Science, 2016, 9, 249-254.	1.0	19
194	School burnout and sleep in Finnish secondary school students. Sleep Science, 2019, 12, 10-14.	1.0	19
195	Work-related accidents and daylight saving time in Finland. Occupational Medicine, 2011, 61, 26-28.	1.4	18
196	Workplace bullying and subsequent psychotropic medication: a cohort study with register linkages. BMJ Open, 2012, 2, e001660.	1.9	18
197	Genetic Associations of Chronotype in the Finnish General Population. Journal of Biological Rhythms, 2020, 35, 501-511.	2.6	18
198	Suppression of melatonin secretion by bright light in seasonal affective disorder. Biological Psychiatry, 1997, 42, 509-513.	1.3	17

#	ARTICLE	IF	CITATIONS
199	Psychosis among "healthy" siblings of schizophrenia patients. BMC Psychiatry, 2006, 6, 6.	2.6	17
200	Experienced Poor Lighting Contributes to the Seasonal Fluctuations in Weight and Appetite That Relate to the Metabolic Syndrome. Journal of Environmental and Public Health, 2009, 2009, 1-11.	0.9	17
201	Antidepressant use and mortality in Finland: a register-linkage study from a nationwide cohort. European Journal of Clinical Pharmacology, 2009, 65, 715-720.	1.9	17
202	Functioning, Disability, and Social Adaptation Six Months After Burn Injury. Journal of Burn Care and Research, 2016, 37, e234-e243.	0.4	17
203	Short Note: Melatonin-dependent infertility. Medical Hypotheses, 1999, 52, 269-270.	1.5	16
204	Associations between psychological well-being, mental health, and hormone therapy in perimenopausal and postmenopausal women. Menopause, 2013, 20, 667-676.	2.0	16
205	Seasonal variation in affective and other clinical symptoms among high-risk families for bipolar disorders in an Arctic population. International Journal of Circumpolar Health, 2015, 74, 29671.	1.2	16
206	The Influence of Comorbid Disorders and of Continuation Light Treatment on Remission and Recurrence in Winter Depression. Psychopathology, 1995, 28, 256-262.	1.5	15
207	Dopamine and circadian rhythms in seasonal affective disorder. Medical Hypotheses, 1996, 47, 191-192.	1.5	15
208	Alexithymia, Depression and Sleep Disturbance Symptoms. Psychotherapy and Psychosomatics, 2008, 77, 63-65.	8.8	15
209	Diagnostic conversion from unipolar depression to bipolar disorder, schizophrenia, or schizoaffective disorder: A nationwide prospective 15-year register study on 43,495 inpatients. Bipolar Disorders, 2020, 22, 582-592.	1.9	15
210	Field trial of timed bright light exposure for jet lag among airline cabin crew. International Journal of Circumpolar Health, 2007, 66, 365-369.	1.2	14
211	Associations of Anhedonia and Cognition in Persons With Schizophrenia Spectrum Disorders, Their Siblings, and Controls. Journal of Nervous and Mental Disease, 2011, 199, 30-37.	1.0	14
212	Advanced phases and reduced amplitudes are suggested to characterize the daily rest-activity cycles in depressed adolescent boys. Chronobiology International, 2017, 34, 967-976.	2.0	14
213	The role of parental circadian preference in the onset of sleep difficulties in early childhood. Sleep Medicine, 2019, 54, 223-230.	1.6	14
214	Suicide prevention training: self-perceived competence among primary healthcare professionals. Scandinavian Journal of Primary Health Care, 2021, 39, 332-338.	1.5	14
215	Genome-wide scan of job-related exhaustion with three replication studies implicate a susceptibility variant at the UST gene locus. Human Molecular Genetics, 2013, 22, 3363-3372.	2.9	13
216	Development of sleep-wake rhythms during the first year of age. Journal of Sleep Research, 2020, 29, e12918.	3.2	13

#	ARTICLE	IF	CITATIONS
217	Genetic variants for morningness in relation to habitual sleep-wake behavior and diurnal preference in a population-based sample of 17,243 adults. <i>Sleep Medicine</i> , 2021, 80, 322-332.	1.6	13
218	Systemic hormonal contraception and risk of venous thromboembolism. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2022, 101, 846-855.	2.8	13
219	Extrapineal melatonin and exogenous serotonin in seasonal affective disorder. <i>Medical Hypotheses</i> , 1998, 51, 441-442.	1.5	12
220	The volumetric findings in MRI brain study of bipolar twins and their healthy co-twins. <i>Bipolar Disorders</i> , 2002, 4, 29-30.	1.9	12
221	Is migraine a lateralization defect?. <i>NeuroReport</i> , 2008, 19, 1351-1353.	1.2	12
222	Linkage analysis of schizophrenia controlling for population substructure. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2009, 150B, 827-835.	1.7	12
223	Hypothesis: Cryptochromes and Brown Fat are Essential for Adaptation and Affect Mood and Mood-Related Behaviors. <i>Frontiers in Neurology</i> , 2012, 3, 157.	2.4	12
224	Leisure Time Physical Activity and Sleep Predict Mortality in Men Irrespective of Background in Competitive Sports. <i>Progress in Preventive Medicine (New York, N Y)</i> , 2017, 2, e0009.	0.7	12
225	Extensions of Multiple-Group Item Response Theory Alignment: Application to Psychiatric Phenotypes in an International Genomics Consortium. <i>Educational and Psychological Measurement</i> , 2020, 80, 870-909.	2.4	12
226	Effects of exposure to morning bright light in the blind and sighted controls. <i>Clinical Physiology</i> , 1995, 15, 637-646.	0.7	11
227	Identification of susceptibility loci at 7q31 and 9p13 for bipolar disorder in an isolated population. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 723-735.	1.7	11
228	Anxiety and quality of life after first-trimester termination of pregnancy: a prospective study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2016, 95, 1171-1180.	2.8	11
229	Eveningness associates with smoking and sleep problems among pregnant women. <i>Chronobiology International</i> , 2017, 34, 650-658.	2.0	11
230	Suicides from 2016 to 2020 in Finland and the effect of the COVID-19 pandemic. <i>British Journal of Psychiatry</i> , 2022, 220, 1-3.	2.8	11
231	Melatonergic agents influence the sleep-wake and circadian rhythms in healthy and psychiatric participants: a systematic review and meta-analysis of randomized-controlled trials. <i>Neuropsychopharmacology</i> , 2022, 47, 1523-1536.	5.4	11
232	Interrelationships of Physical Activity and Sleep with Cardiovascular Risk Factors: a Person-Oriented Approach. <i>International Journal of Behavioral Medicine</i> , 2015, 22, 735-747.	1.7	10
233	Is There a Relationship between Vegetarianism and Seasonal Affective Disorder? A Pilot Study. <i>Neuropsychobiology</i> , 2016, 74, 202-206.	1.9	10
234	CRY1 and CRY2 genetic variants in seasonality: A longitudinal and cross-sectional study. <i>Psychiatry Research</i> , 2016, 242, 101-110.	3.3	10

#	ARTICLE	IF	CITATIONS
235	Ultraviolet B radiation modifies circadian time in epidermal skin and in subcutaneous adipose tissue. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2019, 35, 157-163.	1.5	10
236	The circadian gene Cryptochrome 2 influences stress-induced brain activity and depressive-like behavior in mice. <i>Genes, Brain and Behavior</i> , 2021, 20, e12708.	2.2	10
237	Sunlight and health: shifting the focus from vitamin D3 to photobiomodulation by red and near-infrared light. <i>Ageing Research Reviews</i> , 2020, 61, 101089.	10.9	9
238	Excess mortality in Finnish diabetic subjects due to alcohol, accidents and suicide: a nationwide study. <i>European Journal of Endocrinology</i> , 2018, 179, 299-306.	3.7	9
239	CREM mutations and ADHD symptoms. <i>Medical Hypotheses</i> , 2009, 72, 544-545.	1.5	8
240	Fish consumption and polyunsaturated fatty acids in relation to psychological distress. <i>International Journal of Epidemiology</i> , 2010, 39, 494-503.	1.9	8
241	Seasonal affective disorder and alcohol abuse disorder in a population-based study. <i>Psychiatry Research</i> , 2017, 253, 91-98.	3.3	8
242	Eveningness has the increased odds for spinal diseases but the decreased odds for articular diseases with prospective hospital treatments. <i>Biological Rhythm Research</i> , 2017, 48, 263-274.	0.9	8
243	The effects of seasonal affective disorder and alcohol abuse on sleep and snoring functions in a population-based study in Finland. <i>Journal of Sleep Research</i> , 2018, 27, e12611.	3.2	8
244	Associations between hormonal contraception use, sociodemographic factors and mental health: a nationwide, register-based, matched case-control study. <i>BMJ Open</i> , 2020, 10, e040072.	1.9	8
245	Emotions relating to romantic love further disruptors of adolescent sleep. <i>Sleep Health</i> , 2020, 6, 159-165.	2.5	8
246	Estrogen could control photoperiodic adjustment in seasonal affective disorder. <i>Medical Hypotheses</i> , 1995, 45, 35-36.	1.5	7
247	Seasonality, morningness-eveningness, and sleep in common non - communicable medical conditions and chronic diseases in a population. <i>Sleep Science</i> , 2018, 11, 85-91.	1.0	7
248	Prolactin in winter depression. <i>Medical Hypotheses</i> , 1994, 43, 163-164.	1.5	6
249	The Molecular Basis for Winter Depression. <i>Annals of Medicine</i> , 1994, 26, 239-243.	3.8	6
250	Actigraphic Recording of Manic Symptoms Induced by Methylphenidate. <i>Case Reports in Medicine</i> , 2009, 2009, 1-3.	0.7	6
251	Differences in clinical and cognitive variables in seasonal affective disorder compared to depressive-related disorders: Evidence from a population-based study in Finland. <i>European Psychiatry</i> , 2017, 44, 9-16.	0.2	6
252	Narrow-band ultraviolet B (NB UV-B) exposures improve mood in healthy individuals differently depending on chronotype. <i>Chronobiology International</i> , 2019, 36, 1570-1580.	2.0	6

#	ARTICLE	IF	CITATIONS
253	Suicidality and psychological distress in adults aged 18 to 29 years in a population-based study in Finland. <i>Psychiatry Research</i> , 2020, 290, 113073.	3.3	6
254	A mechanism of action underlying the antidepressant effect of light. <i>Medical Hypotheses</i> , 1995, 45, 33-34.	1.5	5
255	Psoralens in association with seasonal affective disorder. <i>Medical Hypotheses</i> , 1998, 50, 481-482.	1.5	5
256	Depressive symptoms, major depressive episodes and cognitive test performance—What is the role of physical activity?. <i>Nordic Journal of Psychiatry</i> , 2013, 67, 265-273.	1.3	5
257	The effect of hormone therapy on serum melatonin concentrations in premenopausal and postmenopausal women: A randomized, double-blind, placebo-controlled study. <i>Maturitas</i> , 2014, 77, 361-369.	2.4	5
258	Circadian Clock Proteins in Mood Regulation. <i>Frontiers in Psychiatry</i> , 2014, 5, 195.	2.6	5
259	Long-term cumulative light exposure from the natural environment and sleep: A cohort study. <i>Journal of Sleep Research</i> , 2022, 31, e13511.	3.2	5
260	Involvement of melatonin and serotonin in winter depression. <i>Medical Hypotheses</i> , 1994, 43, 165-166.	1.5	4
261	Bright light as an inhibitor of adenosine transport. <i>Medical Hypotheses</i> , 2000, 54, 343-344.	1.5	4
262	Difference in diet between a general population national representative sample and individuals with alcohol use disorders, but not individuals with depressive or anxiety disorders. <i>Nordic Journal of Psychiatry</i> , 2014, 68, 391-400.	1.3	4
263	Brown fat activity deepens depression: True or false?. <i>Annals of Medicine</i> , 2015, 47, 527-529.	3.8	4
264	Trends and predictors in all-cause and cause-specific mortality in diabetic and reference populations during 21 years of follow-up. <i>Journal of Epidemiology and Community Health</i> , 2020, 74, jech-2019-213602.	3.7	4
265	Associations of long-term solar insolation with specific depressive symptoms: Evidence from a prospective cohort study. <i>Journal of Psychiatric Research</i> , 2022, 151, 606-610.	3.1	4
266	Metabolic syndrome follows a seasonal cycle. <i>Hypertension Research</i> , 2010, 33, 534-534.	2.7	3
267	Obesity = physical activity + dietary intake + sleep stages + light exposure. <i>Annals of Medicine</i> , 2014, 46, 245-246.	3.8	3
268	Unhealthy shift work. <i>European Journal of Preventive Cardiology</i> , 2018, 25, 1291-1292.	1.8	3
269	Tanning dependence and seasonal affective disorder are frequent among sunbathers but are not associated. <i>Psychiatry Research</i> , 2019, 272, 387-391.	3.3	3
270	Suicidality in relation to depressive symptoms and psychological distress in adults aged 30 to 101 years in a population-based study in Finland. <i>Psychiatry Research</i> , 2020, 284, 112704.	3.3	3

#	ARTICLE	IF	CITATIONS
271	Data-driven modelling approach to circadian temperature rhythm profiles in free-living conditions. Scientific Reports, 2021, 11, 15029.	3.3	3
272	Season-dependent symptoms in consultation-liaison patients. International Journal of Psychiatry in Clinical Practice, 2000, 4, 151-154.	2.4	3
273	Seasonal changes in mood and behavior in relation to work conditions among the general population. Scandinavian Journal of Work, Environment and Health, 2007, 33, 198-203.	3.4	3
274	Associations between use of psychotropic medications and use of hormonal contraception among girls and women aged 15â€“49 years in Finland: a nationwide, register-based, matched caseâ€“control study. BMJ Open, 2022, 12, e053837.	1.9	3
275	Effects of Light on Mood. Annals of Medicine, 1993, 25, 301-302.	3.8	2
276	The shortening of the photoperiod may alter gene expression in winter depression. Medical Hypotheses, 1994, 42, 13-14.	1.5	2
277	Pay attention to evening owls. Annals of Medicine, 2013, 45, 395-396.	3.8	2
278	During winter the body resists insulin. Hypertension Research, 2013, 36, 390-391.	2.7	2
279	Suicides among military conscripts between 1991â€“2007 in Finlandâ€“A descriptive replication study. Nordic Journal of Psychiatry, 2014, 68, 270-274.	1.3	2
280	A genome-wide screen for acrophobia susceptibility loci in a Finnish isolate. Scientific Reports, 2016, 6, 39345.	3.3	2
281	Induced abortion and mental health. Acta Obstetrica Et Gynecologica Scandinavica, 2017, 96, 383-383.	2.8	2
282	Assessment of time window for sleep onset on the basis of continuous wrist temperature measurement. Biological Rhythm Research, 2020, , 1-11.	0.9	2
283	Nutrition-focused group intervention with a strength-based counseling approach for people with clinical depression: a study protocol for the Food for Mind randomized controlled trial. Trials, 2021, 22, 344.	1.6	2
284	Nighttime melatonin secretion and sleep architecture: different associations in perimenopausal and postmenopausal women. Sleep Medicine, 2021, 81, 52-61.	1.6	2
285	Melatonin in Mood Disorders and Agomelatineâ€™s Antidepressant Efficacy. , 2014, , 281-295.		2
286	Aluâ€lement in the RNA binding motif protein, X-linked 2 (RBMX2) gene found to be linked to bipolar disorder. PLoS ONE, 2021, 16, e0261170.	2.5	2
287	Possible pathophysiological mechanisms regulating food intake in seasonal affective disorder. Medical Hypotheses, 1996, 47, 215-216.	1.5	1
288	Magnetoreception attributed to the efficacy of light therapy. Medical Hypotheses, 1998, 51, 447-448.	1.5	1

#	ARTICLE	IF	CITATIONS
289	One pacemaker in seasonal affective disorder. Medical Hypotheses, 1998, 51, 297-298.	1.5	1
290	A developmental approach to severe depression. Medical Hypotheses, 1998, 51, 165-166.	1.5	1
291	Dr. Hakkarainen and Colleagues Reply. American Journal of Psychiatry, 2005, 162, 402-b-403.	7.2	1
292	CREB-regulated diurnal activity patterns are not indicative for depression-like symptoms in mice and men. Medical Hypotheses, 2008, 70, 117-121.	1.5	1
293	Reply to Drs. Nauta and van Domburg. Pharmacoepidemiology and Drug Safety, 2012, 21, 342-342.	1.9	1
294	Black dog barks at brown fat. Annals of Medicine, 2013, 45, 465-466.	3.8	1
295	Dull plots, pale colors early in the morning. Annals of Medicine, 2013, 45, 499-500.	3.8	1
296	Does originating from a genetic isolate affect the level of cognitive impairments in schizophrenia families?. Psychiatry Research, 2013, 208, 111-117.	3.3	1
297	Biological rhythms and fertility: the hypothalamus–pituitary–ovary axis. ChronoPhysiology and Therapy, 0, , 15.	0.5	1
298	2â€¦Suicide prevention in Finland. Injury Prevention, 2016, 22, A1.2-A1.	2.4	1
299	Workplace lighting for improving mood and alertness in daytime workers. The Cochrane Library, 2016, , .	2.8	1
300	Circadian Clock Genes and Mood Disorders. , 2016, , 319-334.		1
301	Melatonin, Sleep, Circadian Rhythm, and Mood Disorders. , 2016, , 117-127.		1
302	Differences in sleep functioning between individuals with seasonal affective disorder and major depressive disorder in Finland. Sleep Medicine, 2018, 48, 16-22.	1.6	1
303	Editorial: Intrinsic Clocks. Frontiers in Neurology, 2018, 9, 68.	2.4	1
304	Contraception: satisfaction with the method, effects on sleep and psychological well-being. BMJ Sexual and Reproductive Health, 2019, 45, 169.1-171.	1.7	1
305	Impulsiveness and burn patients. Burns, 2019, 45, 63-68.	1.9	1
306	Population-level indicators associated with hormonal contraception use: a register-based matched caseâ€“control study. BMC Public Health, 2021, 21, 465.	2.9	1

#	ARTICLE	IF	CITATIONS
307	Seasonal changes in mood and behavior contribute to suicidality and worthlessness in a population-based study. <i>Journal of Psychiatric Research</i> , 2022, 150, 184-188.	3.1	1
308	Circadian Type Determines Working Ability: Poorer Working Ability in Evening-Types is Mediated by Insufficient Sleep in a Large Population-Based Sample of Working-Age Adults. <i>Nature and Science of Sleep</i> , 2022, Volume 14, 829-841.	2.7	1
309	Seasonality contributes to depressive, anxiety and alcohol use disorders in the Finnish general adult population. <i>Journal of Affective Disorders</i> , 2022, 311, 84-87.	4.1	1
310	Pavlovian conditioning may partly explain the effects of light therapy. <i>Medical Hypotheses</i> , 1997, 48, 227-228.	1.5	0
311	Dependence of the variation in alertness on the pineal gland. <i>Medical Hypotheses</i> , 1998, 50, 479-480.	1.5	0
312	Bright light and high density negative air ionisation reduced symptoms in seasonal affective disorder. <i>Evidence-Based Mental Health</i> , 1999, 2, 87-87.	4.5	0
313	Bright morning light reduced depressive symptoms in seasonal affective disorder. <i>Evidence-Based Mental Health</i> , 1999, 2, 88-88.	4.5	0
314	Drug treatment for resistant depression. <i>British Journal of Psychiatry</i> , 2000, 176, 398-398.	2.8	0
315	Stimulus control combined with relaxation improved sleep in secondary insomnia. <i>Evidence-Based Mental Health</i> , 2000, 3, 116-116.	4.5	0
316	Review: cognitive behavioural interventions improve some sleep outcomes in older adults. <i>Evidence-Based Mental Health</i> , 2002, 5, 118-118.	4.5	0
317	Sleep and Circadian Neuroendocrine Function in Seasonal Affective Disorder. , 2006, , 553-587.		0
318	Are depressive and seasonal symptoms associated?. <i>European Psychiatry</i> , 2007, 22, S231.	0.2	0
319	Antidepressant use and mortality in Finland: A register-linkage study from a nationwide cohort. <i>Journal of Affective Disorders</i> , 2008, 107, S84.	4.1	0
320	Seasonal changes in mood and behaviour are a proxy to metabolic syndrome. <i>European Psychiatry</i> , 2008, 23, S274.	0.2	0
321	Chronotherapeutics for Affective Disorders: A Clinician's Manual for Light and Wake Therapy. By A. Wirz-Justice, F. Benedetti and M. Terman. (Pp. xii+116; â„ƒ,~34.50; ISBN: 978-3-8055-9120-1.) Karger: Switzerland. 2009.. <i>Psychological Medicine</i> , 2010, 40, 1052-1053.	4.5	0
322	Sleep Needs a MOP, or Two MOPs!. <i>Sleep</i> , 2013, 36, 309-10.	1.1	0
323	53â€…Injuries among university students â€œ self-harm and drunk driving. <i>Injury Prevention</i> , 2016, 22, A21.1-A21.	2.4	0
324	Mood Episode Recovery Changes Gear in the Intrinsic Clock. <i>EBioMedicine</i> , 2016, 11, 25-26.	6.1	0

#	ARTICLE	IF	CITATIONS
325	54â€¦Suicide prevention among adolescents and young adults. Injury Prevention, 2016, 22, A21.2-A21.	2.4	0
326	Associations of chronotype with clock genes polymorphisms. Proceedings of the Nutrition Society, 2020, 79, .	1.0	0
327	Editorial: The Molecular Mechanisms Controlling Sleep Regulation Across Species. Frontiers in Psychology, 2021, 12, 702281.	2.1	0
328	The evidence does not support the premises of the environmental mismatch hypothesis. Response to â€œBipolar disorder: An evolutionary psychoneuroimmunological approachâ€• Neuroscience and Biobehavioral Reviews, 2021, 131, 539-540.	6.1	0
329	Medication effects. , 2021, , .		0
330	Pharmacotherapy for Seasonal Affective Disorder. , 2006, , 121-126.		0
331	Fish Consumption and Omega-3 Polyunsaturated Fatty Acid Intake in Relation to Self-Reported Physical and Mental Health Status. Epidemiology, 2009, 20, S113.	2.7	0
332	Dietary Amino Acids and Mood. , 2011, , 565-576.		0
333	Melatonergic Drug: Ramelteon and Its Therapeutic Applications in Insomnia. , 2014, , 343-352.		0
334	Seasons, Clocks and Mood. Masterclass in Neuroendocrinology, 2020, , 177-187.	0.1	0
335	Diurnal Preference Contributes to Maximal UVB Sensitivity by the Hour of the Day in Human Skin InÂVivo. Journal of Investigative Dermatology, 2022, 142, 2289-2291.e5.	0.7	0