

Fengxian Huang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8116539/publications.pdf>

Version: 2024-02-01

36
papers

646
citations

840776

11
h-index

610901

24
g-index

37
all docs

37
docs citations

37
times ranked

838
citing authors

#	ARTICLE	IF	CITATIONS
1	The impact of peritoneal dialysis-related peritonitis on mortality in peritoneal dialysis patients. <i>BMC Nephrology</i> , 2017, 18, 186.	1.8	90
2	Drp1-mediated mitochondrial fission promotes renal fibroblast activation and fibrogenesis. <i>Cell Death and Disease</i> , 2020, 11, 29.	6.3	73
3	Relationship Between Serum Uric Acid and All-Cause and Cardiovascular Mortality in Patients Treated With Peritoneal Dialysis. <i>American Journal of Kidney Diseases</i> , 2014, 64, 257-264.	1.9	69
4	Serum uric acid and mortality in chronic kidney disease: A systematic review and meta-analysis. <i>Metabolism: Clinical and Experimental</i> , 2016, 65, 1326-1341.	3.4	69
5	Serum uric acid and cardiovascular mortality in chronic kidney disease: a meta-analysis. <i>BMC Nephrology</i> , 2019, 20, 18.	1.8	39
6	An increasing of red blood cell distribution width was associated with cardiovascular mortality in patients on peritoneal dialysis. <i>International Journal of Cardiology</i> , 2014, 176, 1379-1381.	1.7	28
7	Urgent-start peritoneal dialysis for patients with end stage renal disease: a 10-year retrospective study. <i>BMC Nephrology</i> , 2019, 20, 238.	1.8	27
8	Platelet index levels and cardiovascular mortality in incident peritoneal dialysis patients: a cohort study. <i>Platelets</i> , 2017, 28, 576-584.	2.3	25
9	Prevalence of restless legs syndrome in chronic kidney disease: a systematic review and meta-analysis of observational studies. <i>Renal Failure</i> , 2016, 38, 1335-1346.	2.1	24
10	Prevalence and risk factors of exit-site infection in incident peritoneal dialysis patients. <i>Peritoneal Dialysis International</i> , 2020, 40, 164-170.	2.3	19
11	Uric acid to high-density lipoprotein cholesterol ratio predicts cardiovascular mortality in patients on peritoneal dialysis. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 561-569.	2.6	15
12	Risk score to predict mortality in continuous ambulatory peritoneal dialysis patients. <i>European Journal of Clinical Investigation</i> , 2014, 44, 1095-1103.	3.4	14
13	Nomogram for Predicting Cardiovascular Mortality in Incident Peritoneal Dialysis Patients: An Observational Study. <i>Scientific Reports</i> , 2017, 7, 13889.	3.3	13
14	Outcomes of primary membranous nephropathy based on serum anti-phospholipase A2 receptor antibodies and glomerular phospholipase A2 receptor antigen status: a retrospective cohort study. <i>Renal Failure</i> , 2020, 42, 675-683.	2.1	11
15	The predictive study of the relation between elevated low-density lipoprotein cholesterol to high-density lipoprotein cholesterol ratio and mortality in peritoneal dialysis. <i>Lipids in Health and Disease</i> , 2020, 19, 51.	3.0	11
16	Clinical and pathological characteristics of ANA/anti-dsDNA positive patients with antineutrophil cytoplasmic autoantibody-associated vasculitis. <i>Rheumatology International</i> , 2021, 41, 455-462.	3.0	11
17	Association of ITGAX and ITGAM gene polymorphisms with susceptibility to IgA nephropathy. <i>Journal of Human Genetics</i> , 2019, 64, 927-935.	2.3	10
18	The Effect of Glycated Hemoglobin and Albumin-Corrected Glycated Serum Protein on Mortality in Diabetic Patients Receiving Continuous Peritoneal Dialysis. <i>Peritoneal Dialysis International</i> , 2015, 35, 566-575.	2.3	8

#	ARTICLE	IF	CITATIONS
19	Patient Survival and Technique Failure in Continuous Ambulatory Peritoneal Dialysis Patients with Prior Stroke. <i>Peritoneal Dialysis International</i> , 2016, 36, 308-314.	2.3	8
20	Very early withdrawal from treatment in patients starting peritoneal dialysis. <i>Renal Failure</i> , 2018, 40, 8-14.	2.1	8
21	Association of <i>FCRL3</i> Gene Polymorphisms with IgA Nephropathy in a Chinese Han Population. <i>DNA and Cell Biology</i> , 2019, 38, 1155-1165.	1.9	8
22	Associations between serum mineral metabolism parameters and mortality in patients on peritoneal dialysis. <i>Nephrology</i> , 2019, 24, 1148-1156.	1.6	8
23	Plasma fibrinogen and mortality in patients undergoing peritoneal dialysis: a prospective cohort study. <i>BMC Nephrology</i> , 2020, 21, 349.	1.8	8
24	Ten-year survival of patients treated with peritoneal dialysis: A prospective observational cohort study. <i>Peritoneal Dialysis International</i> , 2020, 40, 573-580.	2.3	6
25	Vitamin D-Binding Protein Is a Potential Urinary Biomarker of Irbesartan Treatment Response in Patients with IgA Nephropathy. <i>Genetic Testing and Molecular Biomarkers</i> , 2016, 20, 666-673.	0.7	5
26	Age Difference in the Association between Hyponatremia and Infection-Related Mortality in Peritoneal Dialysis Patients. <i>Blood Purification</i> , 2020, 49, 631-640.	1.8	5
27	Serum lipoprotein(a) and risk of mortality in patients on peritoneal dialysis. <i>Journal of Clinical Lipidology</i> , 2020, 14, 252-259.	1.5	5
28	Changes of antibiotic resistance over time among <i>Escherichia coli</i> peritonitis in Southern China. <i>Peritoneal Dialysis International</i> , 2022, 42, 218-222.	2.3	5
29	Association of Serum Uric Acid with Arterial Stiffness in Peritoneal Dialysis Patients. <i>Kidney and Blood Pressure Research</i> , 2018, 43, 1451-1458.	2.0	4
30	Infection-related hospitalization after intensive immunosuppressive therapy among lupus nephritis and ANCA glomerulonephritis patients. <i>Renal Failure</i> , 2020, 42, 474-482.	2.1	4
31	Non-high-density lipoprotein cholesterol and mortality among peritoneal dialysis patients. <i>Journal of Clinical Lipidology</i> , 2021, 15, 732-742.	1.5	4
32	Sexual Effect of Platelet-to-Lymphocyte Ratio in Predicting Cardiovascular Mortality of Peritoneal Dialysis Patients. <i>Mediators of Inflammation</i> , 2022, 2022, 1-9.	3.0	4
33	Risk factors and outcomes of cardiovascular disease readmission within the first year after dialysis in peritoneal dialysis patients. <i>Renal Failure</i> , 2021, 43, 159-167.	2.1	3
34	Higher serum phosphorus predicts residual renal function loss in male but not female incident peritoneal dialysis patients. <i>Journal of Nephrology</i> , 2020, 33, 829-837.	2.0	2
35	Association of Abnormal Iron Status with the Occurrence and Prognosis of Peritoneal Dialysis-Related Peritonitis: A Longitudinal Data-Based 10-Year Retrospective Study. <i>Nutrients</i> , 2022, 14, 1613.	4.1	2
36	Serum Sodium Modifies the Association of Systolic Blood Pressure with Mortality in Peritoneal Dialysis Patients. <i>Kidney and Blood Pressure Research</i> , 2020, 45, 916-925.	2.0	1