

Anne-AliÃ©nor Very

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8120102/publications.pdf>

Version: 2024-02-01

51
papers

5,238
citations

136950

32
h-index

182427

51
g-index

55
all docs

55
docs citations

55
times ranked

4152
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Na ⁺ Sensitivity of the KAT2-Like Channel Is a Common Feature of Cucurbits and Depends on the S5-P-S6 Segment. <i>Plant and Cell Physiology</i> , 2022, 63, 279-289. | 3.1 | 1 |
| 2 | <i>Arabidopsis thaliana</i> CYCLIC NUCLEOTIDE-GATED CHANNEL2 mediates extracellular ATP signal transduction in root epidermis. <i>New Phytologist</i> , 2022, 234, 412-421. | 7.3 | 17 |
| 3 | Non-autonomous stomatal control by pavement cell turgor via the K ⁺ channel subunit <i>AtKC1</i> . <i>Plant Cell</i> , 2022, 34, 2019-2037. | 6.6 | 18 |
| 4 | The outward shaker channel <i>OsK5.2</i> improves plant salt tolerance by contributing to control of both leaf transpiration and K ⁺ secretion into xylem sap. <i>Plant, Cell and Environment</i> , 2022, 45, 1734-1748. | 5.7 | 2 |
| 5 | Looking for Root Hairs to Overcome Poor Soils. <i>Trends in Plant Science</i> , 2021, 26, 83-94. | 8.8 | 45 |
| 6 | To exclude or to accumulate? Revealing the role of the sodium HKT1;5 transporter in plant adaptive responses to varying soil salinity. <i>Plant Physiology and Biochemistry</i> , 2021, 169, 333-342. | 5.8 | 20 |
| 7 | Different proline responses of two Algerian durum wheat cultivars to in vitro salt stress. <i>Acta Physiologiae Plantarum</i> , 2020, 42, 1. | 2.1 | 21 |
| 8 | Constitutive Contribution by the Rice <i>OsHKT1;4</i> Na ⁺ Transporter to Xylem Sap Desalinization and Low Na ⁺ Accumulation in Young Leaves Under Low as High External Na ⁺ Conditions. <i>Frontiers in Plant Science</i> , 2020, 11, 1130. | 3.6 | 22 |
| 9 | Homology Modeling Identifies Crucial Amino-Acid Residues That Confer Higher Na ⁺ Transport Capacity of <i>OcHKT1;5</i> from <i>Oryza coarctata</i> Roxb. <i>Plant and Cell Physiology</i> , 2020, 61, 1321-1334. | 3.1 | 23 |
| 10 | Functional Characterization of the <i>Arabidopsis</i> Ammonium Transporter <i>AtAMT1;3</i> With the Emphasis on Structural Determinants of Substrate Binding and Permeation Properties. <i>Frontiers in Plant Science</i> , 2020, 11, 571. | 3.6 | 5 |
| 11 | Functional characterization and physiological roles of the single Shaker outward K ⁺ channel in <i>Medicago truncatula</i> . <i>Plant Journal</i> , 2020, 102, 1249-1265. | 5.7 | 11 |
| 12 | Investigation of Na ⁺ and K ⁺ Transport in Halophytes: Functional Analysis of the <i>HmHKT2;1</i> Transporter from <i>Hordeum maritimum</i> and Expression under Saline Conditions. <i>Plant and Cell Physiology</i> , 2019, 60, 2423-2435. | 3.1 | 17 |
| 13 | A repertoire of cationic and anionic conductances at the plasma membrane of <i>Medicago truncatula</i> root hairs. <i>Plant Journal</i> , 2019, 98, 418-433. | 5.7 | 8 |
| 14 | BCL2-ASSOCIATED ATHANOGENE4 Regulates the KAT1 Potassium Channel and Controls Stomatal Movement. <i>Plant Physiology</i> , 2019, 181, 1277-1294. | 4.8 | 25 |
| 15 | Internal Cs ⁺ inhibits root elongation in rice. <i>Plant Signaling and Behavior</i> , 2018, 13, e1428516. | 2.4 | 1 |
| 16 | A Dual Role for the <i>OsK5.2</i> Ion Channel in Stomatal Movements and K ⁺ Loading into Xylem Sap. <i>Plant Physiology</i> , 2017, 174, 2409-2418. | 4.8 | 44 |
| 17 | Cloning and functional characterization of HKT1 and AKT1 genes of <i>Fragaria</i> spp. Relationship to plant response to salt stress. <i>Journal of Plant Physiology</i> , 2017, 210, 9-17. | 3.5 | 35 |
| 18 | Production of low Cs ⁺ rice plants by inactivation of the K ⁺ transporter <i>OsHAK1</i> with the CRISPR-Cas system. <i>Plant Journal</i> , 2017, 92, 43-56. | 5.7 | 161 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Allelic variants of OsHKT1;1 underlie the divergence between indica and japonica subspecies of rice (<i>Oryza sativa</i>) for root sodium content. <i>PLoS Genetics</i> , 2017, 13, e1006823. | 3.5 | 118 |
| 20 | Nuclear-localized cyclic nucleotide-gated channels mediate symbiotic calcium oscillations. <i>Science</i> , 2016, 352, 1102-1105. | 12.6 | 230 |
| 21 | The Arabidopsis AtPP2CA Protein Phosphatase Inhibits the GORK K ⁺ Efflux Channel and Exerts a Dominant Suppressive Effect on Phosphomimetic-activating Mutations. <i>Journal of Biological Chemistry</i> , 2016, 291, 6521-6533. | 3.4 | 43 |
| 22 | Characterization of Two HKT1;4 Transporters from <i>Triticum monococcum</i> to Elucidate the Determinants of the Wheat Salt Tolerance <i>Nax1</i> QTL. <i>Plant and Cell Physiology</i> , 2016, 57, 2047-2057. | 3.1 | 40 |
| 23 | The S1-S2 linker determines the distinct pH sensitivity between ZmK2.1 and <i>KAT1</i> . <i>Plant Journal</i> , 2016, 85, 675-685. | 5.7 | 10 |
| 24 | Complex interactions among residues within pore region determine the K ⁺ dependence of a <i>KAT1</i> -type potassium channel <i>AmKAT1</i> . <i>Plant Journal</i> , 2015, 83, 401-412. | 5.7 | 9 |
| 25 | Functional characterization in <i>Xenopus</i> oocytes of Na ⁺ transport systems from durum wheat reveals diversity among two HKT1;4 transporters. <i>Journal of Experimental Botany</i> , 2014, 65, 213-222. | 4.8 | 39 |
| 26 | Acetylated 1,3-diaminopropane antagonizes abscisic acid-mediated stomatal closing in <i>Arabidopsis</i> . <i>Plant Journal</i> , 2014, 79, 322-333. | 5.7 | 43 |
| 27 | Molecular biology of K ⁺ transport across the plant cell membrane: What do we learn from comparison between plant species?. <i>Journal of Plant Physiology</i> , 2014, 171, 748-769. | 3.5 | 264 |
| 28 | The Rice Monovalent Cation Transporter OsHKT2;4: Revisited Ionic Selectivity. <i>Plant Physiology</i> , 2012, 160, 498-510. | 4.8 | 80 |
| 29 | <i>Arabidopsis</i> Annexin1 Mediates the Radical-Activated Plasma Membrane Ca ²⁺ - and K ⁺ -Permeable Conductance in Root Cells. <i>Plant Cell</i> , 2012, 24, 1522-1533. | 6.6 | 173 |
| 30 | HKT2;2/1, a K ⁺ -permeable transporter identified in a salt-tolerant rice cultivar through surveys of natural genetic polymorphism. <i>Plant Journal</i> , 2012, 71, 750-762. | 5.7 | 94 |
| 31 | AtKC1 is a general modulator of Arabidopsis inward Shaker channel activity. <i>Plant Journal</i> , 2011, 67, 570-582. | 5.7 | 83 |
| 32 | Overexpression of an Na ⁺ - and K ⁺ -permeable HKT transporter in barley improves salt tolerance. <i>Plant Journal</i> , 2011, 68, 468-479. | 5.7 | 256 |
| 33 | A K ⁺ channel from salt-tolerant melon inhibited by Na ⁺ . <i>New Phytologist</i> , 2011, 189, 856-868. | 7.3 | 25 |
| 34 | Preferential KAT1-KAT2 Heteromerization Determines Inward K ⁺ Current Properties in Arabidopsis Guard Cells. <i>Journal of Biological Chemistry</i> , 2010, 285, 6265-6274. | 3.4 | 55 |
| 35 | Diversity in Expression Patterns and Functional Properties in the Rice HKT Transporter Family. <i>Plant Physiology</i> , 2009, 150, 1955-1971. | 4.8 | 175 |
| 36 | Two voltage-dependent calcium channels coexist in the apical plasma membrane of <i>Arabidopsis thaliana</i> root hairs. <i>New Phytologist</i> , 2008, 179, 378-385. | 7.3 | 83 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Plant adaptation to fluctuating environment and biomass production are strongly dependent on guard cell potassium channels. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 5271-5276. | 7.1 | 138 |
| 38 | K ⁺ channel activity in plants: Genes, regulations and functions. FEBS Letters, 2007, 581, 2357-2366. | 2.8 | 268 |
| 39 | Nomenclature for HKT transporters, key determinants of plant salinity tolerance. Trends in Plant Science, 2006, 11, 372-374. | 8.8 | 329 |
| 40 | Regulation by External K ⁺ in a Maize Inward Shaker Channel Targets Transport Activity in the High Concentration Range. Plant Cell, 2005, 17, 1532-1548. | 6.6 | 33 |
| 41 | Functional analysis of AtHKT1 in Arabidopsis shows that Na ⁺ recirculation by the phloem is crucial for salt tolerance. EMBO Journal, 2003, 22, 2004-2014. | 7.8 | 512 |
| 42 | MOLECULAR MECHANISMS AND REGULATION OF K ⁺ TRANSPORT IN HIGHER PLANTS. Annual Review of Plant Biology, 2003, 54, 575-603. | 18.7 | 530 |
| 43 | The Arabidopsis outward K ⁺ channel GORK is involved in regulation of stomatal movements and plant transpiration. Proceedings of the National Academy of Sciences of the United States of America, 2003, 100, 5549-5554. | 7.1 | 388 |
| 44 | Pollen tube development and competitive ability are impaired by disruption of a Shaker K ⁺ channel in Arabidopsis. Genes and Development, 2002, 16, 339-350. | 5.9 | 195 |
| 45 | Cation channels in the Arabidopsis plasma membrane. Trends in Plant Science, 2002, 7, 168-175. | 8.8 | 181 |
| 46 | Magnesium ions promote assembly of channel-like structures from beticolin O, a non-peptide fungal toxin purified from Cercospora beticola. Plant Journal, 1998, 14, 359-364. | 5.7 | 23 |
| 47 | Guard cell cation channels are involved in Na ⁺ -induced stomatal closure in a halophyte. Plant Journal, 1998, 14, 509-521. | 5.7 | 86 |
| 48 | Plasma membrane transport systems in higher plants: From black boxes to molecular physiology. Physiologia Plantarum, 1997, 100, 1-15. | 5.2 | 5 |
| 49 | Plasma membrane transport systems in higher plants: From black boxes to molecular physiology. Physiologia Plantarum, 1997, 100, 1-15. | 5.2 | 40 |
| 50 | Expression of a cloned plant K ⁺ channel in Xenopus oocytes: analysis of macroscopic currents. Plant Journal, 1995, 7, 321-332. | 5.7 | 167 |
| 51 | Level of expression in Xenopus oocytes affects some characteristics of a plant inward-rectifying voltage-gated K ⁺ channel. Pflügers Archiv European Journal of Physiology, 1994, 428, 422-424. | 2.8 | 44 |