## Kebin Liu

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8122062/publications.pdf

Version: 2024-02-01

48315 47006 8,564 113 47 88 citations h-index g-index papers 114 114 114 14174 citing authors docs citations times ranked all docs

| #  | Article   | IF   | Citations |
|----|---|------|-----------|
| 1  | Restoring FAS Expression via Lipid-Encapsulated FAS DNA Nanoparticle Delivery Is Sufficient to Suppress Colon Tumor Growth In Vivo. Cancers, 2022, 14, 361.   | 3.7  | 8         |
| 2  | G6PD functions as a metabolic checkpoint to regulate granzyme B expression in tumor-specific cytotoxic T lymphocytes., 2022, 10, e003543.   |      | 10        |
| 3  | Type-2 cGMP-dependent protein kinase suppresses proliferation and carcinogenesis in the colon epithelium. Carcinogenesis, 2022, 43, 584-593.  | 2.8  | 6         |
| 4  | H3K9me3 represses G6PD expression to suppress the pentose phosphate pathway and ROS production to promote human mesothelioma growth. Oncogene, 2022, , .  | 5.9  | 10        |
| 5  | MS4A1 expression and function in T cells in the colorectal cancer tumor microenvironment. Cellular Immunology, 2021, 360, 104260.   | 3.0  | 23        |
| 6  | Asah2 Represses the p53–Hmox1 Axis to Protect Myeloid-Derived Suppressor Cells from Ferroptosis. Journal of Immunology, 2021, 206, 1395-1404.   | 0.8  | 49        |
| 7  | Osteopontin Blockade Immunotherapy Increases Cytotoxic T Lymphocyte Lytic Activity and Suppresses Colon Tumor Progression. Cancers, 2021, 13, 1006.   | 3.7  | 26        |
| 8  | Methyltransferase inhibitors restore SATB1 protective activity against cutaneous T cell lymphoma in mice. Journal of Clinical Investigation, 2021, 131, .   | 8.2  | 6         |
| 9  | Streamlined Subclass-Specific Absolute Quantification of Serum IgG Glycopeptides Using Synthetic Isotope-Labeled Standards. Analytical Chemistry, 2021, 93, 4449-4455.  | 6.5  | 12        |
| 10 | Chemoenzymatic modular assembly of O-GalNAc glycans for functional glycomics. Nature Communications, 2021, 12, 3573.  | 12.8 | 28        |
| 11 | WDR5-H3K4me3 epigenetic axis regulates OPN expression to compensate PD-L1 function to promote pancreatic cancer immune escape. , 2021, 9, e002624.  |      | 36        |
| 12 | Expression regulation and function of PD-1 and PD-L1 in T lymphoma cells. Cellular Immunology, 2021, 366, 104397.   | 3.0  | 7         |
| 13 | p50 suppresses cytotoxic T lymphocyte effector function to regulate tumor immune escape and response to immunotherapy., 2020, 8, e001365.   |      | 12        |
| 14 | Osteopontin: A Key Regulator of Tumor Progression and Immunomodulation. Cancers, 2020, 12, 3379.  | 3.7  | 81        |
| 15 | Expression profiles and function of IL6 in polymorphonuclear myeloid-derived suppressor cells. Cancer Immunology, Immunotherapy, 2020, 69, 2233-2245.   | 4.2  | 12        |
| 16 | Autocrine IL6-Mediated Activation of the STAT3â€"DNMT Axis Silences the TNFαâ€"RIP1 Necroptosis Pathway to Sustain Survival and Accumulation of Myeloid-Derived Suppressor Cells. Cancer Research, 2020, 80, 3145-3156. | 0.9  | 47        |
| 17 | Pancreatic Adenocarcinoma: Unconventional Approaches for an Unconventional Disease. Cancer Research, 2020, 80, 3179-3192.   | 0.9  | 15        |
| 18 | SUV39H1 regulates human colon carcinoma apoptosis and cell cycle to promote tumor growth. Cancer Letters, 2020, 476, 87-96.   | 7.2  | 20        |

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 19 | Identifying Sialylation Linkages at the Glycopeptide Level by Glycosyltransferase Labeling Assisted Mass Spectrometry (GLAMS). Analytical Chemistry, 2020, 92, 6297-6303.  | 6.5  | 14        |
| 20 | Indispensable role of the Ubiquitin-fold modifier 1-specific E3 ligase in maintaining intestinal homeostasis and controlling gut inflammation. Cell Discovery, 2019, 5, 7.   | 6.7  | 45        |
| 21 | Type I interferon suppresses tumor growth through activating the STAT3-granzyme B pathway in tumor-infiltrating cytotoxic T lymphocytes., 2019, 7, 157.  |      | 85        |
| 22 | Loss of Fas Expression and Function Is Coupled with Colon Cancer Resistance to Immune Checkpoint Inhibitor Immunotherapy. Molecular Cancer Research, 2019, 17, 420-430.  | 3.4  | 34        |
| 23 | SUV39H1 Represses the Expression of Cytotoxic T-Lymphocyte Effector Genes to Promote Colon Tumor Immune Evasion. Cancer Immunology Research, 2019, 7, 414-427.   | 3.4  | 40        |
| 24 | Pharmacologically targeting the myristoylation of the scaffold protein FRS2α inhibits FGF/FGFR-mediated oncogenic signaling and tumor progression. Journal of Biological Chemistry, 2018, 293, 6434-6448.          | 3.4  | 19        |
| 25 | Myeloid-Derived Suppressor Cells Produce IL-10 to Elicit DNMT3b-Dependent IRF8 Silencing to Promote Colitis-Associated Colon Tumorigenesis. Cell Reports, 2018, 25, 3036-3046.e6.                                  | 6.4  | 63        |
| 26 | Genome wide DNA differential methylation regions in colorectal cancer patients in relation to blood related family members, obese and non-obese controls - a preliminary report. Oncotarget, 2018, 9, 25557-25571. | 1.8  | 3         |
| 27 | H3K4me3 mediates the NF- $\hat{P}$ B p50 homodimer binding to the <i> pdcd1 &lt; /i &gt; promoter to activate PD-1 transcription in T cells. Oncolmmunology, 2018, 7, e1483302.</i>                                | 4.6  | 15        |
| 28 | Contrasting roles of H3K4me3 and H3K9me3 in regulation of apoptosis and gemcitabine resistance in human pancreatic cancer cells. BMC Cancer, 2018, 18, 149.  | 2.6  | 36        |
| 29 | IFNAR1 Controls Autocrine Type I IFN Regulation of PD-L1 Expression in Myeloid-Derived Suppressor Cells. Journal of Immunology, 2018, 201, 264-277.  | 0.8  | 69        |
| 30 | Alteration of Tumor Metabolism by CD4+ T Cells Leads to TNF-α-Dependent Intensification of Oxidative Stress and Tumor Cell Death. Cell Metabolism, 2018, 28, 228-242.e6.   | 16.2 | 54        |
| 31 | An osteopontin/CD44 immune checkpoint controls CD8+ T cell activation and tumor immune evasion. Journal of Clinical Investigation, 2018, 128, 5549-5560.   | 8.2  | 193       |
| 32 | Gut microbes modulate host response to immune checkpoint inhibitor cancer immunotherapy. Translational Cancer Research, 2018, 7, S608-S610.  | 1.0  | 5         |
| 33 | JAK-STAT-mediated chronic inflammation impairs cytotoxic T lymphocyte activation to decrease anti-PD-1 immunotherapy efficacy in pancreatic cancer. Oncolmmunology, 2017, 6, e1291106.                             | 4.6  | 119       |
| 34 | The MLL1-H3K4me3 Axis-Mediated PD-L1 Expression and Pancreatic Cancer Immune Evasion. Journal of the National Cancer Institute, 2017, 109, djw283.   | 6.3  | 182       |
| 35 | SETD1B Activates iNOS Expression in Myeloid-Derived Suppressor Cells. Cancer Research, 2017, 77, 2834-2843.  | 0.9  | 54        |
| 36 | Antitumor activity of sulfated hyaluronic acid fragments in pre-clinical models of bladder cancer. Oncotarget, 2017, 8, 24262-24274.   | 1.8  | 20        |

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 37 | Epigenetic regulation of PD-L1 expression and pancreatic cancer response to checkpoint immunotherapy. Translational Cancer Research, 2017, 6, S652-S654.   | 1.0  | 8         |
| 38 | 5-Fluorouracil targets thymidylate synthase in the selective suppression of TH17 cell differentiation. Oncotarget, 2016, 7, 19312-19326.   | 1.8  | 13        |
| 39 | The expression profiles and regulation of PD-L1 in tumor-induced myeloid-derived suppressor cells. Oncolmmunology, 2016, 5, e1247135.  | 4.6  | 165       |
| 40 | Ceramide mediates FasL-induced caspase 8 activation in colon carcinoma cells to enhance FasL-induced cytotoxicity by tumor-specific cytotoxic T lymphocytes. Scientific Reports, 2016, 6, 30816. | 3.3  | 18        |
| 41 | An Orthotopic Mouse Model of Spontaneous Breast Cancer Metastasis. Journal of Visualized Experiments, 2016, , .  | 0.3  | 45        |
| 42 | CD133+CD24lo defines a 5-Fluorouracil-resistant colon cancer stem cell-like phenotype. Oncotarget, 2016, 7, 78698-78712.   | 1.8  | 41        |
| 43 | Ceramide activates lysosomal cathepsin B and cathepsin D to attenuate autophagy and induces ER stress to suppress myeloid-derived suppressor cells. Oncotarget, 2016, 7, 83907-83925.            | 1.8  | 70        |
| 44 | NF-κB functions as a molecular link between tumor cells and Th1/Tc1 T cells in the tumor microenvironment to exert radiation-mediated tumor suppression. Oncotarget, 2016, 7, 23395-23415.       | 1.8  | 12        |
| 45 | The NF- $\hat{l}^{\circ}$ B p65 and p50 homodimer cooperate with IRF8 to activate iNOS transcription. BMC Cancer, 2015, 15, 770.   | 2.6  | 48        |
| 46 | Myeloid cell-derived inducible nitric oxide synthase suppresses M1 macrophage polarization. Nature Communications, 2015, 6, 6676.  | 12.8 | 162       |
| 47 | IFNγ Induces DNA Methylation–Silenced GPR109A Expression via pSTAT1/p300 and H3K18 Acetylation in Colon Cancer. Cancer Immunology Research, 2015, 3, 795-805.                                    | 3.4  | 44        |
| 48 | IFN Regulatory Factor 8 Represses GM-CSF Expression in T Cells To Affect Myeloid Cell Lineage Differentiation. Journal of Immunology, 2015, 194, 2369-2379.                                      | 0.8  | 45        |
| 49 | B Cell–Intrinsic IDO1 Regulates Humoral Immunity to T Cell–Independent Antigens. Journal of Immunology, 2015, 195, 2374-2382.  | 0.8  | 48        |
| 50 | H3K9 Trimethylation Silences Fas Expression To Confer Colon Carcinoma Immune Escape and 5-Fluorouracil Chemoresistance. Journal of Immunology, 2015, 195, 1868-1882.                             | 0.8  | 86        |
| 51 | Epigenetic and Immune Regulation of Colorectal Cancer Stem Cells. Current Colorectal Cancer Reports, 2015, 11, 414-421.  | 0.5  | 5         |
| 52 | Epigenetic regulation of apoptosis and cell cycle regulatory genes in human colon carcinoma cells. Genomics Data, 2015, 5, 189-191.  | 1.3  | 8         |
| 53 | Type 2 cGMP-dependent protein kinase regulates homeostasis by blocking c-Jun N-terminal kinase in the colon epithelium. Cell Death and Differentiation, 2014, 21, 427-437.                       | 11.2 | 38        |
| 54 | GCN2-Dependent Metabolic Stress Is Essential for Endotoxemic Cytokine Induction and Pathology. Molecular and Cellular Biology, 2014, 34, 428-438.  | 2.3  | 65        |

| #  | Article  | IF  | Citations |
|----|--|-----|-----------|
| 55 | Ceramide targets xIAP and cIAP1 to sensitize metastatic colon and breast cancer cells to apoptosis induction to suppress tumor progression. BMC Cancer, 2014, 14, 24.  | 2.6 | 42        |
| 56 | Immunosuppressive Myeloid Cells Induced by Chemotherapy Attenuate Antitumor CD4+ T-Cell Responses through the PD-1–PD-L1 Axis. Cancer Research, 2014, 74, 3441-3453.   | 0.9 | 115       |
| 57 | Tubular p53 Regulates Multiple Genes to Mediate AKI. Journal of the American Society of Nephrology: JASN, 2014, 25, 2278-2289.   | 6.1 | 131       |
| 58 | Epigenetics and Colorectal Cancer Pathogenesis. Cancers, 2013, 5, 676-713.   | 3.7 | 195       |
| 59 | Deregulation of Apoptotic Factors Bcl-xL and Bax Confers Apoptotic Resistance to Myeloid-derived Suppressor Cells and Contributes to Their Persistence in Cancer. Journal of Biological Chemistry, 2013, 288, 19103-19115. | 3.4 | 67        |
| 60 | Lymphotoxin $\hat{l}^2$ receptor mediates caspase-dependent tumor cell apoptosis in vitro and tumor suppression in vivo despite induction of NF- $\hat{l}^9$ B activation. Carcinogenesis, 2013, 34, 1105-1114.            | 2.8 | 27        |
| 61 | Myeloid-derived suppressor cell development is regulated by a STAT/IRF-8 axis. Journal of Clinical Investigation, 2013, 123, 4464-4478.  | 8.2 | 261       |
| 62 | Butyrate suppresses colonic inflammation through HDAC1-dependent Fas upregulation and Fas-mediated apoptosis of T cells. American Journal of Physiology - Renal Physiology, 2012, 302, G1405-G1415.                        | 3.4 | 218       |
| 63 | Type 2 cGMP-dependent protein kinase regulates proliferation and differentiation in the colonic mucosa. American Journal of Physiology - Renal Physiology, 2012, 303, G209-G219.   | 3.4 | 39        |
| 64 | NF-κB Directly Regulates Fas Transcription to Modulate Fas-mediated Apoptosis and Tumor Suppression. Journal of Biological Chemistry, 2012, 287, 25530-25540.  | 3.4 | 122       |
| 65 | Unphosphorylated STAT1 Promotes Sarcoma Development through Repressing Expression of Fas and Bad and Conferring Apoptotic Resistance. Cancer Research, 2012, 72, 4724-4732.  | 0.9 | 38        |
| 66 | Increased telomerase activity and vitamin D supplementation in overweight African Americans. International Journal of Obesity, 2012, 36, 805-809.  | 3.4 | 61        |
| 67 | Decitabine and Vorinostat Cooperate To Sensitize Colon Carcinoma Cells to Fas Ligand-Induced Apoptosis In Vitro and Tumor Suppression In Vivo. Journal of Immunology, 2012, 188, 4441-4449.                                | 0.8 | 74        |
| 68 | Cutting Edge: IRF8 Regulates Bax Transcription In Vivo in Primary Myeloid Cells. Journal of Immunology, 2011, 187, 4426-4430.  | 0.8 | 22        |
| 69 | Cyclic $3\hat{a}\in^2$ , $5\hat{a}\in^2$ -guanosine monophosphate-dependent protein kinase inhibits colon cancer cell adaptation to hypoxia. Cancer, 2011, 117, 5282-5293.   | 4.1 | 4         |
| 70 | Sigma Receptor 1 Modulates Endoplasmic Reticulum Stress in Retinal Neurons. , 2011, 52, 527.   |     | 76        |
| 71 | IRF8 Regulates Acid Ceramidase Expression to Mediate Apoptosis and Suppresses Myelogeneous Leukemia. Cancer Research, 2011, 71, 2882-2891.   | 0.9 | 62        |
| 72 | Rapid and transient recruitment of DNMT1 to DNA double-strand breaks is mediated by its interaction with multiple components of the DNA damage response machinery. Human Molecular Genetics, 2011, 20, 126-140.            | 2.9 | 94        |

| #  | Article   | IF  | Citations |
|----|---|-----|-----------|
| 73 | Verticillin A Overcomes Apoptosis Resistance in Human Colon Carcinoma through DNA<br>Methylation-Dependent Upregulation of BNIP3. Cancer Research, 2011, 71, 6807-6816.                               | 0.9 | 52        |
| 74 | TNFÎ $\pm$ Cooperates with IFN-Î $^3$ to Repress Bcl-xL Expression to Sensitize Metastatic Colon Carcinoma Cells to TRAIL-mediated Apoptosis. PLoS ONE, 2011, 6, e16241.                              | 2.5 | 51        |
| 75 | Colonic Gene Expression in Conventional and Germ-Free Mice with a Focus on the Butyrate Receptor GPR109A and the Butyrate Transporter SLC5A8. Journal of Gastrointestinal Surgery, 2010, 14, 449-461. | 1.7 | 127       |
| 76 | PKG inhibits TCF signaling in colon cancer cells by blocking $\hat{l}^2$ -catenin expression and activating FOXO4. Oncogene, 2010, 29, 3423-3434.   | 5.9 | 61        |
| 77 | IFN-Î <sup>3</sup> Upregulates Survivin and Ifi202 Expression to Induce Survival and Proliferation of Tumor-Specific T Cells. PLoS ONE, 2010, 5, e14076.  | 2.5 | 33        |
| 78 | Experimental Metastasis and CTL Adoptive Transfer Immunotherapy Mouse Model. Journal of Visualized Experiments, $2010, \ldots$  | 0.3 | 13        |
| 79 | TRAIL and Doxorubicin Combination Induces Proapoptotic and Antiangiogenic Effects in Soft Tissue Sarcoma <i>In vivo</i> . Clinical Cancer Research, 2010, 16, 2591-2604.                              | 7.0 | 54        |
| 80 | Autophagy Is a Renoprotective Mechanism During in Vitro Hypoxia and in Vivo Ischemia-Reperfusion Injury. American Journal of Pathology, 2010, 176, 1181-1192.   | 3.8 | 343       |
| 81 | Role of apoptosis resistance in immune evasion and metastasis of colorectal cancer. World Journal of Gastrointestinal Oncology, 2010, 2, 399.   | 2.0 | 28        |
| 82 | Endogenous Elevation of Homocysteine Induces Retinal Neuron Death in the Cystathionine- $\hat{l}^2$ -Synthase Mutant Mouse. , 2009, 50, 4460.   |     | 65        |
| 83 | Extracellular Signal–Regulated Kinase Signaling Pathway Regulates Breast Cancer Cell Migration by Maintaining slug Expression. Cancer Research, 2009, 69, 9228-9235.                                  | 0.9 | 160       |
| 84 | The copper transporter Ctr1 contributes to cisplatin uptake by renal tubular cells during cisplatin nephrotoxicity. American Journal of Physiology - Renal Physiology, 2009, 296, F505-F511.          | 2.7 | 219       |
| 85 | GPR109A Is a G-protein–Coupled Receptor for the Bacterial Fermentation Product Butyrate and Functions as a Tumor Suppressor in Colon. Cancer Research, 2009, 69, 2826-2832.                           | 0.9 | 553       |
| 86 | IFN Regulatory Factor 8 Sensitizes Soft Tissue Sarcoma Cells to Death Receptor–Initiated Apoptosis via Repression of FLICE-like Protein Expression. Cancer Research, 2009, 69, 1080-1088.             | 0.9 | 32        |
| 87 | Interferon regulatory factorâ€8 modulates the development of tumourâ€induced CD11b <sup>+</sup> Grâ€i <sup>+</sup> myeloid cells. Journal of Cellular and Molecular Medicine, 2009, 13, 3939-3950.    | 3.6 | 43        |
| 88 | Absence of iron-regulatory protein Hfe results in hyperproliferation of retinal pigment epithelium: role of cystine/glutamate exchanger. Biochemical Journal, 2009, 424, 243-252.                     | 3.7 | 51        |
| 89 | Expression of cyclic guanosine monophosphateâ€dependent protein kinase in metastatic colon carcinoma cells blocks tumor angiogenesis. Cancer, 2008, 112, 1462-1470.                                   | 4.1 | 28        |
| 90 | Downregulation of IFNâ€Î³R in association with loss of Fas function is linked to tumor progression. International Journal of Cancer, 2008, 122, 350-362.  | 5.1 | 26        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | DNA Methylation Represses IFN-γ–Induced and Signal Transducer and Activator of Transcription<br>1–Mediated IFN Regulatory Factor 8 Activation in Colon Carcinoma Cells. Molecular Cancer Research,<br>2008, 6, 1841-1851.                                     | 3.4 | 55        |
| 92  | Effects of targeted Bcl-2 expression in mitochondria or endoplasmic reticulum on renal tubular cell apoptosis. American Journal of Physiology - Renal Physiology, 2008, 294, F499-F507.   | 2.7 | 37        |
| 93  | IFN Regulatory Factor 8 Mediates Apoptosis in Nonhemopoietic Tumor Cells via Regulation of Fas Expression. Journal of Immunology, 2007, 179, 4775-4782.   | 0.8 | 48        |
| 94  | Targeting Lymphotoxin $\hat{l}^2$ Receptor with Tumor-Specific T Lymphocytes for Tumor Regression. Clinical Cancer Research, 2007, 13, 5202-5210.   | 7.0 | 24        |
| 95  | Host Immunosurveillance Controls Tumor Growth via IFN Regulatory Factor-8–Dependent<br>Mechanisms. Cancer Research, 2007, 67, 10406-10416.  | 0.9 | 19        |
| 96  | Repression of IFN Regulatory Factor 8 by DNA Methylation Is a Molecular Determinant of Apoptotic Resistance and Metastatic Phenotype in Metastatic Tumor Cells. Cancer Research, 2007, 67, 3301-3309.   | 0.9 | 82        |
| 97  | CTL Adoptive Immunotherapy Concurrently Mediates Tumor Regression and Tumor Escape. Journal of Immunology, 2006, 176, 3374-3382.  | 0.8 | 32        |
| 98  | A2A adenosine receptor protects tumors from antitumor T cells. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 13132-13137.   | 7.1 | 837       |
| 99  | Immune Selection and Emergence of Aggressive Tumor Variants as Negative Consequences of Fas-Mediated Cytotoxicity and Altered IFN- $\hat{1}$ -Regulated Gene Expression. Cancer Research, 2005, 65, 4376-4388.  | 0.9 | 36        |
| 100 | Cooperative disengagement of Fas and intercellular adhesion molecule-1 function in neoplastic cells confers enhanced colonization efficiency. Cancer Research, 2005, 65, 1045-54.   | 0.9 | 13        |
| 101 | Coordinate Regulation of IFN Consensus Sequence-Binding Protein and Caspase-1 in the Sensitization of Human Colon Carcinoma Cells to Fas-Mediated Apoptosis by IFN-Î <sup>3</sup> . Journal of Immunology, 2003, 170, 6329-6337.                              | 0.8 | 51        |
| 102 | Irradiation of Tumor Cells Up-Regulates Fas and Enhances CTL Lytic Activity and CTL Adoptive Immunotherapy. Journal of Immunology, 2003, 170, 6338-6347.  | 0.8 | 429       |
| 103 | Exposure of Human Primary Colon Carcinoma Cells to Anti-Fas Interactions Influences the Emergence of Pre-existing Fas-Resistant Metastatic Subpopulations. Journal of Immunology, 2003, 171, 4164-4174.   | 0.8 | 30        |
| 104 | Alterations in Fas Expression Are Characteristic of, But Not Solely Responsible for, Enhanced Metastatic Competence. Journal of Immunology, 2003, 170, 5973-5980.   | 0.8 | 25        |
| 105 | IL-15 mimics T cell receptor crosslinking in the induction of cellular proliferation, gene expression, and cytotoxicity in CD8+ memory T cells. Proceedings of the National Academy of Sciences of the United States of America, 2002, 99, 6192-6197.         | 7.1 | 182       |
| 106 | ILâ€15 Is a Growth Factor and an Activator of CD8 Memory T Cells. Annals of the New York Academy of Sciences, 2002, 975, 46-56.   | 3.8 | 79        |
| 107 | Augmentation in Expression of Activation-Induced Genes Differentiates Memory from Naive CD4+ T Cells and Is a Molecular Mechanism for Enhanced Cellular Response of Memory CD4+ T Cells. Journal of Immunology, 2001, 166, 7335-7344.                         | 0.8 | 56        |
| 108 | Cutting Edge: Telomerase Activation in Human T Lymphocytes Does Not Require Increase in Telomerase Reverse Transcriptase (hTERT) Protein But Is Associated with hTERT Phosphorylation and Nuclear Translocation. Journal of Immunology, 2001, 166, 4826-4830. | 0.8 | 213       |

## KEBIN LIU

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Constitutive and regulated expression of telomerase reverse transcriptase (hTERT) in human lymphocytes. Proceedings of the National Academy of Sciences of the United States of America, 1999, 96, 5147-5152. | 7.1 | 219       |
| 110 | Nascent RNA in transcription complexes interacts with CspE, a small protein in E. coli implicated in chromatin condensation 1 1Edited by M. Gottesman. Journal of Molecular Biology, 1998, 282, 227-239.      | 4.2 | 50        |
| 111 | Catalytic Domain of the p120 Ras GAP Binds to Rab5 and Stimulates Its GTPase Activity. Journal of Biological Chemistry, 1998, 273, 10087-10090.   | 3.4 | 48        |
| 112 | NusA contacts nascent RNA in Escherichia coli transcription complexes. Journal of Molecular Biology, 1995, 247, 547-558.  | 4.2 | 32        |
| 113 | Myeloid-Derived Suppressor Cells Produce IL $10$ to Elicit DNMT3b-Dependent IRF8 Silencing to Promote Colitis-Associated Tumorigenesis. SSRN Electronic Journal, $0$ , , .                                    | 0.4 | 1         |