

Jianying Hu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8122075/publications.pdf>

Version: 2024-02-01

181
papers

10,806
citations

22153

59
h-index

38395

95
g-index

181
all docs

181
docs citations

181
times ranked

10714
citing authors

#	ARTICLE	IF	CITATIONS
1	Occurrence and fate of quinolone and fluoroquinolone antibiotics in a municipal sewage treatment plant. <i>Water Research</i> , 2012, 46, 387-394.	11.3	387
2	Occurrence of androgens and progestogens in wastewater treatment plants and receiving river waters: Comparison to estrogens. <i>Water Research</i> , 2011, 45, 732-740.	11.3	268
3	Products of Aqueous Chlorination of Bisphenol A and Their Estrogenic Activity. <i>Environmental Science & Technology</i> , 2002, 36, 1980-1987.	10.0	253
4	Determination and fate of oxytetracycline and related compounds in oxytetracycline production wastewater and the receiving river. <i>Environmental Toxicology and Chemistry</i> , 2008, 27, 80-86.	4.3	249
5	Determination of penicillin G and its degradation products in a penicillin production wastewater treatment plant and the receiving river. <i>Water Research</i> , 2008, 42, 307-317.	11.3	226
6	Determination and Source Apportionment of Five Classes of Steroid Hormones in Urban Rivers. <i>Environmental Science & Technology</i> , 2009, 43, 7691-7698.	10.0	224
7	Origin of Hydroxylated Brominated Diphenyl Ethers: Natural Compounds or Man-Made Flame Retardants?. <i>Environmental Science & Technology</i> , 2009, 43, 7536-7542.	10.0	209
8	Residential solid fuel emissions contribute significantly to air pollution and associated health impacts in China. <i>Science Advances</i> , 2020, 6, .	10.3	181
9	Trophic Dilution of Polycyclic Aromatic Hydrocarbons (PAHs) in a Marine Food Web from Bohai Bay, North China. <i>Environmental Science & Technology</i> , 2007, 41, 3109-3114.	10.0	178
10	Detection and Occurrence of Chlorinated Byproducts of Bisphenol A, Nonylphenol, and Estrogens in Drinking Water of China: Comparison to the Parent Compounds. <i>Environmental Science & Technology</i> , 2013, 47, 10841-10850.	10.0	178
11	Occurrence of Natural and Synthetic Glucocorticoids in Sewage Treatment Plants and Receiving River Waters. <i>Environmental Science & Technology</i> , 2007, 41, 3462-3468.	10.0	177
12	Levels of Blood Organophosphorus Flame Retardants and Association with Changes in Human Sphingolipid Homeostasis. <i>Environmental Science & Technology</i> , 2016, 50, 8896-8903.	10.0	162
13	Development and Validation of Endogenous Reference Genes for Expression Profiling of Medaka (<i>Oryzias latipes</i>) Exposed to Endocrine Disrupting Chemicals by Quantitative Real-Time RT-PCR. <i>Toxicological Sciences</i> , 2007, 95, 356-368.	3.1	158
14	Study on Transformation of Natural Organic Matter in Source Water during Chlorination and Its Chlorinated Products using Ultrahigh Resolution Mass Spectrometry. <i>Environmental Science & Technology</i> , 2012, 46, 4396-4402.	10.0	158
15	Impacts of air pollutants from rural Chinese households under the rapid residential energy transition. <i>Nature Communications</i> , 2019, 10, 3405.	12.8	158
16	Antibiotic resistance profile in environmental bacteria isolated from penicillin production wastewater treatment plant and the receiving river. <i>Environmental Microbiology</i> , 2009, 11, 1506-1517.	3.8	154
17	Products of Aqueous Chlorination of 17 β -Estradiol and Their Estrogenic Activities. <i>Environmental Science & Technology</i> , 2003, 37, 5665-5670.	10.0	148
18	Behaviors of Glucocorticoids, Androgens and Progestogens in a Municipal Sewage Treatment Plant: Comparison to Estrogens. <i>Environmental Science & Technology</i> , 2011, 45, 2725-2733.	10.0	145

#	ARTICLE	IF	CITATIONS
19	Trace analysis of quinolone and fluoroquinolone antibiotics from wastewaters by liquid chromatographyâ€“electrospray tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2008, 1214, 100-108.	3.7	141
20	High-Throughput Determination and Characterization of Short-, Medium-, and Long-Chain Chlorinated Paraffins in Human Blood. <i>Environmental Science & Technology</i> , 2017, 51, 3346-3354.	10.0	137
21	Phenotyping and Genotyping of Antibiotic-Resistant <i>Escherichia coli</i> Isolated from a Natural River Basin. <i>Environmental Science & Technology</i> , 2008, 42, 3415-3420.	10.0	135
22	Occurrences of Three Classes of Antibiotics in a Natural River Basin: Association with Antibiotic-Resistant <i>Escherichia coli</i> . <i>Environmental Science & Technology</i> , 2014, 48, 14317-14325.	10.0	135
23	Trace analysis of androgens and progestogens in environmental waters by ultra-performance liquid chromatographyâ€“electrospray tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2008, 1195, 44-51.	3.7	128
24	Occurrence of nine nitrosamines and secondary amines in source water and drinking water: Potential of secondary amines as nitrosamine precursors. <i>Water Research</i> , 2011, 45, 4930-4938.	11.3	124
25	Simultaneous determination of tetracyclines and their degradation products in environmental waters by liquid chromatographyâ€“electrospray tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2009, 1216, 4655-4662.	3.7	122
26	Simultaneous determination of 17 sulfonamide residues in porcine meat, kidney and liver by solid-phase extraction and liquid chromatographyâ€“tandem mass spectrometry. <i>Analytica Chimica Acta</i> , 2005, 546, 174-181.	5.4	116
27	Malformations of the endangered Chinese sturgeon, <i>Acipenser sinensis</i> , and its causal agent. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 9339-9344.	7.1	116
28	Organophosphorus Flame Retardants in Pregnant Women and Their Transfer to Chorionic Villi. <i>Environmental Science & Technology</i> , 2017, 51, 6489-6497.	10.0	116
29	Simultaneous determination of residual hormonal chemicals in meat, kidney, liver tissues and milk by liquid chromatographyâ€“tandem mass spectrometry. <i>Analytica Chimica Acta</i> , 2005, 548, 41-50.	5.4	108
30	Reproductive Inhibition and Transgenerational Toxicity of Triphenyltin on Medaka (<i>Oryzias latipes</i>). <i>Environmental Science & Technology</i> , 2010, 44, 8133-8139.	10.0	107
31	Tissue Distribution and Maternal Transfer of Poly- and Perfluorinated Compounds in Chinese Sturgeon (<i>Acipenser sinensis</i>): Implications for Reproductive Risk. <i>Environmental Science & Technology</i> , 2010, 44, 1868-1874.	10.0	106
32	Ubiquitous Occurrence of Fluorotelomer Alcohols in Eco-Friendly Paper-Made Food-Contact Materials and Their Implication for Human Exposure. <i>Environmental Science & Technology</i> , 2016, 50, 942-950.	10.0	106
33	Occurrence and source apportionment of sulfonamides and their metabolites in Liaodong Bay and the adjacent Liao River basin, North China. <i>Environmental Toxicology and Chemistry</i> , 2011, 30, 1252-1260.	4.3	102
34	Quantitative structureâ€“activity relationships for estrogen receptor binding affinity of phenolic chemicals. <i>Water Research</i> , 2003, 37, 1213-1222.	11.3	100
35	Simultaneous analysis of 16 sulfonamide and trimethoprim antibiotics in environmental waters by liquid chromatographyâ€“electrospray tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2008, 1190, 390-393.	3.7	100
36	Nonylphenol and Nonylphenol Ethoxylates in River Water, Drinking Water, and Fish Tissues in the Area of Chongqing, China. <i>Archives of Environmental Contamination and Toxicology</i> , 2005, 48, 467-473.	4.1	98

#	ARTICLE	IF	CITATIONS
37	Levels of Phthalate Metabolites in Urine of Pregnant Women and Risk of Clinical Pregnancy Loss. <i>Environmental Science & Technology</i> , 2015, 49, 10651-10657.	10.0	94
38	Determination of alkylphenol and bisphenol A in beverages using liquid chromatography/electrospray ionization tandem mass spectrometry. <i>Analytica Chimica Acta</i> , 2005, 530, 245-252.	5.4	93
39	Trophodynamic Behavior of 4-Nonylphenol and Nonylphenol Polyethoxylate in a Marine Aquatic Food Web from Bohai Bay, North China: A Comparison to DDTs. <i>Environmental Science & Technology</i> , 2005, 39, 4801-4807.	10.0	93
40	Trophodynamics of Polybrominated Diphenyl Ethers in the Marine Food Web of Bohai Bay, North China. <i>Environmental Science & Technology</i> , 2008, 42, 1078-1083.	10.0	92
41	Occurrence of trace organic contaminants in Bohai Bay and its adjacent Nanpaiwu River, North China. <i>Marine Chemistry</i> , 2005, 95, 1-13.	2.3	90
42	Occurrence and Source of Nitrosamines and Secondary Amines in Groundwater and its Adjacent Jialu River Basin, China. <i>Environmental Science & Technology</i> , 2012, 46, 3236-3243.	10.0	90
43	Trophic transfer of organophosphorus flame retardants in a lake food web. <i>Environmental Pollution</i> , 2018, 242, 1887-1893.	7.5	87
44	Characterization of Trophic Transfer for Polychlorinated Dibenzo-p-dioxins, Dibenzofurans, Non- and Mono-ortho Polychlorinated Biphenyls in the Marine Food Web of Bohai Bay, North China. <i>Environmental Science & Technology</i> , 2005, 39, 2417-2425.	10.0	86
45	Trophic Magnification of Triphenyltin in a Marine Food Web of Bohai Bay, North China: A Comparison to Tributyltin. <i>Environmental Science & Technology</i> , 2006, 40, 3142-3147.	10.0	84
46	Evaluation of wastewater reclamation technologies based on in vitro and in vivo bioassays. <i>Science of the Total Environment</i> , 2009, 407, 1588-1597.	8.0	84
47	Discovery of a widespread metabolic pathway within and among phenolic xenobiotics. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 6062-6067.	7.1	83
48	Antibiotic resistomes in drinking water sources across a large geographical scale: Multiple drivers and co-occurrence with opportunistic bacterial pathogens. <i>Water Research</i> , 2020, 183, 116088.	11.3	80
49	Activation of Peroxisome Proliferator-Activated Receptor Gamma and Disruption of Progesterone Synthesis of 2-Ethylhexyl Diphenyl Phosphate in Human Placental Choriocarcinoma Cells: Comparison with Triphenyl Phosphate. <i>Environmental Science & Technology</i> , 2017, 51, 4061-4068.	10.0	79
50	Fluorene-9-bisphenol is anti-oestrogenic and may cause adverse pregnancy outcomes in mice. <i>Nature Communications</i> , 2017, 8, 14585.	12.8	78
51	Multimedia Fate Model for Hexachlorocyclohexane in Tianjin, China. <i>Environmental Science & Technology</i> , 2004, 38, 2126-2132.	10.0	74
52	Quantitative Structure-Activity Relationship Model for Prediction of Genotoxic Potential for Quinolone Antibacterials. <i>Environmental Science & Technology</i> , 2007, 41, 4806-4812.	10.0	72
53	Levels, Tissue Distribution, and Age-Related Accumulation of Synthetic Musk Fragrances in Chinese Sturgeon (<i>Acipenser sinensis</i>): A Comparison to Organochlorines. <i>Environmental Science & Technology</i> , 2007, 41, 424-430.	10.0	72
54	Relationship between perfluorooctanoate and perfluorooctane sulfonate blood concentrations in the general population and routine drinking water exposure. <i>Environment International</i> , 2019, 126, 54-60.	10.0	69

#	ARTICLE	IF	CITATIONS
55	Cyanobacteria blooms produce teratogenic retinoic acids. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 9477-9482.	7.1	66
56	Fate of DDT-related compounds in Bohai Bay and its adjacent Haihe Basin, North China. Marine Pollution Bulletin, 2005, 50, 439-445.	5.0	65
57	Tissue Concentrations of Polybrominated Compounds in Chinese Sturgeon (<i>Acipenser sinensis</i>): Origin, Hepatic Sequestration, and Maternal Transfer. Environmental Science & Technology, 2010, 44, 5781-5786.	10.0	64
58	High-density lipoprotein of patients with Type 2 Diabetes Mellitus upregulates cyclooxygenase-2 expression and prostacyclin I-2 release in endothelial cells: relationship with HDL-associated sphingosine-1-phosphate. Cardiovascular Diabetology, 2013, 12, 27.	6.8	64
59	Occurrences and Fates of Hydroxylated Polybrominated Diphenyl Ethers in Marine Sediments in Relation to Trophodynamics. Environmental Science & Technology, 2012, 46, 2148-2155.	10.0	62
60	Morphine Protects against Intracellular Amyloid Toxicity by Inducing Estradiol Release and Upregulation of Hsp70. Journal of Neuroscience, 2011, 31, 16227-16240.	3.6	60
61	Urinary biomarkers for assessment of human exposure to monomeric aryl phosphate flame retardants. Environment International, 2019, 124, 259-264.	10.0	59
62	Families of Nuclear Receptors in Vertebrate Models: Characteristic and Comparative Toxicological Perspective. Scientific Reports, 2015, 5, 8554.	3.3	57
63	Occurrence and Maternal Transfer of Chlorinated Bisphenol A and Nonylphenol in Pregnant Women and Their Matching Embryos. Environmental Science & Technology, 2016, 50, 970-977.	10.0	57
64	Nontargeted identification of per- and polyfluoroalkyl substances in human follicular fluid and their blood-follicle transfer. Environment International, 2020, 139, 105686.	10.0	57
65	Improved method for analyzing estrogens in water by liquid chromatography-electrospray mass spectrometry. Journal of Chromatography A, 2005, 1070, 221-224.	3.7	55
66	Determination and Characterization of Oxy-Naphthenic Acids in Oilfield Wastewater. Environmental Science & Technology, 2013, 47, 9545-9554.	10.0	55
67	Triphenyl Phosphate at Environmental Levels Retarded Ovary Development and Reduced Egg Production in Japanese Medaka (<i>Oryzias latipes</i>). Environmental Science & Technology, 2019, 53, 14709-14715.	10.0	55
68	Isomer-Specific Accumulation of Perfluorooctanesulfonate from (<i>N</i> -Ethyl) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 227 Td (perfluorooctanesulfonate) in the Liver of the Common Carp (<i>Cyprinus carpio</i>). Environmental Science & Technology, 2014, 48, 1058-1066.	10.0	54
69	Trophic Transfer of Dechloranes in the Marine Food Web of Liaodong Bay, North China. Environmental Science & Technology, 2014, 48, 5458-5466.	10.0	52
70	Tissue Distribution, Maternal Transfer, and Age-Related Accumulation of Dechloranes in Chinese Sturgeon. Environmental Science & Technology, 2012, 46, 9907-9913.	10.0	51
71	Occurrence, profiling and prioritization of halogenated disinfection by-products in drinking water of China. Environmental Sciences: Processes and Impacts, 2013, 15, 1424.	3.5	51
72	Mono-2-ethylhexyl phthalate inhibits human extravillous trophoblast invasion via the PPAR γ pathway. Toxicology and Applied Pharmacology, 2017, 327, 23-29.	2.8	50

#	ARTICLE	IF	CITATIONS
73	Detection, Occurrence, and Fate of Fluorotelomer Alcohols in Municipal Wastewater Treatment Plants. <i>Environmental Science & Technology</i> , 2017, 51, 8953-8961.	10.0	50
74	Screening of House Dust from Chinese Homes for Chemicals with Liver X Receptors Binding Activities and Characterization of Atherosclerotic Activity Using an <i>in Vitro</i> Macrophage Cell Line and ApoE ^{-/-} Mice. <i>Environmental Health Perspectives</i> , 2019, 127, 117003.	6.0	50
75	Temporal and spatial variation of PM _{2.5} in indoor air monitored by low-cost sensors. <i>Science of the Total Environment</i> , 2021, 770, 145304.	8.0	50
76	Simultaneous determination of seventeen glucocorticoids residues in milk and eggs by ultra-performance liquid chromatography/electrospray tandem mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2006, 20, 2355-2364.	1.5	49
77	Occurrence of sulfonamide antibiotics in sewage treatment plants. <i>Science Bulletin</i> , 2008, 53, 514-520.	1.7	49
78	Transformation of tetracycline during chloramination: Kinetics, products and pathways. <i>Chemosphere</i> , 2013, 90, 1427-1434.	8.2	47
79	Ubiquitous Occurrence of Chlorinated Byproducts of Bisphenol A and Nonylphenol in Bleached Food Contacting Papers and Their Implications for Human Exposure. <i>Environmental Science & Technology</i> , 2015, 49, 7218-7226.	10.0	46
80	Occurrences and Behaviors of Naphthenic Acids in a Petroleum Refinery Wastewater Treatment Plant. <i>Environmental Science & Technology</i> , 2015, 49, 5796-5804.	10.0	46
81	Multi-class confirmatory method for analyzing trace levels of tetracycline and quinolone antibiotics in pig tissues by ultra-performance liquid chromatography coupled with tandem mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2007, 21, 3487-3496.	1.5	45
82	Trophodynamics of polybrominated diphenyl ethers and methoxylated polybrominated diphenyl ethers in a marine food web. <i>Environmental Toxicology and Chemistry</i> , 2010, 29, 2792-2799.	4.3	45
83	Identification of the disinfection byproducts of bisphenol S and the disrupting effect on peroxisome proliferator-activated receptor gamma (PPAR γ) induced by chlorination. <i>Water Research</i> , 2018, 132, 167-176.	11.3	44
84	Trace determination of nine haloacetic acids in drinking water by liquid chromatography-electrospray tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2010, 1217, 4873-4876.	3.7	43
85	Naphthenic Acids in Coastal Sediments after the Hebei Spirit Oil Spill: A Potential Indicator for Oil Contamination. <i>Environmental Science & Technology</i> , 2014, 48, 4153-4162.	10.0	43
86	Identification of Retinoic Acid Receptor Agonists in Sewage Treatment Plants. <i>Environmental Science & Technology</i> , 2009, 43, 6611-6616.	10.0	42
87	Relative importance of different exposure routes of heavy metals for humans living near a municipal solid waste incinerator. <i>Environmental Pollution</i> , 2017, 226, 385-393.	7.5	42
88	Transformation of Pyrene in Aqueous Chlorination in the Presence and Absence of Bromide Ion: Kinetics, Products, and Their Aryl Hydrocarbon Receptor-Mediated Activities. <i>Environmental Science & Technology</i> , 2006, 40, 487-493.	10.0	40
89	Occurrence, Bioaccumulation, and Trophic Transfer of Oligomeric Organophosphorus Flame Retardants in an Aquatic Environment. <i>Environmental Science and Technology Letters</i> , 2019, 6, 323-328.	8.7	40
90	Physiologically Based Pharmacokinetic Modeling for Chlorinated Paraffins in Rats and Humans: Importance of Biliary Excretion. <i>Environmental Science & Technology</i> , 2020, 54, 938-946.	10.0	40

#	ARTICLE	IF	CITATIONS
91	Determination of N-nitrosodimethylamine in drinking water by UPLC-MS/MS. Journal of Environmental Sciences, 2010, 22, 1508-1512.	6.1	39
92	Distribution is a Major Factor Affecting Bioaccumulation of Decabrominated Diphenyl Ether: Chinese Sturgeon (<i>Acipenser sinensis</i>) as an Example. Environmental Science & Technology, 2013, 47, 2279-2286.	10.0	39
93	Determination of nonylphenol ethoxylates in the aquatic environment by normal phase liquid chromatography-electrospray mass spectrometry. Journal of Chromatography A, 2002, 950, 167-174.	3.7	38
94	In vitro and in vivo estrogenic effects of 17 β -estradiol in medaka (<i>Oryzias latipes</i>). Chemosphere, 2010, 80, 608-612.	8.2	38
95	Development of Lead Source-specific Exposure Standards Based on Aggregate Exposure Assessment: Bayesian Inversion from Biomonitoring Information to Multipathway Exposure. Environmental Science & Technology, 2012, 46, 1144-1152.	10.0	38
96	Determination and Occurrence of Retinoids in a Eutrophic Lake (Taihu Lake, China): Cyanobacteria Blooms Produce Teratogenic Retinal. Environmental Science & Technology, 2013, 47, 807-814.	10.0	38
97	Environmentally Relevant Concentrations of the Organophosphorus Flame Retardant Triphenyl Phosphate Impaired Testicular Development and Reproductive Behaviors in Japanese Medaka (<i>Oryzias latipes</i>). Toxicology Letters, 2014, 224, 17-24.	10.784314	38
98	Effects of p,p'-DDE exposure on gonadal development and gene expression in Japanese medaka (<i>Oryzias latipes</i>). Environmental Science & Technology, 2010, 44, 800-807.	6.1	37
99	Simultaneous determination of primary and secondary phthalate monoesters in the Taihu Lake: Exploration of sources. Chemosphere, 2018, 202, 17-24.	8.2	36
100	Contribution of phthalates and phthalate monoesters from drinking water to daily intakes for the general population. Chemosphere, 2019, 229, 125-131.	8.2	35
101	Determination of ofloxacin enantiomers in sewage using two-step solid-phase extraction and liquid chromatography with fluorescence detection. Journal of Chromatography A, 2008, 1182, 77-84.	3.7	34
102	Extinction Risk of Exploited Wild Roach (<i>Rutilus rutilus</i>) Populations Due to Chemical Feminization. Environmental Science & Technology, 2009, 43, 7895-7901.	10.0	34
103	Estrogen agonist/antagonist properties of dibenzyl phthalate (DBzP) based on in vitro and in vivo assays. Toxicology Letters, 2011, 207, 7-11.	0.8	34
104	Inverse antagonist activities of parabens on human oestrogen-related receptor β (ERR β): In vitro and in silico studies. Toxicology and Applied Pharmacology, 2013, 270, 16-22.	2.8	34
105	Association of Aryl Organophosphate Flame Retardants Triphenyl Phosphate and 2-Ethylhexyl Diphenyl Phosphate with Human Blood Triglyceride and Total Cholesterol Levels. Environmental Science and Technology Letters, 2019, 6, 532-537.	8.7	33
106	Nontarget Discovery of 11 Aryl Organophosphate Triesters in House Dust Using High-Resolution Mass Spectrometry. Environmental Science & Technology, 2020, 54, 11376-11385.	10.0	33
107	The estrogenic potential of salicylate esters and their possible risks in foods and cosmetics. Toxicology Letters, 2012, 209, 146-153.	0.8	32
108	Simultaneous determination of mono- and disubstituted polyfluoroalkyl phosphates in drinking water by liquid chromatography-electrospray tandem mass spectrometry. Journal of Chromatography A, 2012, 1227, 245-252.	3.7	32

#	ARTICLE	IF	CITATIONS
109	Structure-Dependent Activity of Phthalate Esters and Phthalate Monoesters Binding to Human Constitutive Androstane Receptor. <i>Chemical Research in Toxicology</i> , 2015, 28, 1196-1204.	3.3	31
110	PM2.5 reductions in Chinese cities from 2013 to 2019 remain significant despite the inflating effects of meteorological conditions. <i>One Earth</i> , 2021, 4, 448-458.	6.8	31
111	INDUCTION OF VITELLOGENIN mRNA IN JUVENILE CHINESE STURGEON (<i>ACIPENSER SINENSIS</i> GRAY) TREATED WITH 17 β -ESTRADIOL AND 4-NONYLPHENOL. <i>Environmental Toxicology and Chemistry</i> , 2005, 24, 1944.	4.3	30
112	Derivatization method for sensitive determination of fluorotelomer alcohols in sediment by liquid chromatography–electrospray tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2013, 1288, 48-53.	3.7	30
113	Toxicity of triphenyltin on the development of retinal axons in zebrafish at low dose. <i>Aquatic Toxicology</i> , 2017, 189, 9-15.	4.0	28
114	2-Ethylhexyl Diphenyl Phosphate and Its Hydroxylated Metabolites are Anti-androgenic and Cause Adverse Reproductive Outcomes in Male Japanese Medaka (<i>Oryzias latipes</i>). <i>Environmental Science & Technology</i> , 2020, 54, 8919-8925.	10.0	28
115	CYP1A mRNA expression in redeye mullets (<i>Liza haematocheila</i>) from Bohai Bay, China. <i>Marine Pollution Bulletin</i> , 2011, 62, 718-725.	5.0	26
116	Modulation of Benzo[a]pyrene-Induced Toxic Effects in Japanese Medaka (<i>Oryzias latipes</i>) by 2,2,4,4-Tetrabromodiphenyl Ether. <i>Environmental Science & Technology</i> , 2013, 47, 13068-13076.	10.0	26
117	Coal Is Dirty, but Where It Is Burned Especially Matters. <i>Environmental Science & Technology</i> , 2021, 55, 7316-7326.	10.0	25
118	Identification of Three Novel Chloroalkyl Organophosphate Triesters in House Dust Using Halogenation-Guided Nontarget Screening Combined with Suspect Screening. <i>Environmental Science & Technology</i> , 2021, 55, 2482-2490.	10.0	25
119	Development of a molecular biomarker for detecting intersex after exposure of male medaka fish to synthetic estrogen. <i>Environmental Toxicology and Chemistry</i> , 2012, 31, 1765-1773.	4.3	24
120	Contributions of flumequine and nitroarenes to the genotoxicity of river and ground waters. <i>Chemosphere</i> , 2012, 88, 476-483.	8.2	24
121	Isomer-Specific Trophic Transfer of Perfluorocarboxylic Acids in the Marine Food Web of Liaodong Bay, North China. <i>Environmental Science & Technology</i> , 2015, 49, 1453-1461.	10.0	24
122	Equol Induces Gonadal Intersex in Japanese Medaka (<i>Oryzias latipes</i>) at Environmentally Relevant Concentrations: Comparison with 17 β -Estradiol. <i>Environmental Science & Technology</i> , 2016, 50, 7852-7860.	10.0	24
123	<i>p,p'</i> -DDE Induces Gonadal Intersex in Japanese Medaka (<i>Oryzias latipes</i>) at Environmentally Relevant Concentrations: Comparison with <i>o,p'</i> -DDT. <i>Environmental Science & Technology</i> , 2016, 50, 462-469.	10.0	24
124	Determination and occurrence of retinoic acids and their 4 α -oxo metabolites in Liaodong Bay, China, and its adjacent rivers. <i>Environmental Toxicology and Chemistry</i> , 2010, 29, 2491-2497.	4.3	23
125	Contamination with retinoic acid receptor agonists in two rivers in the Kinki region of Japan. <i>Water Research</i> , 2010, 44, 2409-2418.	11.3	23
126	Simultaneous determination of (N-ethyl perfluorooctanesulfonamido ethanol)-based phosphate diester and triester and their biotransformation to perfluorooctanesulfonate in freshwater sediments. <i>Environmental Pollution</i> , 2018, 234, 821-829.	7.5	23

#	ARTICLE	IF	CITATIONS
127	An improved method for analyzing chlormequat and mepiquat in source waters by solid-phase extraction and liquid chromatography–mass spectrometry. <i>Analytica Chimica Acta</i> , 2010, 678, 90-95.	5.4	22
128	Adverse Effects of Triclosan and Binary Mixtures with 17 β -Estradiol on Testicular Development and Reproduction in Japanese Medaka (<i>Oryzias latipes</i>) at Environmentally Relevant Concentrations. <i>Environmental Science and Technology Letters</i> , 2018, 5, 136-141.	8.7	21
129	Triphenyl phosphate delayed pubertal timing and induced decline of ovarian reserve in mice as an estrogen receptor antagonist. <i>Environmental Pollution</i> , 2021, 290, 118096.	7.5	21
130	Fenton's process for simultaneous removal of TOC and Fe ²⁺ from acidic waste liquor. <i>Desalination</i> , 2004, 160, 123-130.	8.2	20
131	Derivatization method for sensitive determination of 3-hydroxybenzo[a]pyrene in human urine by liquid chromatography–electrospray tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2015, 1379, 51-55.	3.7	20
132	Organobromine compound profiling in human adipose: Assessment of sources of bromophenol. <i>Environmental Pollution</i> , 2015, 204, 81-89.	7.5	20
133	Maternal Transfer of 2-Ethylhexyl Diphenyl Phosphate Leads to Developmental Toxicity Possibly by Blocking the Retinoic Acid Receptor and Retinoic X Receptor in Japanese Medaka (<i>Oryzias latipes</i>). <i>Environmental Science & Technology</i> , 2017, 51, 10743-10751.	10.0	19
134	Congener-Specific Tissue Distribution and Hepatic Sequestration of PCDD/Fs in Wild Herring Gulls from Bohai Bay, North China: A Comparison to Coplanar PCBs. <i>Environmental Science & Technology</i> , 2006, 40, 1462-1468.	10.0	19
135	A combined Arctic-tropical climate pattern controlling the inter-annual climate variability of wintertime PM _{2.5} over the North China Plain. <i>Environmental Pollution</i> , 2019, 245, 607-615.	7.5	19
136	Screening of Organophosphate Flame Retardants with Placentation-Disrupting Effects in Human Trophoblast Organoid Model and Characterization of Adverse Pregnancy Outcomes in Mice. <i>Environmental Health Perspectives</i> , 2022, 130, 57002.	6.0	19
137	Sequestration of Nonylphenol in Sediment from Bohai Bay, North China. <i>Environmental Science & Technology</i> , 2008, 42, 746-751.	10.0	18
138	Evaluating a Tap Water Contamination Incident Attributed to Oil Contamination by Nontargeted Screening Strategies. <i>Environmental Science & Technology</i> , 2016, 50, 2956-2963.	10.0	17
139	Occurrence of fibrates and their metabolites in source and drinking water in Shanghai and Zhejiang, China. <i>Scientific Reports</i> , 2017, 7, 45931.	3.3	17
140	Synergistic Health Benefits of Household Stove Upgrading and Energy Switching in Rural China. <i>Environmental Science & Technology</i> , 2021, 55, 14567-14575.	10.0	17
141	Endocrine disrupting toxicity of aryl organophosphate esters and mode of action. <i>Critical Reviews in Environmental Science and Technology</i> , 2023, 53, 1-18.	12.8	17
142	Quantitative real-time RT-PCR for determination of vitellogenin mRNA in soybean mullet (<i>Mugil soiuy</i>). <i>Analytical and Bioanalytical Chemistry</i> , 2006, 386, 1995-2001.	3.7	16
143	Exposure assessment of PCDD/Fs for the population living in the vicinity of municipal waste incinerator: Additional exposure via local vegetable consumption. <i>Environmental Pollution</i> , 2017, 224, 532-540.	7.5	16
144	Age-dependent human elimination half-lives of dioxin-like polychlorinated biphenyls derived from biomonitoring data in the general population. <i>Chemosphere</i> , 2019, 222, 541-548.	8.2	16

#	ARTICLE	IF	CITATIONS
145	Determination of diallyldimethylammonium chloride in drinking water by reversed-phase ion-pair chromatography–electrospray ionization mass spectrometry. <i>Journal of Chromatography A</i> , 2006, 1101, 222-225.	3.7	15
146	Biosensor Medaka for Monitoring Intersex Caused by Estrogenic Chemicals. <i>Environmental Science & Technology</i> , 2014, 48, 140203084006000.	10.0	15
147	Discovery of contaminants with antagonistic activity against retinoic acid receptor in house dust. <i>Journal of Hazardous Materials</i> , 2022, 426, 127847.	12.4	15
148	Effects of endocrine disrupting chemicals on China's rivers and coastal waters. <i>Frontiers in Ecology and the Environment</i> , 2006, 4, 378-386.	4.0	14
149	Molecular and physiological characterization of fluoroquinolone resistance in relation to uropathogenicity among <i>Escherichia coli</i> isolates isolated from Wenyu River, China. <i>Chemosphere</i> , 2012, 87, 37-42.	8.2	14
150	Protein-affinity guided identification of chlorinated paraffin components as ubiquitous chemicals. <i>Environment International</i> , 2020, 145, 106165.	10.0	14
151	Crucian carp (<i>Carassius carassius</i>) VTG monoclonal antibody: Development and application. <i>Ecotoxicology and Environmental Safety</i> , 2007, 66, 148-153.	6.0	13
152	Triphenyl phosphate modulated saturation of phospholipids: Induction of endoplasmic reticulum stress and inflammation. <i>Environmental Pollution</i> , 2020, 263, 114474.	7.5	13
153	EVALUATION OF ESTROGENICITY OF SEWAGE EFFLUENT AND RECLAIMED WATER USING VITELLOGENIN AS A BIOMARKER. <i>Environmental Toxicology and Chemistry</i> , 2008, 27, 154.	4.3	12
154	Detection, Occurrence and Fate of Indirubin in Municipal Sewage Treatment Plants. <i>Environmental Science & Technology</i> , 2008, 42, 8339-8344.	10.0	11
155	Determination of 3-Hydroxybenzo[a]pyrene Glucuronide/Sulfate Conjugates in Human Urine and Their Association with 8-Hydroxydeoxyguanosine. <i>Chemical Research in Toxicology</i> , 2019, 32, 1367-1373.	3.3	11
156	In vivo profiling of 2,3,7,8-tetrachlorodibenzo-p-dioxin–induced estrogenic/anti-estrogenic effects in female estrogen-responsive reporter transgenic mice. <i>Journal of Hazardous Materials</i> , 2020, 385, 121526.	12.4	11
157	Occurrence and Fate of Organotins in a Waterworks in North China. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2009, 83, 295-299.	2.7	10
158	Potential Link between Equol Pollution and Field-Observed Intersex in Wild So-iyu Mullet (<i>Mugil</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	10.0	10
159	Tris(1,3-dichloro-2-propyl)phosphate Induces Mass Mortality of Crucian Carp (<i>Carassius</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 5	10.0	10
160	Enzyme-Mediated Reactions of Phenolic Pollutants and Endogenous Metabolites as an Overlooked Metabolic Disruption Pathway. <i>Environmental Science & Technology</i> , 2022, 56, 3634-3644.	10.0	10
161	Chromium (VI) potentiates the DNA adducts (O6-methylguanine) formation of N-nitrosodimethylamine in rat: Implication on carcinogenic risk. <i>Chemosphere</i> , 2015, 139, 256-259.	8.2	9
162	Uncertainty analysis in 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) cancer dose–response for three occupational cohorts. <i>Environment International</i> , 2016, 88, 53-59.	10.0	9

#	ARTICLE	IF	CITATIONS
163	Xenobiotics Targeting Cardiolipin Metabolism to Promote Thrombosis in Zebrafish. <i>Environmental Science & Technology</i> , 2021, 55, 3855-3866.	10.0	9
164	Characterization of non-volatile organic contaminants in coking wastewater using non-target screening: Dominance of nitrogen, sulfur, and oxygen-containing compounds in biological effluents. <i>Science of the Total Environment</i> , 2022, 837, 155768.	8.0	9
165	Nine alkyl organophosphate triesters newly identified in house dust. <i>Environment International</i> , 2022, 165, 107333.	10.0	9
166	Indirect identification of isoprenoid quinones in <i>Escherichia coli</i> by LC-MS with atmospheric pressure chemical ionization in negative mode. <i>Journal of Basic Microbiology</i> , 2004, 44, 424-429.	3.3	7
167	Tricresyl phosphate inhibits fertilization in Japanese medaka (<i>Oryzias latipes</i>): Emphasizing metabolic toxicity. <i>Environmental Pollution</i> , 2022, 297, 118809.	7.5	7
168	A METHOD OF ASSESSING ECOLOGICAL RISK TO NIGHT HERON, NYCTICORAX NYCTICORAX, POPULATION PERSISTENCE FROM DICHLORODIPHENYLTRICHLOROETHANE EXPOSURE. <i>Environmental Toxicology and Chemistry</i> , 2006, 25, 281.	4.3	6
169	Comment on “Suspect and Nontarget Screening of Per- and Polyfluoroalkyl Substances in Wastewater from a Fluorochemical Manufacturing Park” <i>Environmental Science & Technology</i> , 2021, 55, 5589-5592.	10.0	6
170	Deriving Site-Specific 2,2-Bis(chlorophenyl)-1,1-dichloroethylene Quality Criteria of Water and Sediment for Protection of Common Tern Populations in Bohai Bay, North China. <i>Environmental Science & Technology</i> , 2006, 40, 2511-2516.	10.0	5
171	Modulation of estrogen synthesis through activation of protein kinase A in H295R cells by extracts of estuary sediments. <i>Environmental Toxicology and Chemistry</i> , 2011, 30, 2793-2801.	4.3	5
172	PM _{2.5} -Associated Health Impacts of Beehive Coke Oven Ban in China. <i>Environmental Science & Technology</i> , 2019, 53, 11337-11344.	10.0	4
173	Visualized Metabolic Disorder and Its Chemical Inducer in Wild Crucian Carp from Taihu Lake, China. <i>Environmental Science & Technology</i> , 2020, 54, 3343-3352.	10.0	4
174	Source contributions and drivers of physiological and psychophysical cobenefits from major air pollution control actions in North China. <i>Environmental Science & Technology</i> , 2022, 56, 2225-2235.	10.0	4
175	High inter-species differences of 12378-polychlorinated dibenzo-p-dioxin between humans and mice. <i>Environmental Pollution</i> , 2020, 265, 114957.	7.5	3
176	Insights into the Influence of Natural Retinoic Acids on Imposex Induction in Female Marine Gastropods in the Coastal Environment. <i>Environmental Science and Technology Letters</i> , 2021, 8, 1002-1008.	8.7	3
177	Behaviors and trophodynamics of o,p'-dichlorodiphenyltrichloroethane (o,p'-DDT) in the aquatic food web: Comparison with p,p'-DDT. <i>Science of the Total Environment</i> , 2022, 821, 153447.	8.0	3
178	Potential Interference of Oil Vehicles on Genital Tubercle Development during the Fetal Period in ICR Mice. <i>Biological and Pharmaceutical Bulletin</i> , 2018, 41, 266-271.	1.4	2
179	Screening of chemicals with binding activities of liver X receptors from reclaimed waters. <i>Science of the Total Environment</i> , 2020, 713, 136570.	8.0	2
180	Byproducts of aqueous chlorination of equol and their estrogenic potencies. <i>Chemosphere</i> , 2018, 212, 393-399.	8.2	1

#	ARTICLE	IF	CITATIONS
181	Association between Low House Cleaning Frequency, Cough and Risk of Miscarriage: A Case Control Study in China. International Journal of Environmental Research and Public Health, 2021, 18, 5304.	2.6	0