

Zhihua Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8140250/publications.pdf>

Version: 2024-02-01

29
papers

1,609
citations

361413

20
h-index

454955

30
g-index

30
all docs

30
docs citations

30
times ranked

2371
citing authors

#	ARTICLE	IF	CITATIONS
1	The long non-coding RNA HOTTIP promotes progression and gemcitabine resistance by regulating HOXA13 in pancreatic cancer. <i>Journal of Translational Medicine</i> , 2015, 13, 84.	4.4	211
2	LncRNA HOTTIP modulates cancer stem cell properties in human pancreatic cancer by regulating HOXA9. <i>Cancer Letters</i> , 2017, 410, 68-81.	7.2	161
3	Tumor-associated macrophages promote progression and the Warburg effect via CCL18/NF- κ B/VCAM-1 pathway in pancreatic ductal adenocarcinoma. <i>Cell Death and Disease</i> , 2018, 9, 453.	6.3	160
4	Linc00511 acts as a competing endogenous RNA to regulate VEGFA expression through sponging hsa-miR-29b-3p in pancreatic ductal adenocarcinoma. <i>Journal of Cellular and Molecular Medicine</i> , 2018, 22, 655-667.	3.6	116
5	Cancer-associated fibroblasts promote progression and gemcitabine resistance via the SDF-1/SATB-1 pathway in pancreatic cancer. <i>Cell Death and Disease</i> , 2018, 9, 1065.	6.3	106
6	Expression profile of long non-coding RNAs in pancreatic cancer and their clinical significance as biomarkers. <i>Oncotarget</i> , 2015, 6, 35684-35698.	1.8	85
7	Inhibition of glutamine metabolism counteracts pancreatic cancer stem cell features and sensitizes cells to radiotherapy. <i>Oncotarget</i> , 2015, 6, 31151-31163.	1.8	76
8	Glutamate dehydrogenase is a novel prognostic marker and predicts metastases in colorectal cancer patients. <i>Journal of Translational Medicine</i> , 2015, 13, 144.	4.4	70
9	Endogenous miRNA Sponge LincRNA-ROR promotes proliferation, invasion and stem cell-like phenotype of pancreatic cancer cells. <i>Cell Death Discovery</i> , 2017, 3, 17004.	4.7	60
10	circFARP1 enables cancer-associated fibroblasts to promote gemcitabine resistance in pancreatic cancer via the LIF/STAT3 axis. <i>Molecular Cancer</i> , 2022, 21, 24.	19.2	60
11	Long non-coding RNA LOC389641 promotes progression of pancreatic ductal adenocarcinoma and increases cell invasion by regulating E-cadherin in a TNFRSF10A-related manner. <i>Cancer Letters</i> , 2016, 371, 354-365.	7.2	56
12	The long non-coding RNA HOTAIR affects the radiosensitivity of pancreatic ductal adenocarcinoma by regulating the expression of Wnt inhibitory factor 1. <i>Tumor Biology</i> , 2016, 37, 3957-3967.	1.8	54
13	Clinical characteristics and outcomes of Castleman disease: A multicenter study of 185 Chinese patients. <i>Cancer Science</i> , 2018, 109, 199-206.	3.9	50
14	FEZF1-AS1/miR-107/ZNF312B axis facilitates progression and Warburg effect in pancreatic ductal adenocarcinoma. <i>Cell Death and Disease</i> , 2018, 9, 34.	6.3	48
15	Macrophage-expressed CD51 promotes cancer stem cell properties via the TGF- β 1/smad2/3 axis in pancreatic cancer. <i>Cancer Letters</i> , 2019, 459, 204-215.	7.2	48
16	Role of PKC-ERK signaling in tamoxifen-induced apoptosis and tamoxifen resistance in human breast cancer cells. <i>Oncology Reports</i> , 2012, 27, 1879-86.	2.6	35
17	Metabolic Phenotypes in Pancreatic Cancer. <i>PLoS ONE</i> , 2015, 10, e0115153.	2.5	34
18	HIF-1 α regulates non-canonical glutamine metabolism via activation of PI3K/mTORC2 pathway in human pancreatic ductal adenocarcinoma. <i>Journal of Cellular and Molecular Medicine</i> , 2017, 21, 2896-2908.	3.6	25

#	ARTICLE	IF	CITATIONS
19	circCUL2 induces an inflammatory CAF phenotype in pancreatic ductal adenocarcinoma via the activation of the MyD88-dependent NF- κ B signaling pathway. <i>Journal of Experimental and Clinical Cancer Research</i> , 2022, 41, 71.	8.6	25
20	A retrospective cohort study of pancreatic neuroendocrine tumors at single institution over 15 years: New proposal for low- and high-grade groups, validation of a nomogram for prognosis, and novel follow-up strategy for liver metastases. <i>International Journal of Surgery</i> , 2016, 29, 108-117.	2.7	22
21	Cancer-associated fibroblast-induced lncRNA UPK1A-AS1 confers platinum resistance in pancreatic cancer via efficient double-strand break repair. <i>Oncogene</i> , 2022, 41, 2372-2389.	5.9	21
22	PD-1 versus tumor mutation burden: Which is the better immunotherapy biomarker in advanced non-small cell lung cancer?. <i>Journal of Gene Medicine</i> , 2021, 23, e3294.	2.8	14
23	A nomogram prognostic index for risk-stratification in diffuse large B-cell lymphoma in the rituximab era: a multi-institutional cohort study. <i>British Journal of Cancer</i> , 2021, 125, 402-412.	6.4	7
24	Neoadjuvant camrelizumab, nab-paclitaxel, and carboplatin in patients with stage IB-IIIa non-small cell lung cancer (NANE-LC): a study protocol of prospective, single-arm, multicenter, phase II study. <i>Journal of Thoracic Disease</i> , 2021, 13, 6468-6475.	1.4	5
25	Nanocomplexation of thrombin with cationic amylose derivative for improved stability and hemostatic efficacy. <i>International Journal of Nanomedicine</i> , 2015, 10, 939.	6.7	4
26	Novel blood-based tumor mutation algorithm and nomogram predict survival of immune checkpoint inhibitor in non-small cell lung cancer: Results from two multicenter, randomized clinical trials. <i>Clinical and Translational Medicine</i> , 2020, 10, e53.	4.0	2
27	Optimization of high-dose methotrexate prophylaxis for central nervous system relapse in diffuse large B-cell lymphoma: a multicenter analysis. <i>Annals of Hematology</i> , 2022, 101, 595-605.	1.8	2
28	A phase 1b/2 trial of SHR-1701 in combination with gemcitabine and nab-paclitaxel in patients with untreated locally advanced or metastatic pancreatic cancer.. <i>Journal of Clinical Oncology</i> , 2022, 40, e16264-e16264.	1.6	2
29	Gemcitabine plus cisplatin (GP) versus 5-FU plus cisplatin (FP) as first-line treatment for recurrent or metastatic nasopharyngeal carcinoma (NPC): A randomized, open-label, multicenter, phase III trial.. <i>Journal of Clinical Oncology</i> , 2016, 34, 6007-6007.	1.6	1