
Mats Rudling

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8141214/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The Circulating Metabolic Regulator FGF21 Is Induced by Prolonged Fasting and PPARα Activation in Man. Cell Metabolism, 2008, 8, 169-174.	16.2	441
2	Circulating intestinal fibroblast growth factor 19 has a pronounced diurnal variation and modulates hepatic bile acid synthesis in man. Journal of Internal Medicine, 2006, 260, 530-536.	6.0	355
3	PPARα is a key regulator of hepatic FGF21. Biochemical and Biophysical Research Communications, 2007, 360, 437-440.	2.1	337
4	Importance of growth hormone for the induction of hepatic low density lipoprotein receptors Proceedings of the National Academy of Sciences of the United States of America, 1992, 89, 6983-6987.	7.1	233
5	Circulating Fibroblast Growth Factors as Metabolic Regulators—A Critical Appraisal. Cell Metabolism, 2012, 16, 693-705.	16.2	184
6	Bile Acid Synthesis in Humans Has a Rapid Diurnal Variation That Is Asynchronous With Cholesterol Synthesis. Gastroenterology, 2005, 129, 1445-1453.	1.3	181
7	Selective thyroid receptor modulation by GC-1 reduces serum lipids and stimulates steps of reverse cholesterol transport in euthyroid mice. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 10297-10302.	7.1	177
8	Monitoring hepatic cholesterol 7α-hydroxylase activity by assay of the stable bile acid intermediate 7α-hydroxy-4-cholesten-3-one in peripheral blood. Journal of Lipid Research, 2003, 44, 859-866.	4.2	172
9	The thyroid hormone mimetic compound KB2115 lowers plasma LDL cholesterol and stimulates bile acid synthesis without cardiac effects in humans. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 663-667.	7.1	169
10	Increased colonic bile acid exposure: a relevant factor for symptoms and treatment in IBS. Gut, 2015, 64, 84-92.	12.1	167
11	Overeating Saturated Fat Promotes Fatty Liver and Ceramides Compared With Polyunsaturated Fat: A Randomized Trial. Journal of Clinical Endocrinology and Metabolism, 2019, 104, 6207-6219.	3.6	124
12	Requirement for Thyroid Hormone Receptor β in T ₃ Regulation of Cholesterol Metabolism in Mice. Molecular Endocrinology, 2002, 16, 1767-1777.	3.7	122
13	Hepatic mRNA levels for the LDL receptor and HMG-CoA reductase show coordinate regulation in vivo Journal of Lipid Research, 1992, 33, 493-501.	4.2	112
14	Lipoprotein profiles in plasma and interstitial fluid analyzed with an automated gel-filtration system. European Journal of Clinical Investigation, 2006, 36, 98-104.	3.4	111
15	Potential role of milk fat globule membrane in modulating plasma lipoproteins, gene expression, and cholesterol metabolism in humans: a randomized study. American Journal of Clinical Nutrition, 2015, 102, 20-30.	4.7	110
16	Randomised clinical trial: the ileal bile acid transporter inhibitor A3309 vs. placebo in patients with chronic idiopathic constipation - a double-blind study. Alimentary Pharmacology and Therapeutics, 2011, 34, 41-50.	3.7	100
17	Hepatic mRNA levels for the LDL receptor and HMG-CoA reductase show coordinate regulation in vivo. Journal of Lipid Research, 1992, 33, 493-501.	4.2	97
18	Pronounced variation in bile acid synthesis in humans is related to gender, hypertriglyceridaemia and circulating levels of fibroblast growth factor 19. Journal of Internal Medicine, 2011, 270, 580-588.	6.0	92

MATS RUDLING

#	Article	IF	CITATIONS
19	The Arachidonic Acid Metabolome Serves as a Conserved Regulator of Cholesterol Metabolism. Cell Metabolism, 2014, 20, 787-798.	16.2	92
20	Hepatic cholesterol metabolism in human obesity. Hepatology, 1997, 25, 1447-1450.	7.3	88
21	Regulation of hepatic cholesterol metabolism in humans: stimulatory effects of cholestyramine on HMG-CoA reductase activity and low density lipoprotein receptor expression in gallstone patients Journal of Lipid Research, 1990, 31, 2219-2226.	4.2	87
22	Muricholic bile acids are potent regulators of bile acid synthesis via a positive feedback mechanism. Journal of Internal Medicine, 2014, 275, 27-38.	6.0	83
23	Endogenous Estrogens Lower Plasma PCSK9 and LDL Cholesterol But Not Lp(a) or Bile Acid Synthesis in Women. Arteriosclerosis, Thrombosis, and Vascular Biology, 2012, 32, 810-814.	2.4	82
24	Leptin Induces the Hepatic High Density Lipoprotein Receptor Scavenger Receptor B Type I (SR-BI) but Not Cholesterol 7α-Hydroxylase (Cyp7a1) in Leptin-deficient (ob/ob) Mice. Journal of Biological Chemistry, 2003, 278, 43224-43228.	3.4	71
25	Thyroid hormone reduces PCSK9 and stimulates bile acid synthesis in humans. Journal of Lipid Research, 2014, 55, 2408-2415.	4.2	71
26	Influence of physiological changes in endogenous estrogen on circulating PCSK9 and LDL cholesterol. Journal of Lipid Research, 2015, 56, 463-469.	4.2	70
27	Importance of Proprotein Convertase Subtilisin/Kexin Type 9 in the Hormonal and Dietary Regulation of Rat Liver Low-Density Lipoprotein Receptors. Endocrinology, 2009, 150, 1140-1146.	2.8	67
28	Regulation of hepatic cholesterol metabolism in humans: stimulatory effects of cholestyramine on HMG-CoA reductase activity and low density lipoprotein receptor expression in gallstone patients. Journal of Lipid Research, 1990, 31, 2219-26.	4.2	66
29	Of mice and men: murine bile acids explain species differences in the regulation of bile acid and cholesterol metabolism. Journal of Lipid Research, 2020, 61, 480-491.	4.2	65
30	Growth hormone and bile acid synthesis. Key role for the activity of hepatic microsomal cholesterol 7alpha-hydroxylase in the rat Journal of Clinical Investigation, 1997, 99, 2239-2245.	8.2	64
31	Lipid lowering with thyroid hormone and thyromimetics. Current Opinion in Lipidology, 2010, 21, 499-506.	2.7	63
32	Influence of bezafibrate on hepatic cholesterol metabolism in gallstone patients: Reduced activity of cholesterol 7α-hydroxylase. Hepatology, 1995, 21, 1025-1030.	7.3	62
33	Stimulation of rat hepatic low density lipoprotein receptors by glucagon. Evidence of a novel regulatory mechanism in vivo Journal of Clinical Investigation, 1993, 91, 2796-2805.	8.2	62
34	Dramatically Increased Intestinal Absorption of Cholesterol Following Hypophysectomy Is Normalized by Thyroid Hormone. Gastroenterology, 2008, 134, 1127-1136.	1.3	61
35	Regulation of rat hepatic low density lipoprotein receptors. In vivo stimulation by growth hormone is not mediated by insulin-like growth factor I Journal of Clinical Investigation, 1996, 97, 292-299.	8.2	59
36	Circulating Hepcidin-25 Is Reduced by Endogenous Estrogen in Humans. PLoS ONE, 2016, 11, e0148802.	2.5	56

Mats Rudling

#	Article	IF	CITATIONS
37	Bile acid synthesis is increased in chilean hispanics with gallstones and in gallstone high-risk Mapuche Indians. Gastroenterology, 2004, 126, 741-748.	1.3	55
38	Treatment with the natural <scp>FXR</scp> agonist chenodeoxycholic acid reduces clearance of plasma <scp>LDL</scp> whilst decreasing circulating <scp>PCSK</scp> 9, lipoprotein(a) and apolipoprotein Câ€ <scp>III</scp> . Journal of Internal Medicine, 2017, 281, 575-585.	6.0	52
39	Loss of resistance to dietary cholesterol in the rat after hypophysectomy: importance of the presence of growth hormone for hepatic low density lipoprotein-receptor expression Proceedings of the National Academy of Sciences of the United States of America, 1993, 90, 8851-8855.	7.1	51
40	Regulation of Hepatic Low-Density Lipoprotein Receptor, 3-Hydroxy-3-Methylglutaryl Coenzyme A Reductase, and Cholesterol 7α-Hydroxylase mRNAs in Human Liver. Journal of Clinical Endocrinology and Metabolism, 2002, 87, 4307-4313.	3.6	51
41	Specific inhibition of bile acid transport alters plasma lipids and GLP-1. BMC Cardiovascular Disorders, 2015, 15, 75.	1.7	49
42	Bile acid synthesis in primary cultures of rat and human hepatocytes. Hepatology, 1998, 27, 615-620.	7.3	46
43	An FXR Agonist Reduces Bile Acid Synthesis Independently of Increases in FGF19 in Healthy Volunteers. Gastroenterology, 2018, 155, 1012-1016.	1.3	44
44	Mice Abundant in Muricholic Bile Acids Show Resistance to Dietary Induced Steatosis, Weight Gain, and to Impaired Glucose Metabolism. PLoS ONE, 2016, 11, e0147772.	2.5	43
45	Stimulation of murine biliary cholesterol secretion by thyroid hormone is dependent on a functional ABCG5/G8 complex. Hepatology, 2012, 56, 1828-1837.	7.3	42
46	Growth Hormone Induces Low-Density Lipoprotein Clearance but not Bile Acid Synthesis in Humans. Arteriosclerosis, Thrombosis, and Vascular Biology, 2004, 24, 349-356.	2.4	40
47	Role of Dietary Fats in Modulating Cardiometabolic Risk During Moderate Weight Gain: A Randomized Doubleâ€Blind Overfeeding Trial (LIPOGAIN Study). Journal of the American Heart Association, 2014, 3, e001095.	3.7	40
48	Bile acid sequestrants: Mechanisms of action on bile acid and cholesterol metabolism. European Journal of Clinical Pharmacology, 1991, 40, S53-S58.	1.9	36
49	Impaired Cholesterol Efflux Capacity of High-Density Lipoprotein Isolated From Interstitial Fluid in Type 2 Diabetes Mellitus—Brief Report. Arteriosclerosis, Thrombosis, and Vascular Biology, 2016, 36, 787-791.	2.4	33
50	Inhibition of Intestinal Bile Acid Transporter Slc10a2 Improves Triglyceride Metabolism and Normalizes Elevated Plasma Glucose Levels in Mice. PLoS ONE, 2012, 7, e37787.	2.5	32
51	A Physiology-Based Model of Bile Acid Distribution and Metabolism Under Healthy and Pathologic Conditions in Human Beings. Cellular and Molecular Gastroenterology and Hepatology, 2020, 10, 149-170.	4.5	30
52	Growth hormone reduces plasma cholesterol in LDL receptorâ€deficient mice. FASEB Journal, 2001, 15, 1350-1356.	0.5	28
53	Lipoprotein Metabolism in the Fat Zucker Rat: Reduced Basal Expression but Normal Regulation of Hepatic Low Density Lipoprotein Receptors*. Endocrinology, 1997, 138, 3276-3282.	2.8	26
54	Acute caloric restriction counteracts hepatic bile acid and cholesterol deficiency in morbid obesity. Journal of Internal Medicine, 2017, 281, 507-517.	6.0	26

MATS RUDLING

#	Article	IF	CITATIONS
55	Asynchronous rhythms of circulating conjugated and unconjugated bile acids in the modulation of human metabolism. Journal of Internal Medicine, 2018, 284, 546-559.	6.0	26
56	Cholestyramine treatment of healthy humans rapidly induces transient hypertriglyceridemia when treatment is initiated. American Journal of Physiology - Endocrinology and Metabolism, 2017, 313, E167-E174.	3.5	24
57	Endotoxin suppresses rat hepatic low-density lipoprotein receptor expression. Biochemical Journal, 1996, 313, 873-878.	3.7	23
58	Bile acids and lipoprotein metabolism. Current Opinion in Lipidology, 1999, 10, 269-274.	2.7	23
59	Pharmacological interference with intestinal bile acid transport reduces plasma cholesterol in LDL receptor/apoE deficiency. FASEB Journal, 2003, 17, 265-267.	0.5	21
60	Gallbladder bile supersaturated with cholesterol in gallstone patients preferentially develops from shortage of bile acids. Journal of Lipid Research, 2019, 60, 498-505.	4.2	21
61	Influence of growth hormone on circulating fibroblast growth factor 21 levels in humans. Journal of Internal Medicine, 2013, 274, 227-232.	6.0	19
62	Understanding mouse bile acid formation: Is it time to unwind why mice and rats make unique bile acids?. Journal of Lipid Research, 2016, 57, 2097-2098.	4.2	19
63	Prolonged Stimulation of the Adrenals by Corticotropin Suppresses Hepatic Low-Density Lipoprotein and High-Density Lipoprotein Receptors and Increases Plasma Cholesterol. Endocrinology, 2002, 143, 1809-1816.	2.8	17
64	Effects of growth hormone on hepatic cholesterol metabolism. Lessons from studies in rats and humans. Growth Hormone and IGF Research, 1999, 9, 1-7.	1.1	15
65	Endotoxin suppresses mouse hepatic low-density lipoprotein-receptor expression via a pathway independent of the toll-like receptor 4. Hepatology, 1999, 30, 1252-1256.	7.3	14
66	Energy restriction in obese women suggest linear reduction of hepatic fat content and time-dependent metabolic improvements. Nutrition and Diabetes, 2019, 9, 34.	3.2	12
67	Regulation of bile acid metabolism in biliary atresia: reduction of FGF19 by Kasai portoenterostomy and possible relation to early outcome. Journal of Internal Medicine, 2020, 287, 534-545.	6.0	12
68	Growth hormone specifically stimulates the expression of low density lipoprotein receptors in human hepatoma cells. Endocrinology, 1995, 136, 3767-3773.	2.8	11
69	Hepatic cholesterol metabolism in experimental nephrotic syndrome. Lipids, 1998, 33, 165-169.	1.7	9
70	Influence of dietary sugar on cholesterol and bile acid metabolism inÂthe rat: Marked reduction of hepatic Abcg5/8 expression following sucrose ingestion. Biochemical and Biophysical Research Communications, 2015, 461, 592-597.	2.1	6
71	Lipoprotein Metabolism in the Fat Zucker Rat: Reduced Basal Expression but Normal Regulation of Hepatic Low Density Lipoprotein Receptors. Endocrinology, 1997, 138, 3276-3282.	2.8	6
72	Stimulation of Apical Sodium-Dependent Bile Acid Transporter Expands the Bile Acid Pool and Generates Bile Acids with Positive Feedback Properties. Digestive Diseases, 2015, 33, 376-381.	1.9	5

MATS RUDLING

#	Article	IF	CITATIONS
73	Levels of atherogenic lipoproteins are unexpectedly reduced in interstitial fluid from type 2 diabetes patients. Journal of Lipid Research, 2015, 56, 1633-1639.	4.2	4
74	Novel Effects of Histamine on Lipoprotein Metabolism: Suppression of Hepatic Low Density Lipoprotein Receptor Expression and Reduction of Plasma High Density Lipoprotein Cholesterol in the Rat. Endocrinology, 1997, 138, 1863-1870.	2.8	4
75	Authors' response: Bile acids are important in the pathophysiology of IBS. Gut, 2015, 64, 851.2-852.	12.1	1
76	Letter to the Editor: Potential Role for FGF21 as a Mediator of Thyroid Hormone Effects on Metabolic Regulation. Journal of Clinical Endocrinology and Metabolism, 2015, 100, L130-L131.	3.6	1