Chantal Julia

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8141705/publications.pdf Version: 2024-02-01

		47006	62596
201	8,306	47	80
papers	citations	h-index	g-index
211	211	211	8305
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Consumption of ultra-processed foods and cancer risk: results from NutriNet-Santé prospective cohort. BMJ: British Medical Journal, 2018, 360, k322.	2.3	605
2	Ultra-processed food intake and risk of cardiovascular disease: prospective cohort study (NutriNet-Santé). BMJ: British Medical Journal, 2019, 365, l1451.	2.3	512
3	Diet and physical activity during the coronavirus disease 2019 (COVID-19) lockdown (March–May 2020): results from the French NutriNet-Santé cohort study. American Journal of Clinical Nutrition, 2021, 113, 924-938.	4.7	284
4	Ultraprocessed Food Consumption and Risk of Type 2 Diabetes Among Participants of the NutriNet-Santé Prospective Cohort. JAMA Internal Medicine, 2020, 180, 283.	5.1	257
5	Association Between Ultraprocessed Food Consumption and Risk of Mortality Among Middle-aged Adults in France. JAMA Internal Medicine, 2019, 179, 490.	5.1	246
6	Validity of Web-Based Self-Reported Weight and Height: Results of the Nutrinet-Santé Study. Journal of Medical Internet Research, 2013, 15, e152.	4.3	198
7	Obesity is associated with higher risk of intensive care unit admission and death in influenza A (H1N1) patients: a systematic review and meta-analysis. Obesity Reviews, 2011, 12, 653-659.	6.5	194
8	Contribution of ultra-processed foods in the diet of adults from the French NutriNet-Santé study. Public Health Nutrition, 2018, 21, 27-37.	2.2	163
9	Objective Understanding of Front-of-Package Nutrition Labels: An International Comparative Experimental Study across 12 Countries. Nutrients, 2018, 10, 1542.	4.1	160
10	Impact of Different Front-of-Pack Nutrition Labels on Consumer Purchasing Intentions. American Journal of Preventive Medicine, 2016, 50, 627-636.	3.0	150
11	Ultra-processed food intake in association with BMI change and risk of overweight and obesity: AÂprospective analysis of the French NutriNet-Santé cohort. PLoS Medicine, 2020, 17, e1003256.	8.4	140
12	Sugary drink consumption and risk of cancer: results from NutriNet-Santé prospective cohort. BMJ: British Medical Journal, 2019, 366, l2408.	2.3	129
13	Prospective association between ultra-processed food consumption and incident depressive symptoms in the French NutriNet-Santé cohort. BMC Medicine, 2019, 17, 78.	5.5	113
14	Artificial sweeteners and cancer risk: Results from the NutriNet-Santé population-based cohort study. PLoS Medicine, 2022, 19, e1003950.	8.4	108
15	Prospective association between the dietary inflammatory index and metabolic syndrome: Findings from the SU.VI.MAX study. Nutrition, Metabolism and Cardiovascular Diseases, 2015, 25, 988-996.	2.6	106
16	Association Between Ultra-Processed Food Consumption and Functional Gastrointestinal Disorders: Results From the French NutriNet-Santé Cohort. American Journal of Gastroenterology, 2018, 113, 1217-1228.	0.4	106
17	Association Between Prediagnostic Biomarkers of Inflammation and Endothelial Function and Cancer Risk: A Nested Case-Control Study. American Journal of Epidemiology, 2013, 177, 3-13.	3.4	100
18	Consumption of Ultra-Processed Foods by Pesco-Vegetarians, Vegetarians, and Vegans: Associations with Duration and Age at Diet Initiation. Journal of Nutrition, 2021, 151, 120-131.	2.9	100

#	Article	IF	CITATIONS
19	Food additives: distribution and co-occurrence in 126,000 food products of the French market. Scientific Reports, 2020, 10, 3980.	3.3	89
20	Front-of-pack Nutri-Score labelling in France: an evidence-based policy. Lancet Public Health, The, 2018, 3, e164.	10.0	87
21	Effectiveness of Front-Of-Pack Nutrition Labels in French Adults: Results from the NutriNet-Santé Cohort Study. PLoS ONE, 2015, 10, e0140898.	2.5	85
22	Objective understanding of Nutri-Score Front-Of-Package nutrition label according to individual characteristics of subjects: Comparisons with other format labels. PLoS ONE, 2018, 13, e0202095.	2.5	84
23	Functional gastrointestinal disorders in 35Â447 adults and their association with body mass index. Alimentary Pharmacology and Therapeutics, 2015, 41, 758-767.	3.7	83
24	Objective Understanding of Front-of-Package Nutrition Labels among Nutritionally At-Risk Individuals. Nutrients, 2015, 7, 7106-7125.	4.1	80
25	Carotenoid-rich dietary patterns during midlife and subsequent cognitive function. British Journal of Nutrition, 2014, 111, 915-923.	2.3	75
26	Long-term association between the dietary inflammatory index and cognitive functioning: findings from the SU.VI.MAX study. European Journal of Nutrition, 2017, 56, 1647-1655.	3.9	72
27	Application of the British Food Standards Agency nutrient profiling system in a French food composition database. British Journal of Nutrition, 2014, 112, 1699-1705.	2.3	69
28	Associations between usual diet and gut microbiota composition: results from the Milieu Intérieur cross-sectional study. American Journal of Clinical Nutrition, 2019, 109, 1472-1483.	4.7	66
29	Impact of the front-of-pack 5-colour nutrition label (5-CNL) on the nutritional quality of purchases: an experimental study. International Journal of Behavioral Nutrition and Physical Activity, 2016, 13, 101.	4.6	64
30	Circadian nutritional behaviours and cancer risk: New insights from the NutriNetâ€santé prospective cohort study: Disclaimers. International Journal of Cancer, 2018, 143, 2369-2379.	5.1	64
31	Quality of life after Roux-en-Y gastric bypass and changes in body mass index and obesity-related comorbidities. Diabetes and Metabolism, 2013, 39, 148-154.	2.9	63
32	Development and Validation of an Individual Dietary Index Based on the British Food Standard Agency Nutrient Profiling System in a French Context. Journal of Nutrition, 2014, 144, 2009-2017.	2.9	63
33	Nutritional quality of food as represented by the FSAm-NPS nutrient profiling system underlying the Nutri-Score label and cancer risk in Europe: Results from the EPIC prospective cohort study. PLoS Medicine, 2018, 15, e1002651.	8.4	63
34	Consumers' Perceptions of Five Front-of-Package Nutrition Labels: An Experimental Study Across 12 Countries. Nutrients, 2019, 11, 1934.	4.1	63
35	Performance of the Front-of-Pack Nutrition Label Nutri-Score to Discriminate the Nutritional Quality of Foods Products: A Comparative Study across 8 European Countries. Nutrients, 2020, 12, 1303.	4.1	63
36	Prospective Association Between the Dietary Inflammatory Index and Cardiovascular Diseases in the SUpplémentation en VItamines et Minéraux AntioXydants (SU.VI.MAX) Cohort. Journal of the American Heart Association, 2016, 5, e002735.	3.7	62

#	Article	IF	CITATIONS
37	Prospective association between a dietary quality index based on a nutrient profiling system and cardiovascular disease risk. European Journal of Preventive Cardiology, 2016, 23, 1669-1676.	1.8	62
38	Perception of different formats of front-of-pack nutrition labels according to sociodemographic, lifestyle and dietary factors in a French population: cross-sectional study among the NutriNet-Santé cohort participants. BMJ Open, 2017, 7, e016108.	1.9	62
39	The Inflammatory Potential of the Diet Is Associated with Depressive Symptoms in Different Subgroups of the General Population. Journal of Nutrition, 2017, 147, 879-887.	2.9	60
40	Associations between consumption of dietary fibers and the risk of cardiovascular diseases, cancers, type 2 diabetes, and mortality in the prospective NutriNet-Santé cohort. American Journal of Clinical Nutrition, 2020, 112, 195-207.	4.7	60
41	Prospective associations between a dietary index based on the British Food Standard Agency nutrient profiling system and 13-year weight gain in the SU.VI.MAX cohort. Preventive Medicine, 2015, 81, 189-194.	3.4	59
42	Modelling the impact of different front-of-package nutrition labels on mortality from non-communicable chronic disease. International Journal of Behavioral Nutrition and Physical Activity, 2019, 16, 56.	4.6	59
43	Total and added sugar intakes, sugar types, and cancer risk: results from the prospective NutriNet-Santé cohort. American Journal of Clinical Nutrition, 2020, 112, 1267-1279.	4.7	59
44	Public perception and characteristics related to acceptance of the sugar-sweetened beverage taxation launched in France in 2012. Public Health Nutrition, 2015, 18, 2679-2688.	2.2	57
45	Ability of the Nutri-Score front-of-pack nutrition label to discriminate the nutritional quality of foods in the German food market and consistency with nutritional recommendations. Archives of Public Health, 2019, 77, 28.	2.4	57
46	Programme National Nutrition Santé – guidelines score 2 (PNNS-GS2): development and validation of a diet quality score reflecting the 2017 French dietary guidelines. British Journal of Nutrition, 2019, 122, 331-342.	2.3	55
47	The Nutrient Profile of Foods Consumed Using the British Food Standards Agency Nutrient Profiling System Is Associated with Metabolic Syndrome in the SU.VI.MAX Cohort. Journal of Nutrition, 2015, 145, 2355-2361.	2.9	54
48	Association between nutritional profiles of foods underlying Nutri-Score front-of-pack labels and mortality: EPIC cohort study in 10 European countries. BMJ, The, 2020, 370, m3173.	6.0	54
49	Prospective association between cancer risk and an individual dietary index based on the British Food Standards Agency Nutrient Profiling System. British Journal of Nutrition, 2015, 114, 1702-1710.	2.3	52
50	Sedentary behavior, physical inactivity and body composition in relation to idiopathic infertility among men and women. PLoS ONE, 2019, 14, e0210770.	2.5	50
51	Consumers' Responses to Front-of-Pack Nutrition Labelling: Results from a Sample from The Netherlands. Nutrients, 2019, 11, 1817.	4.1	49
52	Food Choice Under Five Front-of-Package Nutrition Label Conditions: An Experimental Study Across 12 Countries. American Journal of Public Health, 2019, 109, 1770-1775.	2.7	49
53	Objective understanding of the Nutri-score front-of-pack label by European consumers and its effect on food choices: an online experimental study. International Journal of Behavioral Nutrition and Physical Activity, 2020, 17, 146.	4.6	48
54	Weight-Loss Strategies Used by the General Population: How Are They Perceived?. PLoS ONE, 2014, 9, e97834.	2.5	47

#	Article	IF	CITATIONS
55	Discriminating nutritional quality of foods using the 5-Color nutrition label in the French food market: consistency with nutritional recommendations. Nutrition Journal, 2015, 14, 100.	3.4	47
56	Association between a dietary quality index based on the food standard agency nutrient profiling system and cardiovascular disease risk among French adults. International Journal of Cardiology, 2017, 234, 22-27.	1.7	47
57	Compared to other front-of-pack nutrition labels, the Nutri-Score emerged as the most efficient to inform Swiss consumers on the nutritional quality of food products. PLoS ONE, 2020, 15, e0228179.	2.5	47
58	The Dietary Inflammatory Index Is Associated with Prostate Cancer Risk in French Middle-Aged Adults in a Prospective Study. Journal of Nutrition, 2016, 146, 785-791.	2.9	44
59	Association between organic food consumption and metabolic syndrome: cross-sectional results from the NutriNet-SantA© study. European Journal of Nutrition, 2018, 57, 2477-2488.	3.9	44
60	Performance of a five category front-of-pack labelling system – the 5-colour nutrition label – to differentiate nutritional quality of breakfast cereals in France. BMC Public Health, 2015, 15, 179.	2.9	43
61	Long-term associations between inflammatory dietary scores in relation to long-term C-reactive protein status measured 12 years later: findings from the Supplémentation en Vitamines et Minéraux Antioxydants (SU.VI.MAX) cohort. British Journal of Nutrition, 2017, 117, 306-314.	2.3	42
62	Participant Profiles According to Recruitment Source in a Large Web-Based Prospective Study: Experience From the Nutrinet-Santé Study. Journal of Medical Internet Research, 2013, 15, e205.	4.3	42
63	Supplementation with B vitamins or nâ [^] 3 fatty acids and depressive symptoms in cardiovascular disease survivors: ancillary findings from the SUpplementation with FOLate, vitamins B-6 and B-12 and/or OMega-3 fatty acids (SU.FOL.OM3) randomized trial. American Journal of Clinical Nutrition, 2012, 96, 208-214.	4.7	41
64	Dietary patterns and risk of elevated C-reactive protein concentrations 12 years later. British Journal of Nutrition, 2013, 110, 747-754.	2.3	41
65	Louis-Rene Villerme (1782-1863), a pioneer in social epidemiology: re-analysis of his data on comparative mortality in Paris in the early 19th century. Journal of Epidemiology and Community Health, 2011, 65, 666-670.	3.7	40
66	Prospective association between the Dietary Inflammatory Index and mortality: modulation by antioxidant supplementation in the SU.VI.MAX randomized controlled trial. American Journal of Clinical Nutrition, 2016, 103, 878-885.	4.7	40
67	Impulsivity is associated with food intake, snacking, and eating disorders in a general population. American Journal of Clinical Nutrition, 2019, 109, 117-126.	4.7	40
68	Validation of the FSA nutrient profiling system dietary index in French adults—findings from SUVIMAX study. European Journal of Nutrition, 2016, 55, 1901-1910.	3.9	39
69	Dietary Patterns, Ultra-processed Food, and the Risk of Inflammatory Bowel Diseases in the NutriNet-Santé Cohort. Inflammatory Bowel Diseases, 2021, 27, 65-73.	1.9	38
70	Consumption of Ultra-Processed Food and Its Association with Sociodemographic Characteristics and Diet Quality in a Representative Sample of French Adults. Nutrients, 2021, 13, 682.	4.1	38
71	Exposure to food additive mixtures in 106,000 French adults from the NutriNet-Santé cohort. Scientific Reports, 2021, 11, 19680.	3.3	37
72	Sustainability analysis of French dietary guidelines using multiple criteria. Nature Sustainability, 2020, 3, 377-385.	23.7	36

#	Article	IF	CITATIONS
73	Food consumption and dietary intakes in 36,448 adults and their association with irritable bowel syndrome: Nutrinet-Santé study. Therapeutic Advances in Gastroenterology, 2018, 11, 1756283X1774662.	3.2	35
74	B Vitamin and/or ω-3 Fatty Acid Supplementation and Cancer. Archives of Internal Medicine, 2012, 172, 540.	3.8	34
75	Front-of-Pack Labeling and the Nutritional Quality of Students' Food Purchases: A 3-Arm Randomized Controlled Trial. American Journal of Public Health, 2019, 109, 1122-1129.	2.7	34
76	Effectiveness of Different Front-of-Pack Nutrition Labels among Italian Consumers: Results from an Online Randomized Controlled Trial. Nutrients, 2020, 12, 2307.	4.1	34
77	Motives for Participating in a Web-Based Nutrition Cohort According to Sociodemographic, Lifestyle, and Health Characteristics: The NutriNet-Santé Cohort Study. Journal of Medical Internet Research, 2014, 16, e189.	4.3	34
78	Prognostic value of multiple emerging biomarkers in cardiovascular risk prediction in patients with stable cardiovascular disease. Atherosclerosis, 2013, 228, 478-484.	0.8	33
79	Western Dietary Pattern Is Associated with Irritable Bowel Syndrome in the French NutriNet Cohort. Nutrients, 2017, 9, 986.	4.1	33
80	Association between Adherence to Nutritional Guidelines, the Metabolic Syndrome and Adiposity Markers in a French Adult General Population. PLoS ONE, 2013, 8, e76349.	2.5	33
81	Relationships between adipokines, biomarkers of endothelial function and inflammation and risk of type 2 diabetes. Diabetes Research and Clinical Practice, 2014, 105, 231-238.	2.8	32
82	Prospective association between combined healthy lifestyles and risk of depressive symptoms in the French NutriNet-Santé cohort. Journal of Affective Disorders, 2018, 238, 554-562.	4.1	32
83	Research and lobbying conflicting on the issue of a front-of-pack nutrition labelling in France. Archives of Public Health, 2016, 74, 51.	2.4	31
84	Are self-reported unhealthy food choices associated with an increased risk of breast cancer? Prospective cohort study using the British Food Standards Agency nutrient profiling system. BMJ Open, 2017, 7, e013718.	1.9	31
85	Impact of Front-of-Pack Nutrition Labels on Portion Size Selection: An Experimental Study in a French Cohort. Nutrients, 2018, 10, 1268.	4.1	30
86	Intakes of PUFAs Were Inversely Associated with Plasma C-Reactive Protein 12 Years Later in a Middle-Aged Population with Vitamin E Intake as an Effect Modifier. Journal of Nutrition, 2013, 143, 1760-1766.	2.9	28
87	Gluten-free diet in French adults without coeliac disease: sociodemographic characteristics, motives and dietary profile. British Journal of Nutrition, 2019, 122, 231-239.	2.3	27
88	Consumers' food choices, understanding and perceptions in response to different front-of-pack nutrition labelling systems in Belgium: results from an online experimental study. Archives of Public Health, 2020, 78, 30.	2.4	27
89	Nitrites and nitrates from food additives and natural sources and cancer risk: results from the NutriNet-Santé cohort. International Journal of Epidemiology, 2022, 51, 1106-1119.	1.9	27
90	Nutritional risk factors for SARS-CoV-2 infection: a prospective study within the NutriNet-Santé cohort. BMC Medicine, 2021, 19, 290.	5.5	26

#	Article	IF	CITATIONS
91	Evidence of a cumulative effect of cardiometabolic disorders at midlife and subsequent cognitive function. Age and Ageing, 2015, 44, 648-654.	1.6	24
92	Are Superoxide Dismutase 2 and Nitric Oxide Synthase Polymorphisms Associated with Idiopathic Infertility?. Antioxidants and Redox Signaling, 2014, 21, 565-569.	5.4	23
93	Improving Nutrition Information in the Eastern Mediterranean Region: Implementation of Front-of-Pack Nutrition Labelling. Nutrients, 2020, 12, 330.	4.1	23
94	Effect of B-vitamins and n-3 PUFA supplementation for 5 years on blood pressure in patients with CVD. British Journal of Nutrition, 2012, 107, 921-927.	2.3	22
95	Prospective association between adherence to the MIND diet and subjective memory complaints in the French NutriNet-Santé cohort. Journal of Neurology, 2019, 266, 942-952.	3.6	22
96	Organising community primary care in the age of COVID-19: challenges in disadvantaged areas. Lancet Public Health, The, 2020, 5, e313.	10.0	22
97	Prospective associations of the original Food Standards Agency nutrient profiling system and three variants with weight gain, overweight and obesity risk: results from the French NutriNet-Santé cohort. British Journal of Nutrition, 2021, 125, 902-914.	2.3	22
98	The impact of the Nutri-Score front-of-pack nutrition label on purchasing intentions of unprocessed and processed foods: post-hoc analyses from three randomized controlled trials. International Journal of Behavioral Nutrition and Physical Activity, 2021, 18, 38.	4.6	22
99	Prospective association between several dietary scores and risk of cardiovascular diseases: Is the Mediterranean diet equally associated to cardiovascular diseases compared to National Nutritional Scores?. American Heart Journal, 2019, 217, 1-12.	2.7	21
100	Appropriation of the Front-of-Pack Nutrition Label Nutri-Score across the French Population: Evolution of Awareness, Support, and Purchasing Behaviors between 2018 and 2019. Nutrients, 2020, 12, 2887.	4.1	21
101	Sugary Drinks, Artificially-Sweetened Beverages, and Cardiovascular Disease in the NutriNet-Santé Cohort. Journal of the American College of Cardiology, 2020, 76, 2175-2177.	2.8	21
102	Pre-diagnostic levels of adiponectin and soluble vascular cell adhesion molecule-1 are associated with colorectal cancer risk. World Journal of Gastroenterology, 2012, 18, 2805.	3.3	21
103	Functional Gastrointestinal Disorders in Obese Patients. The Importance of the Enrollment Source. Obesity Surgery, 2015, 25, 2143-2152.	2.1	20
104	International evidence for the effectiveness of the front-of-package nutrition label called Nutri-Score. Central European Journal of Public Health, 2021, 29, 76-79.	1.1	20
105	Are foods â€~healthy' or â€~healthier'? Front-of-pack labelling and the concept of healthiness applied to foods. British Journal of Nutrition, 2022, 127, 948-952.	2.3	20
106	Big Food's Opposition to the French Nutri-Score Front-of-Pack Labeling Warrants a Global Reaction. American Journal of Public Health, 2018, 108, 318-320.	2.7	19
107	Prospective association between adherence to dietary recommendations and incident depressive symptoms in the French NutriNet-Santé cohort. British Journal of Nutrition, 2018, 120, 290-300.	2.3	19
108	The Inflammatory Potential of the Diet is Directly Associated with Incident Depressive Symptoms Among French Adults. Journal of Nutrition, 2019, 149, 1198-1207.	2.9	19

#	Article	IF	CITATIONS
109	Association between sustainable dietary patterns and body weight, overweight, and obesity risk in the NutriNet-Santé prospective cohort. American Journal of Clinical Nutrition, 2020, 112, 138-149.	4.7	19

110 Nutrition patterns and metabolic syndrome: A need for action in young adults (French Nutrition and) Tj ETQq0 0 0 gBT /Overlock 10 Tf

111	The 5-CNL Front-of-Pack Nutrition Label Appears an Effective Tool to Achieve Food Substitutions towards Healthier Diets across Dietary Profiles. PLoS ONE, 2016, 11, e0157545.	2.5	18
112	Body mass index association with functional gastrointestinal disorders: differences between genders. Results from a study in a tertiary center. Journal of Gastroenterology, 2016, 51, 337-345.	5.1	18
113	The Inflammatory Potential of the Diet at Midlife Is Associated with Later Healthy Aging in French Adults. Journal of Nutrition, 2018, 148, 437-444.	2.9	17
114	Bulgarian consumers' objective understanding of front-of-package nutrition labels: a comparative, randomized study. Archives of Public Health, 2020, 78, 35.	2.4	17
115	Nutri-Score: The Most Efficient Front-of-Pack Nutrition Label to Inform Portuguese Consumers on the Nutritional Quality of Foods and Help Them Identify Healthier Options in Purchasing Situations. Nutrients, 2021, 13, 4335.	4.1	17
116	Nutrition and chronic inflammatory rheumatic disease. Joint Bone Spine, 2017, 84, 547-552.	1.6	15
117	OBEDIS Core Variables Project: European Expert Guidelines on a Minimal Core Set of Variables to Include in Randomized, Controlled Clinical Trials of Obesity Interventions. Obesity Facts, 2020, 13, 1-28.	3.4	15
118	Randomised controlled trial in an experimental online supermarket testing the effects of front-of-pack nutrition labelling on food purchasing intentions in a low-income population. BMJ Open, 2021, 11, e041196.	1.9	15
119	Impact of the Front-of-Pack Label Nutri-Score on the Nutritional Quality of Food Choices in a Quasi-Experimental Trial in Catering. Nutrients, 2021, 13, 4530.	4.1	15
120	Promoting physical activity in a low-income neighborhood of the Paris suburb of Saint-Denis: effects of a community-based intervention to increase physical activity. BMC Public Health, 2016, 16, 667.	2.9	14
121	Fruits and vegetables at home (FLAM): a randomized controlled trial of the impact of fruits and vegetables vouchers in children from low-income families in an urban district of France. BMC Public Health, 2018, 18, 1065.	2.9	14
122	Seventeen-Year Associations between Diet Quality Defined by the Health Star Rating and Mortality in Australians: The Australian Diabetes, Obesity and Lifestyle Study (AusDiab). Current Developments in Nutrition, 2020, 4, nzaa157.	0.3	14
123	Association of the Dietary Index Underpinning the Nutri-Score Label with Oral Health: Preliminary Evidence from a Large, Population-Based Sample. Nutrients, 2019, 11, 1998.	4.1	13
124	Association between an individual dietary index based on the British Food Standard Agency Nutrient Profiling System and asthma symptoms. British Journal of Nutrition, 2019, 122, 63-70.	2.3	13
125	Sociodemographic correlates of eating disorder subtypes among men and women in France, with a focus on age. Journal of Epidemiology and Community Health, 2019, 73, 56-64.	3.7	13
126	Lessons Learned From Methodological Validation Research in E-Epidemiology. JMIR Public Health and Surveillance, 2016, 2, e160.	2.6	13

#	Article	IF	CITATIONS
127	Spatial determinants of excess all-cause mortality during the first wave of the COVID-19 epidemic in France. BMC Public Health, 2021, 21, 2157.	2.9	13
128	Assessment of Response Consistency and Respective Participant Profiles in the Internet-based NutriNet-Sante Cohort. American Journal of Epidemiology, 2014, 179, 910-916.	3.4	12
129	Association between self-reported vegetarian diet and the irritable bowel syndrome in the French NutriNet cohort. PLoS ONE, 2017, 12, e0183039.	2.5	12
130	Adherence to the 2017 French dietary guidelines and adult weight gain: A cohort study. PLoS Medicine, 2019, 16, e1003007.	8.4	10
131	Evaluation of the Lake Louise Score for Acute Mountain Sickness and Its 2018 Version in a Cohort of 484 Trekkers at High Altitude. High Altitude Medicine and Biology, 2021, 22, 353-361.	0.9	10
132	Polish Consumers' Understanding of Different Front-of-Package Food Labels: A Randomized Experiment. Foods, 2022, 11, 134.	4.3	10
133	Midlife Iron Status Is Inversely Associated with Subsequent Cognitive Performance, Particularly in Perimenopausal Women. Journal of Nutrition, 2013, 143, 1974-1981.	2.9	9
134	Promoting public health in nutrition: Nutri-Score and the tug of war between public health and the food industry. European Journal of Public Health, 2018, 28, 396-397.	0.3	9
135	Dietary Zinc Intake and Inflammatory Bowel Disease in the French NutriNet-Santé Cohort. American Journal of Gastroenterology, 2020, 115, 1293-1297.	0.4	9
136	Eating Patterns in Patients with Compensated Cirrhosis: A Case-Control Study. Nutrients, 2018, 10, 60.	4.1	8
137	Impact of fruits and vegetables vouchers on food insecurity in disadvantaged families from a Paris suburb. BMC Nutrition, 2019, 5, 26.	1.6	8
138	Alcoholic beverage consumption, smoking habits, and periodontitis: A crossâ€sectional investigation of the NutriNetâ€Santé study. Journal of Periodontology, 2021, 92, 727-737.	3.4	8
139	Prospective association between adherence to the 2017 French dietary guidelines and risk of death, CVD and cancer in the NutriNet-Santé cohort. British Journal of Nutrition, 2021, , 1-11.	2.3	8
140	Exposure of French Children and Adolescents to Advertising for Foods High in Fat, Sugar or Salt. Nutrients, 2021, 13, 3741.	4.1	8
141	Legitimacy of Front-of-Pack Nutrition Labels: Controversy Over the Deployment of the Nutri-Score in Italy. International Journal of Health Policy and Management, 2022, , .	0.9	8
142	Cluster analysis of polyphenol intake in a French middle-aged population (aged 35–64 years). Journal of Nutritional Science, 2016, 5, e28.	1.9	7
143	Comprensión de diferentes etiquetados frontales de los envases en población española: resultados de un estudio comparativo. Endocrinologia, Diabetes Y NutriciÓn, 2020, 67, 122-129.	0.3	7
144	Antioxidant Status and the Risk of Elevated C-Reactive Protein 12 Years Later. Annals of Nutrition and Metabolism, 2014, 65, 289-298.	1.9	6

#	Article	IF	CITATIONS
145	Are different vascular risk scores calculated at midlife uniformly associated with subsequent poor cognitive performance?. Atherosclerosis, 2015, 243, 286-292.	0.8	6
146	The consumption of ultra-processed foods by fish-eaters, vegetarians and vegans is associated with the duration and commencing age of diet. Proceedings of the Nutrition Society, 2020, 79, .	1.0	6
147	Consumption of dairy products and CVD risk: results from the French prospective cohort NutriNet-Santé. British Journal of Nutrition, 2022, 127, 752-762.	2.3	6
148	Self-reported periodontal health and incident hypertension: longitudinal evidence from the NutriNet-Santé e-cohort. Journal of Hypertension, 2021, 39, 2422-2430.	0.5	6
149	Online Consumer Survey Comparing Different Front-of-Pack Labels in Greece. Nutrients, 2022, 14, 46.	4.1	6
150	Association between adherence to the French dietary guidelines and the risk of type 2 diabetes. Nutrition, 2021, 84, 111107.	2.4	5
151	Organic food consumption and gluten-free diet, is there a link? Results in French adults without coeliac disease. British Journal of Nutrition, 2021, 125, 1067-1078.	2.3	5
152	Glycaemic index, glycaemic load and cancer risk: results from the prospective NutriNet-Santé cohort. International Journal of Epidemiology, 2022, 51, 250-264.	1.9	5
153	Application aux produits disponibles sur le marché français du profil nutritionnel associé au système 5Âcouleurs (5-C)Â: cohérence avec les repères de consommation du PNNS. Cahiers De Nutrition Et De Dietetique, 2015, 50, 189-201.	0.3	4
154	Associations between untargeted plasma metabolomic signatures and gut microbiota composition in the Milieu Intérieur population of healthy adults. British Journal of Nutrition, 2020, 126, 1-11.	2.3	4
155	Public health potential of guidelines-based dietary scores for non-communicable diseases mortality prevention: simulation study using the Preventable Risk Integrated ModEl (PRIME) model. Public Health Nutrition, 2021, 24, 5539-5549.	2.2	4
156	Fermentable Oligo-, Di-, and Mono-Saccharides and Polyols (FODMAPs) Consumption and Irritable Bowel Syndrome in the French NutriNet-Santé Cohort. Nutrients, 2021, 13, 4513.	4.1	4
157	Public health lessons from the French 2012 soda tax and insights on the modifications enacted in 2018. Health Policy, 2022, 126, 585-591.	3.0	4
158	Association of diet quality and physical activity with healthy ageing in the French NutriNet-Santé cohort. British Journal of Nutrition, 2019, 122, 93-102.	2.3	3
159	Consumption of ultra-processed foods and the risk of overweight and obesity, and weight trajectories in the French cohort NutriNet-Santé. Proceedings of the Nutrition Society, 2020, 79, .	1.0	3
160	The inflammatory potential of the diet is prospectively associated with subjective hearing loss. European Journal of Nutrition, 2021, 60, 3669-3678.	3.9	3
161	FODMAP Consumption by Adults from the French Population-Based NutriNet-Santé Cohort. Journal of Nutrition, 2021, 151, 3180-3186.	2.9	3
162	Association between Self-Reported Gluten Avoidance and Irritable Bowel Syndrome: Findings of the NutriNet-Santé Study. Nutrients, 2021, 13, 4147.	4.1	3

#	Article	IF	CITATIONS
163	Nutri-Score in tug-of-war between public health and economic interests in the European Union. Nature Food, 2022, 3, 181-181.	14.0	3
164	Ultra-processed food intake and eating disorders: Cross-sectional associations among French adults. Journal of Behavioral Addictions, 2022, 11, 588-599.	3.7	3
165	Starchy Food Consumption in French Adults: A Cross-Sectional Analysis of the Profile of Consumers and Contribution to Nutritional Intake in a Web-Based Prospective Cohort. Annals of Nutrition and Metabolism, 2014, 64, 28-37.	1.9	2
166	Recruitment of precarious families in an interventional study: Lessons from the French "Fruits and vegetables at home―(FLAM) trial. Contemporary Clinical Trials Communications, 2018, 12, 161-168.	1.1	2
167	Absence of association between inflammatory dietary pattern and low trauma fractures: Results of the French cohort NutriNet-Santé. Joint Bone Spine, 2020, 87, 632-639.	1.6	2
168	Understanding of different front-of-package labels by the Spanish population: Results of a comparative study. EndocrinologÃa Diabetes Y Nutrición (English Ed), 2020, 67, 122-129.	0.2	2
169	Modelling the number of avoidable new cancer cases in France attributable to alcohol consumption by following official recommendations: a simulation study. Addiction, 2021, 116, 2316-2325.	3.3	2
170	Fermentable Oligosaccharides, Disaccharides, Monosaccharides, and Polyols (FODMAPs) and Cancer Risk in the Prospective NutriNet-Santé Cohort. Journal of Nutrition, 2022, 152, 1059-1069.	2.9	2
171	Dairy product consumption and risk of cancer: A short report from the <scp>NutriNetâ€Santé</scp> prospective cohort study. International Journal of Cancer, 2022, 150, 1978-1986.	5.1	2
172	Abstract P1-09-01: Breast and prostate cancer risk associated with nitrites and nitrates from food additives: Results from the NutriNet-Santé cohort. Cancer Research, 2022, 82, P1-09-01-P1-09-01.	0.9	2
173	Comment on Muzzioli et al. Are Front-of-Pack Labels a Health Policy Tool? Nutrients 2022, 14, 771. Nutrients, 2022, 14, 2165.	4.1	2
174	A population-based study of macronutrient intake according to mental health status with a focus on pure and comorbid anxiety and eating disorders. European Journal of Nutrition, 2022, 61, 3685-3696.	3.9	2
175	Physical Activity does not Influence the Effect of Antioxidant Supplementation at Nutritional Doses on the Incidence of Impaired Fasting Glucose: A 7.5 Year Post-hoc Analysis from the SU.VI.MAX Study. Hormone and Metabolic Research, 2010, 42, 826-827.	1.5	1
176	Sustainable values of the 2017 French food-based dietary Guidelines:Findings from the BioNutriNet project. Proceedings of the Nutrition Society, 2020, 79, .	1.0	1
177	Consumption of dairy products and cardiovascular disease risk: results from the French prospective cohort NutriNet-Santé. Proceedings of the Nutrition Society, 2020, 79, .	1.0	1
178	Prospective associations between the nutritional quality of foods consumed (graded by the FSAm-NPS) Tj ETQqC	0.0 rgBT	/Oyerlock 10
179	Nutri‑Score vs NutrInform Battery front‑of‑pack labelling systems: weight of scientific evidence matters. Eating and Weight Disorders, 2021, , 1.	2.5	1

¹⁸⁰Evidence for the Full Potential of Daily Food Choices to Minimize Premature Mortalityâ€"Reply. JAMA5.10180Internal Medicine, 2019, 179, 1149.5.10

#	Article	IF	CITATIONS
181	SATO110â€HIGH SERUM LONG-CHAIN OMEGA-3 FATTY ACIDS ARE ASSOCIATED WITH 6-MONTHLOWER DISEA ACTIVITY IN EARLY RA: RESULTS FROM THE ESPOIR COHORT. , 2019, , .	SE	Ο
182	Ultra-processed food intake and risk of type 2 diabetes in a French cohort of middle-aged adults. Proceedings of the Nutrition Society, 2020, 79, .	1.0	0
183	Association of the nutrient profile system underlying the Nutri-Score front-of-package label with oral health: preliminary evidence from a population-based sample. Proceedings of the Nutrition Society, 2020, 79, .	1.0	0
184	Adherence to the new French dietary guidelines and risk of overweight and obesity. Proceedings of the Nutrition Society, 2020, 79, .	1.0	0
185	PNNS-CS2: Development and validation of a dietary quality score reflecting the French nutritional recommendations of 2017. Proceedings of the Nutrition Society, 2020, 79, .	1.0	0
186	Abstract GS2-07: Glycemic index, glycemic load and breast cancer risk: Results from the prospective NutriNet-Santé cohort. , 2021, , .		0
187	Aliments ultra-transformés, maladies chroniques, et mortalitéÂ: résultats de la cohorte prospective NutriNet-Santé. Cahiers De Nutrition Et De Dietetique, 2021, , .	0.3	0
188	Abstract P5-08-09: Sugar consumption and breast cancer risk: Results from NutriNet-Santé prospective cohort. , 2020, , .		0
189	Ultra-processed food consumption and NCD-related dietary nutrient profile in a national sample of French children and adolescents. Zeitschrift Fur Gesundheitswissenschaften, 0, , 1.	1.6	0
190	Abstract P1-09-02: Risk of breast and other cancers associated with the consumption of artificial sweeteners: Results from the prospective NutriNet-Santé cohort. Cancer Research, 2022, 82, P1-09-02.	0.9	0
191	Behavioural risk patterns in adolescents with excess weight participating in the PRALIMAP-INÃ^S trial. Public Health Nutrition, 2023, 26, 96-105.	2.2	0
192	État des lieux des inégalités de santé liées Ã l'alimentation : analyse quantitative. Vie Sociale 37-48.	, 2021, n	° ₀ 36,
193	Adherence to the 2017 French dietary guidelines and adult weight gain: A cohort study. , 2019, 16, e1003007.		0
194	Adherence to the 2017 French dietary guidelines and adult weight gain: A cohort study. , 2019, 16, e1003007.		0
195	Adherence to the 2017 French dietary guidelines and adult weight gain: A cohort study. , 2019, 16, e1003007.		0
196	Title is missing!. , 2020, 17, e1003256.		0
197	Title is missing!. , 2020, 17, e1003256.		0
198	Title is missing!. , 2020, 17, e1003256.		0

#	Article	IF	CITATIONS
199	Title is missing!. , 2020, 17, e1003256.		Ο
200	Title is missing!. , 2020, 17, e1003256.		0
201	Title is missing!. , 2020, 17, e1003256.		0