

Chantal Julia

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8141705/publications.pdf>

Version: 2024-02-01

201
papers

8,306
citations

47006

47
h-index

62596

80
g-index

211
all docs

211
docs citations

211
times ranked

8305
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Behavioural risk patterns in adolescents with excess weight participating in the PRALIMAP-INÃS trial. <i>Public Health Nutrition</i> , 2023, 26, 96-105. | 2.2 | 0 |
| 2 | Consumption of dairy products and CVD risk: results from the French prospective cohort NutriNet-SantÃ©. <i>British Journal of Nutrition</i> , 2022, 127, 752-762. | 2.3 | 6 |
| 3 | Are foods â€œhealthyâ€™ or â€œhealthierâ€™? Front-of-pack labelling and the concept of healthiness applied to foods. <i>British Journal of Nutrition</i> , 2022, 127, 948-952. | 2.3 | 20 |
| 4 | Glycaemic index, glycaemic load and cancer risk: results from the prospective NutriNet-SantÃ© cohort. <i>International Journal of Epidemiology</i> , 2022, 51, 250-264. | 1.9 | 5 |
| 5 | Fermentable Oligosaccharides, Disaccharides, Monosaccharides, and Polyols (FODMAPs) and Cancer Risk in the Prospective NutriNet-SantÃ© Cohort. <i>Journal of Nutrition</i> , 2022, 152, 1059-1069. | 2.9 | 2 |
| 6 | Polish Consumersâ€™ Understanding of Different Front-of-Package Food Labels: A Randomized Experiment. <i>Foods</i> , 2022, 11, 134. | 4.3 | 10 |
| 7 | Dairy product consumption and risk of cancer: A short report from the <scp>NutriNetâ€™SantÃ©</scp> prospective cohort study. <i>International Journal of Cancer</i> , 2022, 150, 1978-1986. | 5.1 | 2 |
| 8 | Legitimacy of Front-of-Pack Nutrition Labels: Controversy Over the Deployment of the Nutri-Score in Italy. <i>International Journal of Health Policy and Management</i> , 2022, , . | 0.9 | 8 |
| 9 | Abstract P1-09-01: Breast and prostate cancer risk associated with nitrites and nitrates from food additives: Results from the NutriNet-SantÃ© cohort. <i>Cancer Research</i> , 2022, 82, P1-09-01-P1-09-01. | 0.9 | 2 |
| 10 | Abstract P1-09-02: Risk of breast and other cancers associated with the consumption of artificial sweeteners: Results from the prospective NutriNet-SantÃ© cohort. <i>Cancer Research</i> , 2022, 82, P1-09-02-P1-09-02. | 0.9 | 0 |
| 11 | Nitrites and nitrates from food additives and natural sources and cancer risk: results from the NutriNet-SantÃ© cohort. <i>International Journal of Epidemiology</i> , 2022, 51, 1106-1119. | 1.9 | 27 |
| 12 | Artificial sweeteners and cancer risk: Results from the NutriNet-SantÃ© population-based cohort study. <i>PLoS Medicine</i> , 2022, 19, e1003950. | 8.4 | 108 |
| 13 | Nutri-Score in tug-of-war between public health and economic interests in the European Union. <i>Nature Food</i> , 2022, 3, 181-181. | 14.0 | 3 |
| 14 | Ultra-processed food intake and eating disorders: Cross-sectional associations among French adults. <i>Journal of Behavioral Addictions</i> , 2022, 11, 588-599. | 3.7 | 3 |
| 15 | Online Consumer Survey Comparing Different Front-of-Pack Labels in Greece. <i>Nutrients</i> , 2022, 14, 46. | 4.1 | 6 |
| 16 | Public health lessons from the French 2012 soda tax and insights on the modifications enacted in 2018. <i>Health Policy</i> , 2022, 126, 585-591. | 3.0 | 4 |
| 17 | Comment on Muzzioli et al. Are Front-of-Pack Labels a Health Policy Tool? <i>Nutrients</i> 2022, 14, 771. <i>Nutrients</i> , 2022, 14, 2165. | 4.1 | 2 |
| 18 | A population-based study of macronutrient intake according to mental health status with a focus on pure and comorbid anxiety and eating disorders. <i>European Journal of Nutrition</i> , 2022, 61, 3685-3696. | 3.9 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Dietary Patterns, Ultra-processed Food, and the Risk of Inflammatory Bowel Diseases in the NutriNet-Sant  Cohort. <i>Inflammatory Bowel Diseases</i> , 2021, 27, 65-73. | 1.9 | 38 |
| 20 | Consumption of Ultra-Processed Foods by Pesco-Vegetarians, Vegetarians, and Vegans: Associations with Duration and Age at Diet Initiation. <i>Journal of Nutrition</i> , 2021, 151, 120-131. | 2.9 | 100 |
| 21 | Association between adherence to the French dietary guidelines and the risk of type 2 diabetes. <i>Nutrition</i> , 2021, 84, 111107. | 2.4 | 5 |
| 22 | Prospective associations of the original Food Standards Agency nutrient profiling system and three variants with weight gain, overweight and obesity risk: results from the French NutriNet-Sant  cohort. <i>British Journal of Nutrition</i> , 2021, 125, 902-914. | 2.3 | 22 |
| 23 | Organic food consumption and gluten-free diet, is there a link? Results in French adults without coeliac disease. <i>British Journal of Nutrition</i> , 2021, 125, 1067-1078. | 2.3 | 5 |
| 24 | Alcoholic beverage consumption, smoking habits, and periodontitis: A cross-sectional investigation of the NutriNet-Sant  study. <i>Journal of Periodontology</i> , 2021, 92, 727-737. | 3.4 | 8 |
| 25 | Randomised controlled trial in an experimental online supermarket testing the effects of front-of-pack nutrition labelling on food purchasing intentions in a low-income population. <i>BMJ Open</i> , 2021, 11, e041196. | 1.9 | 15 |
| 26 | Abstract GS2-07: Glycemic index, glycemic load and breast cancer risk: Results from the prospective NutriNet-Sant  cohort. , 2021, , . | | 0 |
| 27 | Consumption of Ultra-Processed Food and Its Association with Sociodemographic Characteristics and Diet Quality in a Representative Sample of French Adults. <i>Nutrients</i> , 2021, 13, 682. | 4.1 | 38 |
| 28 | Modelling the number of avoidable new cancer cases in France attributable to alcohol consumption by following official recommendations: a simulation study. <i>Addiction</i> , 2021, 116, 2316-2325. | 3.3 | 2 |
| 29 | The impact of the Nutri-Score front-of-pack nutrition label on purchasing intentions of unprocessed and processed foods: post-hoc analyses from three randomized controlled trials. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2021, 18, 38. | 4.6 | 22 |
| 30 | International evidence for the effectiveness of the front-of-package nutrition label called Nutri-Score. <i>Central European Journal of Public Health</i> , 2021, 29, 76-79. | 1.1 | 20 |
| 31 | Diet and physical activity during the coronavirus disease 2019 (COVID-19) lockdown (March-May 2020): results from the French NutriNet-Sant  cohort study. <i>American Journal of Clinical Nutrition</i> , 2021, 113, 924-938. | 4.7 | 284 |
| 32 | The inflammatory potential of the diet is prospectively associated with subjective hearing loss. <i>European Journal of Nutrition</i> , 2021, 60, 3669-3678. | 3.9 | 3 |
| 33 | Prospective association between adherence to the 2017 French dietary guidelines and risk of death, CVD and cancer in the NutriNet-Sant  cohort. <i>British Journal of Nutrition</i> , 2021, , 1-11. | 2.3 | 8 |
| 34 | FODMAP Consumption by Adults from the French Population-Based NutriNet-Sant  Cohort. <i>Journal of Nutrition</i> , 2021, 151, 3180-3186. | 2.9 | 3 |
| 35 | Self-reported periodontal health and incident hypertension: longitudinal evidence from the NutriNet-Sant  e-cohort. <i>Journal of Hypertension</i> , 2021, 39, 2422-2430. | 0.5 | 6 |
| 36 | Public health potential of guidelines-based dietary scores for non-communicable diseases mortality prevention: simulation study using the Preventable Risk Integrated Model (PRIME) model. <i>Public Health Nutrition</i> , 2021, 24, 5539-5549. | 2.2 | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Evaluation of the Lake Louise Score for Acute Mountain Sickness and Its 2018 Version in a Cohort of 484 Trekkers at High Altitude. <i>High Altitude Medicine and Biology</i> , 2021, 22, 353-361. | 0.9 | 10 |
| 38 | Exposure to food additive mixtures in 106,000 French adults from the NutriNet-Santé cohort. <i>Scientific Reports</i> , 2021, 11, 19680. | 3.3 | 37 |
| 39 | Aliments ultra-transformés, maladies chroniques, et mortalité: résultats de la cohorte prospective NutriNet-Santé. <i>Cahiers De Nutrition Et De Dietetique</i> , 2021, , . | 0.3 | 0 |
| 40 | Exposure of French Children and Adolescents to Advertising for Foods High in Fat, Sugar or Salt. <i>Nutrients</i> , 2021, 13, 3741. | 4.1 | 8 |
| 41 | Nutritional risk factors for SARS-CoV-2 infection: a prospective study within the NutriNet-Santé cohort. <i>BMC Medicine</i> , 2021, 19, 290. | 5.5 | 26 |
| 42 | Spatial determinants of excess all-cause mortality during the first wave of the COVID-19 epidemic in France. <i>BMC Public Health</i> , 2021, 21, 2157. | 2.9 | 13 |
| 43 | Nutri-Score: The Most Efficient Front-of-Pack Nutrition Label to Inform Portuguese Consumers on the Nutritional Quality of Foods and Help Them Identify Healthier Options in Purchasing Situations. <i>Nutrients</i> , 2021, 13, 4335. | 4.1 | 17 |
| 44 | Association between Self-Reported Gluten Avoidance and Irritable Bowel Syndrome: Findings of the NutriNet-Santé Study. <i>Nutrients</i> , 2021, 13, 4147. | 4.1 | 3 |
| 45 | Nutri-Score vs NutriInform Battery front-of-pack labelling systems: weight of scientific evidence matters. <i>Eating and Weight Disorders</i> , 2021, , 1. | 2.5 | 1 |
| 46 | État des lieux des inégalités de santé liées à l'alimentation: analyse quantitative. <i>Vie Sociale</i> , 2021, n° 36, 37-48. | 0.2 | 0 |
| 47 | Impact of the Front-of-Pack Label Nutri-Score on the Nutritional Quality of Food Choices in a Quasi-Experimental Trial in Catering. <i>Nutrients</i> , 2021, 13, 4530. | 4.1 | 15 |
| 48 | Fermentable Oligo-, Di-, and Mono-Saccharides and Polyols (FODMAPs) Consumption and Irritable Bowel Syndrome in the French NutriNet-Santé Cohort. <i>Nutrients</i> , 2021, 13, 4513. | 4.1 | 4 |
| 49 | Association between sustainable dietary patterns and body weight, overweight, and obesity risk in the NutriNet-Santé prospective cohort. <i>American Journal of Clinical Nutrition</i> , 2020, 112, 138-149. | 4.7 | 19 |
| 50 | Ultraprocessed Food Consumption and Risk of Type 2 Diabetes Among Participants of the NutriNet-Santé Prospective Cohort. <i>JAMA Internal Medicine</i> , 2020, 180, 283. | 5.1 | 257 |
| 51 | Appropriation of the Front-of-Pack Nutrition Label Nutri-Score across the French Population: Evolution of Awareness, Support, and Purchasing Behaviors between 2018 and 2019. <i>Nutrients</i> , 2020, 12, 2887. | 4.1 | 21 |
| 52 | Organising community primary care in the age of COVID-19: challenges in disadvantaged areas. <i>Lancet Public Health</i> , The, 2020, 5, e313. | 10.0 | 22 |
| 53 | The consumption of ultra-processed foods by fish-eaters, vegetarians and vegans is associated with the duration and commencing age of diet. <i>Proceedings of the Nutrition Society</i> , 2020, 79, . | 1.0 | 6 |
| 54 | Sustainable values of the 2017 French food-based dietary Guidelines: Findings from the BioNutriNet project. <i>Proceedings of the Nutrition Society</i> , 2020, 79, . | 1.0 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Objective understanding of the Nutri-score front-of-pack label by European consumers and its effect on food choices: an online experimental study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020, 17, 146. | 4.6 | 48 |
| 56 | Ultra-processed food intake and risk of type 2 diabetes in a French cohort of middle-aged adults. <i>Proceedings of the Nutrition Society</i> , 2020, 79, . | 1.0 | 0 |
| 57 | Absence of association between inflammatory dietary pattern and low trauma fractures: Results of the French cohort NutriNet-Sant . <i>Joint Bone Spine</i> , 2020, 87, 632-639. | 1.6 | 2 |
| 58 | Sugary Drinks, Artificially-Sweetened Beverages, and Cardiovascular Disease in the NutriNet-Sant  Cohort. <i>Journal of the American College of Cardiology</i> , 2020, 76, 2175-2177. | 2.8 | 21 |
| 59 | Effectiveness of Different Front-of-Pack Nutrition Labels among Italian Consumers: Results from an Online Randomized Controlled Trial. <i>Nutrients</i> , 2020, 12, 2307. | 4.1 | 34 |
| 60 | Dietary Zinc Intake and Inflammatory Bowel Disease in the French NutriNet-Sant  Cohort. <i>American Journal of Gastroenterology</i> , 2020, 115, 1293-1297. | 0.4 | 9 |
| 61 | Ultra-processed food intake in association with BMI change and risk of overweight and obesity: A prospective analysis of the French NutriNet-Sant  cohort. <i>PLoS Medicine</i> , 2020, 17, e1003256. | 8.4 | 140 |
| 62 | Total and added sugar intakes, sugar types, and cancer risk: results from the prospective NutriNet-Sant  cohort. <i>American Journal of Clinical Nutrition</i> , 2020, 112, 1267-1279. | 4.7 | 59 |
| 63 | Association between nutritional profiles of foods underlying Nutri-Score front-of-pack labels and mortality: EPIC cohort study in 10 European countries. <i>BMJ, The</i> , 2020, 370, m3173. | 6.0 | 54 |
| 64 | Seventeen-Year Associations between Diet Quality Defined by the Health Star Rating and Mortality in Australians: The Australian Diabetes, Obesity and Lifestyle Study (AusDiab). <i>Current Developments in Nutrition</i> , 2020, 4, nzaa157. | 0.3 | 14 |
| 65 | Associations between untargeted plasma metabolomic signatures and gut microbiota composition in the Milieu Int rieur population of healthy adults. <i>British Journal of Nutrition</i> , 2020, 126, 1-11. | 2.3 | 4 |
| 66 | Association of the nutrient profile system underlying the Nutri-Score front-of-package label with oral health: preliminary evidence from a population-based sample. <i>Proceedings of the Nutrition Society</i> , 2020, 79, . | 1.0 | 0 |
| 67 | Consumption of dairy products and cardiovascular disease risk: results from the French prospective cohort NutriNet-Sant . <i>Proceedings of the Nutrition Society</i> , 2020, 79, . | 1.0 | 1 |
| 68 | Adherence to the new French dietary guidelines and risk of overweight and obesity. <i>Proceedings of the Nutrition Society</i> , 2020, 79, . | 1.0 | 0 |
| 69 | PNNS-GS2: Development and validation of a dietary quality score reflecting the French nutritional recommendations of 2017. <i>Proceedings of the Nutrition Society</i> , 2020, 79, . | 1.0 | 0 |
| 70 | Performance of the Front-of-Pack Nutrition Label Nutri-Score to Discriminate the Nutritional Quality of Foods Products: A Comparative Study across 8 European Countries. <i>Nutrients</i> , 2020, 12, 1303. | 4.1 | 63 |
| 71 | Associations between consumption of dietary fibers and the risk of cardiovascular diseases, cancers, type 2 diabetes, and mortality in the prospective NutriNet-Sant  cohort. <i>American Journal of Clinical Nutrition</i> , 2020, 112, 195-207. | 4.7 | 60 |
| 72 | Consumption of ultra-processed foods and the risk of overweight and obesity, and weight trajectories in the French cohort NutriNet-Sant . <i>Proceedings of the Nutrition Society</i> , 2020, 79, . | 1.0 | 3 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 73 | Prospective associations between the nutritional quality of foods consumed (graded by the FSA-m-NPS) Tj ETQq1 1 0,784314,rgBT /Ower | 1.0 | 1 |
| 74 | Understanding of different front-of-package labels by the Spanish population: Results of a comparative study. Endocrinología Diabetes Y Nutrición (English Ed), 2020, 67, 122-129. | 0.2 | 2 |
| 75 | Bulgarian consumers' objective understanding of front-of-package nutrition labels: a comparative, randomized study. Archives of Public Health, 2020, 78, 35. | 2.4 | 17 |
| 76 | Sustainability analysis of French dietary guidelines using multiple criteria. Nature Sustainability, 2020, 3, 377-385. | 23.7 | 36 |
| 77 | Food additives: distribution and co-occurrence in 126,000 food products of the French market. Scientific Reports, 2020, 10, 3980. | 3.3 | 89 |
| 78 | Compared to other front-of-pack nutrition labels, the Nutri-Score emerged as the most efficient to inform Swiss consumers on the nutritional quality of food products. PLoS ONE, 2020, 15, e0228179. | 2.5 | 47 |
| 79 | OBEDIS Core Variables Project: European Expert Guidelines on a Minimal Core Set of Variables to Include in Randomized, Controlled Clinical Trials of Obesity Interventions. Obesity Facts, 2020, 13, 1-28. | 3.4 | 15 |
| 80 | Improving Nutrition Information in the Eastern Mediterranean Region: Implementation of Front-of-Pack Nutrition Labelling. Nutrients, 2020, 12, 330. | 4.1 | 23 |
| 81 | Consumers' food choices, understanding and perceptions in response to different front-of-pack nutrition labelling systems in Belgium: results from an online experimental study. Archives of Public Health, 2020, 78, 30. | 2.4 | 27 |
| 82 | Comprensión de diferentes etiquetados frontales de los envases en población española: resultados de un estudio comparativo. Endocrinología, Diabetes Y Nutrición, 2020, 67, 122-129. | 0.3 | 7 |
| 83 | Abstract P5-08-09: Sugar consumption and breast cancer risk: Results from NutriNet-Santé prospective cohort. , 2020, , . | | 0 |
| 84 | Title is missing!. , 2020, 17, e1003256. | | 0 |
| 85 | Title is missing!. , 2020, 17, e1003256. | | 0 |
| 86 | Title is missing!. , 2020, 17, e1003256. | | 0 |
| 87 | Title is missing!. , 2020, 17, e1003256. | | 0 |
| 88 | Title is missing!. , 2020, 17, e1003256. | | 0 |
| 89 | Title is missing!. , 2020, 17, e1003256. | | 0 |
| 90 | Consumers' Responses to Front-of-Pack Nutrition Labelling: Results from a Sample from The Netherlands. Nutrients, 2019, 11, 1817. | 4.1 | 49 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Evidence for the Full Potential of Daily Food Choices to Minimize Premature Mortality—Reply. <i>JAMA Internal Medicine</i> , 2019, 179, 1149. | 5.1 | 0 |
| 92 | Modelling the impact of different front-of-package nutrition labels on mortality from non-communicable chronic disease. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2019, 16, 56. | 4.6 | 59 |
| 93 | Ability of the Nutri-Score front-of-pack nutrition label to discriminate the nutritional quality of foods in the German food market and consistency with nutritional recommendations. <i>Archives of Public Health</i> , 2019, 77, 28. | 2.4 | 57 |
| 94 | Sugary drink consumption and risk of cancer: results from NutriNet-Sant  prospective cohort. <i>BMJ: British Medical Journal</i> , 2019, 366, l2408. | 2.3 | 129 |
| 95 | Programme National Nutrition Sant  guidelines score 2 (PNNS-GS2): development and validation of a diet quality score reflecting the 2017 French dietary guidelines. <i>British Journal of Nutrition</i> , 2019, 122, 331-342. | 2.3 | 55 |
| 96 | Front-of-Pack Labeling and the Nutritional Quality of Students' Food Purchases: A 3-Arm Randomized Controlled Trial. <i>American Journal of Public Health</i> , 2019, 109, 1122-1129. | 2.7 | 34 |
| 97 | Food Choice Under Five Front-of-Package Nutrition Label Conditions: An Experimental Study Across 12 Countries. <i>American Journal of Public Health</i> , 2019, 109, 1770-1775. | 2.7 | 49 |
| 98 | Association of the Dietary Index Underpinning the Nutri-Score Label with Oral Health: Preliminary Evidence from a Large, Population-Based Sample. <i>Nutrients</i> , 2019, 11, 1998. | 4.1 | 13 |
| 99 | Prospective association between several dietary scores and risk of cardiovascular diseases: Is the Mediterranean diet equally associated to cardiovascular diseases compared to National Nutritional Scores?. <i>American Heart Journal</i> , 2019, 217, 1-12. | 2.7 | 21 |
| 100 | Consumers' Perceptions of Five Front-of-Package Nutrition Labels: An Experimental Study Across 12 Countries. <i>Nutrients</i> , 2019, 11, 1934. | 4.1 | 63 |
| 101 | Prospective association between adherence to the MIND diet and subjective memory complaints in the French NutriNet-Sant  cohort. <i>Journal of Neurology</i> , 2019, 266, 942-952. | 3.6 | 22 |
| 102 | Gluten-free diet in French adults without coeliac disease: sociodemographic characteristics, motives and dietary profile. <i>British Journal of Nutrition</i> , 2019, 122, 231-239. | 2.3 | 27 |
| 103 | Association of diet quality and physical activity with healthy ageing in the French NutriNet-Sant  cohort. <i>British Journal of Nutrition</i> , 2019, 122, 93-102. | 2.3 | 3 |
| 104 | Ultra-processed food intake and risk of cardiovascular disease: prospective cohort study (NutriNet-Sant ). <i>BMJ: British Medical Journal</i> , 2019, 365, l1451. | 2.3 | 512 |
| 105 | The Inflammatory Potential of the Diet is Directly Associated with Incident Depressive Symptoms Among French Adults. <i>Journal of Nutrition</i> , 2019, 149, 1198-1207. | 2.9 | 19 |
| 106 | Prospective association between ultra-processed food consumption and incident depressive symptoms in the French NutriNet-Sant  cohort. <i>BMC Medicine</i> , 2019, 17, 78. | 5.5 | 113 |
| 107 | Impact of fruits and vegetables vouchers on food insecurity in disadvantaged families from a Paris suburb. <i>BMC Nutrition</i> , 2019, 5, 26. | 1.6 | 8 |
| 108 | Sedentary behavior, physical inactivity and body composition in relation to idiopathic infertility among men and women. <i>PLoS ONE</i> , 2019, 14, e0210770. | 2.5 | 50 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 109 | Associations between usual diet and gut microbiota composition: results from the Milieu Intérieur cross-sectional study. <i>American Journal of Clinical Nutrition</i> , 2019, 109, 1472-1483. | 4.7 | 66 |
| 110 | Association between an individual dietary index based on the British Food Standard Agency Nutrient Profiling System and asthma symptoms. <i>British Journal of Nutrition</i> , 2019, 122, 63-70. | 2.3 | 13 |
| 111 | Association Between Ultraprocessed Food Consumption and Risk of Mortality Among Middle-aged Adults in France. <i>JAMA Internal Medicine</i> , 2019, 179, 490. | 5.1 | 246 |
| 112 | SAT0110â€¦HIGH SERUM LONG-CHAIN OMEGA-3 FATTY ACIDS ARE ASSOCIATED WITH 6-MONTHLOWER DISEASE ACTIVITY IN EARLY RA: RESULTS FROM THE ESPOIR COHORT. , 2019, , . | | 0 |
| 113 | Adherence to the 2017 French dietary guidelines and adult weight gain: A cohort study. <i>PLoS Medicine</i> , 2019, 16, e1003007. | 8.4 | 10 |
| 114 | Impulsivity is associated with food intake, snacking, and eating disorders in a general population. <i>American Journal of Clinical Nutrition</i> , 2019, 109, 117-126. | 4.7 | 40 |
| 115 | Sociodemographic correlates of eating disorder subtypes among men and women in France, with a focus on age. <i>Journal of Epidemiology and Community Health</i> , 2019, 73, 56-64. | 3.7 | 13 |
| 116 | Adherence to the 2017 French dietary guidelines and adult weight gain: A cohort study. , 2019, 16, e1003007. | | 0 |
| 117 | Adherence to the 2017 French dietary guidelines and adult weight gain: A cohort study. , 2019, 16, e1003007. | | 0 |
| 118 | Adherence to the 2017 French dietary guidelines and adult weight gain: A cohort study. , 2019, 16, e1003007. | | 0 |
| 119 | Front-of-pack Nutri-Score labelling in France: an evidence-based policy. <i>Lancet Public Health</i> , The, 2018, 3, e164. | 10.0 | 87 |
| 120 | Food consumption and dietary intakes in 36,448 adults and their association with irritable bowel syndrome: Nutrinet-Santé study. <i>Therapeutic Advances in Gastroenterology</i> , 2018, 11, 1756283X1774662. | 3.2 | 35 |
| 121 | Big Foodâ€™s Opposition to the French Nutri-Score Front-of-Pack Labeling Warrants a Global Reaction. <i>American Journal of Public Health</i> , 2018, 108, 318-320. | 2.7 | 19 |
| 122 | Consumption of ultra-processed foods and cancer risk: results from NutriNet-Santé prospective cohort. <i>BMJ: British Medical Journal</i> , 2018, 360, k322. | 2.3 | 605 |
| 123 | Promoting public health in nutrition: Nutri-Score and the tug of war between public health and the food industry. <i>European Journal of Public Health</i> , 2018, 28, 396-397. | 0.3 | 9 |
| 124 | The Inflammatory Potential of the Diet at Midlife Is Associated with Later Healthy Aging in French Adults. <i>Journal of Nutrition</i> , 2018, 148, 437-444. | 2.9 | 17 |
| 125 | Contribution of ultra-processed foods in the diet of adults from the French NutriNet-Santé study. <i>Public Health Nutrition</i> , 2018, 21, 27-37. | 2.2 | 163 |
| 126 | Association between organic food consumption and metabolic syndrome: cross-sectional results from the NutriNet-Santé study. <i>European Journal of Nutrition</i> , 2018, 57, 2477-2488. | 3.9 | 44 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Recruitment of precarious families in an interventional study: Lessons from the French "Fruits and vegetables at home"(FLAM) trial. Contemporary Clinical Trials Communications, 2018, 12, 161-168. | 1.1 | 2 |
| 128 | Objective Understanding of Front-of-Package Nutrition Labels: An International Comparative Experimental Study across 12 Countries. Nutrients, 2018, 10, 1542. | 4.1 | 160 |
| 129 | Impact of Front-of-Pack Nutrition Labels on Portion Size Selection: An Experimental Study in a French Cohort. Nutrients, 2018, 10, 1268. | 4.1 | 30 |
| 130 | Nutritional quality of food as represented by the FSAm-NPS nutrient profiling system underlying the Nutri-Score label and cancer risk in Europe: Results from the EPIC prospective cohort study. PLoS Medicine, 2018, 15, e1002651. | 8.4 | 63 |
| 131 | Objective understanding of Nutri-Score Front-Of-Package nutrition label according to individual characteristics of subjects: Comparisons with other format labels. PLoS ONE, 2018, 13, e0202095. | 2.5 | 84 |
| 132 | Fruits and vegetables at home (FLAM): a randomized controlled trial of the impact of fruits and vegetables vouchers in children from low-income families in an urban district of France. BMC Public Health, 2018, 18, 1065. | 2.9 | 14 |
| 133 | Prospective association between adherence to dietary recommendations and incident depressive symptoms in the French NutriNet-Santé cohort. British Journal of Nutrition, 2018, 120, 290-300. | 2.3 | 19 |
| 134 | Eating Patterns in Patients with Compensated Cirrhosis: A Case-Control Study. Nutrients, 2018, 10, 60. | 4.1 | 8 |
| 135 | Circadian nutritional behaviours and cancer risk: New insights from the NutriNet-Santé prospective cohort study: Disclaimers. International Journal of Cancer, 2018, 143, 2369-2379. | 5.1 | 64 |
| 136 | Association Between Ultra-Processed Food Consumption and Functional Gastrointestinal Disorders: Results From the French NutriNet-Santé Cohort. American Journal of Gastroenterology, 2018, 113, 1217-1228. | 0.4 | 106 |
| 137 | Prospective association between combined healthy lifestyles and risk of depressive symptoms in the French NutriNet-Santé cohort. Journal of Affective Disorders, 2018, 238, 554-562. | 4.1 | 32 |
| 138 | Long-term association between the dietary inflammatory index and cognitive functioning: findings from the SU.VI.MAX study. European Journal of Nutrition, 2017, 56, 1647-1655. | 3.9 | 72 |
| 139 | Long-term associations between inflammatory dietary scores in relation to long-term C-reactive protein status measured 12 years later: findings from the Supplémentation en Vitamines et Minéraux Antioxydants (SU.VI.MAX) cohort. British Journal of Nutrition, 2017, 117, 306-314. | 2.3 | 42 |
| 140 | Association between a dietary quality index based on the food standard agency nutrient profiling system and cardiovascular disease risk among French adults. International Journal of Cardiology, 2017, 234, 22-27. | 1.7 | 47 |
| 141 | Nutrition and chronic inflammatory rheumatic disease. Joint Bone Spine, 2017, 84, 547-552. | 1.6 | 15 |
| 142 | Are self-reported unhealthy food choices associated with an increased risk of breast cancer? Prospective cohort study using the British Food Standards Agency nutrient profiling system. BMJ Open, 2017, 7, e013718. | 1.9 | 31 |
| 143 | The Inflammatory Potential of the Diet Is Associated with Depressive Symptoms in Different Subgroups of the General Population. Journal of Nutrition, 2017, 147, 879-887. | 2.9 | 60 |
| 144 | Perception of different formats of front-of-pack nutrition labels according to sociodemographic, lifestyle and dietary factors in a French population: cross-sectional study among the NutriNet-Santé cohort participants. BMJ Open, 2017, 7, e016108. | 1.9 | 62 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Western Dietary Pattern Is Associated with Irritable Bowel Syndrome in the French NutriNet Cohort. <i>Nutrients</i> , 2017, 9, 986. | 4.1 | 33 |
| 146 | Association between self-reported vegetarian diet and the irritable bowel syndrome in the French NutriNet cohort. <i>PLoS ONE</i> , 2017, 12, e0183039. | 2.5 | 12 |
| 147 | The Dietary Inflammatory Index Is Associated with Prostate Cancer Risk in French Middle-Aged Adults in a Prospective Study. <i>Journal of Nutrition</i> , 2016, 146, 785-791. | 2.9 | 44 |
| 148 | Promoting physical activity in a low-income neighborhood of the Paris suburb of Saint-Denis: effects of a community-based intervention to increase physical activity. <i>BMC Public Health</i> , 2016, 16, 667. | 2.9 | 14 |
| 149 | The 5-CNL Front-of-Pack Nutrition Label Appears an Effective Tool to Achieve Food Substitutions towards Healthier Diets across Dietary Profiles. <i>PLoS ONE</i> , 2016, 11, e0157545. | 2.5 | 18 |
| 150 | Impact of the front-of-pack 5-colour nutrition label (5-CNL) on the nutritional quality of purchases: an experimental study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2016, 13, 101. | 4.6 | 64 |
| 151 | Prospective Association Between the Dietary Inflammatory Index and Cardiovascular Diseases in the SUpplÃ©mentation en Vitamines et MinÃ©raux Antioxydants (SU.VI.MAX) Cohort. <i>Journal of the American Heart Association</i> , 2016, 5, e002735. | 3.7 | 62 |
| 152 | Research and lobbying conflicting on the issue of a front-of-pack nutrition labelling in France. <i>Archives of Public Health</i> , 2016, 74, 51. | 2.4 | 31 |
| 153 | Cluster analysis of polyphenol intake in a French middle-aged population (aged 35â€“64 years). <i>Journal of Nutritional Science</i> , 2016, 5, e28. | 1.9 | 7 |
| 154 | Prospective association between a dietary quality index based on a nutrient profiling system and cardiovascular disease risk. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 1669-1676. | 1.8 | 62 |
| 155 | Impact of Different Front-of-Pack Nutrition Labels on Consumer Purchasing Intentions. <i>American Journal of Preventive Medicine</i> , 2016, 50, 627-636. | 3.0 | 150 |
| 156 | Prospective association between the Dietary Inflammatory Index and mortality: modulation by antioxidant supplementation in the SU.VI.MAX randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2016, 103, 878-885. | 4.7 | 40 |
| 157 | Body mass index association with functional gastrointestinal disorders: differences between genders. Results from a study in a tertiary center. <i>Journal of Gastroenterology</i> , 2016, 51, 337-345. | 5.1 | 18 |
| 158 | Validation of the FSA nutrient profiling system dietary index in French adultsâ€”findings from SUVIMAX study. <i>European Journal of Nutrition</i> , 2016, 55, 1901-1910. | 3.9 | 39 |
| 159 | Lessons Learned From Methodological Validation Research in E-Epidemiology. <i>JMIR Public Health and Surveillance</i> , 2016, 2, e160. | 2.6 | 13 |
| 160 | Public perception and characteristics related to acceptance of the sugar-sweetened beverage taxation launched in France in 2012. <i>Public Health Nutrition</i> , 2015, 18, 2679-2688. | 2.2 | 57 |
| 161 | Prospective association between cancer risk and an individual dietary index based on the British Food Standards Agency Nutrient Profiling System. <i>British Journal of Nutrition</i> , 2015, 114, 1702-1710. | 2.3 | 52 |
| 162 | Discriminating nutritional quality of foods using the 5-Color nutrition label in the French food market: consistency with nutritional recommendations. <i>Nutrition Journal</i> , 2015, 14, 100. | 3.4 | 47 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | Objective Understanding of Front-of-Package Nutrition Labels among Nutritionally At-Risk Individuals. <i>Nutrients</i> , 2015, 7, 7106-7125. | 4.1 | 80 |
| 164 | Effectiveness of Front-Of-Pack Nutrition Labels in French Adults: Results from the NutriNet-Sant  Cohort Study. <i>PLoS ONE</i> , 2015, 10, e0140898. | 2.5 | 85 |
| 165 | Functional Gastrointestinal Disorders in Obese Patients. The Importance of the Enrollment Source. <i>Obesity Surgery</i> , 2015, 25, 2143-2152. | 2.1 | 20 |
| 166 | Application aux produits disponibles sur le march  fran ais du profil nutritionnel associ  au syst me 5 couleurs (5-C)  coh rence avec les rep res de consommation du PNNS. <i>Cahiers De Nutrition Et De Dietetique</i> , 2015, 50, 189-201. | 0.3 | 4 |
| 167 | Evidence of a cumulative effect of cardiometabolic disorders at midlife and subsequent cognitive function. <i>Age and Ageing</i> , 2015, 44, 648-654. | 1.6 | 24 |
| 168 | Performance of a five category front-of-pack labelling system    the 5-colour nutrition label    to differentiate nutritional quality of breakfast cereals in France. <i>BMC Public Health</i> , 2015, 15, 179. | 2.9 | 43 |
| 169 | Functional gastrointestinal disorders in 35 447 adults and their association with body mass index. <i>Alimentary Pharmacology and Therapeutics</i> , 2015, 41, 758-767. | 3.7 | 83 |
| 170 | Are different vascular risk scores calculated at midlife uniformly associated with subsequent poor cognitive performance?. <i>Atherosclerosis</i> , 2015, 243, 286-292. | 0.8 | 6 |
| 171 | Prospective association between the dietary inflammatory index and metabolic syndrome: Findings from the SU.VI.MAX study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2015, 25, 988-996. | 2.6 | 106 |
| 172 | The Nutrient Profile of Foods Consumed Using the British Food Standards Agency Nutrient Profiling System Is Associated with Metabolic Syndrome in the SU.VI.MAX Cohort. <i>Journal of Nutrition</i> , 2015, 145, 2355-2361. | 2.9 | 54 |
| 173 | Prospective associations between a dietary index based on the British Food Standard Agency nutrient profiling system and 13-year weight gain in the SU.VI.MAX cohort. <i>Preventive Medicine</i> , 2015, 81, 189-194. | 3.4 | 59 |
| 174 | Application of the British Food Standards Agency nutrient profiling system in a French food composition database. <i>British Journal of Nutrition</i> , 2014, 112, 1699-1705. | 2.3 | 69 |
| 175 | Are Superoxide Dismutase 2 and Nitric Oxide Synthase Polymorphisms Associated with Idiopathic Infertility?. <i>Antioxidants and Redox Signaling</i> , 2014, 21, 565-569. | 5.4 | 23 |
| 176 | Antioxidant Status and the Risk of Elevated C-Reactive Protein 12 Years Later. <i>Annals of Nutrition and Metabolism</i> , 2014, 65, 289-298. | 1.9 | 6 |
| 177 | Development and Validation of an Individual Dietary Index Based on the British Food Standard Agency Nutrient Profiling System in a French Context. <i>Journal of Nutrition</i> , 2014, 144, 2009-2017. | 2.9 | 63 |
| 178 | Carotenoid-rich dietary patterns during midlife and subsequent cognitive function. <i>British Journal of Nutrition</i> , 2014, 111, 915-923. | 2.3 | 75 |
| 179 | Assessment of Response Consistency and Respective Participant Profiles in the Internet-based NutriNet-Sante Cohort. <i>American Journal of Epidemiology</i> , 2014, 179, 910-916. | 3.4 | 12 |
| 180 | Starchy Food Consumption in French Adults: A Cross-Sectional Analysis of the Profile of Consumers and Contribution to Nutritional Intake in a Web-Based Prospective Cohort. <i>Annals of Nutrition and Metabolism</i> , 2014, 64, 28-37. | 1.9 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | Relationships between adipokines, biomarkers of endothelial function and inflammation and risk of type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2014, 105, 231-238. | 2.8 | 32 |
| 182 | Weight-Loss Strategies Used by the General Population: How Are They Perceived?. <i>PLoS ONE</i> , 2014, 9, e97834. | 2.5 | 47 |
| 183 | Motives for Participating in a Web-Based Nutrition Cohort According to Sociodemographic, Lifestyle, and Health Characteristics: The NutriNet-Sant  Cohort Study. <i>Journal of Medical Internet Research</i> , 2014, 16, e189. | 4.3 | 34 |
| 184 | Prognostic value of multiple emerging biomarkers in cardiovascular risk prediction in patients with stable cardiovascular disease. <i>Atherosclerosis</i> , 2013, 228, 478-484. | 0.8 | 33 |
| 185 | Intakes of PUFAs Were Inversely Associated with Plasma C-Reactive Protein 12 Years Later in a Middle-Aged Population with Vitamin E Intake as an Effect Modifier. <i>Journal of Nutrition</i> , 2013, 143, 1760-1766. | 2.9 | 28 |
| 186 | Quality of life after Roux-en-Y gastric bypass and changes in body mass index and obesity-related comorbidities. <i>Diabetes and Metabolism</i> , 2013, 39, 148-154. | 2.9 | 63 |
| 187 | Dietary patterns and risk of elevated C-reactive protein concentrations 12 years later. <i>British Journal of Nutrition</i> , 2013, 110, 747-754. | 2.3 | 41 |
| 188 | Midlife Iron Status Is Inversely Associated with Subsequent Cognitive Performance, Particularly in Perimenopausal Women. <i>Journal of Nutrition</i> , 2013, 143, 1974-1981. | 2.9 | 9 |
| 189 | Association Between Prediagnostic Biomarkers of Inflammation and Endothelial Function and Cancer Risk: A Nested Case-Control Study. <i>American Journal of Epidemiology</i> , 2013, 177, 3-13. | 3.4 | 100 |
| 190 | Association between Adherence to Nutritional Guidelines, the Metabolic Syndrome and Adiposity Markers in a French Adult General Population. <i>PLoS ONE</i> , 2013, 8, e76349. | 2.5 | 33 |
| 191 | Participant Profiles According to Recruitment Source in a Large Web-Based Prospective Study: Experience From the Nutrinet-Sant  Study. <i>Journal of Medical Internet Research</i> , 2013, 15, e205. | 4.3 | 42 |
| 192 | Validity of Web-Based Self-Reported Weight and Height: Results of the Nutrinet-Sant  Study. <i>Journal of Medical Internet Research</i> , 2013, 15, e152. | 4.3 | 198 |
| 193 | Supplementation with B vitamins or n 3 fatty acids and depressive symptoms in cardiovascular disease survivors: ancillary findings from the SUpplementation with FOlate, vitamins B-6 and B-12 and/or OMEga-3 fatty acids (SU.FOL.OM3) randomized trial. <i>American Journal of Clinical Nutrition</i> , 2012, 96, 208-214. | 4.7 | 41 |
| 194 | Effect of B-vitamins and n-3 PUFA supplementation for 5 years on blood pressure in patients with CVD. <i>British Journal of Nutrition</i> , 2012, 107, 921-927. | 2.3 | 22 |
| 195 | B Vitamin and/or  -3 Fatty Acid Supplementation and Cancer. <i>Archives of Internal Medicine</i> , 2012, 172, 540. | 3.8 | 34 |
| 196 | Pre-diagnostic levels of adiponectin and soluble vascular cell adhesion molecule-1 are associated with colorectal cancer risk. <i>World Journal of Gastroenterology</i> , 2012, 18, 2805. | 3.3 | 21 |
| 197 | Obesity is associated with higher risk of intensive care unit admission and death in influenza A (H1N1) patients: a systematic review and meta-analysis. <i>Obesity Reviews</i> , 2011, 12, 653-659. | 6.5 | 194 |
| 198 | Louis-Rene Villerme (1782-1863), a pioneer in social epidemiology: re-analysis of his data on comparative mortality in Paris in the early 19th century. <i>Journal of Epidemiology and Community Health</i> , 2011, 65, 666-670. | 3.7 | 40 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | Physical Activity does not Influence the Effect of Antioxidant Supplementation at Nutritional Doses on the Incidence of Impaired Fasting Glucose: A 7.5 Year Post-hoc Analysis from the SU.VI.MAX Study. Hormone and Metabolic Research, 2010, 42, 826-827. | 1.5 | 1 |
| 200 | Nutrition patterns and metabolic syndrome: A need for action in young adults (French Nutrition and) Tj ETQq0 0 0 ggBT /Overlock 10 Tf | 3.4 | 18 |
| 201 | Ultra-processed food consumption and NCD-related dietary nutrient profile in a national sample of French children and adolescents. Zeitschrift Fur Gesundheitswissenschaften, 0, , 1. | 1.6 | 0 |