

Christine A Miaskowski

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/81452/publications.pdf>

Version: 2024-02-01

302
papers

12,198
citations

34076
52
h-index

39638
94
g-index

306
all docs

306
docs citations

306
times ranked

9663
citing authors

#	ARTICLE	IF	CITATIONS
1	Distinct morning and evening fatigue profiles in gastrointestinal cancer during chemotherapy. <i>BMJ Supportive and Palliative Care</i> , 2023, 13, e373-e381.	0.8	3
2	Distinct Worst Pain Profiles in Oncology Outpatients Undergoing Chemotherapy. <i>Cancer Nursing</i> , 2023, 46, 176-188.	0.7	4
3	Oncology Outpatients With Worse Anxiety and Sleep Disturbance Profiles Are at Increased Risk for a Higher Symptom Burden and Poorer Quality of Life. <i>Cancer Nursing</i> , 2023, 46, 417-431.	0.7	2
4	Distinct Sleep Disturbance Profiles in Patients With Gastrointestinal Cancers Receiving Chemotherapy. <i>Cancer Nursing</i> , 2022, 45, E417-E427.	0.7	7
5	Worst Pain Severity Profiles of Oncology Patients Are Associated With Significant Stress and Multiple Co-Occurring Symptoms. <i>Journal of Pain</i> , 2022, 23, 74-88.	0.7	8
6	Determination of Cutpoints for Symptom Burden in Oncology Patients Receiving Chemotherapy. <i>Journal of Pain and Symptom Management</i> , 2022, 63, 42-51.	0.6	5
7	Higher stress and symptom severity are associated with worse depressive symptom profiles in patients receiving chemotherapy. <i>European Journal of Oncology Nursing</i> , 2022, 58, 102031.	0.9	2
8	Stability of Symptom Clusters in Patients With Gynecologic Cancer Receiving Chemotherapy. <i>Cancer Nursing</i> , 2022, 45, E706-E718.	0.7	12
9	Characteristics associated with inter-individual variability in financial distress in patients with breast cancer prior to and for 12 months following surgery. <i>Supportive Care in Cancer</i> , 2022, 30, 1293-1302.	1.0	4
10	Distinct financial distress profiles in patients with breast cancer prior to and for 12 months following surgery. <i>BMJ Supportive and Palliative Care</i> , 2022, 12, 347-354.	0.8	10
11	Use of Dual-Energy X-Ray Absorptiometry to Assess Soft Tissue Composition in Breast Cancer Survivors With and Without Lymphedema. <i>Lymphatic Research and Biology</i> , 2022, 20, 391-397.	0.5	2
12	A randomized clinical trial of granulocyte macrophage colony stimulating factor mouthwash for oral mucositis in head and neck cancer. <i>European Journal of Oncology Nursing</i> , 2022, 56, 102093.	0.9	6
13	Agreement between respiratory rate measurement using a combined electrocardiographic derived method versus impedance from pneumography. <i>Journal of Electrocardiology</i> , 2022, 71, 16-24.	0.4	4
14	Randomized clinical trial to evaluate a cancer pain self-management intervention for outpatients. <i>Asia-Pacific Journal of Oncology Nursing</i> , 2022, 9, 39-47.	0.7	2
15	Feasibility and Acceptability of a Physical Activity Tracker and Text Messages to Promote Physical Activity During Chemotherapy for Colorectal Cancer: Pilot Randomized Controlled Trial (Smart Pace) <i>Tj ETQq1 1 0.784314 rgBT /Over</i>	0.7	2
16	A pilot study of metabolomic pathways associated with fatigue in patients with colorectal cancer receiving chemotherapy. <i>European Journal of Oncology Nursing</i> , 2022, 56, 102096.	0.9	2
17	Quality of life of colorectal cancer survivors participating in a pilot randomized controlled trial of physical activity trackers and daily text messages. <i>Supportive Care in Cancer</i> , 2022, 30, 4557-4564.	1.0	7
18	HIV Symptom Clusters Are Similar Using the Dimensions of Symptom Occurrence and Distress. <i>Journal of Pain and Symptom Management</i> , 2022, , .	0.6	0

#	ARTICLE	IF	CITATIONS
19	Identification of Distinct Symptom Profiles in Cancer Patients Using a Pre-Specified Symptom Cluster. <i>Journal of Pain and Symptom Management</i> , 2022, 64, 17-27.	0.6	15
20	A high stress profile is associated with severe pain in oncology patients receiving chemotherapy. <i>European Journal of Oncology Nursing</i> , 2022, 58, 102135.	0.9	3
21	Symptom clusters in patients receiving chemotherapy: A systematic review. <i>BMJ Supportive and Palliative Care</i> , 2022, 12, 10-21.	0.8	27
22	Age-related differences in self-report and objective measures of cognitive function in older patients prior to chemotherapy. <i>Nursing Open</i> , 2022, 9, 1040-1051.	1.1	3
23	Co-occurring Fatigue and Lymphatic Pain Incrementally Aggravate Their Negative Effects on Activities of Daily Living, Emotional Distress, and Overall Health of Breast Cancer Patients. <i>Integrative Cancer Therapies</i> , 2022, 21, 153473542210896.	0.8	0
24	Differences in Circulating Extracellular Vesicle and Soluble Cytokines in Older Versus Younger Breast Cancer Patients With Distinct Symptom Profiles. <i>Frontiers in Genetics</i> , 2022, 13, 869044.	1.1	1
25	Advances in Conceptual and Methodological Issues in Symptom Cluster Research. <i>Advances in Nursing Science</i> , 2022, 45, 309-322.	0.6	10
26	SIMILARITIES IN THE NEUROPATHY PHENOTYPE OF CANCER SURVIVORS WHO RECEIVED DIFFERENT CLASSES OF CHEMOTHERAPY DRUGS. <i>Journal of Pain</i> , 2022, , .	0.7	1
27	Symptom clusters in outpatients with cancer using different dimensions of the symptom experience. <i>Supportive Care in Cancer</i> , 2022, 30, 6889-6899.	1.0	9
28	Oncology outpatients with worse depression and sleep disturbance profiles are at increased risk for a higher symptom burden and poorer quality of life outcomes. <i>Sleep Medicine</i> , 2022, 95, 91-104.	0.8	7
29	Pre-Surgery Demographic, Clinical, and Symptom Characteristics Associated with Different Self-Reported Cognitive Processes in Patients with Breast Cancer. <i>Cancers</i> , 2022, 14, 3281.	1.7	5
30	A Pilot Study of Metabolomic Pathways Associated With Fatigue in Survivors of Colorectal Cancer. <i>Biological Research for Nursing</i> , 2021, 23, 42-49.	1.0	8
31	Preoperative risk factors associated with chronic pain profiles following total knee arthroplasty. <i>European Journal of Pain</i> , 2021, 25, 680-692.	1.4	23
32	Oncology patients'™ perceptions of and experiences with COVID-19. <i>Supportive Care in Cancer</i> , 2021, 29, 1941-1950.	1.0	27
33	Perturbations in Endocytotic and Apoptotic Pathways Are Associated With Chemotherapy-Induced Nausea. <i>Biological Research for Nursing</i> , 2021, 23, 238-247.	1.0	5
34	A COVID-19 screening tool for oncology telephone triage. <i>Supportive Care in Cancer</i> , 2021, 29, 2057-2062.	1.0	7
35	Expanding Beyond Maximum Grade: Chemotherapy Toxicity over Time by Age and Performance Status in Advanced Non-Small Cell Lung Cancer in CALGB 9730 (Alliance A151729). <i>Oncologist</i> , 2021, 26, e435-e444.	1.9	5
36	Distinct diarrhea profiles during outpatient chemotherapy. <i>Supportive Care in Cancer</i> , 2021, 29, 2363-2373.	1.0	10

#	ARTICLE	IF	CITATIONS
37	Distinct profiles of multiple co-occurring symptoms in patients with gastrointestinal cancers receiving chemotherapy. <i>Supportive Care in Cancer</i> , 2021, 29, 4461-4471.	1.0	9
38	Prediction of evening fatigue severity in outpatients receiving chemotherapy: less may be more. <i>Fatigue: Biomedicine, Health and Behavior</i> , 2021, 9, 14-32.	1.2	8
39	Higher Levels of Stress Are Associated With a Significant Symptom Burden in Oncology Outpatients Receiving Chemotherapy. <i>Journal of Pain and Symptom Management</i> , 2021, 61, 24-31.e4.	0.6	17
40	Experiences of people affected by cancer during the outbreak of the COVID-19 pandemic: an exploratory qualitative analysis of public online forums. <i>Supportive Care in Cancer</i> , 2021, 29, 4979-4985.	1.0	30
41	A Comparison of Supine Versus Stand-on Bioimpedance Devices to Assess Breast Cancer-Related Lymphedema. <i>Lymphatic Research and Biology</i> , 2021, 19, 553-561.	0.5	1
42	Assessment of Arm Volume Using a Tape Measure Versus a 3D Optical Scanner in Survivors with Breast Cancer-Related Lymphedema. <i>Lymphatic Research and Biology</i> , 2021, , .	0.5	7
43	Barriers and facilitators to older adults' use of nonpharmacologic approaches for chronic pain: a person-focused model. <i>Pain</i> , 2021, 162, 2769-2779.	2.0	7
44	Multi-Staged Data-Integrated Multi-Omics Analysis for Symptom Science Research. <i>Biological Research for Nursing</i> , 2021, 23, 596-607.	1.0	6
45	Loneliness and symptom burden in oncology patients during the COVID-19 pandemic. <i>Cancer</i> , 2021, 127, 3246-3253.	2.0	39
46	Identifying Symptom Information in Clinical Notes Using Natural Language Processing. <i>Nursing Research</i> , 2021, 70, 173-183.	0.8	24
47	Anxiety profiles are associated with stress, resilience and symptom severity in outpatients receiving chemotherapy. <i>Supportive Care in Cancer</i> , 2021, 29, 7825-7836.	1.0	12
48	Distinctions Between Self-Report and Performance-Based Measures of Physical Function in Older Patients Prior to Chemotherapy. <i>Cancer Nursing</i> , 2021, 44, E735-E744.	0.7	7
49	Subgroups of patients undergoing chemotherapy with distinct cognitive fatigue and evening physical fatigue profiles. <i>Supportive Care in Cancer</i> , 2021, 29, 7985-7998.	1.0	7
50	Real time remote symptom monitoring during chemotherapy for cancer: European multicentre randomised controlled trial (eSMART). <i>BMJ, The</i> , 2021, 374, n1647.	3.0	81
51	Symptom Clusters in Patients With Gynecologic Cancer Receiving Chemotherapy. <i>Oncology Nursing Forum</i> , 2021, 48, 441-452.	0.5	20
52	Treatment of Breast Cancer-Related Lymphedema Using Negative Pressure Massage: A Pilot Randomized Controlled Trial. <i>Archives of Physical Medicine and Rehabilitation</i> , 2021, 102, 1465-1472.e2.	0.5	1
53	A review of the literature on the accuracy, strengths, and limitations of visual, thoracic impedance, and electrocardiographic methods used to measure respiratory rate in hospitalized patients. <i>Annals of Noninvasive Electrophysiology</i> , 2021, 26, e12885.	0.5	9
54	Distinct employment interference profiles in patients with breast cancer prior to and for 12 months following surgery. <i>BMC Cancer</i> , 2021, 21, 883.	1.1	1

#	ARTICLE	IF	CITATIONS
55	Distinct sleep disturbance profiles among patients with gynecologic cancer receiving chemotherapy. <i>Gynecologic Oncology</i> , 2021, 163, 419-426.	0.6	10
56	Association between Financial Hardship and Symptom Burden in Patients Receiving Maintenance Dialysis: A Systematic Review. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 9541.	1.2	10
57	Symptom experience of older oncology patients with low versus high levels of multimorbidity prior to chemotherapy. <i>European Journal of Oncology Nursing</i> , 2021, 54, 102029.	0.9	3
58	Common and distinct characteristics associated with self-reported functional status in older patients with cancer receiving chemotherapy. <i>European Journal of Oncology Nursing</i> , 2021, 54, 102033.	0.9	4
59	Occurrence and perceived effectiveness of activities used to decrease chemotherapy-induced peripheral neuropathy symptoms in the feet. <i>European Journal of Oncology Nursing</i> , 2021, 54, 102025.	0.9	1
60	Exploring learning processes associated with a cancer pain self-management intervention in patients and family caregivers: A mixed methods study. <i>Applied Nursing Research</i> , 2021, 62, 151480.	1.0	4
61	Cancer-related cognitive impairment is associated with perturbations in inflammatory pathways. <i>Cytokine</i> , 2021, 148, 155653.	1.4	17
62	Sexual dimorphism in the contribution of neuroendocrine stress axes to oxaliplatin-induced painful peripheral neuropathy. <i>Pain</i> , 2021, 162, 907-918.	2.0	9
63	Characterizing shared and distinct symptom clusters in common chronic conditions through natural language processing of nursing notes. <i>Research in Nursing and Health</i> , 2021, 44, 906-919.	0.8	16
64	Lymphatic Pain in Breast Cancer Survivors.. <i>Lymphatic Research and Biology</i> , 2021, , .	0.5	1
65	Gastrointestinal symptoms are associated with trajectories of chemotherapy-induced nausea. <i>Supportive Care in Cancer</i> , 2020, 28, 2205-2215.	1.0	11
66	A Longitudinal Study of Predictors of Constipation Severity in Oncology Outpatients With Unrelieved Pain. <i>Journal of Pain and Symptom Management</i> , 2020, 59, 9-19.e1.	0.6	5
67	Stability and Impact of Symptom Clusters in Patients With End-Stage Renal Disease Undergoing Dialysis. <i>Journal of Pain and Symptom Management</i> , 2020, 59, 67-76.	0.6	18
68	AAAPT Diagnostic Criteria for Acute Pain Following Breast Surgery. <i>Journal of Pain</i> , 2020, 21, 294-305.	0.7	10
69	Alterations in Patterns of Gene Expression and Perturbed Pathways in the Gut-Brain Axis Are Associated With Chemotherapy-Induced Nausea. <i>Journal of Pain and Symptom Management</i> , 2020, 59, 1248-1259.e5.	0.6	13
70	A Biopsychosocial Model of Chronic Pain for Older Adults. <i>Pain Medicine</i> , 2020, 21, 1793-1805.	0.9	65
71	Multimorbidity and Opioid Prescribing in Hospitalized Older Adults. <i>Journal of Palliative Medicine</i> , 2020, 23, 475-482.	0.6	7
72	Distinct Stress Profiles Among Oncology Patients Undergoing Chemotherapy. <i>Journal of Pain and Symptom Management</i> , 2020, 59, 646-657.	0.6	16

#	ARTICLE	IF	CITATIONS
73	Neuropsychological Symptoms and Intrusive Thoughts Are Associated With Worse Trajectories of Chemotherapy-Induced Nausea. <i>Journal of Pain and Symptom Management</i> , 2020, 59, 668-678.	0.6	4
74	Psychological Symptoms and Stress Are Associated With Decrements in Attentional Function in Cancer Patients Undergoing Chemotherapy. <i>Cancer Nursing</i> , 2020, 43, 402-410.	0.7	13
75	Using best subset regression to identify clinical characteristics and biomarkers associated with sepsis-associated acute kidney injury. <i>American Journal of Physiology - Renal Physiology</i> , 2020, 319, F979-F987.	1.3	7
76	Co-occurrence of decrements in physical and cognitive function is common in older oncology patients receiving chemotherapy. <i>European Journal of Oncology Nursing</i> , 2020, 48, 101823.	0.9	4
77	Fatigue, Stress, and Functional Status are Associated With Taste Changes in Oncology Patients Receiving Chemotherapy. <i>Journal of Pain and Symptom Management</i> , 2020, 62, 373-382.e2.	0.6	9
78	Stress and Symptom Burden in Oncology Patients During the COVID-19 Pandemic. <i>Journal of Pain and Symptom Management</i> , 2020, 60, e25-e34.	0.6	89
79	A 4-Month Whole-Systems Ayurvedic Medicine Nutrition and Lifestyle Intervention Is Feasible and Acceptable for Breast Cancer Survivors: Results of a Single-Arm Pilot Clinical Trial. <i>Global Advances in Health and Medicine</i> , 2020, 9, 216495612096471.	0.7	5
80	Association of personality profiles with coping and adjustment to cancer among patients undergoing chemotherapy. <i>Psycho-Oncology</i> , 2020, 29, 1060-1067.	1.0	17
81	Differential methylation and expression of genes in the hypoxia-inducible factor 1 signaling pathway are associated with paclitaxel-induced peripheral neuropathy in breast cancer survivors and with preclinical models of chemotherapy-induced neuropathic pain. <i>Molecular Pain</i> , 2020, 16, 174480692093650.	1.0	18
82	Tamoxifen-related endocrine symptoms in Chinese patients with breast cancer. <i>Medicine (United Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50</i>	0.4	0
83	Systematic review of the effectiveness of self-initiated interventions to decrease pain and sensory disturbances associated with peripheral neuropathy. <i>Journal of Cancer Survivorship</i> , 2020, 14, 444-463.	1.5	9
84	Distinct Symptom Experience Among Subgroups of Patients With ESRD Receiving Maintenance Dialysis. <i>Journal of Pain and Symptom Management</i> , 2020, 60, 70-79.e1.	0.6	37
85	Changes in Attentional Function in Patients From Before Through 12 Months After Breast Cancer Surgery. <i>Journal of Pain and Symptom Management</i> , 2020, 59, 1172-1185.	0.6	8
86	Higher levels of stress and different coping strategies are associated with greater morning and evening fatigue severity in oncology patients receiving chemotherapy. <i>Supportive Care in Cancer</i> , 2020, 28, 4697-4706.	1.0	20
87	A longitudinal analysis of phenotypic and symptom characteristics associated with inter-individual variability in employment interference in patients with breast cancer. <i>Supportive Care in Cancer</i> , 2020, 28, 4677-4686.	1.0	11
88	Use of individual development plans for nurse scientist training. <i>Nursing Outlook</i> , 2020, 68, 284-292.	1.5	12
89	Burden of living with multiple concurrent symptoms in patients with end-stage renal disease. <i>Journal of Clinical Nursing</i> , 2020, 29, 2589-2601.	1.4	21
90	Unintended Consequences of Opioid Regulations in Older Adults with Multiple Chronic Conditions. <i>Gerontologist</i> , The, 2020, 60, 1343-1352.	2.3	11

#	ARTICLE	IF	CITATIONS
91	Feasibility and Acceptability of a Web-Based Dietary Intervention with Text Messages for Colorectal Cancer: A Randomized Pilot Trial. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 752-760.	1.1	15
92	Identification of subgroups of chemotherapy patients with distinct sleep disturbance profiles and associated co-occurring symptoms. <i>Sleep</i> , 2019, 42, .	0.6	23
93	Perturbations in neuroinflammatory pathways are associated with paclitaxel-induced peripheral neuropathy in breast cancer survivors. <i>Journal of Neuroimmunology</i> , 2019, 335, 577019.	1.1	9
94	Oral Pain in the Cancer Patient. <i>Journal of the National Cancer Institute Monographs</i> , 2019, 2019, .	0.9	29
95	Co-occurring symptoms in older oncology patients with distinct attentional function profiles. <i>European Journal of Oncology Nursing</i> , 2019, 41, 196-203.	0.9	8
96	Stability of Symptom Clusters in Patients With Gastrointestinal Cancers Receiving Chemotherapy. <i>Journal of Pain and Symptom Management</i> , 2019, 58, 989-1001.e10.	0.6	29
97	Perceived stress is associated with a higher symptom burden in cancer survivors. <i>Cancer</i> , 2019, 125, 4509-4515.	2.0	32
98	Co-occurring Gastrointestinal Symptoms Are Associated With Taste Changes in Oncology Patients Receiving Chemotherapy. <i>Journal of Pain and Symptom Management</i> , 2019, 58, 756-765.	0.6	21
99	Signaling pathways and gene co-expression modules associated with cytoskeleton and axon morphology in breast cancer survivors with chronic paclitaxel-induced peripheral neuropathy. <i>Molecular Pain</i> , 2019, 15, 174480691987808.	1.0	10
100	A Pilot Study Using a Multistaged Integrated Analysis of Gene Expression and Methylation to Evaluate Mechanisms for Evening Fatigue in Women Who Received Chemotherapy for Breast Cancer. <i>Biological Research for Nursing</i> , 2019, 21, 142-156.	1.0	10
101	Morning Fatigue Severity Profiles in Oncology Outpatients Receiving Chemotherapy. <i>Cancer Nursing</i> , 2019, 42, 355-364.	0.7	22
102	Symptom Clusters in Patients With Gastrointestinal Cancers Using Different Dimensions of the Symptom Experience. <i>Journal of Pain and Symptom Management</i> , 2019, 58, 224-234.	0.6	30
103	Deleterious Effects of Higher Body Mass Index on Subjective and Objective Measures of Chemotherapy-Induced Peripheral Neuropathy in Cancer Survivors. <i>Journal of Pain and Symptom Management</i> , 2019, 58, 252-263.	0.6	18
104	Associations Between Catecholaminergic and Serotonergic Genes and Persistent Arm Pain Severity Following Breast Cancer Surgery. <i>Journal of Pain</i> , 2019, 20, 1100-1111.	0.7	8
105	Contribution of Loss of Large Fiber Function to Pain in 2 Samples of Oncology Patients. <i>Clinical Journal of Pain</i> , 2019, 35, 37-42.	0.8	2
106	Self-monitoring and reminder text messages to increase physical activity in colorectal cancer survivors (Smart Pace): a pilot randomized controlled trial. <i>BMC Cancer</i> , 2019, 19, 218.	1.1	66
107	Network Analysis of the Multidimensional Symptom Experience of Oncology. <i>Scientific Reports</i> , 2019, 9, 2258.	1.6	62
108	Stability of Symptom Clusters in Patients With Lung Cancer Receiving Chemotherapy. <i>Journal of Pain and Symptom Management</i> , 2019, 57, 909-922.	0.6	56

#	ARTICLE	IF	CITATIONS
109	Age-related differences in patient-reported and objective measures of chemotherapy-induced peripheral neuropathy among cancer survivors. <i>Supportive Care in Cancer</i> , 2019, 27, 3905-3912.	1.0	13
110	Sources and Impact of Time Pressure on Opioid Management in the Safety-Net. <i>Journal of the American Board of Family Medicine</i> , 2019, 32, 375-382.	0.8	20
111	Assessment of local tissue water in the arms and trunk of breast cancer survivors with and without upper extremity lymphoedema. <i>Clinical Physiology and Functional Imaging</i> , 2019, 39, 57-64.	0.5	21
112	Relationships Between Financial Toxicity and Symptom Burden in Cancer Survivors: A Systematic Review. <i>Journal of Pain and Symptom Management</i> , 2019, 57, 646-660.e1.	0.6	104
113	Patients'™ and clinicians'™ perspectives of co-use of cannabis and opioids for chronic non-cancer pain management in primary care. <i>International Journal of Drug Policy</i> , 2019, 63, 23-28.	1.6	37
114	Adaption of the Biopsychosocial Model of Chronic Noncancer Pain in Veterans. <i>Pain Medicine</i> , 2019, 20, 14-27.	0.9	13
115	Adaptation and Implementation of a Mobile Phone-Based Remote Symptom Monitoring System for People With Cancer in Europe. <i>JMIR Cancer</i> , 2019, 5, e10813.	0.9	28
116	Quality of life of patients with gastrointestinal cancers undergoing chemotherapy. <i>Quality of Life Research</i> , 2018, 27, 1865-1876.	1.5	15
117	Sleep disturbance and symptom burden in sarcoidosis. <i>Respiratory Medicine</i> , 2018, 144, S35-S40.	1.3	11
118	Financial toxicity and symptom burden: what is the big deal?. <i>Supportive Care in Cancer</i> , 2018, 26, 1357-1359.	1.0	25
119	Differences in symptom clusters before and twelve months after breast cancer surgery. <i>European Journal of Oncology Nursing</i> , 2018, 32, 63-72.	0.9	18
120	Mechanisms and Measurement of Changes in Gene Expression. <i>Biological Research for Nursing</i> , 2018, 20, 369-382.	1.0	20
121	Associations Between Catecholaminergic and Serotonergic Genes and Persistent Breast Pain Phenotypes After Breast Cancer Surgery. <i>Journal of Pain</i> , 2018, 19, 1130-1146.	0.7	10
122	Associations Between Perceived Stress and Chemotherapy-Induced Peripheral Neuropathy and Otoxicity in Adult Cancer Survivors. <i>Journal of Pain and Symptom Management</i> , 2018, 56, 88-97.	0.6	34
123	Cytokine Gene Polymorphisms Associated With Various Domains of Quality of Life in Women With Breast Cancer. <i>Journal of Pain and Symptom Management</i> , 2018, 55, 334-350.e3.	0.6	7
124	Differential expression of genes and differentially perturbed pathways associated with very high evening fatigue in oncology patients receiving chemotherapy. <i>Supportive Care in Cancer</i> , 2018, 26, 739-750.	1.0	17
125	Stability of Symptom Clusters in Patients With Breast Cancer Receiving Chemotherapy. <i>Journal of Pain and Symptom Management</i> , 2018, 55, 39-55.	0.6	54
126	Congruence Between Latent Class and K-Modes Analyses in the Identification of Oncology Patients With Distinct Symptom Experiences. <i>Journal of Pain and Symptom Management</i> , 2018, 55, 318-333.e4.	0.6	25

#	ARTICLE	IF	CITATIONS
127	A review of the literature on symptom clusters in studies that included oncology patients receiving primary or adjuvant chemotherapy. <i>Journal of Clinical Nursing</i> , 2018, 27, 516-545.	1.4	44
128	A review of the literature on the relationships between genetic polymorphisms and chemotherapy-induced nausea and vomiting. <i>Critical Reviews in Oncology/Hematology</i> , 2018, 121, 51-61.	2.0	19
129	Hearing loss and tinnitus in survivors with chemotherapy-induced neuropathy. <i>European Journal of Oncology Nursing</i> , 2018, 32, 1-11.	0.9	17
130	Changes in the Occurrence, Severity, and Distress of Symptoms in Patients With Gastrointestinal Cancers Receiving Chemotherapy. <i>Journal of Pain and Symptom Management</i> , 2018, 55, 808-834.	0.6	25
131	Testing a pain self-management intervention by exploring reduction of analgesics' side effects in cancer outpatients and the involvement of family caregivers: a study protocol (PEINCA-FAM). <i>BMC Nursing</i> , 2018, 17, 54.	0.9	5
132	Expression of mitochondrial dysfunction-related genes and pathways in paclitaxel-induced peripheral neuropathy in breast cancer survivors. <i>Molecular Pain</i> , 2018, 14, 174480691881646.	1.0	34
133	Learning from data to predict future symptoms of oncology patients. <i>PLoS ONE</i> , 2018, 13, e0208808.	1.1	20
134	Phenotypic Characterization of Paclitaxel-Induced Peripheral Neuropathy in Cancer Survivors. <i>Journal of Pain and Symptom Management</i> , 2018, 56, 908-919.e3.	0.6	28
135	Risk Factors Associated With Chemotherapy-Induced Nausea in the Week Before the Next Cycle and Impact of Nausea on Quality of Life Outcomes. <i>Journal of Pain and Symptom Management</i> , 2018, 56, 352-362.	0.6	13
136	Distinct attentional function profiles in older adults receiving cancer chemotherapy. <i>European Journal of Oncology Nursing</i> , 2018, 36, 32-39.	0.9	15
137	Characteristics Associated With Physical Function Trajectories in Older Adults With Cancer During Chemotherapy. <i>Journal of Pain and Symptom Management</i> , 2018, 56, 678-688.e1.	0.6	15
138	Prevalence and Characteristics of Moderate to Severe Pain among Hospitalized Older Adults. <i>Journal of the American Geriatrics Society</i> , 2018, 66, 1744-1751.	1.3	23
139	Distinct pain profiles in patients with chronic obstructive pulmonary disease. <i>International Journal of COPD</i> , 2018, Volume 13, 801-811.	0.9	19
140	Impact of chemotherapy-induced neurotoxicities on adult cancer survivors' symptom burden and quality of life. <i>Journal of Cancer Survivorship</i> , 2018, 12, 234-245.	1.5	52
141	Differences in chemotherapy-induced neuropathy (CIN) among younger and older cancer survivors. <i>Journal of Clinical Oncology</i> , 2018, 36, e22022-e22022.	0.8	0
142	The Impact of Demographic, Clinical, Symptom and Psychological Characteristics on the Trajectories of Acute Postoperative Pain After Total Knee Arthroplasty. <i>Pain Medicine</i> , 2017, 18, 124-139.	0.9	25
143	Inflammatory pathway genes associated with inter-individual variability in the trajectories of morning and evening fatigue in patients receiving chemotherapy. <i>Cytokine</i> , 2017, 91, 187-210.	1.4	31
144	Chemotherapy-Induced Neuropathy in Cancer Survivors. <i>Journal of Pain and Symptom Management</i> , 2017, 54, 204-218.e2.	0.6	93

#	ARTICLE	IF	CITATIONS
145	Distinct Wound Healing and Quality-of-Life Outcomes in Subgroups of Patients With Venous Leg Ulcers With Different Symptom Cluster Experiences. <i>Journal of Pain and Symptom Management</i> , 2017, 53, 871-879.	0.6	43
146	Patient factors and quality of life outcomes differ among four subgroups of oncology patients based on symptom occurrence. <i>Acta Oncologica</i> , 2017, 56, 462-470.	0.8	41
147	Common and Distinct Characteristics Associated With Trajectories of Morning and Evening Energy in Oncology Patients Receiving Chemotherapy. <i>Journal of Pain and Symptom Management</i> , 2017, 53, 887-900.e2.	0.6	16
148	Modifiable and non-modifiable characteristics associated with sleep disturbance in oncology outpatients during chemotherapy. <i>Supportive Care in Cancer</i> , 2017, 25, 2485-2494.	1.0	15
149	Predictors of the multidimensional symptom experience of lung cancer patients receiving chemotherapy. <i>Supportive Care in Cancer</i> , 2017, 25, 1931-1939.	1.0	26
150	Characteristics and Factors Associated With Pain in Older Homeless Individuals: Results From the Health Outcomes in People Experiencing Homelessness in Older Middle Age (HOPE HOME) Study. <i>Journal of Pain</i> , 2017, 18, 1036-1045.	0.7	28
151	The Risks of Opioid Treatment: Perspectives of Primary Care Practitioners and Patients from Safety-Net Clinics. <i>Substance Abuse</i> , 2017, 38, 213-221.	1.1	43
152	Differences in symptom clusters identified using symptom occurrence rates versus severity ratings in patients with breast cancer undergoing chemotherapy. <i>European Journal of Oncology Nursing</i> , 2017, 28, 122-132.	0.9	28
153	OPRM1 Methylation Contributes to Opioid Tolerance in Cancer Patients. <i>Journal of Pain</i> , 2017, 18, 1046-1059.	0.7	24
154	The eSMART study protocol: a randomised controlled trial to evaluate electronic symptom management using the advanced symptom management system (ASyMS) remote technology for patients with cancer. <i>BMJ Open</i> , 2017, 7, e015016.	0.8	96
155	Differences in Symptom Clusters Identified Using Ratings of Symptom Occurrence vs. Severity in Lung Cancer Patients Receiving Chemotherapy. <i>Journal of Pain and Symptom Management</i> , 2017, 54, 194-203.	0.6	34
156	Association of personality profiles with depressive, anxiety, and cancer-related symptoms in patients undergoing chemotherapy. <i>Personality and Individual Differences</i> , 2017, 117, 130-138.	1.6	26
157	The assessment and management of chemotherapy-related toxicities in patients with breast cancer, colorectal cancer, and Hodgkin's and non-Hodgkin's lymphomas: A scoping review. <i>European Journal of Oncology Nursing</i> , 2017, 26, 63-82.	0.9	32
158	Provider Experiences With the Identification, Management, and Treatment of Co-occurring Chronic Noncancer Pain and Substance Use in the Safety Net. <i>Substance Use and Misuse</i> , 2017, 52, 251-255.	0.7	10
159	Distinct evening fatigue profiles in oncology outpatients receiving chemotherapy. <i>Fatigue: Biomedicine, Health and Behavior</i> , 2017, 5, 131-144.	1.2	7
160	Distinct Physical Function Profiles in Older Adults Receiving Cancer Chemotherapy. <i>Journal of Pain and Symptom Management</i> , 2017, 54, 263-272.	0.6	20
161	The impact of symptom burden on the health status of service members with extremity trauma. <i>Nursing Outlook</i> , 2017, 65, S61-S70.	1.5	7
162	Associations between genetic and epigenetic variations in cytokine genes and mild persistent breast pain in women following breast cancer surgery. <i>Cytokine</i> , 2017, 99, 203-213.	1.4	36

#	ARTICLE	IF	CITATIONS
163	Cytokine Gene Polymorphisms Associated With Symptom Clusters in Oncology Patients Undergoing Radiation Therapy. <i>Journal of Pain and Symptom Management</i> , 2017, 54, 305-316.e3.	0.6	18
164	Advancing Symptom Science Through Symptom Cluster Research: Expert Panel Proceedings and Recommendations. <i>Journal of the National Cancer Institute</i> , 2017, 109, djw253.	3.0	275
165	Alterations in opioid inhibition cause widespread nociception but do not affect anxiety-like behavior in oral cancer mice. <i>Neuroscience</i> , 2017, 363, 50-61.	1.1	7
166	The relationship between pain with walking and self-rated health 12Âmonths following total knee arthroplasty: a longitudinal study. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 75.	0.8	13
167	Associations Between Neurotransmitter Genes and Fatigue and Energy Levels in Women After Breast Cancer Surgery. <i>Journal of Pain and Symptom Management</i> , 2017, 53, 67-84.e7.	0.6	34
168	Characteristics associated with inter-individual differences in the trajectories of self-reported attentional function in oncology outpatients receiving chemotherapy. <i>Supportive Care in Cancer</i> , 2017, 25, 783-793.	1.0	4
169	AAPT Diagnostic Criteria for Chronic Cancer Pain Conditions. <i>Journal of Pain</i> , 2017, 18, 233-246.	0.7	42
170	Factors associated with oncology patients' involvement in shared decision making during chemotherapy. <i>Psycho-Oncology</i> , 2017, 26, 1972-1979.	1.0	27
171	Association between changes in body fat and disease progression after breast cancer surgery is moderated by menopausal status. <i>BMC Cancer</i> , 2017, 17, 863.	1.1	18
172	Differences in symptom occurrence, severity, and distress ratings between patients with gastrointestinal cancers who received chemotherapy alone or chemotherapy with targeted therapy. <i>Journal of Gastrointestinal Oncology</i> , 2017, 8, 109-126.	0.6	19
173	Evaluation of coping as a mediator of the relationship between stressful life events and cancer-related distress.. <i>Health Psychology</i> , 2017, 36, 1147-1160.	1.3	31
174	Does menopausal status influence the symptom experience of women prior to breast cancer surgery?. <i>Journal of Clinical Oncology</i> , 2017, 35, 149-149.	0.8	2
175	Subgroups of survivors with distinct aggravating factors associated with chemotherapy-induced neuropathy (CIN) in the feet.. <i>Journal of Clinical Oncology</i> , 2017, 35, 151-151.	0.8	0
176	Subgroups of survivors with distinct aggravating factors associated with chemotherapy-induced neuropathy (CIN) in the hands.. <i>Journal of Clinical Oncology</i> , 2017, 35, 157-157.	0.8	0
177	Distinct symptom experiences in subgroups of patients with COPD. <i>International Journal of COPD</i> , 2016, Volume 11, 1801-1809.	0.9	20
178	Preoperative Pain, Symptoms, and Psychological Factors related to Higher Acute Pain Trajectories during Hospitalization for Total Knee Arthroplasty. <i>PLoS ONE</i> , 2016, 11, e0161681.	1.1	38
179	Differences in demographic, clinical, and symptom characteristics and quality of life outcomes among oncology patients with different types of pain. <i>Pain</i> , 2016, 157, 892-900.	2.0	36
180	A Review of the Literature on Multiple Co-occurring Symptoms in Patients With Colorectal Cancer Who Received Chemotherapy Alone or Chemotherapy With Targeted Therapies. <i>Cancer Nursing</i> , 2016, 39, 437-445.	0.7	26

#	ARTICLE	IF	CITATIONS
181	Future Directions in Symptom Cluster Research. <i>Seminars in Oncology Nursing</i> , 2016, 32, 405-415.	0.7	65
182	Factors that can predict pain with walking, 12 months after total knee arthroplasty. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2016, 87, 600-606.	1.2	41
183	A Rasch Analysis of Assessments of Morning and Evening Fatigue in Oncology Patients Using the Lee Fatigue Scale. <i>Journal of Pain and Symptom Management</i> , 2016, 51, 1002-1012.	0.6	24
184	Occurrence, Characteristics, and Predictors of Pain in Patients with Chronic Obstructive Pulmonary Disease. <i>Pain Management Nursing</i> , 2016, 17, 107-118.	0.4	20
185	Phenotypic and molecular characteristics associated with various domains of quality of life in oncology patients and their family caregivers. <i>Quality of Life Research</i> , 2016, 25, 2853-2868.	1.5	9
186	Polymorphisms in Cytokine Genes Are Associated With Higher Levels of Fatigue and Lower Levels of Energy in Women After Breast Cancer Surgery. <i>Journal of Pain and Symptom Management</i> , 2016, 52, 695-708.e4.	0.6	34
187	Age differences in fatigue, decrements in energy, and sleep disturbance in oncology patients receiving chemotherapy. <i>European Journal of Oncology Nursing</i> , 2016, 23, 115-123.	0.9	15
188	No Differences in Symptom Burden Between Colorectal Cancer Patients Receiving Curative Versus Palliative Chemotherapy. <i>Journal of Pain and Symptom Management</i> , 2016, 52, 539-547.	0.6	18
189	Subgroups of chemotherapy patients with distinct morning and evening fatigue trajectories. <i>Supportive Care in Cancer</i> , 2016, 24, 1473-1485.	1.0	42
190	Co-occurrence of anxiety and depressive symptoms following breast cancer surgery and its impact on quality of life. <i>European Journal of Oncology Nursing</i> , 2016, 20, 97-105.	0.9	95
191	Symptom Clusters From Dialysis to Renal Transplantation: A Five-Year Longitudinal Study. <i>Journal of Pain and Symptom Management</i> , 2016, 51, 512-519.	0.6	22
192	Primary Care Providers'™ Experiences with Urine Toxicology Tests to Manage Prescription Opioid Misuse and Substance use among Chronic Noncancer Pain Patients in Safety Net Health Care Settings. <i>Substance Abuse</i> , 2016, 37, 154-160.	1.1	22
193	Differences in limb volume trajectories after breast cancer treatment. <i>Journal of Cancer Survivorship</i> , 2016, 10, 772-782.	1.5	6
194	Polymorphisms in Tumor Necrosis Factor- β Are Associated With Higher Anxiety Levels in Women After Breast Cancer Surgery. <i>Clinical Breast Cancer</i> , 2016, 16, 63-71.e3.	1.1	12
195	Differences in Symptom Burden Among Patients With Moderate, Severe, or Very Severe Chronic Obstructive Pulmonary Disease. <i>Journal of Pain and Symptom Management</i> , 2016, 51, 849-859.	0.6	20
196	Gene Expression Profiling of Evening Fatigue in Women Undergoing Chemotherapy for Breast Cancer. <i>Biological Research for Nursing</i> , 2016, 18, 370-385.	1.0	28
197	Presurgical symptom profiles predict quality of life 2 years after surgery in women with breast cancer. <i>Supportive Care in Cancer</i> , 2016, 24, 243-251.	1.0	14
198	Comparison of subgroups of breast cancer patients on pain and co-occurring symptoms following chemotherapy. <i>Supportive Care in Cancer</i> , 2016, 24, 605-614.	1.0	49

#	ARTICLE	IF	CITATIONS
199	Identification of symptom clusters by occurrence and severity in lung cancer patients receiving chemotherapy.. <i>Journal of Clinical Oncology</i> , 2016, 34, e21657-e21657.	0.8	0
200	Associations Between Cytokine Genes and a Symptom Cluster of Pain, Fatigue, Sleep Disturbance, and Depression in Patients Prior to Breast Cancer Surgery. <i>Biological Research for Nursing</i> , 2015, 17, 237-247.	1.0	121
201	Cytokine gene variations associated with trait and state anxiety in oncology patients and their family caregivers. <i>Supportive Care in Cancer</i> , 2015, 23, 953-965.	1.0	31
202	Cytokine Gene Associations With Self-Report Ratings of Morning and Evening Fatigue in Oncology Patients and Their Family Caregivers. <i>Biological Research for Nursing</i> , 2015, 17, 175-184.	1.0	39
203	Associations between catecholaminergic, GABAergic, and serotonergic genes and self-reported attentional function in oncology patients and their family caregivers. <i>European Journal of Oncology Nursing</i> , 2015, 19, 251-259.	0.9	6
204	Differences in Composition of Symptom Clusters Between Older and Younger Oncology Patients. <i>Journal of Pain and Symptom Management</i> , 2015, 49, 1025-1034.	0.6	49
205	Trajectories of Evening Fatigue in Oncology Outpatients Receiving Chemotherapy. <i>Journal of Pain and Symptom Management</i> , 2015, 50, 163-175.	0.6	27
206	Colposcopic characteristics and Lugol's staining differentiate anal high-grade and low-grade squamous intraepithelial lesions during high resolution anoscopy. <i>Papillomavirus Research (Amsterdam, Netherlands)</i> , 2015, 1, 101-108.	4.5	25
207	Evaluation of Sisom: A computer-based animated tool to elicit symptoms and psychosocial concerns from children with cancer. <i>European Journal of Oncology Nursing</i> , 2015, 19, 359-369.	0.9	37
208	Trajectories of fear of recurrence in women with breast cancer. <i>Supportive Care in Cancer</i> , 2015, 23, 2033-2043.	1.0	59
209	Trajectories of Symptom Occurrence and Severity From Before Through Five Months After Lung Cancer Surgery. <i>Journal of Pain and Symptom Management</i> , 2015, 49, 995-1015.	0.6	44
210	Implementation of a pain management algorithm in intensive care units and evaluation of nurses' level of adherence with the algorithm. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2015, 44, 528-533.	0.8	27
211	Preoperative Breast Pain Predicts Persistent Breast Pain and Disability After Breast Cancer Surgery. <i>Journal of Pain and Symptom Management</i> , 2015, 49, 981-994.	0.6	38
212	Latent Class Analysis Reveals Distinct Subgroups of Patients Based on Symptom Occurrence and Demographic and Clinical Characteristics. <i>Journal of Pain and Symptom Management</i> , 2015, 50, 28-37.	0.6	88
213	Predictors and Trajectories of Morning Fatigue Are Distinct From Evening Fatigue. <i>Journal of Pain and Symptom Management</i> , 2015, 50, 176-189.	0.6	50
214	Phenotypic and Molecular Evidence Suggests That Decrements in Morning and Evening Energy Are Distinct but Related Symptoms. <i>Journal of Pain and Symptom Management</i> , 2015, 50, 599-614.e3.	0.6	30
215	Development of a pain management algorithm for intensive care units. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2015, 44, 521-527.	0.8	20
216	Symptom Clusters Predict Mortality Among Dialysis Patients in Norway: A Prospective Observational Cohort Study. <i>Journal of Pain and Symptom Management</i> , 2015, 49, 27-35.	0.6	36

#	ARTICLE	IF	CITATIONS
217	Variations in Potassium Channel Genes Are Associated With Breast Pain in Women Prior to Breast Cancer Surgery. <i>Journal of Neurogenetics</i> , 2014, 28, 122-135.	0.6	24
218	Persistent Breast Pain Following Breast Cancer Surgery Is Associated With Persistent Sensory Changes, Pain Interference, and Functional Impairments. <i>Journal of Pain</i> , 2014, 15, 1227-1237.	0.7	25
219	Persistent Arm Pain Is Distinct From Persistent Breast Pain Following Breast Cancer Surgery. <i>Journal of Pain</i> , 2014, 15, 1238-1247.	0.7	11
220	Trajectories of Depressive Symptoms in Women Prior to and for 6 Months After Breast Cancer Surgery. <i>Journal of Applied Biobehavioral Research</i> , 2014, 19, 79-105.	2.0	7
221	SYMPTOM CLUSTERS IN PATIENTS ON DIALYSIS AND THEIR ASSOCIATION WITH QUALITY OF LIFE OUTCOMES. <i>Journal of Renal Care</i> , 2014, 40, 23-33.	0.6	45
222	Cytokine gene variations associated with subsyndromal depressive symptoms in patients with breast cancer. <i>European Journal of Oncology Nursing</i> , 2014, 18, 397-404.	0.9	21
223	Differences in the Symptom Experience of Older Oncology Outpatients. <i>Journal of Pain and Symptom Management</i> , 2014, 47, 697-709.	0.6	32
224	Associations between cytokine gene variations and self-reported sleep disturbance in women following breast cancer surgery. <i>European Journal of Oncology Nursing</i> , 2014, 18, 85-93.	0.9	31
225	Identification of Symptom Clusters in Patients With Chronic Venous Leg Ulcers. <i>Journal of Pain and Symptom Management</i> , 2014, 47, 867-875.	0.6	54
226	Changes in and predictors of severity of fatigue in women with breast cancer: A longitudinal study. <i>International Journal of Nursing Studies</i> , 2014, 51, 582-592.	2.5	33
227	Association between an interleukin 1 receptor, type I promoter polymorphism and self-reported attentional function in women with breast cancer. <i>Cytokine</i> , 2014, 65, 192-201.	1.4	34
228	Associations Between Cytokine Gene Variations and Severe Persistent Breast Pain in Women Following Breast Cancer Surgery. <i>Journal of Pain</i> , 2014, 15, 169-180.	0.7	55
229	Identification of patient subgroups and risk factors for persistent arm/shoulder pain following breast cancer surgery. <i>European Journal of Oncology Nursing</i> , 2014, 18, 242-253.	0.9	85
230	Disease and treatment characteristics do not predict symptom occurrence profiles in oncology outpatients receiving chemotherapy. <i>Cancer</i> , 2014, 120, 2371-2378.	2.0	96
231	Non-medical use of non-opioid psychotherapeutic medications in a community-based cohort of HIV-infected indigent adults. <i>Drug and Alcohol Dependence</i> , 2014, 143, 263-267.	1.6	17
232	Differences in the symptom experience of older versus younger oncology outpatients: a cross-sectional study. <i>BMC Cancer</i> , 2013, 13, 6.	1.1	87
233	Proposed Mechanisms for Cancer- and Treatment-Related Cognitive Changes. <i>Seminars in Oncology Nursing</i> , 2013, 29, 260-269.	0.7	53
234	Differences in morning and evening fatigue in oncology patients and their family caregivers. <i>European Journal of Oncology Nursing</i> , 2013, 17, 841-848.	0.9	26

#	ARTICLE	IF	CITATIONS
235	Lymphatic and Angiogenic Candidate Genes Predict the Development of Secondary Lymphedema following Breast Cancer Surgery. <i>PLoS ONE</i> , 2013, 8, e60164.	1.1	87
236	Common Biological Pathways Underlying the Psychoneurological Symptom Cluster in Cancer Patients. <i>Cancer Nursing</i> , 2012, 35, E1-E20.	0.7	134
237	Sleep-Wake Circadian Activity Rhythms and Fatigue in Family Caregivers of Oncology Patients. <i>Cancer Nursing</i> , 2012, 35, 70-81.	0.7	37
238	Identification of distinct subgroups of breast cancer patients based on self-reported changes in sleep disturbance. <i>Supportive Care in Cancer</i> , 2012, 20, 2611-2619.	1.0	47
239	Identification of Patient Subgroups and Risk Factors for Persistent Breast Pain Following Breast Cancer Surgery. <i>Journal of Pain</i> , 2012, 13, 1172-1187.	0.7	115
240	Biomarkers: Symptoms, Survivorship, and Quality of Life. <i>Seminars in Oncology Nursing</i> , 2012, 28, 129-138.	0.7	29
241	Associations Between Pro- and Anti-Inflammatory Cytokine Genes and Breast Pain in Women Prior to Breast Cancer Surgery. <i>Journal of Pain</i> , 2012, 13, 425-437.	0.7	78
242	Association between pro- and anti-inflammatory cytokine genes and a symptom cluster of pain, fatigue, sleep disturbance, and depression. <i>Cytokine</i> , 2012, 58, 437-447.	1.4	157
243	Trajectories of anxiety in oncology patients and family caregivers during and after radiation therapy. <i>European Journal of Oncology Nursing</i> , 2012, 16, 1-9.	0.9	60
244	Sleep disturbance interventions in oncology patients and family caregivers: A comprehensive review and meta-analysis. <i>Sleep Medicine Reviews</i> , 2012, 16, 397-414.	3.8	75
245	Evidence of Associations between Cytokine Genes and Subjective Reports of Sleep Disturbance in Oncology Patients and Their Family Caregivers. <i>PLoS ONE</i> , 2012, 7, e40560.	1.1	44
246	Symptom trajectories during chemotherapy in outpatients with lung cancer colorectal cancer, or lymphoma. <i>European Journal of Oncology Nursing</i> , 2011, 15, 470-477.	0.9	43
247	Occurrence and Characteristics of Chronic Pain in a Community-Based Cohort of Indigent Adults Living With HIV Infection. <i>Journal of Pain</i> , 2011, 12, 1004-1016.	0.7	166
248	Predictors of the Trajectories of Self-Reported Sleep Disturbance in Men with Prostate Cancer During and Following Radiation Therapy. <i>Sleep</i> , 2011, 34, 171-179.	0.6	56
249	Sleep-Wake Circadian Activity Rhythm Parameters and Fatigue in Oncology Patients Before the Initiation of Radiation Therapy. <i>Cancer Nursing</i> , 2011, 34, 255-268.	0.7	83
250	Patients' Stories Provide Insights. <i>Cancer Nursing</i> , 2011, 34, 340-341.	0.7	0
251	Trajectories of Fatigue in Patients With Breast Cancer Before, During, and After Radiation Therapy. <i>Cancer Nursing</i> , 2010, 33, 201-212.	0.7	115
252	Biological pathways and genetic variables involved in pain. <i>Quality of Life Research</i> , 2010, 19, 1407-1417.	1.5	33

#	ARTICLE	IF	CITATIONS
253	Preliminary Evidence of an Association Between a Functional Interleukin-6 Polymorphism and Fatigue and Sleep Disturbance in Oncology Patients and Their Family Caregivers. <i>Journal of Pain and Symptom Management</i> , 2010, 40, 531-544.	0.6	86
254	Differences in Depression, Posttraumatic Stress Disorder, and Lifetime Trauma Exposure in Formerly Abused Women With Mild Versus Moderate to Severe Chronic Pain. <i>Journal of Interpersonal Violence</i> , 2010, 25, 2316-2338.	1.3	38
255	Outcome Measures to Evaluate the Effectiveness of Pain Management in Older Adults With Cancer. <i>Oncology Nursing Forum</i> , 2010, 37, 27-32.	0.5	11
256	Effective Management of Pain in Older Adults With Cancer. <i>Oncology Nursing Forum</i> , 2010, 37, 5-6.	0.5	0
257	A Review of the Prevalence and Impact of Multiple Symptoms in Oncology Patients. <i>Journal of Pain and Symptom Management</i> , 2009, 37, 715-736.	0.6	153
258	Changes in symptom clusters in patients undergoing radiation therapy. <i>Supportive Care in Cancer</i> , 2009, 17, 1383-1391.	1.0	62
259	Trajectories of fatigue in family caregivers of patients undergoing radiation therapy for prostate cancer. <i>Research in Nursing and Health</i> , 2009, 32, 125-139.	0.8	41
260	Understanding the Genetic Determinants of Pain and Pain Management. <i>Seminars in Oncology Nursing</i> , 2009, 25, S1-S7.	0.7	12
261	Pharmacologic Management of Sleep Disturbances in Noncancer-Related Pain. <i>Pain Management Nursing</i> , 2009, 10, 3-13.	0.4	5
262	A Review of the Incidence, Causes, Consequences, and Management of Gastrointestinal Effects Associated With Postoperative Opioid Administration. <i>Journal of Perianesthesia Nursing</i> , 2009, 24, 222-228.	0.3	43
263	The Symptom Experience of Oncology Outpatients Has a Different Impact on Quality-of-Life Outcomes. <i>Journal of Pain and Symptom Management</i> , 2008, 35, 162-170.	0.6	118
264	Trajectories of Fatigue in Men with Prostate Cancer Before, During, and After Radiation Therapy. <i>Journal of Pain and Symptom Management</i> , 2008, 35, 632-643.	0.6	94
265	The Use of Risk-Management Approaches to Protect Patients With Cancer-Related Pain and Their Healthcare Providers. <i>Oncology Nursing Forum</i> , 2008, 35, 20-24.	0.5	10
266	Introduction: Practical Approaches to Optimizing the Effective Use of Opioids in Cancer Pain. <i>Oncology Nursing Forum</i> , 2008, 35, 5-5.	0.5	0
267	Prevalence, Severity, and Impact of Symptoms on Female Family Caregivers of Patients at the Initiation of Radiation Therapy for Prostate Cancer. <i>Journal of Clinical Oncology</i> , 2008, 26, 599-605.	0.8	177
268	Adherence to Oral Endocrine Therapy for Breast Cancer: A Nursing Perspective. <i>Clinical Journal of Oncology Nursing</i> , 2008, 12, 213-221.	0.3	52
269	Conceptual Issues in Symptom Clusters Research and Their Implications for Quality-of-Life Assessment in Patients With Cancer. <i>Journal of the National Cancer Institute Monographs</i> , 2007, 2007, 39-46.	0.9	173
270	Is There a Biological Basis for the Clustering of Symptoms?. <i>Seminars in Oncology Nursing</i> , 2007, 23, 99-105.	0.7	68

#	ARTICLE	IF	CITATIONS
271	The use of a responder analysis to identify differences in patient outcomes following a self-care intervention to improve cancer pain management. <i>Pain</i> , 2007, 129, 55-63.	2.0	57
272	Quantitative and Clinical Description of Postural Instability in Women With Breast Cancer Treated With Taxane Chemotherapy. <i>Archives of Physical Medicine and Rehabilitation</i> , 2007, 88, 1002-1008.	0.5	123
273	Symptom clusters: establishing the link between clinical practice and symptom management research. <i>Supportive Care in Cancer</i> , 2006, 14, 792-794.	1.0	57
274	Subgroups of Patients With Cancer With Different Symptom Experiences and Quality-of-Life Outcomes: A Cluster Analysis. <i>Oncology Nursing Forum</i> , 2006, 33, E79-E89.	0.5	244
275	The Ten Commandments of Research—one nurse scientist's perspective. <i>Communicating Nursing Research</i> , 2006, 39, 55-68.	0.1	0
276	Patient-controlled Modalities for Acute Postoperative Pain Management. <i>Journal of Perianesthesia Nursing</i> , 2005, 20, 255-267.	0.3	43
277	Categorizing the severity of cancer pain: further exploration of the establishment of cutpoints. <i>Pain</i> , 2005, 113, 37-44.	2.0	191
278	Gender Differences in Pain, Fatigue, and Depression in Patients With Cancer. <i>Journal of the National Cancer Institute Monographs</i> , 2004, 2004, 139-143.	0.9	130
279	Symptom Clusters: The New Frontier in Symptom Management Research. <i>Journal of the National Cancer Institute Monographs</i> , 2004, 2004, 17-21.	0.9	315
280	Recent Advances in Understanding Pain Mechanisms Provide Future Directions for Pain Management. <i>Oncology Nursing Forum</i> , 2004, 31, 25-35.	0.5	9
281	Randomized Clinical Trial of the Effectiveness of a Self-Care Intervention to Improve Cancer Pain Management. <i>Journal of Clinical Oncology</i> , 2004, 22, 1713-1720.	0.8	214
282	Occurrence of Symptom Clusters. <i>Journal of the National Cancer Institute Monographs</i> , 2004, 2004, 76-78.	0.9	211
283	No evidence for sex differences in the severity and treatment of cancer pain. <i>Journal of Pain and Symptom Management</i> , 2004, 28, 225-232.	0.6	43
284	The PRO-SELFÂ® Pain Control Program Improves Patients' Knowledge of Cancer Pain Management. <i>Oncology Nursing Forum</i> , 2004, 31, 1137-1143.	0.5	51
285	Impaired sleep and rhythms in persons with cancer. <i>Sleep Medicine Reviews</i> , 2004, 8, 199-212.	3.8	162
286	Psychoeducational interventions for cancer pain serve as a model for behavioral research. <i>Communicating Nursing Research</i> , 2004, 37, 51, 53-71.	0.1	1
287	Radiation-Induced Mucositis: A Randomized Clinical Trial of Micronized Sucralfate Versus Salt & Soda Mouthwashes. <i>Cancer Investigation</i> , 2003, 21, 21-33.	0.6	77
288	Hope in the general Norwegian population, measured using the Herth Hope Index. <i>Palliative and Supportive Care</i> , 2003, 1, 309-318.	0.6	27

#	ARTICLE	IF	CITATIONS
289	Oncology outpatients with pain from bone metastasis require more than around-the-clock dosing of analgesics to achieve adequate pain control. <i>Journal of Pain</i> , 2002, 3, 12-20.	0.7	22
290	New approaches for evaluating the quality of cancer pain management in the outpatient setting. <i>Pain Management Nursing</i> , 2001, 2, 7-12.	0.4	4
291	Monitoring and Improving Pain Management Practices. <i>Critical Care Nursing Clinics of North America</i> , 2001, 13, 311-317.	0.4	8
292	Lack of Adherence With the Analgesic Regimen: A Significant Barrier to Effective Cancer Pain Management. <i>Journal of Clinical Oncology</i> , 2001, 19, 4275-4279.	0.8	212
293	Advancing the science of symptom management. <i>Journal of Advanced Nursing</i> , 2001, 33, 668-676.	1.5	777
294	Review of Research Studies That Evaluated the Impact of Treatment for Childhood Cancers on Neurocognition and Behavioral and Social Competence: Nursing Implications. <i>Journal for Specialists in Pediatric Nursing</i> , 2000, 5, 57-73.	0.6	14
295	Randomized clinical trial of the effectiveness of 3 commonly used mouthwashes to treat chemotherapy-induced mucositis. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2000, 90, 39-47.	1.6	163
296	Pain, Fatigue, and Sleep Disturbances in Oncology Outpatients Receiving Radiation Therapy for Bone Metastasis. <i>Journal of Pain and Symptom Management</i> , 1999, 17, 320-332.	0.6	300
297	Risk Factors for Chemotherapy-Induced Oral Mucositis: Dental Appliances, Oral Hygiene, Previous Oral Lesions, and History of Smoking. <i>Cancer Investigation</i> , 1999, 17, 278-284.	0.6	54
298	The PRO-SELF?? Mouth Aware program: An effective approach for reducing chemotherapy-induced mucositis. <i>Cancer Nursing</i> , 1998, 21, 263-268.	0.7	72
299	Principles & guidelines for respiratory monitoring on the general care floor. <i>Journal of Clinical Monitoring and Computing</i> , 1996, 12, 411-416.	0.6	9
300	Kappa?? opioids produce significantly greater analgesia in women than in men. <i>Nature Medicine</i> , 1996, 2, 1248-1250.	15.2	462
301	Nursing Salaries and Practice Patterns: A Nationwide Evaluation by the Oncology Nursing Society. <i>Cancer Investigation</i> , 1993, 11, 689-698.	0.6	0
302	Antinociceptive and motor effects of delta/mu and kappa/mu combinations of intrathecal opioid agonists. <i>Pain</i> , 1992, 49, 137-144.	2.0	47