

Christine A Miaskowski

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/81452/publications.pdf>

Version: 2024-02-01

302
papers

12,198
citations

34105
52
h-index

39675
94
g-index

306
all docs

306
docs citations

306
times ranked

9663
citing authors

#	ARTICLE	IF	CITATIONS
1	Distinct morning and evening fatigue profiles in gastrointestinal cancer during chemotherapy. <i>BMJ Supportive and Palliative Care</i> , 2023, 13, e373-e381.	1.6	3
2	Distinct Worst Pain Profiles in Oncology Outpatients Undergoing Chemotherapy. <i>Cancer Nursing</i> , 2023, 46, 176-188.	1.5	4
3	Oncology Outpatients With Worse Anxiety and Sleep Disturbance Profiles Are at Increased Risk for a Higher Symptom Burden and Poorer Quality of Life. <i>Cancer Nursing</i> , 2023, 46, 417-431.	1.5	2
4	Distinct Sleep Disturbance Profiles in Patients With Gastrointestinal Cancers Receiving Chemotherapy. <i>Cancer Nursing</i> , 2022, 45, E417-E427.	1.5	7
5	Worst Pain Severity Profiles of Oncology Patients Are Associated With Significant Stress and Multiple Co-Occurring Symptoms. <i>Journal of Pain</i> , 2022, 23, 74-88.	1.4	8
6	Determination of Cutpoints for Symptom Burden in Oncology Patients Receiving Chemotherapy. <i>Journal of Pain and Symptom Management</i> , 2022, 63, 42-51.	1.2	5
7	Higher stress and symptom severity are associated with worse depressive symptom profiles in patients receiving chemotherapy. <i>European Journal of Oncology Nursing</i> , 2022, 58, 102031.	2.1	2
8	Stability of Symptom Clusters in Patients With Gynecologic Cancer Receiving Chemotherapy. <i>Cancer Nursing</i> , 2022, 45, E706-E718.	1.5	12
9	Characteristics associated with inter-individual variability in financial distress in patients with breast cancer prior to and for 12 months following surgery. <i>Supportive Care in Cancer</i> , 2022, 30, 1293-1302.	2.2	4
10	Distinct financial distress profiles in patients with breast cancer prior to and for 12 months following surgery. <i>BMJ Supportive and Palliative Care</i> , 2022, 12, 347-354.	1.6	10
11	Use of Dual-Energy X-Ray Absorptiometry to Assess Soft Tissue Composition in Breast Cancer Survivors With and Without Lymphedema. <i>Lymphatic Research and Biology</i> , 2022, 20, 391-397.	1.1	2
12	A randomized clinical trial of granulocyte macrophage colony stimulating factor mouthwash for oral mucositis in head and neck cancer. <i>European Journal of Oncology Nursing</i> , 2022, 56, 102093.	2.1	6
13	Agreement between respiratory rate measurement using a combined electrocardiographic derived method versus impedance from pneumography. <i>Journal of Electrocardiology</i> , 2022, 71, 16-24.	0.9	4
14	Randomized clinical trial to evaluate a cancer pain self-management intervention for outpatients. <i>Asia-Pacific Journal of Oncology Nursing</i> , 2022, 9, 39-47.	1.6	2
15	Feasibility and Acceptability of a Physical Activity Tracker and Text Messages to Promote Physical Activity During Chemotherapy for Colorectal Cancer: Pilot Randomized Controlled Trial (Smart Pace) <i>Tj ETQq1 1 0.284314 rgBT /Overbo</i>	2.1	2
16	A pilot study of metabolomic pathways associated with fatigue in patients with colorectal cancer receiving chemotherapy. <i>European Journal of Oncology Nursing</i> , 2022, 56, 102096.	2.1	2
17	Quality of life of colorectal cancer survivors participating in a pilot randomized controlled trial of physical activity trackers and daily text messages. <i>Supportive Care in Cancer</i> , 2022, 30, 4557-4564.	2.2	7
18	HIV Symptom Clusters Are Similar Using the Dimensions of Symptom Occurrence and Distress. <i>Journal of Pain and Symptom Management</i> , 2022, , .	1.2	0

#	ARTICLE	IF	CITATIONS
19	Identification of Distinct Symptom Profiles in Cancer Patients Using a Pre-Specified Symptom Cluster. <i>Journal of Pain and Symptom Management</i> , 2022, 64, 17-27.	1.2	15
20	A high stress profile is associated with severe pain in oncology patients receiving chemotherapy. <i>European Journal of Oncology Nursing</i> , 2022, 58, 102135.	2.1	3
21	Symptom clusters in patients receiving chemotherapy: A systematic review. <i>BMJ Supportive and Palliative Care</i> , 2022, 12, 10-21.	1.6	27
22	Age-related differences in self-report and objective measures of cognitive function in older patients prior to chemotherapy. <i>Nursing Open</i> , 2022, 9, 1040-1051.	2.4	3
23	Co-occurring Fatigue and Lymphatic Pain Incrementally Aggravate Their Negative Effects on Activities of Daily Living, Emotional Distress, and Overall Health of Breast Cancer Patients. <i>Integrative Cancer Therapies</i> , 2022, 21, 153473542210896.	2.0	0
24	Differences in Circulating Extracellular Vesicle and Soluble Cytokines in Older Versus Younger Breast Cancer Patients With Distinct Symptom Profiles. <i>Frontiers in Genetics</i> , 2022, 13, 869044.	2.3	1
25	Advances in Conceptual and Methodological Issues in Symptom Cluster Research. <i>Advances in Nursing Science</i> , 2022, 45, 309-322.	1.1	10
26	SIMILARITIES IN THE NEUROPATHY PHENOTYPE OF CANCER SURVIVORS WHO RECEIVED DIFFERENT CLASSES OF CHEMOTHERAPY DRUGS. <i>Journal of Pain</i> , 2022, , .	1.4	1
27	Symptom clusters in outpatients with cancer using different dimensions of the symptom experience. <i>Supportive Care in Cancer</i> , 2022, 30, 6889-6899.	2.2	9
28	Oncology outpatients with worse depression and sleep disturbance profiles are at increased risk for a higher symptom burden and poorer quality of life outcomes. <i>Sleep Medicine</i> , 2022, 95, 91-104.	1.6	7
29	Pre-Surgery Demographic, Clinical, and Symptom Characteristics Associated with Different Self-Reported Cognitive Processes in Patients with Breast Cancer. <i>Cancers</i> , 2022, 14, 3281.	3.7	5
30	A Pilot Study of Metabolomic Pathways Associated With Fatigue in Survivors of Colorectal Cancer. <i>Biological Research for Nursing</i> , 2021, 23, 42-49.	1.9	8
31	Preoperative risk factors associated with chronic pain profiles following total knee arthroplasty. <i>European Journal of Pain</i> , 2021, 25, 680-692.	2.8	23
32	Oncology patients'™ perceptions of and experiences with COVID-19. <i>Supportive Care in Cancer</i> , 2021, 29, 1941-1950.	2.2	27
33	Perturbations in Endocytotic and Apoptotic Pathways Are Associated With Chemotherapy-Induced Nausea. <i>Biological Research for Nursing</i> , 2021, 23, 238-247.	1.9	5
34	A COVID-19 screening tool for oncology telephone triage. <i>Supportive Care in Cancer</i> , 2021, 29, 2057-2062.	2.2	7
35	Expanding Beyond Maximum Grade: Chemotherapy Toxicity over Time by Age and Performance Status in Advanced Non-Small Cell Lung Cancer in CALGB 9730 (Alliance A151729). <i>Oncologist</i> , 2021, 26, e435-e444.	3.7	5
36	Distinct diarrhea profiles during outpatient chemotherapy. <i>Supportive Care in Cancer</i> , 2021, 29, 2363-2373.	2.2	10

#	ARTICLE	IF	CITATIONS
37	Distinct profiles of multiple co-occurring symptoms in patients with gastrointestinal cancers receiving chemotherapy. <i>Supportive Care in Cancer</i> , 2021, 29, 4461-4471.	2.2	9
38	Prediction of evening fatigue severity in outpatients receiving chemotherapy: less may be more. <i>Fatigue: Biomedicine, Health and Behavior</i> , 2021, 9, 14-32.	1.9	8
39	Higher Levels of Stress Are Associated With a Significant Symptom Burden in Oncology Outpatients Receiving Chemotherapy. <i>Journal of Pain and Symptom Management</i> , 2021, 61, 24-31.e4.	1.2	17
40	Experiences of people affected by cancer during the outbreak of the COVID-19 pandemic: an exploratory qualitative analysis of public online forums. <i>Supportive Care in Cancer</i> , 2021, 29, 4979-4985.	2.2	30
41	A Comparison of Supine Versus Stand-on Bioimpedance Devices to Assess Breast Cancer-Related Lymphedema. <i>Lymphatic Research and Biology</i> , 2021, 19, 553-561.	1.1	1
42	Assessment of Arm Volume Using a Tape Measure Versus a 3D Optical Scanner in Survivors with Breast Cancer-Related Lymphedema. <i>Lymphatic Research and Biology</i> , 2021, , .	1.1	7
43	Barriers and facilitators to older adults' use of nonpharmacologic approaches for chronic pain: a person-focused model. <i>Pain</i> , 2021, 162, 2769-2779.	4.2	7
44	Multi-Staged Data-Integrated Multi-Omics Analysis for Symptom Science Research. <i>Biological Research for Nursing</i> , 2021, 23, 596-607.	1.9	6
45	Loneliness and symptom burden in oncology patients during the COVID-19 pandemic. <i>Cancer</i> , 2021, 127, 3246-3253.	4.1	39
46	Identifying Symptom Information in Clinical Notes Using Natural Language Processing. <i>Nursing Research</i> , 2021, 70, 173-183.	1.7	24
47	Anxiety profiles are associated with stress, resilience and symptom severity in outpatients receiving chemotherapy. <i>Supportive Care in Cancer</i> , 2021, 29, 7825-7836.	2.2	12
48	Distinctions Between Self-Report and Performance-Based Measures of Physical Function in Older Patients Prior to Chemotherapy. <i>Cancer Nursing</i> , 2021, 44, E735-E744.	1.5	7
49	Subgroups of patients undergoing chemotherapy with distinct cognitive fatigue and evening physical fatigue profiles. <i>Supportive Care in Cancer</i> , 2021, 29, 7985-7998.	2.2	7
50	Real time remote symptom monitoring during chemotherapy for cancer: European multicentre randomised controlled trial (eSMART). <i>BMJ, The</i> , 2021, 374, n1647.	6.0	81
51	Symptom Clusters in Patients With Gynecologic Cancer Receiving Chemotherapy. <i>Oncology Nursing Forum</i> , 2021, 48, 441-452.	1.2	20
52	Treatment of Breast Cancer-Related Lymphedema Using Negative Pressure Massage: A Pilot Randomized Controlled Trial. <i>Archives of Physical Medicine and Rehabilitation</i> , 2021, 102, 1465-1472.e2.	0.9	1
53	A review of the literature on the accuracy, strengths, and limitations of visual, thoracic impedance, and electrocardiographic methods used to measure respiratory rate in hospitalized patients. <i>Annals of Noninvasive Electrocardiology</i> , 2021, 26, e12885.	1.1	9
54	Distinct employment interference profiles in patients with breast cancer prior to and for 12 months following surgery. <i>BMC Cancer</i> , 2021, 21, 883.	2.6	1

#	ARTICLE	IF	CITATIONS
55	Distinct sleep disturbance profiles among patients with gynecologic cancer receiving chemotherapy. <i>Gynecologic Oncology</i> , 2021, 163, 419-426.	1.4	10
56	Association between Financial Hardship and Symptom Burden in Patients Receiving Maintenance Dialysis: A Systematic Review. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 9541.	2.6	10
57	Symptom experience of older oncology patients with low versus high levels of multimorbidity prior to chemotherapy. <i>European Journal of Oncology Nursing</i> , 2021, 54, 102029.	2.1	3
58	Common and distinct characteristics associated with self-reported functional status in older patients with cancer receiving chemotherapy. <i>European Journal of Oncology Nursing</i> , 2021, 54, 102033.	2.1	4
59	Occurrence and perceived effectiveness of activities used to decrease chemotherapy-induced peripheral neuropathy symptoms in the feet. <i>European Journal of Oncology Nursing</i> , 2021, 54, 102025.	2.1	1
60	Exploring learning processes associated with a cancer pain self-management intervention in patients and family caregivers: A mixed methods study. <i>Applied Nursing Research</i> , 2021, 62, 151480.	2.2	4
61	Cancer-related cognitive impairment is associated with perturbations in inflammatory pathways. <i>Cytokine</i> , 2021, 148, 155653.	3.2	17
62	Sexual dimorphism in the contribution of neuroendocrine stress axes to oxaliplatin-induced painful peripheral neuropathy. <i>Pain</i> , 2021, 162, 907-918.	4.2	9
63	Characterizing shared and distinct symptom clusters in common chronic conditions through natural language processing of nursing notes. <i>Research in Nursing and Health</i> , 2021, 44, 906-919.	1.6	16
64	Lymphatic Pain in Breast Cancer Survivors.. <i>Lymphatic Research and Biology</i> , 2021, , .	1.1	1
65	Gastrointestinal symptoms are associated with trajectories of chemotherapy-induced nausea. <i>Supportive Care in Cancer</i> , 2020, 28, 2205-2215.	2.2	11
66	A Longitudinal Study of Predictors of Constipation Severity in Oncology Outpatients With Unrelieved Pain. <i>Journal of Pain and Symptom Management</i> , 2020, 59, 9-19.e1.	1.2	5
67	Stability and Impact of Symptom Clusters in Patients With End-Stage Renal Disease Undergoing Dialysis. <i>Journal of Pain and Symptom Management</i> , 2020, 59, 67-76.	1.2	18
68	AAAPT Diagnostic Criteria for Acute Pain Following Breast Surgery. <i>Journal of Pain</i> , 2020, 21, 294-305.	1.4	10
69	Alterations in Patterns of Gene Expression and Perturbed Pathways in the Gut-Brain Axis Are Associated With Chemotherapy-Induced Nausea. <i>Journal of Pain and Symptom Management</i> , 2020, 59, 1248-1259.e5.	1.2	13
70	A Biopsychosocial Model of Chronic Pain for Older Adults. <i>Pain Medicine</i> , 2020, 21, 1793-1805.	1.9	65
71	Multimorbidity and Opioid Prescribing in Hospitalized Older Adults. <i>Journal of Palliative Medicine</i> , 2020, 23, 475-482.	1.1	7
72	Distinct Stress Profiles Among Oncology Patients Undergoing Chemotherapy. <i>Journal of Pain and Symptom Management</i> , 2020, 59, 646-657.	1.2	16

#	ARTICLE	IF	CITATIONS
73	Neuropsychological Symptoms and Intrusive Thoughts Are Associated With Worse Trajectories of Chemotherapy-Induced Nausea. <i>Journal of Pain and Symptom Management</i> , 2020, 59, 668-678.	1.2	4
74	Psychological Symptoms and Stress Are Associated With Decrements in Attentional Function in Cancer Patients Undergoing Chemotherapy. <i>Cancer Nursing</i> , 2020, 43, 402-410.	1.5	13
75	Using best subset regression to identify clinical characteristics and biomarkers associated with sepsis-associated acute kidney injury. <i>American Journal of Physiology - Renal Physiology</i> , 2020, 319, F979-F987.	2.7	7
76	Co-occurrence of decrements in physical and cognitive function is common in older oncology patients receiving chemotherapy. <i>European Journal of Oncology Nursing</i> , 2020, 48, 101823.	2.1	4
77	Fatigue, Stress, and Functional Status are Associated With Taste Changes in Oncology Patients Receiving Chemotherapy. <i>Journal of Pain and Symptom Management</i> , 2020, 62, 373-382.e2.	1.2	9
78	Stress and Symptom Burden in Oncology Patients During the COVID-19 Pandemic. <i>Journal of Pain and Symptom Management</i> , 2020, 60, e25-e34.	1.2	89
79	A 4-Month Whole-Systems Ayurvedic Medicine Nutrition and Lifestyle Intervention Is Feasible and Acceptable for Breast Cancer Survivors: Results of a Single-Arm Pilot Clinical Trial. <i>Global Advances in Health and Medicine</i> , 2020, 9, 216495612096471.	1.6	5
80	Association of personality profiles with coping and adjustment to cancer among patients undergoing chemotherapy. <i>Psycho-Oncology</i> , 2020, 29, 1060-1067.	2.3	17
81	Differential methylation and expression of genes in the hypoxia-inducible factor 1 signaling pathway are associated with paclitaxel-induced peripheral neuropathy in breast cancer survivors and with preclinical models of chemotherapy-induced neuropathic pain. <i>Molecular Pain</i> , 2020, 16, 174480692093650.	2.1	18
82	Tamoxifen-related endocrine symptoms in Chinese patients with breast cancer. <i>Medicine (United Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50</i>	1.0	0
83	Systematic review of the effectiveness of self-initiated interventions to decrease pain and sensory disturbances associated with peripheral neuropathy. <i>Journal of Cancer Survivorship</i> , 2020, 14, 444-463.	2.9	9
84	Distinct Symptom Experience Among Subgroups of Patients With ESRD Receiving Maintenance Dialysis. <i>Journal of Pain and Symptom Management</i> , 2020, 60, 70-79.e1.	1.2	37
85	Changes in Attentional Function in Patients From Before Through 12 Months After Breast Cancer Surgery. <i>Journal of Pain and Symptom Management</i> , 2020, 59, 1172-1185.	1.2	8
86	Higher levels of stress and different coping strategies are associated with greater morning and evening fatigue severity in oncology patients receiving chemotherapy. <i>Supportive Care in Cancer</i> , 2020, 28, 4697-4706.	2.2	20
87	A longitudinal analysis of phenotypic and symptom characteristics associated with inter-individual variability in employment interference in patients with breast cancer. <i>Supportive Care in Cancer</i> , 2020, 28, 4677-4686.	2.2	11
88	Use of individual development plans for nurse scientist training. <i>Nursing Outlook</i> , 2020, 68, 284-292.	2.6	12
89	Burden of living with multiple concurrent symptoms in patients with end-stage renal disease. <i>Journal of Clinical Nursing</i> , 2020, 29, 2589-2601.	3.0	21
90	Unintended Consequences of Opioid Regulations in Older Adults with Multiple Chronic Conditions. <i>Gerontologist</i> , The, 2020, 60, 1343-1352.	3.9	11

#	ARTICLE	IF	CITATIONS
91	Feasibility and Acceptability of a Web-Based Dietary Intervention with Text Messages for Colorectal Cancer: A Randomized Pilot Trial. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 752-760.	2.5	15
92	Identification of subgroups of chemotherapy patients with distinct sleep disturbance profiles and associated co-occurring symptoms. <i>Sleep</i> , 2019, 42, .	1.1	23
93	Perturbations in neuroinflammatory pathways are associated with paclitaxel-induced peripheral neuropathy in breast cancer survivors. <i>Journal of Neuroimmunology</i> , 2019, 335, 577019.	2.3	9
94	Oral Pain in the Cancer Patient. <i>Journal of the National Cancer Institute Monographs</i> , 2019, 2019, .	2.1	29
95	Co-occurring symptoms in older oncology patients with distinct attentional function profiles. <i>European Journal of Oncology Nursing</i> , 2019, 41, 196-203.	2.1	8
96	Stability of Symptom Clusters in Patients With Gastrointestinal Cancers Receiving Chemotherapy. <i>Journal of Pain and Symptom Management</i> , 2019, 58, 989-1001.e10.	1.2	29
97	Perceived stress is associated with a higher symptom burden in cancer survivors. <i>Cancer</i> , 2019, 125, 4509-4515.	4.1	32
98	Co-occurring Gastrointestinal Symptoms Are Associated With Taste Changes in Oncology Patients Receiving Chemotherapy. <i>Journal of Pain and Symptom Management</i> , 2019, 58, 756-765.	1.2	21
99	Signaling pathways and gene co-expression modules associated with cytoskeleton and axon morphology in breast cancer survivors with chronic paclitaxel-induced peripheral neuropathy. <i>Molecular Pain</i> , 2019, 15, 174480691987808.	2.1	10
100	A Pilot Study Using a Multistaged Integrated Analysis of Gene Expression and Methylation to Evaluate Mechanisms for Evening Fatigue in Women Who Received Chemotherapy for Breast Cancer. <i>Biological Research for Nursing</i> , 2019, 21, 142-156.	1.9	10
101	Morning Fatigue Severity Profiles in Oncology Outpatients Receiving Chemotherapy. <i>Cancer Nursing</i> , 2019, 42, 355-364.	1.5	22
102	Symptom Clusters in Patients With Gastrointestinal Cancers Using Different Dimensions of the Symptom Experience. <i>Journal of Pain and Symptom Management</i> , 2019, 58, 224-234.	1.2	30
103	Deleterious Effects of Higher Body Mass Index on Subjective and Objective Measures of Chemotherapy-Induced Peripheral Neuropathy in Cancer Survivors. <i>Journal of Pain and Symptom Management</i> , 2019, 58, 252-263.	1.2	18
104	Associations Between Catecholaminergic and Serotonergic Genes and Persistent Arm Pain Severity Following Breast Cancer Surgery. <i>Journal of Pain</i> , 2019, 20, 1100-1111.	1.4	8
105	Contribution of Loss of Large Fiber Function to Pain in 2 Samples of Oncology Patients. <i>Clinical Journal of Pain</i> , 2019, 35, 37-42.	1.9	2
106	Self-monitoring and reminder text messages to increase physical activity in colorectal cancer survivors (Smart Pace): a pilot randomized controlled trial. <i>BMC Cancer</i> , 2019, 19, 218.	2.6	66
107	Network Analysis of the Multidimensional Symptom Experience of Oncology. <i>Scientific Reports</i> , 2019, 9, 2258.	3.3	62
108	Stability of Symptom Clusters in Patients With Lung Cancer Receiving Chemotherapy. <i>Journal of Pain and Symptom Management</i> , 2019, 57, 909-922.	1.2	56

#	ARTICLE	IF	CITATIONS
109	Age-related differences in patient-reported and objective measures of chemotherapy-induced peripheral neuropathy among cancer survivors. <i>Supportive Care in Cancer</i> , 2019, 27, 3905-3912.	2.2	13
110	Sources and Impact of Time Pressure on Opioid Management in the Safety-Net. <i>Journal of the American Board of Family Medicine</i> , 2019, 32, 375-382.	1.5	20
111	Assessment of local tissue water in the arms and trunk of breast cancer survivors with and without upper extremity lymphoedema. <i>Clinical Physiology and Functional Imaging</i> , 2019, 39, 57-64.	1.2	21
112	Relationships Between Financial Toxicity and Symptom Burden in Cancer Survivors: A Systematic Review. <i>Journal of Pain and Symptom Management</i> , 2019, 57, 646-660.e1.	1.2	104
113	Patientsâ€™ and cliniciansâ€™ perspectives of co-use of cannabis and opioids for chronic non-cancer pain management in primary care. <i>International Journal of Drug Policy</i> , 2019, 63, 23-28.	3.3	37
114	Adaption of the Biopsychosocial Model of Chronic Noncancer Pain in Veterans. <i>Pain Medicine</i> , 2019, 20, 14-27.	1.9	13
115	Adaptation and Implementation of a Mobile Phoneâ€“Based Remote Symptom Monitoring System for People With Cancer in Europe. <i>JMIR Cancer</i> , 2019, 5, e10813.	2.4	28
116	Quality of life of patients with gastrointestinal cancers undergoing chemotherapy. <i>Quality of Life Research</i> , 2018, 27, 1865-1876.	3.1	15
117	Sleep disturbance and symptom burden in sarcoidosis. <i>Respiratory Medicine</i> , 2018, 144, S35-S40.	2.9	11
118	Financial toxicity and symptom burden: what is the big deal?. <i>Supportive Care in Cancer</i> , 2018, 26, 1357-1359.	2.2	25
119	Differences in symptom clusters before and twelve months after breast cancer surgery. <i>European Journal of Oncology Nursing</i> , 2018, 32, 63-72.	2.1	18
120	Mechanisms and Measurement of Changes in Gene Expression. <i>Biological Research for Nursing</i> , 2018, 20, 369-382.	1.9	20
121	Associations Between Catecholaminergic and Serotonergic Genes and Persistent Breast Pain Phenotypes After Breast Cancer Surgery. <i>Journal of Pain</i> , 2018, 19, 1130-1146.	1.4	10
122	Associations Between Perceived Stress and Chemotherapy-Induced Peripheral Neuropathy and Otoxicity in Adult Cancer Survivors. <i>Journal of Pain and Symptom Management</i> , 2018, 56, 88-97.	1.2	34
123	Cytokine Gene Polymorphisms Associated With Various Domains of Quality of Life in Women With Breast Cancer. <i>Journal of Pain and Symptom Management</i> , 2018, 55, 334-350.e3.	1.2	7
124	Differential expression of genes and differentially perturbed pathways associated with very high evening fatigue in oncology patients receiving chemotherapy. <i>Supportive Care in Cancer</i> , 2018, 26, 739-750.	2.2	17
125	Stability of Symptom Clusters in Patients With Breast Cancer Receiving Chemotherapy. <i>Journal of Pain and Symptom Management</i> , 2018, 55, 39-55.	1.2	54
126	Congruence Between Latent Class and K-Modes Analyses in the Identification of Oncology Patients With Distinct Symptom Experiences. <i>Journal of Pain and Symptom Management</i> , 2018, 55, 318-333.e4.	1.2	25

#	ARTICLE	IF	CITATIONS
127	A review of the literature on symptom clusters in studies that included oncology patients receiving primary or adjuvant chemotherapy. <i>Journal of Clinical Nursing</i> , 2018, 27, 516-545.	3.0	44
128	A review of the literature on the relationships between genetic polymorphisms and chemotherapy-induced nausea and vomiting. <i>Critical Reviews in Oncology/Hematology</i> , 2018, 121, 51-61.	4.4	19
129	Hearing loss and tinnitus in survivors with chemotherapy-induced neuropathy. <i>European Journal of Oncology Nursing</i> , 2018, 32, 1-11.	2.1	17
130	Changes in the Occurrence, Severity, and Distress of Symptoms in Patients With Gastrointestinal Cancers Receiving Chemotherapy. <i>Journal of Pain and Symptom Management</i> , 2018, 55, 808-834.	1.2	25
131	Testing a pain self-management intervention by exploring reduction of analgesics's side effects in cancer outpatients and the involvement of family caregivers: a study protocol (PEINCA-FAM). <i>BMC Nursing</i> , 2018, 17, 54.	2.5	5
132	Expression of mitochondrial dysfunction-related genes and pathways in paclitaxel-induced peripheral neuropathy in breast cancer survivors. <i>Molecular Pain</i> , 2018, 14, 174480691881646.	2.1	34
133	Learning from data to predict future symptoms of oncology patients. <i>PLoS ONE</i> , 2018, 13, e0208808.	2.5	20
134	Phenotypic Characterization of Paclitaxel-Induced Peripheral Neuropathy in Cancer Survivors. <i>Journal of Pain and Symptom Management</i> , 2018, 56, 908-919.e3.	1.2	28
135	Risk Factors Associated With Chemotherapy-Induced Nausea in the Week Before the Next Cycle and Impact of Nausea on Quality of Life Outcomes. <i>Journal of Pain and Symptom Management</i> , 2018, 56, 352-362.	1.2	13
136	Distinct attentional function profiles in older adults receiving cancer chemotherapy. <i>European Journal of Oncology Nursing</i> , 2018, 36, 32-39.	2.1	15
137	Characteristics Associated With Physical Function Trajectories in Older Adults With Cancer During Chemotherapy. <i>Journal of Pain and Symptom Management</i> , 2018, 56, 678-688.e1.	1.2	15
138	Prevalence and Characteristics of Moderate to Severe Pain among Hospitalized Older Adults. <i>Journal of the American Geriatrics Society</i> , 2018, 66, 1744-1751.	2.6	23
139	Distinct pain profiles in patients with chronic obstructive pulmonary disease. <i>International Journal of COPD</i> , 2018, Volume 13, 801-811.	2.3	19
140	Impact of chemotherapy-induced neurotoxicities on adult cancer survivors's symptom burden and quality of life. <i>Journal of Cancer Survivorship</i> , 2018, 12, 234-245.	2.9	52
141	Differences in chemotherapy-induced neuropathy (CIN) among younger and older cancer survivors.. <i>Journal of Clinical Oncology</i> , 2018, 36, e22022-e22022.	1.6	0
142	The Impact of Demographic, Clinical, Symptom and Psychological Characteristics on the Trajectories of Acute Postoperative Pain After Total Knee Arthroplasty. <i>Pain Medicine</i> , 2017, 18, 124-139.	1.9	25
143	Inflammatory pathway genes associated with inter-individual variability in the trajectories of morning and evening fatigue in patients receiving chemotherapy. <i>Cytokine</i> , 2017, 91, 187-210.	3.2	31
144	Chemotherapy-Induced Neuropathy in Cancer Survivors. <i>Journal of Pain and Symptom Management</i> , 2017, 54, 204-218.e2.	1.2	93

#	ARTICLE	IF	CITATIONS
145	Distinct Wound Healing and Quality-of-Life Outcomes in Subgroups of Patients With Venous Leg Ulcers With Different Symptom Cluster Experiences. <i>Journal of Pain and Symptom Management</i> , 2017, 53, 871-879.	1.2	43
146	Patient factors and quality of life outcomes differ among four subgroups of oncology patients based on symptom occurrence. <i>Acta Oncologica</i> , 2017, 56, 462-470.	1.8	41
147	Common and Distinct Characteristics Associated With Trajectories of Morning and Evening Energy in Oncology Patients Receiving Chemotherapy. <i>Journal of Pain and Symptom Management</i> , 2017, 53, 887-900.e2.	1.2	16
148	Modifiable and non-modifiable characteristics associated with sleep disturbance in oncology outpatients during chemotherapy. <i>Supportive Care in Cancer</i> , 2017, 25, 2485-2494.	2.2	15
149	Predictors of the multidimensional symptom experience of lung cancer patients receiving chemotherapy. <i>Supportive Care in Cancer</i> , 2017, 25, 1931-1939.	2.2	26
150	Characteristics and Factors Associated With Pain in Older Homeless Individuals: Results From the Health Outcomes in People Experiencing Homelessness in Older Middle Age (HOPE HOME) Study. <i>Journal of Pain</i> , 2017, 18, 1036-1045.	1.4	28
151	The Risks of Opioid Treatment: Perspectives of Primary Care Practitioners and Patients from Safety-Net Clinics. <i>Substance Abuse</i> , 2017, 38, 213-221.	2.3	43
152	Differences in symptom clusters identified using symptom occurrence rates versus severity ratings in patients with breast cancer undergoing chemotherapy. <i>European Journal of Oncology Nursing</i> , 2017, 28, 122-132.	2.1	28
153	OPRM1 Methylation Contributes to Opioid Tolerance in Cancer Patients. <i>Journal of Pain</i> , 2017, 18, 1046-1059.	1.4	24
154	The eSMART study protocol: a randomised controlled trial to evaluate electronic symptom management using the advanced symptom management system (ASyMS) remote technology for patients with cancer. <i>BMJ Open</i> , 2017, 7, e015016.	1.9	96
155	Differences in Symptom Clusters Identified Using Ratings of Symptom Occurrence vs. Severity in Lung Cancer Patients Receiving Chemotherapy. <i>Journal of Pain and Symptom Management</i> , 2017, 54, 194-203.	1.2	34
156	Association of personality profiles with depressive, anxiety, and cancer-related symptoms in patients undergoing chemotherapy. <i>Personality and Individual Differences</i> , 2017, 117, 130-138.	2.9	26
157	The assessment and management of chemotherapy-related toxicities in patients with breast cancer, colorectal cancer, and Hodgkin's and non-Hodgkin's lymphomas: A scoping review. <i>European Journal of Oncology Nursing</i> , 2017, 26, 63-82.	2.1	32
158	Provider Experiences With the Identification, Management, and Treatment of Co-occurring Chronic Noncancer Pain and Substance Use in the Safety Net. <i>Substance Use and Misuse</i> , 2017, 52, 251-255.	1.4	10
159	Distinct evening fatigue profiles in oncology outpatients receiving chemotherapy. <i>Fatigue: Biomedicine, Health and Behavior</i> , 2017, 5, 131-144.	1.9	7
160	Distinct Physical Function Profiles in Older Adults Receiving Cancer Chemotherapy. <i>Journal of Pain and Symptom Management</i> , 2017, 54, 263-272.	1.2	20
161	The impact of symptom burden on the health status of service members with extremity trauma. <i>Nursing Outlook</i> , 2017, 65, S61-S70.	2.6	7
162	Associations between genetic and epigenetic variations in cytokine genes and mild persistent breast pain in women following breast cancer surgery. <i>Cytokine</i> , 2017, 99, 203-213.	3.2	36

#	ARTICLE	IF	CITATIONS
163	Cytokine Gene Polymorphisms Associated With Symptom Clusters in Oncology Patients Undergoing Radiation Therapy. <i>Journal of Pain and Symptom Management</i> , 2017, 54, 305-316.e3.	1.2	18
164	Advancing Symptom Science Through Symptom Cluster Research: Expert Panel Proceedings and Recommendations. <i>Journal of the National Cancer Institute</i> , 2017, 109, djw253.	6.3	275
165	Alterations in opioid inhibition cause widespread nociception but do not affect anxiety-like behavior in oral cancer mice. <i>Neuroscience</i> , 2017, 363, 50-61.	2.3	7
166	The relationship between pain with walking and self-rated health 12Âmonths following total knee arthroplasty: a longitudinal study. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 75.	1.9	13
167	Associations Between Neurotransmitter Genes and Fatigue and Energy Levels in Women After Breast Cancer Surgery. <i>Journal of Pain and Symptom Management</i> , 2017, 53, 67-84.e7.	1.2	34
168	Characteristics associated with inter-individual differences in the trajectories of self-reported attentional function in oncology outpatients receiving chemotherapy. <i>Supportive Care in Cancer</i> , 2017, 25, 783-793.	2.2	4
169	AAPT Diagnostic Criteria for Chronic Cancer Pain Conditions. <i>Journal of Pain</i> , 2017, 18, 233-246.	1.4	42
170	Factors associated with oncology patients' involvement in shared decision making during chemotherapy. <i>Psycho-Oncology</i> , 2017, 26, 1972-1979.	2.3	27
171	Association between changes in body fat and disease progression after breast cancer surgery is moderated by menopausal status. <i>BMC Cancer</i> , 2017, 17, 863.	2.6	18
172	Differences in symptom occurrence, severity, and distress ratings between patients with gastrointestinal cancers who received chemotherapy alone or chemotherapy with targeted therapy. <i>Journal of Gastrointestinal Oncology</i> , 2017, 8, 109-126.	1.4	19
173	Evaluation of coping as a mediator of the relationship between stressful life events and cancer-related distress.. <i>Health Psychology</i> , 2017, 36, 1147-1160.	1.6	31
174	Does menopausal status influence the symptom experience of women prior to breast cancer surgery?. <i>Journal of Clinical Oncology</i> , 2017, 35, 149-149.	1.6	2
175	Subgroups of survivors with distinct aggravating factors associated with chemotherapy-induced neuropathy (CIN) in the feet.. <i>Journal of Clinical Oncology</i> , 2017, 35, 151-151.	1.6	0
176	Subgroups of survivors with distinct aggravating factors associated with chemotherapy-induced neuropathy (CIN) in the hands.. <i>Journal of Clinical Oncology</i> , 2017, 35, 157-157.	1.6	0
177	Distinct symptom experiences in subgroups of patients with COPD. <i>International Journal of COPD</i> , 2016, Volume 11, 1801-1809.	2.3	20
178	Preoperative Pain, Symptoms, and Psychological Factors related to Higher Acute Pain Trajectories during Hospitalization for Total Knee Arthroplasty. <i>PLoS ONE</i> , 2016, 11, e0161681.	2.5	38
179	Differences in demographic, clinical, and symptom characteristics and quality of life outcomes among oncology patients with different types of pain. <i>Pain</i> , 2016, 157, 892-900.	4.2	36
180	A Review of the Literature on Multiple Co-occurring Symptoms in Patients With Colorectal Cancer Who Received Chemotherapy Alone or Chemotherapy With Targeted Therapies. <i>Cancer Nursing</i> , 2016, 39, 437-445.	1.5	26

#	ARTICLE	IF	CITATIONS
181	Future Directions in Symptom Cluster Research. <i>Seminars in Oncology Nursing</i> , 2016, 32, 405-415.	1.5	65
182	Factors that can predict pain with walking, 12 months after total knee arthroplasty. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2016, 87, 600-606.	3.3	41
183	A Rasch Analysis of Assessments of Morning and Evening Fatigue in Oncology Patients Using the Lee Fatigue Scale. <i>Journal of Pain and Symptom Management</i> , 2016, 51, 1002-1012.	1.2	24
184	Occurrence, Characteristics, and Predictors of Pain in Patients with Chronic Obstructive Pulmonary Disease. <i>Pain Management Nursing</i> , 2016, 17, 107-118.	0.9	20
185	Phenotypic and molecular characteristics associated with various domains of quality of life in oncology patients and their family caregivers. <i>Quality of Life Research</i> , 2016, 25, 2853-2868.	3.1	9
186	Polymorphisms in Cytokine Genes Are Associated With Higher Levels of Fatigue and Lower Levels of Energy in Women After Breast Cancer Surgery. <i>Journal of Pain and Symptom Management</i> , 2016, 52, 695-708.e4.	1.2	34
187	Age differences in fatigue, decrements in energy, and sleep disturbance in oncology patients receiving chemotherapy. <i>European Journal of Oncology Nursing</i> , 2016, 23, 115-123.	2.1	15
188	No Differences in Symptom Burden Between Colorectal Cancer Patients Receiving Curative Versus Palliative Chemotherapy. <i>Journal of Pain and Symptom Management</i> , 2016, 52, 539-547.	1.2	18
189	Subgroups of chemotherapy patients with distinct morning and evening fatigue trajectories. <i>Supportive Care in Cancer</i> , 2016, 24, 1473-1485.	2.2	42
190	Co-occurrence of anxiety and depressive symptoms following breast cancer surgery and its impact on quality of life. <i>European Journal of Oncology Nursing</i> , 2016, 20, 97-105.	2.1	95
191	Symptom Clusters From Dialysis to Renal Transplantation: A Five-Year Longitudinal Study. <i>Journal of Pain and Symptom Management</i> , 2016, 51, 512-519.	1.2	22
192	Primary Care Providers'™ Experiences with Urine Toxicology Tests to Manage Prescription Opioid Misuse and Substance use among Chronic Noncancer Pain Patients in Safety Net Health Care Settings. <i>Substance Abuse</i> , 2016, 37, 154-160.	2.3	22
193	Differences in limb volume trajectories after breast cancer treatment. <i>Journal of Cancer Survivorship</i> , 2016, 10, 772-782.	2.9	6
194	Polymorphisms in Tumor Necrosis Factor- β Are Associated With Higher Anxiety Levels in Women After Breast Cancer Surgery. <i>Clinical Breast Cancer</i> , 2016, 16, 63-71.e3.	2.4	12
195	Differences in Symptom Burden Among Patients With Moderate, Severe, or Very Severe Chronic Obstructive Pulmonary Disease. <i>Journal of Pain and Symptom Management</i> , 2016, 51, 849-859.	1.2	20
196	Gene Expression Profiling of Evening Fatigue in Women Undergoing Chemotherapy for Breast Cancer. <i>Biological Research for Nursing</i> , 2016, 18, 370-385.	1.9	28
197	Presurgical symptom profiles predict quality of life 2 years after surgery in women with breast cancer. <i>Supportive Care in Cancer</i> , 2016, 24, 243-251.	2.2	14
198	Comparison of subgroups of breast cancer patients on pain and co-occurring symptoms following chemotherapy. <i>Supportive Care in Cancer</i> , 2016, 24, 605-614.	2.2	49

#	ARTICLE	IF	CITATIONS
199	Identification of symptom clusters by occurrence and severity in lung cancer patients receiving chemotherapy.. Journal of Clinical Oncology, 2016, 34, e21657-e21657.	1.6	0
200	Associations Between Cytokine Genes and a Symptom Cluster of Pain, Fatigue, Sleep Disturbance, and Depression in Patients Prior to Breast Cancer Surgery. Biological Research for Nursing, 2015, 17, 237-247.	1.9	121
201	Cytokine gene variations associated with trait and state anxiety in oncology patients and their family caregivers. Supportive Care in Cancer, 2015, 23, 953-965.	2.2	31
202	Cytokine Gene Associations With Self-Report Ratings of Morning and Evening Fatigue in Oncology Patients and Their Family Caregivers. Biological Research for Nursing, 2015, 17, 175-184.	1.9	39
203	Associations between catecholaminergic, GABAergic, and serotonergic genes and self-reported attentional function in oncology patients and their family caregivers. European Journal of Oncology Nursing, 2015, 19, 251-259.	2.1	6
204	Differences in Composition of Symptom Clusters Between Older and Younger Oncology Patients. Journal of Pain and Symptom Management, 2015, 49, 1025-1034.	1.2	49
205	Trajectories of Evening Fatigue in Oncology Outpatients Receiving Chemotherapy. Journal of Pain and Symptom Management, 2015, 50, 163-175.	1.2	27
206	Colposcopic characteristics and Lugol's staining differentiate anal high-grade and low-grade squamous intraepithelial lesions during high resolution anoscopy. Papillomavirus Research (Amsterdam, Netherlands), 2015, 1, 101-108.	4.5	25
207	Evaluation of Sisom: A computer-based animated tool to elicit symptoms and psychosocial concerns from children with cancer. European Journal of Oncology Nursing, 2015, 19, 359-369.	2.1	37
208	Trajectories of fear of recurrence in women with breast cancer. Supportive Care in Cancer, 2015, 23, 2033-2043.	2.2	59
209	Trajectories of Symptom Occurrence and Severity From Before Through Five Months After Lung Cancer Surgery. Journal of Pain and Symptom Management, 2015, 49, 995-1015.	1.2	44
210	Implementation of a pain management algorithm in intensive care units and evaluation of nurses' level of adherence with the algorithm. Heart and Lung: Journal of Acute and Critical Care, 2015, 44, 528-533.	1.6	27
211	Preoperative Breast Pain Predicts Persistent Breast Pain and Disability After Breast Cancer Surgery. Journal of Pain and Symptom Management, 2015, 49, 981-994.	1.2	38
212	Latent Class Analysis Reveals Distinct Subgroups of Patients Based on Symptom Occurrence and Demographic and Clinical Characteristics. Journal of Pain and Symptom Management, 2015, 50, 28-37.	1.2	88
213	Predictors and Trajectories of Morning Fatigue Are Distinct From Evening Fatigue. Journal of Pain and Symptom Management, 2015, 50, 176-189.	1.2	50
214	Phenotypic and Molecular Evidence Suggests That Decrements in Morning and Evening Energy Are Distinct but Related Symptoms. Journal of Pain and Symptom Management, 2015, 50, 599-614.e3.	1.2	30
215	Development of a pain management algorithm for intensive care units. Heart and Lung: Journal of Acute and Critical Care, 2015, 44, 521-527.	1.6	20
216	Symptom Clusters Predict Mortality Among Dialysis Patients in Norway: A Prospective Observational Cohort Study. Journal of Pain and Symptom Management, 2015, 49, 27-35.	1.2	36

#	ARTICLE	IF	CITATIONS
217	Variations in Potassium Channel Genes Are Associated With Breast Pain in Women Prior to Breast Cancer Surgery. <i>Journal of Neurogenetics</i> , 2014, 28, 122-135.	1.4	24
218	Persistent Breast Pain Following Breast Cancer Surgery Is Associated With Persistent Sensory Changes, Pain Interference, and Functional Impairments. <i>Journal of Pain</i> , 2014, 15, 1227-1237.	1.4	25
219	Persistent Arm Pain Is Distinct From Persistent Breast Pain Following Breast Cancer Surgery. <i>Journal of Pain</i> , 2014, 15, 1238-1247.	1.4	11
220	Trajectories of Depressive Symptoms in Women Prior to and for 6 Months After Breast Cancer Surgery. <i>Journal of Applied Biobehavioral Research</i> , 2014, 19, 79-105.	2.0	7
221	SYMPTOM CLUSTERS IN PATIENTS ON DIALYSIS AND THEIR ASSOCIATION WITH QUALITY OF LIFE OUTCOMES. <i>Journal of Renal Care</i> , 2014, 40, 23-33.	1.2	45
222	Cytokine gene variations associated with subsyndromal depressive symptoms in patients with breast cancer. <i>European Journal of Oncology Nursing</i> , 2014, 18, 397-404.	2.1	21
223	Differences in the Symptom Experience of Older Oncology Outpatients. <i>Journal of Pain and Symptom Management</i> , 2014, 47, 697-709.	1.2	32
224	Associations between cytokine gene variations and self-reported sleep disturbance in women following breast cancer surgery. <i>European Journal of Oncology Nursing</i> , 2014, 18, 85-93.	2.1	31
225	Identification of Symptom Clusters in Patients With Chronic Venous Leg Ulcers. <i>Journal of Pain and Symptom Management</i> , 2014, 47, 867-875.	1.2	54
226	Changes in and predictors of severity of fatigue in women with breast cancer: A longitudinal study. <i>International Journal of Nursing Studies</i> , 2014, 51, 582-592.	5.6	33
227	Association between an interleukin 1 receptor, type I promoter polymorphism and self-reported attentional function in women with breast cancer. <i>Cytokine</i> , 2014, 65, 192-201.	3.2	34
228	Associations Between Cytokine Gene Variations and Severe Persistent Breast Pain in Women Following Breast Cancer Surgery. <i>Journal of Pain</i> , 2014, 15, 169-180.	1.4	55
229	Identification of patient subgroups and risk factors for persistent arm/shoulder pain following breast cancer surgery. <i>European Journal of Oncology Nursing</i> , 2014, 18, 242-253.	2.1	85
230	Disease and treatment characteristics do not predict symptom occurrence profiles in oncology outpatients receiving chemotherapy. <i>Cancer</i> , 2014, 120, 2371-2378.	4.1	96
231	Non-medical use of non-opioid psychotherapeutic medications in a community-based cohort of HIV-infected indigent adults. <i>Drug and Alcohol Dependence</i> , 2014, 143, 263-267.	3.2	17
232	Differences in the symptom experience of older versus younger oncology outpatients: a cross-sectional study. <i>BMC Cancer</i> , 2013, 13, 6.	2.6	87
233	Proposed Mechanisms for Cancer- and Treatment-Related Cognitive Changes. <i>Seminars in Oncology Nursing</i> , 2013, 29, 260-269.	1.5	53
234	Differences in morning and evening fatigue in oncology patients and their family caregivers. <i>European Journal of Oncology Nursing</i> , 2013, 17, 841-848.	2.1	26

#	ARTICLE	IF	CITATIONS
235	Lymphatic and Angiogenic Candidate Genes Predict the Development of Secondary Lymphedema following Breast Cancer Surgery. PLoS ONE, 2013, 8, e60164.	2.5	87
236	Common Biological Pathways Underlying the Psychoneurological Symptom Cluster in Cancer Patients. Cancer Nursing, 2012, 35, E1-E20.	1.5	134
237	Sleep-Wake Circadian Activity Rhythms and Fatigue in Family Caregivers of Oncology Patients. Cancer Nursing, 2012, 35, 70-81.	1.5	37
238	Identification of distinct subgroups of breast cancer patients based on self-reported changes in sleep disturbance. Supportive Care in Cancer, 2012, 20, 2611-2619.	2.2	47
239	Identification of Patient Subgroups and Risk Factors for Persistent Breast Pain Following Breast Cancer Surgery. Journal of Pain, 2012, 13, 1172-1187.	1.4	115
240	Biomarkers: Symptoms, Survivorship, and Quality of Life. Seminars in Oncology Nursing, 2012, 28, 129-138.	1.5	29
241	Associations Between Pro- and Anti-Inflammatory Cytokine Genes and Breast Pain in Women Prior to Breast Cancer Surgery. Journal of Pain, 2012, 13, 425-437.	1.4	78
242	Association between pro- and anti-inflammatory cytokine genes and a symptom cluster of pain, fatigue, sleep disturbance, and depression. Cytokine, 2012, 58, 437-447.	3.2	157
243	Trajectories of anxiety in oncology patients and family caregivers during and after radiation therapy. European Journal of Oncology Nursing, 2012, 16, 1-9.	2.1	60
244	Sleep disturbance interventions in oncology patients and family caregivers: A comprehensive review and meta-analysis. Sleep Medicine Reviews, 2012, 16, 397-414.	8.5	75
245	Evidence of Associations between Cytokine Genes and Subjective Reports of Sleep Disturbance in Oncology Patients and Their Family Caregivers. PLoS ONE, 2012, 7, e40560.	2.5	44
246	Symptom trajectories during chemotherapy in outpatients with lung cancer colorectal cancer, or lymphoma. European Journal of Oncology Nursing, 2011, 15, 470-477.	2.1	43
247	Occurrence and Characteristics of Chronic Pain in a Community-Based Cohort of Indigent Adults Living With HIV Infection. Journal of Pain, 2011, 12, 1004-1016.	1.4	166
248	Predictors of the Trajectories of Self-Reported Sleep Disturbance in Men with Prostate Cancer During and Following Radiation Therapy. Sleep, 2011, 34, 171-179.	1.1	56
249	Sleep-Wake Circadian Activity Rhythm Parameters and Fatigue in Oncology Patients Before the Initiation of Radiation Therapy. Cancer Nursing, 2011, 34, 255-268.	1.5	83
250	Patients' Stories Provide Insights. Cancer Nursing, 2011, 34, 340-341.	1.5	0
251	Trajectories of Fatigue in Patients With Breast Cancer Before, During, and After Radiation Therapy. Cancer Nursing, 2010, 33, 201-212.	1.5	115
252	Biological pathways and genetic variables involved in pain. Quality of Life Research, 2010, 19, 1407-1417.	3.1	33

#	ARTICLE	IF	CITATIONS
253	Preliminary Evidence of an Association Between a Functional Interleukin-6 Polymorphism and Fatigue and Sleep Disturbance in Oncology Patients and Their Family Caregivers. <i>Journal of Pain and Symptom Management</i> , 2010, 40, 531-544.	1.2	86
254	Differences in Depression, Posttraumatic Stress Disorder, and Lifetime Trauma Exposure in Formerly Abused Women With Mild Versus Moderate to Severe Chronic Pain. <i>Journal of Interpersonal Violence</i> , 2010, 25, 2316-2338.	2.0	38
255	Outcome Measures to Evaluate the Effectiveness of Pain Management in Older Adults With Cancer. <i>Oncology Nursing Forum</i> , 2010, 37, 27-32.	1.2	11
256	Effective Management of Pain in Older Adults With Cancer. <i>Oncology Nursing Forum</i> , 2010, 37, 5-6.	1.2	0
257	A Review of the Prevalence and Impact of Multiple Symptoms in Oncology Patients. <i>Journal of Pain and Symptom Management</i> , 2009, 37, 715-736.	1.2	153
258	Changes in symptom clusters in patients undergoing radiation therapy. <i>Supportive Care in Cancer</i> , 2009, 17, 1383-1391.	2.2	62
259	Trajectories of fatigue in family caregivers of patients undergoing radiation therapy for prostate cancer. <i>Research in Nursing and Health</i> , 2009, 32, 125-139.	1.6	41
260	Understanding the Genetic Determinants of Pain and Pain Management. <i>Seminars in Oncology Nursing</i> , 2009, 25, S1-S7.	1.5	12
261	Pharmacologic Management of Sleep Disturbances in Noncancer-Related Pain. <i>Pain Management Nursing</i> , 2009, 10, 3-13.	0.9	5
262	A Review of the Incidence, Causes, Consequences, and Management of Gastrointestinal Effects Associated With Postoperative Opioid Administration. <i>Journal of Perianesthesia Nursing</i> , 2009, 24, 222-228.	0.7	43
263	The Symptom Experience of Oncology Outpatients Has a Different Impact on Quality-of-Life Outcomes. <i>Journal of Pain and Symptom Management</i> , 2008, 35, 162-170.	1.2	118
264	Trajectories of Fatigue in Men with Prostate Cancer Before, During, and After Radiation Therapy. <i>Journal of Pain and Symptom Management</i> , 2008, 35, 632-643.	1.2	94
265	The Use of Risk-Management Approaches to Protect Patients With Cancer-Related Pain and Their Healthcare Providers. <i>Oncology Nursing Forum</i> , 2008, 35, 20-24.	1.2	10
266	Introduction: Practical Approaches to Optimizing the Effective Use of Opioids in Cancer Pain. <i>Oncology Nursing Forum</i> , 2008, 35, 5-5.	1.2	0
267	Prevalence, Severity, and Impact of Symptoms on Female Family Caregivers of Patients at the Initiation of Radiation Therapy for Prostate Cancer. <i>Journal of Clinical Oncology</i> , 2008, 26, 599-605.	1.6	177
268	Adherence to Oral Endocrine Therapy for Breast Cancer: A Nursing Perspective. <i>Clinical Journal of Oncology Nursing</i> , 2008, 12, 213-221.	0.6	52
269	Conceptual Issues in Symptom Clusters Research and Their Implications for Quality-of-Life Assessment in Patients With Cancer. <i>Journal of the National Cancer Institute Monographs</i> , 2007, 2007, 39-46.	2.1	173
270	Is There a Biological Basis for the Clustering of Symptoms?. <i>Seminars in Oncology Nursing</i> , 2007, 23, 99-105.	1.5	68

#	ARTICLE	IF	CITATIONS
271	The use of a responder analysis to identify differences in patient outcomes following a self-care intervention to improve cancer pain management. <i>Pain</i> , 2007, 129, 55-63.	4.2	57
272	Quantitative and Clinical Description of Postural Instability in Women With Breast Cancer Treated With Taxane Chemotherapy. <i>Archives of Physical Medicine and Rehabilitation</i> , 2007, 88, 1002-1008.	0.9	123
273	Symptom clusters: establishing the link between clinical practice and symptom management research. <i>Supportive Care in Cancer</i> , 2006, 14, 792-794.	2.2	57
274	Subgroups of Patients With Cancer With Different Symptom Experiences and Quality-of-Life Outcomes: A Cluster Analysis. <i>Oncology Nursing Forum</i> , 2006, 33, E79-E89.	1.2	244
275	The Ten Commandments of Research—one nurse scientist's perspective. <i>Communicating Nursing Research</i> , 2006, 39, 55-68.	0.1	0
276	Patient-controlled Modalities for Acute Postoperative Pain Management. <i>Journal of Perianesthesia Nursing</i> , 2005, 20, 255-267.	0.7	43
277	Categorizing the severity of cancer pain: further exploration of the establishment of cutpoints. <i>Pain</i> , 2005, 113, 37-44.	4.2	191
278	Gender Differences in Pain, Fatigue, and Depression in Patients With Cancer. <i>Journal of the National Cancer Institute Monographs</i> , 2004, 2004, 139-143.	2.1	130
279	Symptom Clusters: The New Frontier in Symptom Management Research. <i>Journal of the National Cancer Institute Monographs</i> , 2004, 2004, 17-21.	2.1	315
280	Recent Advances in Understanding Pain Mechanisms Provide Future Directions for Pain Management. <i>Oncology Nursing Forum</i> , 2004, 31, 25-35.	1.2	9
281	Randomized Clinical Trial of the Effectiveness of a Self-Care Intervention to Improve Cancer Pain Management. <i>Journal of Clinical Oncology</i> , 2004, 22, 1713-1720.	1.6	214
282	Occurrence of Symptom Clusters. <i>Journal of the National Cancer Institute Monographs</i> , 2004, 2004, 76-78.	2.1	211
283	No evidence for sex differences in the severity and treatment of cancer pain. <i>Journal of Pain and Symptom Management</i> , 2004, 28, 225-232.	1.2	43
284	The PRO-SELFÂ® Pain Control Program Improves Patients' Knowledge of Cancer Pain Management. <i>Oncology Nursing Forum</i> , 2004, 31, 1137-1143.	1.2	51
285	Impaired sleep and rhythms in persons with cancer. <i>Sleep Medicine Reviews</i> , 2004, 8, 199-212.	8.5	162
286	Psychoeducational interventions for cancer pain serve as a model for behavioral research. <i>Communicating Nursing Research</i> , 2004, 37, 51, 53-71.	0.1	1
287	Radiation-Induced Mucositis: A Randomized Clinical Trial of Micronized Sucralfate Versus Salt & Soda Mouthwashes. <i>Cancer Investigation</i> , 2003, 21, 21-33.	1.3	77
288	Hope in the general Norwegian population, measured using the Herth Hope Index. <i>Palliative and Supportive Care</i> , 2003, 1, 309-318.	1.0	27

#	ARTICLE	IF	CITATIONS
289	Oncology outpatients with pain from bone metastasis require more than around-the-clock dosing of analgesics to achieve adequate pain control. <i>Journal of Pain</i> , 2002, 3, 12-20.	1.4	22
290	New approaches for evaluating the quality of cancer pain management in the outpatient setting. <i>Pain Management Nursing</i> , 2001, 2, 7-12.	0.9	4
291	Monitoring and Improving Pain Management Practices. <i>Critical Care Nursing Clinics of North America</i> , 2001, 13, 311-317.	0.8	8
292	Lack of Adherence With the Analgesic Regimen: A Significant Barrier to Effective Cancer Pain Management. <i>Journal of Clinical Oncology</i> , 2001, 19, 4275-4279.	1.6	212
293	Advancing the science of symptom management. <i>Journal of Advanced Nursing</i> , 2001, 33, 668-676.	3.3	777
294	Review of Research Studies That Evaluated the Impact of Treatment for Childhood Cancers on Neurocognition and Behavioral and Social Competence: Nursing Implications. <i>Journal for Specialists in Pediatric Nursing</i> , 2000, 5, 57-73.	1.1	14
295	Randomized clinical trial of the effectiveness of 3 commonly used mouthwashes to treat chemotherapy-induced mucositis. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2000, 90, 39-47.	1.4	163
296	Pain, Fatigue, and Sleep Disturbances in Oncology Outpatients Receiving Radiation Therapy for Bone Metastasis. <i>Journal of Pain and Symptom Management</i> , 1999, 17, 320-332.	1.2	300
297	Risk Factors for Chemotherapy-Induced Oral Mucositis: Dental Appliances, Oral Hygiene, Previous Oral Lesions, and History of Smoking. <i>Cancer Investigation</i> , 1999, 17, 278-284.	1.3	54
298	The PRO-SELF?? Mouth Aware program: An effective approach for reducing chemotherapy-induced mucositis. <i>Cancer Nursing</i> , 1998, 21, 263-268.	1.5	72
299	Principles & guidelines for respiratory monitoring on the general care floor. <i>Journal of Clinical Monitoring and Computing</i> , 1996, 12, 411-416.	0.7	9
300	Kappa??opioids produce significantly greater analgesia in women than in men. <i>Nature Medicine</i> , 1996, 2, 1248-1250.	30.7	462
301	Nursing Salaries and Practice Patterns: A Nationwide Evaluation by the Oncology Nursing Society. <i>Cancer Investigation</i> , 1993, 11, 689-698.	1.3	0
302	Antinociceptive and motor effects of delta/mu and kappa/mu combinations of intrathecal opioid agonists. <i>Pain</i> , 1992, 49, 137-144.	4.2	47