
David Francis

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8146341/publications.pdf

Version: 2024-02-01



DAVID EDANCIS

#	Article	IF	CITATIONS
1	Steroidal alkaloid biosynthesis is coordinately regulated and differs among tomatoes in the redâ€fruited clade. Plant Genome, 2022, 15, e20192.	2.8	6
2	Migration Drives the Replacement of Xanthomonas perforans Races in the Absence of Widely Deployed Resistance. Frontiers in Microbiology, 2022, 13, 826386.	3.5	4
3	Shifts in <i>Xanthomonas</i> spp. causing bacterial spot in processing tomato in the Midwest of the United States. Canadian Journal of Plant Pathology, 2022, 44, 652-667.	1.4	3
4	<scp><i>Solanum galapagense</i></scp> â€derived purple tomato fruit color is conferred by novel alleles of the <i>anthocyanin fruit</i> and <i>atroviolacium</i> loci. Plant Direct, 2022, 6, e394.	1.9	5
5	Novel Trichoderma Isolates Alleviate Water Deficit Stress in Susceptible Tomato Genotypes. Frontiers in Plant Science, 2022, 13, 869090.	3.6	11
6	Identification and assessment of alleles in the promoter of the <i>Cycâ€B</i> gene that modulate levels of βâ€carotene in ripe tomato fruit. Plant Genome, 2021, 14, e20085.	2.8	6
7	Cryptic introgressions contribute to transgressive segregation for early blight resistance in tomato. Theoretical and Applied Genetics, 2021, 134, 2561-2575.	3.6	6
8	Bioluminescent Xanthomonas hortorum pv. gardneri as a Tool to Quantify Bacteria in Planta, Screen Germplasm, and Identify Infection Routes on Leaf Surfaces. Frontiers in Plant Science, 2021, 12, 667351.	3.6	4
9	Evaluating Quantitative Trait Locus Resistance in Tomato to Multiple <i>Xanthomonas</i> spp Plant Disease, 2020, 104, 423-429.	1.4	12
10	High-Throughput Phenotyping Approach for Screening Major Carotenoids of Tomato by Handheld Raman Spectroscopy Using Chemometric Methods. Sensors, 2020, 20, 3723.	3.8	23
11	Propagation Fidelity and Kinship of Tomato Varieties â€~UC 82' and â€~M82' Revealed by Analysis of Sequ Variation. Agronomy, 2020, 10, 538.	uence 3.0	3
12	Novel Processing Technologies as Compared to Thermal Treatment on the Bioaccessibility and Caco-2 Cell Uptake of Carotenoids from Tomato and Kale-Based Juices. Journal of Agricultural and Food Chemistry, 2019, 67, 10185-10194.	5.2	19
13	Analysis of Tomato Carotenoids: Comparing Extraction and Chromatographic Methods. Journal of AOAC INTERNATIONAL, 2019, 102, 1069-1079.	1.5	21
14	Ty-6, a major begomovirus resistance gene on chromosome 10, is effective against Tomato yellow leaf curl virus and Tomato mottle virus. Theoretical and Applied Genetics, 2019, 132, 1543-1554.	3.6	72
15	Whole genome re-sequencing analysis of two tomato genotypes for polymorphism insight in cloned genes and a genetic map construction. Scientia Horticulturae, 2019, 247, 58-66.	3.6	14
16	A Novel Tomato-Soy Juice Induces a Dose-Response Increase in Urinary and Plasma Phytochemical Biomarkers in Men with Prostate Cancer. Journal of Nutrition, 2019, 149, 26-35.	2.9	23
17	Comparison of Marker-Based Genomic Estimated Breeding Values and Phenotypic Evaluation for Selection of Bacterial Spot Resistance in Tomato. Phytopathology, 2018, 108, 392-401.	2.2	29
18	Limited appearance of apocarotenoids is observed in plasma after consumption of tomato juices: a randomized human clinical trial. American Journal of Clinical Nutrition, 2018, 108, 784-792.	4.7	15

#	Article	IF	CITATIONS
19	Challenges and opportunities for improving food quality and nutrition through plant biotechnology. Current Opinion in Biotechnology, 2017, 44, 124-129.	6.6	34
20	The use of historical datasets to develop multi-trait selection models in processing tomato. Euphytica, 2017, 213, 1.	1.2	5
21	Plasma Metabolomics Reveals Steroidal Alkaloids as Novel Biomarkers of Tomato Intake in Mice. Molecular Nutrition and Food Research, 2017, 61, 1700241.	3.3	17
22	Tomatoes protect against development of UV-induced keratinocyte carcinoma via metabolomic alterations. Scientific Reports, 2017, 7, 5106.	3.3	57
23	Thermal processing differentially affects lycopene and other carotenoids in cis-lycopene containing, tangerine tomatoes. Food Chemistry, 2016, 210, 466-472.	8.2	38
24	Resistance to Crown and Root Rot Caused by <i>Phytophthora capsici</i> in a Tomato Advanced Backcross of <i>Solanum habrochaites</i> and <i>Solanum lycopersicum</i> . Plant Disease, 2016, 100, 829-835.	1.4	18
25	Association Analysis for Bacterial Spot Resistance in a Directionally Selected Complex Breeding Population of Tomato. Phytopathology, 2015, 105, 1437-1445.	2.2	27
26	Sex differences in skin carotenoid deposition and acute UVB-induced skin damage in SKH-1 hairless mice after consumption of <i>tangerine</i> tomatoes. Molecular Nutrition and Food Research, 2015, 59, 2491-2501.	3.3	16
27	Enhanced bioavailability of lycopene when consumed as <i>cis</i> â€isomers from <i>tangerine</i> compared to red tomato juice, a randomized, crossâ€over clinical trial. Molecular Nutrition and Food Research, 2015, 59, 658-669.	3.3	163
28	Genomic variation in tomato, from wild ancestors to contemporary breeding accessions. BMC Genomics, 2015, 16, 257.	2.8	190
29	Feasibility of Predicting Ease of Peeling of Tomato Fruits by Using a Handheld Infrared Spectrometer. Journal of Food Processing and Preservation, 2014, 38, 1010-1017.	2.0	1
30	Avocado Consumption Enhances Human Postprandial Provitamin A Absorption and Conversion from a Novel High–β-Carotene Tomato Sauce and from Carrots. Journal of Nutrition, 2014, 144, 1158-1166.	2.9	76
31	Characterization of a landrace collection for TomÃtiga de Ramellet (Solanum lycopersicum L.) from the Balearic Islands. Genetic Resources and Crop Evolution, 2014, 61, 1131-1146.	1.6	32
32	Bioavailability of Phytochemical Constituents From a Novel Soy Fortified Lycopene Rich Tomato Juice Developed for Targeted Cancer Prevention Trials. Nutrition and Cancer, 2013, 65, 919-929.	2.0	43
33	Increased carotenoid bioavailability from a unique, cislycopene containing tangerineâ€ŧype tomato. FASEB Journal, 2013, 27, 38.1.	0.5	2
34	Single Nucleotide Polymorphism Discovery in Cultivated Tomato via Sequencing by Synthesis. Plant Genome, 2012, 5, .	2.8	81
35	Fine mapping and analysis of a candidate gene in tomato accession PI128216 conferring hypersensitive resistance to bacterial spot race T3. Theoretical and Applied Genetics, 2012, 124, 533-542.	3.6	43
36	Development of a Large SNP Genotyping Array and Generation of High-Density Genetic Maps in Tomato. PLoS ONE, 2012, 7, e40563.	2.5	313

#	Article	IF	CITATIONS
37	High-Density SNP Genotyping of Tomato (Solanum lycopersicum L.) Reveals Patterns of Genetic Variation Due to Breeding. PLoS ONE, 2012, 7, e45520.	2.5	164
38	Trait Diversity and Potential for Selection Indices Based on Variation Among Regionally Adapted Processing Tomato Germplasm. Journal of the American Society for Horticultural Science, 2012, 137, 427-437.	1.0	71
39	Provitamin A Absorption and Conversion from a Unique High Beta arotene Tomato is Higher when Consumed with Avocado. FASEB Journal, 2012, 26, 31.5.	0.5	0
40	Distribution of <i>SUN, OVATE, LC</i> , and <i>FAS</i> in the Tomato Germplasm and the Relationship to Fruit Shape Diversity Â. Plant Physiology, 2011, 156, 275-285.	4.8	293
41	Mapping and linkage disequilibrium analysis with a genome-wide collection of SNPs that detect polymorphism in cultivated tomato. Journal of Experimental Botany, 2011, 62, 1831-1845.	4.8	68
42	Population structure and genetic differentiation associated with breeding history and selection in tomato (Solanum lycopersicum L.). Heredity, 2011, 106, 927-935.	2.6	68
43	Molecular Mapping of Hypersensitive Resistance from Tomato â€~Hawaii 7981' to <i>Xanthomonas perforans</i> Race T3. Phytopathology, 2011, 101, 1217-1223.	2.2	30
44	External calibration models for the measurement of tomato carotenoids by infrared spectroscopy. Journal of Food Composition and Analysis, 2011, 24, 121-126.	3.9	27
45	AlleleCoder: a PERL script for coding co-dominant polymorphism data for PCA. Plant Genetic Resources: Characterisation and Utilisation, 2011, 9, 528-530.	0.8	3
46	Consumption of a tomato carotenoid containing diet reduces UVâ€induced inflammation and DNA damage in a Skhâ€1 hairless mouse model. FASEB Journal, 2011, 25, 975.19.	0.5	0
47	Discovery of intron polymorphisms in cultivated tomato using both tomato and Arabidopsis genomic information. Theoretical and Applied Genetics, 2010, 121, 1199-1207.	3.6	31
48	Identification of QTL associated with resistance to bacterial spot race T4 in tomato. Theoretical and Applied Genetics, 2010, 121, 1275-1287.	3.6	39
49	Tomato-based food products for prostate cancer prevention: what have we learned?. Cancer and Metastasis Reviews, 2010, 29, 553-568.	5.9	87
50	Profiling of nutritionally important carotenoids from genetically-diverse tomatoes by infrared spectroscopy. Food Chemistry, 2010, 120, 282-289.	8.2	40
51	Carotenoid Stability during Production and Storage of Tomato Juice Made from Tomatoes with Diverse Pigment Profiles Measured by Infrared Spectroscopy. Journal of Agricultural and Food Chemistry, 2010, 58, 8692-8698.	5.2	26
52	Oligonucleotide array discovery of polymorphisms in cultivated tomato (Solanum lycopersicum L.) reveals patterns of SNP variation associated with breeding. BMC Genomics, 2009, 10, 466.	2.8	49
53	Rapid and Simultaneous Determination of Lycopene and β-Carotene Contents in Tomato Juice by Infrared Spectroscopy. Journal of Agricultural and Food Chemistry, 2009, 57, 1105-1112.	5.2	68

 $_{54}$ Characterization of Hypersensitive Resistance to Bacterial Spot Race T3 (<i>Xanthomonas) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62 Td $_{2.2}^{54}$

#	Article	IF	CITATIONS
55	Genomics of Tropical Solanaceous Species: Established and Emerging Crops. , 2008, , 453-467.		5
56	Tomato Analyzer-color Test: A New Tool for Efficient Digital Phenotyping. Journal of the American Society for Horticultural Science, 2008, 133, 579-586.	1.0	79
57	Lycopene from heat-induced cis-isomer-rich tomato sauce is more bioavailable than from all-trans-rich tomato sauce in human subjects. British Journal of Nutrition, 2007, 98, 140-146.	2.3	196
58	Tomato. , 2007, , 1-125.		14
59	Carotenoid Absorption in Humans Consuming Tomato Sauces Obtained from Tangerine or High-β-Carotene Varieties of Tomatoes. Journal of Agricultural and Food Chemistry, 2007, 55, 1597-1603.	5.2	84
60	Diversity in conserved genes in tomato. BMC Genomics, 2007, 8, 465.	2.8	65
61	Direct Determination of Lycopene Content in Tomatoes (Lycopersicon esculentum) by Attenuated Total Reflectance Infrared Spectroscopy and Multivariate Analysis. Journal of AOAC INTERNATIONAL, 2006, 89, 1257-1262.	1.5	23
62	Genetics and Breeding for Resistance to Bacterial Diseases in Tomato. , 2006, , 379-419.		9
63	(8) Supplemental Potassium Source and Processing Tomato Quality. Hortscience: A Publication of the American Society for Hortcultural Science, 2006, 41, 1016A-1016.	1.0	0
64	Resistance in Lycopersicon esculentum Intraspecific Crosses to Race T1 Strains of Xanthomonas campestris pv. vesicatoria Causing Bacterial Spot of Tomato. Phytopathology, 2005, 95, 519-527.	2.2	71
65	(216) Effect of Supplemental Potassium on Yield and Quality of Processing Tomato. Hortscience: A Publication of the American Society for Hortcultural Science, 2005, 40, 1073A-1073.	1.0	2
66	Marker-assisted Selection for Combining Resistance to Bacterial Spot and Bacterial Speck in Tomato. Journal of the American Society for Horticultural Science, 2005, 130, 716-721.	1.0	56
67	Discovery of single nucleotide polymorphisms in Lycopersicon esculentum by computer aided analysis of expressed sequence tags. Molecular Breeding, 2004, 14, 21-34.	2.1	101
68	Mapping, genetic effects, and epistatic interaction of two bacterial canker resistance QTLs from Lycopersicon hirsutum. Theoretical and Applied Genetics, 2004, 108, 1047-1055.	3.6	62
69	Proteomic Analysis of Resistance Mediated by Rcm 2.0 and Rcm 5.1, Two Loci Controlling Resistance to Bacterial Canker of Tomato. Molecular Plant-Microbe Interactions, 2004, 17, 1019-1028.	2.6	59
70	Improved Tomato Fruit Color within an Inbred Backcross Line Derived from Lycopersicon esculentum and L. hirsutum Involves the Interaction of Loci. Journal of the American Society for Horticultural Science, 2004, 129, 250-257.	1.0	43
71	A QTL controlling stem morphology and vascular development in <i>Lycopersicon esculentum</i> × <i>Lycopersicon hirsutum</i> (Solanaceae) crosses is located on chromosome 2. American Journal of Botany, 2002, 89, 1859-1866.	1.7	21
72	Two Loci from Lycopersicon hirsutum LA407 Confer Resistance to Strains of Clavibacter michiganensis subsp. michiganensis. Phytopathology, 2002, 92, 504-510.	2.2	119

#	Article	IF	CITATIONS
73	Genetic Diversity Patterns among Phytophthora Resistant Soybean Plant Introductions Based on SSR Markers. Crop Science, 2002, 42, 338-343.	1.8	18
74	Resistance to Bacterial Canker in Tomato (Lycopersicon hirsutum LA407) and its Progeny Derived from Crosses to L. esculentum. Plant Disease, 2001, 85, 1171-1176.	1.4	53
75	Thermal isomerisation susceptibility of carotenoids in different tomato varieties. Journal of the Science of Food and Agriculture, 2001, 81, 910-917.	3.5	113