

Andy A Meharg

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8147790/publications.pdf>

Version: 2024-02-01

315
papers

32,892
citations

4103

90
h-index

5244

171
g-index

330
all docs

330
docs citations

330
times ranked

18134
citing authors

#	ARTICLE	IF	CITATIONS
1	Trace Elements and Arsenic Speciation of Field and Market Rice Samples in contrasting Agro-climatic Zones in Sri Lanka. <i>Exposure and Health</i> , 2023, 15, 133-144.	2.8	5
2	Embedded Health Risk from Arsenic in Globally Traded Rice. <i>Environmental Science & Technology</i> , 2022, 56, 6415-6425.	4.6	10
3	Reducing the cadmium, inorganic arsenic and dimethylarsinic acid content of rice through food-safe chemical cooking pre-treatment. <i>Food Chemistry</i> , 2021, 338, 127842.	4.2	13
4	Arsenic dynamics in paddy soil under traditional manuring practices in Bangladesh. <i>Environmental Pollution</i> , 2021, 268, 115821.	3.7	12
5	Avoiding Rice-Based Cadmium and Inorganic Arsenic in Infant Diets Through Selection of Products Low in Concentration of These Contaminants. <i>Exposure and Health</i> , 2021, 13, 229-235.	2.8	4
6	Geochemical variability in the soils of Bangladesh as affected by sources of irrigation water and inundation land types. <i>SN Applied Sciences</i> , 2021, 3, 1.	1.5	3
7	The Pedosphere as a Sink, Source, and Record of Anthropogenic and Natural Arsenic Atmospheric Deposition. <i>Environmental Science & Technology</i> , 2021, 55, 7757-7769.	4.6	15
8	Mitigation of arsenic accumulation in rice: An agronomical, physico-chemical, and biological approach – A critical review. <i>Critical Reviews in Environmental Science and Technology</i> , 2020, 50, 31-71.	6.6	56
9	Iodine status of teenage girls on the island of Ireland. <i>European Journal of Nutrition</i> , 2020, 59, 1859-1867.	1.8	16
10	Water Dilutes and Alcohol Concentrates Urinary Arsenic Species When Food is the Dominant Source of Exposure. <i>Exposure and Health</i> , 2020, 12, 699-710.	2.8	5
11	Global Sourcing of Low-Inorganic Arsenic Rice Grain. <i>Exposure and Health</i> , 2020, 12, 711-719.	2.8	43
12	Dissolved organic matter differentially influences arsenic methylation and volatilization in paddy soils. <i>Journal of Hazardous Materials</i> , 2020, 388, 121795.	6.5	38
13	Feed-derived iodine overrides environmental contribution to cow milk. <i>Journal of Dairy Science</i> , 2020, 103, 6930-6939.	1.4	7
14	Rice Grain Cadmium Concentrations in the Global Supply-Chain. <i>Exposure and Health</i> , 2020, 12, 869-876.	2.8	63
15	Phytolith content in Vietnamese paddy soils in relation to soil properties. <i>Geoderma</i> , 2019, 333, 200-213.	2.3	34
16	Soil attribute regulates assimilation of roxarsone metabolites by rice (<i>Oryza sativa</i> L.). <i>Ecotoxicology and Environmental Safety</i> , 2019, 184, 109660.	2.9	9
17	Maritime Deposition of Organic and Inorganic Arsenic. <i>Environmental Science & Technology</i> , 2019, 53, 7288-7295.	4.6	12
18	Inorganic arsenic exposure and neuropsychological development of children of 4–5 years of age living in Spain. <i>Environmental Research</i> , 2019, 174, 135-142.	3.7	45

#	ARTICLE	IF	CITATIONS
19	Modifying the Parboiling of Rice to Remove Inorganic Arsenic, While Fortifying with Calcium. <i>Environmental Science & Technology</i> , 2019, 53, 5249-5255.	4.6	20
20	Inhibition of Microbial Methylation via <i>arsM</i> in the Rhizosphere: Arsenic Speciation in the Soil to Plant Continuum. <i>Environmental Science & Technology</i> , 2019, 53, 3451-3463.	4.6	32
21	Degradation of tetracyclines in manure-amended soil and their uptake by litchi (<i>Litchi chinensis</i>) Tj ETQq1 1 0.784314 rgBT /Oyerlock 11	2.7	11
22	Source Identification of Trace Elements in Peri-urban Soils in Eastern China. <i>Exposure and Health</i> , 2019, 11, 195-207.	2.8	19
23	Fern, <i>Dicranopteris linearis</i> , derived phytoliths in soil: Morphotypes, solubility and content in relation to soil properties. <i>European Journal of Soil Science</i> , 2019, 70, 507-517.	1.8	20
24	Arsenic speciation dynamics in paddy rice soil-water environment: sources, physico-chemical, and biological factors - A review. <i>Water Research</i> , 2018, 140, 403-414.	5.3	244
25	Phytolith-associated potassium in fern: characterization, dissolution properties and implications for slash-and-burn agriculture. <i>Soil Use and Management</i> , 2018, 34, 28-36.	2.6	15
26	Elemental distribution in developing rice grains and the effect of flag-leaf arsenate exposure. <i>Environmental and Experimental Botany</i> , 2018, 149, 51-58.	2.0	19
27	Scopoletin 8-hydroxylase: a novel enzyme involved in coumarin biosynthesis and iron-deficiency responses in <i>Arabidopsis</i> . <i>Journal of Experimental Botany</i> , 2018, 69, 1735-1748.	2.4	86
28	Microbiome and ecotypic adaption of <i>Holcus lanatus</i> (L.) to extremes of its soil pH range, investigated through transcriptome sequencing. <i>Microbiome</i> , 2018, 6, 48.	4.9	29
29	Low inorganic arsenic in hydrolysed rice formula used for cow's milk protein allergy. <i>Pediatric Allergy and Immunology</i> , 2018, 29, 561-563.	1.1	20
30	Biovolatilization of Arsenic as Arsines from Seawater. <i>Environmental Science & Technology</i> , 2018, 52, 3968-3974.	4.6	23
31	Physiographical variability in arsenic dynamics in Bangladeshi soils. <i>Science of the Total Environment</i> , 2018, 612, 1365-1372.	3.9	18
32	The role of sulfate-reducing prokaryotes in the coupling of element biogeochemical cycling. <i>Science of the Total Environment</i> , 2018, 613-614, 398-408.	3.9	47
33	Opportunities and Challenges for Dietary Arsenic Intervention. <i>Environmental Health Perspectives</i> , 2018, 126, 84503.	2.8	32
34	Infants' dietary arsenic exposure during transition to solid food. <i>Scientific Reports</i> , 2018, 8, 7114.	1.6	33
35	Arsenic accumulation in rice (<i>Oryza sativa</i> L.) is influenced by environment and genetic factors. <i>Science of the Total Environment</i> , 2018, 642, 485-496.	3.9	98
36	Dilution of rice with other gluten free grains to lower inorganic arsenic in foods for young children in response to European Union regulations provides impetus to setting stricter standards. <i>PLoS ONE</i> , 2018, 13, e0194700.	1.1	20

#	ARTICLE	IF	CITATIONS
37	Understanding arsenic dynamics in agronomic systems to predict and prevent uptake by crop plants. <i>Science of the Total Environment</i> , 2017, 581-582, 209-220.	3.9	185
38	Optimizing Peri-URban Ecosystems (PURE) to re-couple urban-rural symbiosis. <i>Science of the Total Environment</i> , 2017, 586, 1085-1090.	3.9	80
39	Arsenic in Bangladeshi soils related to physiographic region, paddy management, and micro- and macro-elemental status. <i>Science of the Total Environment</i> , 2017, 590-591, 406-415.	3.9	26
40	Fine-mapping of genes determining extrafusal fiber properties in murine soleus muscle. <i>Physiological Genomics</i> , 2017, 49, 141-150.	1.0	12
41	Inorganic arsenic removal in rice bran by percolating cooking water. <i>Food Chemistry</i> , 2017, 234, 76-80.	4.2	34
42	Characterization and dissolution properties of phytolith occluded phosphorus in rice straw. <i>Soil and Tillage Research</i> , 2017, 171, 19-24.	2.6	38
43	Linking Genes to Microbial Biogeochemical Cycling: Lessons from Arsenic. <i>Environmental Science & Technology</i> , 2017, 51, 7326-7339.	4.6	223
44	Urinary Arsenic Speciation in Children and Pregnant Women from Spain. <i>Exposure and Health</i> , 2017, 9, 105-111.	2.8	30
45	Elevated Trimethylarsine Oxide and Inorganic Arsenic in Northern Hemisphere Summer Monsoonal Wet Deposition. <i>Environmental Science & Technology</i> , 2017, 51, 12210-12218.	4.6	14
46	Concentrations of urinary arsenic species in relation to rice and seafood consumption among children living in Spain. <i>Environmental Research</i> , 2017, 159, 69-75.	3.7	35
47	Levels of infants' urinary arsenic metabolites related to formula feeding and weaning with rice products exceeding the EU inorganic arsenic standard. <i>PLoS ONE</i> , 2017, 12, e0176923.	1.1	34
48	Effect of phosphorus on arsenic uptake and metabolism in rice cultivars differing in phosphorus use efficiency and response. <i>Anais Da Academia Brasileira De Ciencias</i> , 2017, 89, 163-174.	0.3	9
49	Comment on "Effects of Arsenite during Fetal Development on Energy Metabolism and Susceptibility to Diet-Induced Fatty Liver Diseases in Male Mice" and "Mechanisms Underlying Latent Disease Risk Associated with Early-Life Arsenic Exposure: Current Trends and Scientific Gaps". <i>Environmental Health Perspectives</i> , 2016, 124, A99.	2.8	4
50	Distribution of soil selenium in China is potentially controlled by deposition and volatilization?. <i>Scientific Reports</i> , 2016, 6, 20953.	1.6	49
51	Exposure & Health. <i>Exposure and Health</i> , 2016, 8, 1-1.	2.8	3
52	Perspective: City farming needs monitoring. <i>Nature</i> , 2016, 531, S60-S60.	13.7	32
53	Cobalamin Concentrations in Fetal Liver Show Gender Differences: A Result from Using a High-Pressure Liquid Chromatography-Inductively Coupled Plasma Mass Spectrometry as an Ultratrace Cobalt Speciation Method. <i>Analytical Chemistry</i> , 2016, 88, 12419-12426.	3.2	2
54	Assessing the Legacy of Red Mud Pollution in a Shallow Freshwater Lake: Arsenic Accumulation and Speciation in Macrophytes. <i>Environmental Science & Technology</i> , 2016, 50, 9044-9052.	4.6	37

#	ARTICLE	IF	CITATIONS
55	Inorganic arsenic in rice-based products for infants and young children. <i>Food Chemistry</i> , 2016, 191, 128-134.	4.2	137
56	Geographical variation in inorganic arsenic in paddy field samples and commercial rice from the Iberian Peninsula. <i>Food Chemistry</i> , 2016, 202, 356-363.	4.2	61
57	Validating the use of intrinsic markers in body feathers to identify inter-individual differences in non-breeding areas of northern fulmars. <i>Marine Biology</i> , 2016, 163, 64.	0.7	5
58	Quantitative Measurement of [Na ⁺] and [K ⁺] in Postmortem Human Brain Tissue Indicates Disturbances in Subjects with Alzheimer's Disease and Dementia with Lewy Bodies. <i>Journal of Alzheimer's Disease</i> , 2015, 44, 851-857.	1.2	16
59	Rethinking Rice Preparation for Highly Efficient Removal of Inorganic Arsenic Using Percolating Cooking Water. <i>PLoS ONE</i> , 2015, 10, e0131608.	1.1	44
60	Protecting global soil resources for ecosystem services. <i>Ecosystem Health and Sustainability</i> , 2015, 1, 1-4.	1.5	8
61	Mucosal Microbiome in Patients with Recurrent Aphthous Stomatitis. <i>Journal of Dental Research</i> , 2015, 94, 87S-94S.	2.5	57
62	The fungal microbiota of de-novo paediatric inflammatory bowel disease. <i>Microbes and Infection</i> , 2015, 17, 304-310.	1.0	67
63	Silicon, the silver bullet for mitigating biotic and abiotic stress, and improving grain quality, in rice?. <i>Environmental and Experimental Botany</i> , 2015, 120, 8-17.	2.0	218
64	In utero exposure to cigarette chemicals induces sex-specific disruption of one-carbon metabolism and DNA methylation in the human fetal liver. <i>BMC Medicine</i> , 2015, 13, 18.	2.3	58
65	Cadmium and lead in vegetable and fruit produce selected from specific regional areas of the UK. <i>Science of the Total Environment</i> , 2015, 533, 520-527.	3.9	55
66	Consistency of arsenic speciation in global tobacco products with implications for health and regulation. <i>Tobacco Induced Diseases</i> , 2014, 12, 24.	0.3	21
67	Genome Wide Association Mapping of Grain Arsenic, Copper, Molybdenum and Zinc in Rice (<i>Oryza</i>) Tj ETQq1 1 0.784314 rgBT /Overl 1.1 228		
68	A review on completing arsenic biogeochemical cycle: Microbial volatilization of arsines in environment. <i>Journal of Environmental Sciences</i> , 2014, 26, 371-381.	3.2	128
69	Lead in rice: Analysis of baseline lead levels in market and field collected rice grains. <i>Science of the Total Environment</i> , 2014, 485-486, 428-434.	3.9	78
70	Traitâ€ directed de novo population transcriptome dissects genetic regulation of a balanced polymorphism in phosphorus nutrition/arsenate tolerance in a wild grass, <i>Holcus lanatus</i> . <i>New Phytologist</i> , 2014, 201, 144-154.	3.5	6
71	Urinary excretion of arsenic following rice consumption. <i>Environmental Pollution</i> , 2014, 194, 181-187.	3.7	38
72	Age-Associated Changes of Brain Copper, Iron, and Zinc in Alzheimer's Disease and Dementia with Lewy Bodies. <i>Journal of Alzheimer's Disease</i> , 2014, 42, 1407-1413.	1.2	59

#	ARTICLE	IF	CITATIONS
73	Conserved histidine of metal transporter At<scp>NRAMP</scp>1 is crucial for optimal plant growth under manganese deficiency at chilling temperatures. <i>New Phytologist</i> , 2014, 202, 1173-1183.	3.5	29
74	Sprinkler irrigation of rice fields reduces grain arsenic but enhances cadmium. <i>Science of the Total Environment</i> , 2014, 485-486, 468-473.	3.9	81
75	Impacts of Gold Mining on Rice Production in the Anum Valley of Ghana. <i>Agricultural Sciences</i> , 2014, 05, 793-804.	0.2	1
76	Milling plant and soil material in plastic tubes over-estimates carbon and under-estimates nitrogen concentrations. <i>Plant and Soil</i> , 2013, 369, 509-513.	1.8	6
77	Arsenic and selenium mobilisation from organic matter treated mine spoil with and without inorganic fertilisation. <i>Environmental Pollution</i> , 2013, 173, 238-244.	3.7	77
78	A balanced polymorphism in biomass resource allocation controlled by phosphate in grasses screened through arsenate tolerance. <i>Environmental and Experimental Botany</i> , 2013, 96, 43-51.	2.0	3
79	Effect of organic matter amendment, arsenic amendment and water management regime on rice grain arsenic species. <i>Environmental Pollution</i> , 2013, 177, 38-47.	3.7	82
80	Methylated Arsenic Species in Rice: Geographical Variation, Origin, and Uptake Mechanisms. <i>Environmental Science & Technology</i> , 2013, 47, 3957-3966.	4.6	276
81	Variation in Rice Cadmium Related to Human Exposure. <i>Environmental Science & Technology</i> , 2013, 47, 5613-5618.	4.6	365
82	Arsenic Speciation and Localization in Horticultural Produce Grown in a Historically Impacted Mining Region. <i>Environmental Science & Technology</i> , 2013, 47, 6164-6172.	4.6	29
83	Total arsenic, inorganic arsenic, and other elements concentrations in Italian rice grain varies with origin and type. <i>Environmental Pollution</i> , 2013, 181, 38-43.	3.7	91
84	Poisoning from lead gunshot: still a threat to wild waterbirds in Britain. <i>European Journal of Wildlife Research</i> , 2013, 59, 195-204.	0.7	30
85	Alternate wetting and drying irrigation for rice in Bangladesh: Is it sustainable and has plant breeding something to offer?. <i>Food and Energy Security</i> , 2013, 2, 120-129.	2.0	74
86	Biogeochemistry of Arsenic in Paddy Environments. , 2012, , 71-101.		13
87	Elevated copper in urine of Bangladeshi ethnic group living in the United Kingdom. <i>Biomedical Spectroscopy and Imaging</i> , 2012, 1, 355-364.	1.2	0
88	Effect of heating vermiculites on extractability of phosphorus and some essential plant micronutrients. <i>Clay Minerals</i> , 2012, 47, 365-371.	0.2	0
89	A review of recent developments in the speciation and location of arsenic and selenium in rice grain. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 402, 3275-3286.	1.9	79
90	Essential and toxic elements in infant foods from Spain, UK, China and USA. <i>Journal of Environmental Monitoring</i> , 2012, 14, 2447.	2.1	39

#	ARTICLE	IF	CITATIONS
91	Spatial Heterogeneity and Kinetic Regulation of Arsenic Dynamics in Mangrove Sediments: The Sundarbans, Bangladesh. <i>Environmental Science & Technology</i> , 2012, 46, 8645-8652.	4.6	31
92	Grain Accumulation of Selenium Species in Rice (<i>Oryza sativa</i> L.). <i>Environmental Science & Technology</i> , 2012, 46, 5557-5564.	4.6	82
93	First comprehensive peat depositional records for tin, lead and copper associated with the antiquity of Europe's largest cassiterite deposits. <i>Journal of Archaeological Science</i> , 2012, 39, 717-727.	1.2	32
94	Arsenic in Rice Grown in Low-Arsenic Environments in Bangladesh. <i>Water Quality, Exposure, and Health</i> , 2012, 4, 197-208.	1.5	13
95	Arsenic & Rice. , 2012, , .		92
96	Hydrogeochemistry and Arsenic Contamination of Groundwater in the Haor Basins of Bangladesh. <i>Water Quality, Exposure, and Health</i> , 2012, 4, 67-78.	1.5	13
97	Methylated arsenic species in plants originate from soil microorganisms. <i>New Phytologist</i> , 2012, 193, 665-672.	3.5	312
98	Variation in grain arsenic assessed in a diverse panel of rice (<i>Oryza sativa</i>) grown in multiple sites. <i>New Phytologist</i> , 2012, 193, 650-664.	3.5	126
99	Inorganic arsenic contents in rice-based infant foods from Spain, UK, China and USA. <i>Environmental Pollution</i> , 2012, 163, 77-83.	3.7	121
100	Identification of quantitative trait loci for rice grain element composition on an arsenic impacted soil: Influence of flowering time on genetic loci. <i>Annals of Applied Biology</i> , 2012, 161, 46-56.	1.3	49
101	Risk assessment of potentially toxic elements in agricultural soils and maize tissues from selected districts in Tanzania. <i>Science of the Total Environment</i> , 2012, 416, 180-186.	3.9	48
102	Risk from Arsenic in Rice Grain. , 2012, , 31-50.		6
103	The Physiology of Arsenic in Rice. , 2012, , 103-138.		4
104	Strategies for Producing Low Arsenic Rice. , 2012, , 139-151.		3
105	Arsenic in Other Crops. , 2012, , 153-166.		0
106	Field Fluxes and Speciation of Arsines Emanating from Soils. <i>Environmental Science & Technology</i> , 2011, 45, 1798-1804.	4.6	138
107	Assessing the Labile Arsenic Pool in Contaminated Paddy Soils by Isotopic Dilution Techniques and Simple Extractions. <i>Environmental Science & Technology</i> , 2011, 45, 4262-4269.	4.6	75
108	Identification of tetramethylarsonium in rice grains with elevated arsenic content. <i>Journal of Environmental Monitoring</i> , 2011, 13, 32-34.	2.1	56

#	ARTICLE	IF	CITATIONS
109	Organic Matter–Solid Phase Interactions Are Critical for Predicting Arsenic Release and Plant Uptake in Bangladesh Paddy Soils. <i>Environmental Science & Technology</i> , 2011, 45, 6080-6087.	4.6	181
110	The impact of a rice based diet on urinary arsenic. <i>Journal of Environmental Monitoring</i> , 2011, 13, 257-265.	2.1	83
111	A field and reactive transport model study of arsenic in a basaltic rock aquifer. <i>Applied Geochemistry</i> , 2011, 26, 553-564.	1.4	13
112	Phloem transport of arsenic species from flag leaf to grain during grain filling. <i>New Phytologist</i> , 2011, 192, 87-98.	3.5	170
113	Effects of phosphate on arsenate and arsenite sensitivity in two rice (<i>Oryza sativa</i> L.) cultivars of different sensitivity. <i>Environmental and Experimental Botany</i> , 2011, 72, 47-52.	2.0	35
114	The dynamics of arsenic in four paddy fields in the Bengal delta. <i>Environmental Pollution</i> , 2011, 159, 947-953.	3.7	95
115	Inorganic arsenic and trace elements in Ghanaian grain staples. <i>Environmental Pollution</i> , 2011, 159, 2435-2442.	3.7	82
116	Levels of Arsenic and Other Trace Elements in Southern Libyan Agricultural Irrigated Soil and Non-irrigated Soil Projects. <i>Water Quality, Exposure, and Health</i> , 2011, 3, 79-90.	1.5	9
117	Accessory Minerals and Potentially Toxic Elements in Tanzanian Vermiculites with Respect to Agricultural Applications. <i>Communications in Soil Science and Plant Analysis</i> , 2011, 42, 1123-1142.	0.6	1
118	Arsenic is not stored as arsenite - phytochelatin complexes in the seaweeds <i>Fucus spiralis</i> and <i>Hizikia fusiforme</i> . <i>Environmental Chemistry</i> , 2011, 8, 30.	0.7	11
119	Arsenic as a Food Chain Contaminant: Mechanisms of Plant Uptake and Metabolism and Mitigation Strategies. <i>Annual Review of Plant Biology</i> , 2010, 61, 535-559.	8.6	1,023
120	Variations in Concentrations of Arsenic and Other Potentially Toxic Elements in Mine and Paddy Soils and Irrigation Waters from Southern Ghana. <i>Water Quality, Exposure, and Health</i> , 2010, 2, 115-124.	1.5	8
121	Genetic mapping of the rice ionome in leaves and grain: identification of QTLs for 17 elements including arsenic, cadmium, iron and selenium. <i>Plant and Soil</i> , 2010, 329, 139-153.	1.8	275
122	Arsenic accumulation and phosphorus status in two rice (<i>Oryza sativa</i> L.) cultivars surveyed from fields in South China. <i>Environmental Pollution</i> , 2010, 158, 1536-1541.	3.7	71
123	Potential Hazard to Human Health from Exposure to Fragments of Lead Bullets and Shot in the Tissues of Game Animals. <i>PLoS ONE</i> , 2010, 5, e10315.	1.1	97
124	Toxicity of non-steroidal anti-inflammatory drugs to <i>Gyps</i> vultures: a new threat from ketoprofen. <i>Biology Letters</i> , 2010, 6, 339-341.	1.0	118
125	Arsenic Influence on Genetic Variation in Grain Trace-Element Nutrient Content in Bengal Delta Crown Rice. <i>Environmental Science & Technology</i> , 2010, 44, 8284-8288.	4.6	29
126	Arsenic Shoot-Grain Relationships in Field Grown Rice Cultivars. <i>Environmental Science & Technology</i> , 2010, 44, 1471-1477.	4.6	54

#	ARTICLE	IF	CITATIONS
127	Getting to the bottom of arsenic standards and guidelines. <i>Environmental Science & Technology</i> , 2010, 44, 4395-4399.	4.6	65
128	Quantitative and Qualitative Trapping of Volatile Methylated Selenium Species Entrained through Nitric Acid. <i>Environmental Science & Technology</i> , 2010, 44, 382-387.	4.6	32
129	Accumulation or production of arsenobetaine in humans?. <i>Journal of Environmental Monitoring</i> , 2010, 12, 832.	2.1	51
130	Characterizing Pb Mobilization from Upland Soils to Streams Using ²⁰⁶ Pb/ ²⁰⁷ Pb Isotopic Ratios. <i>Environmental Science & Technology</i> , 2010, 44, 243-249.	4.6	32
131	Grain Unloading of Arsenic Species in Rice \hat{A} . <i>Plant Physiology</i> , 2009, 152, 309-319.	2.3	268
132	Mineralogical and chemical characterization of some vermiculites from the Mozambique Belt of Tanzania for agricultural use. <i>Clay Minerals</i> , 2009, 44, 1-17.	0.2	5
133	Selenium Characterization in the Global Rice Supply Chain. <i>Environmental Science & Technology</i> , 2009, 43, 6024-6030.	4.6	191
134	Land use history of Village Bay, Hirta, St Kilda World Heritage Site: A palynological investigation of plaggen soils. <i>Review of Palaeobotany and Palynology</i> , 2009, 153, 46-61.	0.8	12
135	Influence of Phosphate on the Arsenic Uptake by Wheat (<i>Triticum durum</i> L.) Irrigated with Arsenic Solutions at Three Different Concentrations. <i>Water, Air, and Soil Pollution</i> , 2009, 197, 371-380.	1.1	92
136	Small genetic differences between ericoid mycorrhizal fungi affect nitrogen uptake by <i>Vaccinium</i> . <i>New Phytologist</i> , 2009, 181, 708-718.	3.5	36
137	Arsenic uptake and metabolism in plants. <i>New Phytologist</i> , 2009, 181, 777-794.	3.5	973
138	Speciation and distribution of arsenic and localization of nutrients in rice grains. <i>New Phytologist</i> , 2009, 184, 193-201.	3.5	226
139	An arsenic-accumulating, hypertolerant brassica, <i>Isatis capadocica</i> . <i>New Phytologist</i> , 2009, 184, 41-47.	3.5	101
140	The molecular form of mercury in biota: identification of novel mercury peptide complexes in plants. <i>Chemical Communications</i> , 2009, , 4257.	2.2	99
141	Response to the Comment by Van Geen and Duxbury. <i>Environmental Science & Technology</i> , 2009, 43, 3972-3973.	4.6	3
142	Quantitative and Qualitative Trapping of Arsines Deployed to Assess Loss of Volatile Arsenic from Paddy Soil. <i>Environmental Science & Technology</i> , 2009, 43, 8270-8275.	4.6	122
143	Metal levels in the bones and livers of globally threatened marbled teal and white-headed duck from El Hondo, Spain. <i>Ecotoxicology and Environmental Safety</i> , 2009, 72, 1-9.	2.9	37
144	Enhanced transfer of arsenic to grain for Bangladesh grown rice compared to US and EU. <i>Environment International</i> , 2009, 35, 476-479.	4.8	64

#	ARTICLE	IF	CITATIONS
145	Survey of arsenic and its speciation in rice products such as breakfast cereals, rice crackers and Japanese rice condiments. <i>Environment International</i> , 2009, 35, 473-475.	4.8	138
146	Arsenic mobilization from iron oxyhydroxides is regulated by organic matter carbon to nitrogen (C:N) ratio. <i>Environment International</i> , 2009, 35, 480-484.	4.8	30
147	Arsenic geochemistry, transport mechanism in the soil-plant system, human and animal health issues. <i>Environment International</i> , 2009, 35, 453-454.	4.8	29
148	Arsenic rich iron plaque on macrophyte roots - an ecotoxicological risk?. <i>Environmental Pollution</i> , 2009, 157, 946-954.	3.7	30
149	The effect of heating temperature on the properties of vermiculites from Tanzania with respect to potential agronomic applications. <i>Applied Clay Science</i> , 2009, 43, 376-382.	2.6	20
150	Selenium in higher plants: understanding mechanisms for biofortification and phytoremediation. <i>Trends in Plant Science</i> , 2009, 14, 436-442.	4.3	486
151	Arsenic Limits Trace Mineral Nutrition (Selenium, Zinc, and Nickel) in Bangladesh Rice Grain. <i>Environmental Science & Technology</i> , 2009, 43, 8430-8436.	4.6	99
152	Cooking rice in a high water to rice ratio reduces inorganic arsenic content. <i>Journal of Environmental Monitoring</i> , 2009, 11, 41-44.	2.1	143
153	Occurrence and Partitioning of Cadmium, Arsenic and Lead in Mine Impacted Paddy Rice: Hunan, China. <i>Environmental Science & Technology</i> , 2009, 43, 637-642.	4.6	451
154	Baseline Soil Variation Is a Major Factor in Arsenic Accumulation in Bengal Delta Paddy Rice. <i>Environmental Science & Technology</i> , 2009, 43, 1724-1729.	4.6	74
155	Environmental and Genetic Control of Arsenic Accumulation and Speciation in Rice Grain: Comparing a Range of Common Cultivars Grown in Contaminated Sites Across Bangladesh, China, and India. <i>Environmental Science & Technology</i> , 2009, 43, 8381-8386.	4.6	146
156	Identification of Low Inorganic and Total Grain Arsenic Rice Cultivars from Bangladesh. <i>Environmental Science & Technology</i> , 2009, 43, 6070-6075.	4.6	151
157	Analysis of Nine NSAIDs in Ungulate Tissues Available to Critically Endangered Vultures in India. <i>Environmental Science & Technology</i> , 2009, 43, 4561-4566.	4.6	57
158	Arsenic speciation in Japanese rice drinks and condiments. <i>Journal of Environmental Monitoring</i> , 2009, 11, 1930.	2.1	36
159	Geographical Variation in Total and Inorganic Arsenic Content of Polished (White) Rice. <i>Environmental Science & Technology</i> , 2009, 43, 1612-1617.	4.6	673
160	Arsenate, arsenite and dimethyl arsenic acid (DMA) uptake and tolerance in maize (<i>Zea mays</i> L.). <i>Plant and Soil</i> , 2008, 304, 277-289.	1.8	92
161	Can we trust mass spectrometry for determination of arsenic peptides in plants: comparison of LC-ICP-MS and LC-ES-MS/ICP-MS with XANES/EXAFS in analysis of <i>Thunbergia alata</i> . <i>Analytical and Bioanalytical Chemistry</i> , 2008, 390, 1739-1751.	1.9	78
162	Investigation into mercury bound to biothiols: structural identification using ESI-ion-trap MS and introduction of a method for their HPLC separation with simultaneous detection by ICP-MS and ESI-MS. <i>Analytical and Bioanalytical Chemistry</i> , 2008, 390, 1753-1764.	1.9	99

#	ARTICLE	IF	CITATIONS
163	Apparent tolerance of turkey vultures (<i>Cathartes aura</i>) to the non-steroidal anti-inflammatory drug diclofenac. <i>Environmental Toxicology and Chemistry</i> , 2008, 27, 2341-2345.	2.2	63
164	Growing Rice Aerobically Markedly Decreases Arsenic Accumulation. <i>Environmental Science & Technology</i> , 2008, 42, 5574-5579.	4.6	567
165	Speciation and Localization of Arsenic in White and Brown Rice Grains. <i>Environmental Science & Technology</i> , 2008, 42, 1051-1057.	4.6	321
166	Inorganic Arsenic in Rice Bran and Its Products Are an Order of Magnitude Higher than in Bulk Grain. <i>Environmental Science & Technology</i> , 2008, 42, 7542-7546.	4.6	278
167	High Percentage Inorganic Arsenic Content of Mining Impacted and Nonimpacted Chinese Rice. <i>Environmental Science & Technology</i> , 2008, 42, 5008-5013.	4.6	390
168	Inorganic arsenic levels in baby rice are of concern. <i>Environmental Pollution</i> , 2008, 152, 746-749.	3.7	168
169	Exposure to inorganic arsenic from rice: A global health issue?. <i>Environmental Pollution</i> , 2008, 154, 169-171.	3.7	344
170	Inorganic arsenic levels in rice milk exceed EU and US drinking water standards. <i>Journal of Environmental Monitoring</i> , 2008, 10, 428.	2.1	68
171	Regulation of Arsenic Mobility on Basaltic Glass Surfaces by Speciation and pH. <i>Environmental Science & Technology</i> , 2008, 42, 8816-8821.	4.6	14
172	Rice-arsenate interactions in hydroponics: whole genome transcriptional analysis. <i>Journal of Experimental Botany</i> , 2008, 59, 2267-2276.	2.4	210
173	Rice-arsenate interactions in hydroponics: a three-gene model for tolerance. <i>Journal of Experimental Botany</i> , 2008, 59, 2277-2284.	2.4	34
174	Uptake and translocation of inorganic and methylated arsenic species by plants. <i>Environmental Chemistry</i> , 2007, 4, 197.	0.7	257
175	Can arsenic-phytochelatin complex formation be used as an indicator for toxicity in <i>Helianthus annuus</i> ?. <i>Journal of Experimental Botany</i> , 2007, 58, 1333-1338.	2.4	97
176	Arsenic Behaviour from Groundwater and Soil to Crops: Impacts on Agriculture and Food Safety. <i>Reviews of Environmental Contamination and Toxicology</i> , 2007, 189, 43-87.	0.7	80
177	The legacy of past manuring practices on soil contamination in remote rural areas. <i>Environment International</i> , 2007, 33, 78-83.	4.8	27
178	Diclofenac residues in carcasses of domestic ungulates available to vultures in India. <i>Environment International</i> , 2007, 33, 759-765.	4.8	82
179	Diclofenac disposition in Indian cow and goat with reference to Gyps vulture population declines. <i>Environmental Pollution</i> , 2007, 147, 60-65.	3.7	56
180	Effects of Arsenic-Contaminated Irrigation Water on Growth, Yield, and Nutrient Concentration in Rice. <i>Communications in Soil Science and Plant Analysis</i> , 2007, 39, 302-313.	0.6	23

#	ARTICLE	IF	CITATIONS
181	Market Basket Survey Shows Elevated Levels of As in South Central U.S. Processed Rice Compared to California: Consequences for Human Dietary Exposure. <i>Environmental Science & Technology</i> , 2007, 41, 2178-2183.	4.6	253
182	Greatly Enhanced Arsenic Shoot Assimilation in Rice Leads to Elevated Grain Levels Compared to Wheat and Barley. <i>Environmental Science & Technology</i> , 2007, 41, 6854-6859.	4.6	653
183	Pentavalent Arsenic Can Bind to Biomolecules. <i>Angewandte Chemie - International Edition</i> , 2007, 46, 2594-2597.	7.2	77
184	Identification of an arsenic tolerant double mutant with a thiol-mediated component and increased arsenic tolerance in phyA mutants. <i>Plant Journal</i> , 2007, 49, 1064-1075.	2.8	26
185	Lead contamination and associated disease in captive and reintroduced red kites <i>Milvus milvus</i> in England. <i>Science of the Total Environment</i> , 2007, 376, 116-127.	3.9	57
186	The fate of ¹⁴ C-naphthalene in soil microcosms containing Scots pine seedlings and enchytraeids. <i>Soil Biology and Biochemistry</i> , 2007, 39, 560-566.	4.2	3
187	Increase in Rice Grain Arsenic for Regions of Bangladesh Irrigating Paddies with Elevated Arsenic in Groundwaters. <i>Environmental Science & Technology</i> , 2006, 40, 4903-4908.	4.6	473
188	Codeposition of Organic Carbon and Arsenic in Bengal Delta Aquifers. <i>Environmental Science & Technology</i> , 2006, 40, 4928-4935.	4.6	100
189	Arsenic Sequestration in Iron Plaque, Its Accumulation and Speciation in Mature Rice Plants (<i>Oryza</i>) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 T</i>	4.6	385
190	Toxicity of diclofenac to Gyps vultures. <i>Biology Letters</i> , 2006, 2, 279-282.	1.0	210
191	After the Aznalc��llar mine spill: Arsenic, zinc, selenium, lead and copper levels in the livers and bones of five waterfowl species. <i>Environmental Research</i> , 2006, 100, 349-361.	3.7	74
192	Ancient manuring practices pollute arable soils at the St Kilda World Heritage Site, Scottish North Atlantic. <i>Chemosphere</i> , 2006, 64, 1818-1828.	4.2	31
193	The potential for kelp manufacture to lead to arsenic pollution of remote Scottish islands. <i>Chemosphere</i> , 2006, 65, 332-342.	4.2	10
194	ALTERED PORPHYRIN EXCRETION AND HISTOPATHOLOGY OF GREYLAG GEESE (<i>ANSER ANSER</i>) EXPOSED TO SOIL CONTAMINATED WITH LEAD AND ARSENIC IN THE GUADALQUIVIR MARSHES, SOUTHWESTERN SPAIN. <i>Environmental Toxicology and Chemistry</i> , 2006, 25, 203.	2.2	45
195	Arsenate Causes Differential Acute Toxicity to Two P-deprived Genotypes of Rice Seedlings (<i>Oryza</i>) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 T</i>	1.8	49
196	An Ecotoxicological Approach to Assessing the Impact of Tanning Industry Effluent on River Health. <i>Archives of Environmental Contamination and Toxicology</i> , 2006, 50, 316-324.	2.1	40
197	Lead isotopes and lead shot ingestion in the globally threatened marbled teal (<i>Marmaronetta</i>) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 T</i>	3.9	31
198	Removing the Threat of Diclofenac to Critically Endangered Asian Vultures. <i>PLoS Biology</i> , 2006, 4, e66.	2.6	167

#	ARTICLE	IF	CITATIONS
199	Ecotoxicological screening of Kenyan tannery dust using a luminescent-based bacterial biosensor. <i>International Journal of Environmental Health Research</i> , 2006, 16, 47-58.	1.3	8
200	Direct evidence showing the effect of root surface iron plaque on arsenite and arsenate uptake into rice (<i>Oryza sativa</i>) roots. <i>New Phytologist</i> , 2005, 165, 91-97.	3.5	279
201	Uptake, translocation and transformation of arsenate and arsenite in sunflower (<i>Helianthus annuus</i>) Tj ETQq1 1 0.784314 rgBT /Over <i>New Phytologist</i> , 2005, 168, 551-558.	3.5	282
202	Flux and turnover of fixed carbon in soil microbial biomass of limed and unlimed plots of an upland grassland ecosystem. <i>Environmental Microbiology</i> , 2005, 7, 544-552.	1.8	31
203	Stable isotope probing analysis of the influence of liming on root exudate utilization by soil microorganisms. <i>Environmental Microbiology</i> , 2005, 7, 828-838.	1.8	153
204	Carbon availability affects nitrogen source utilisation by <i>Hymenoscyphus ericae</i> . <i>Mycological Research</i> , 2005, 109, 469-477.	2.5	17
205	Ectomycorrhizas and Copper Toxicity. <i>Mycological Research</i> , 2005, 109, 2.	2.5	0
206	Enchytraeid worms retard polycyclic aromatic hydrocarbon degradation in a coniferous forest soil. <i>Soil Biology and Biochemistry</i> , 2005, 37, 27-34.	4.2	2
207	The Distribution of Arsenic in the Body Tissues of Wood Mice and Bank Voles. <i>Archives of Environmental Contamination and Toxicology</i> , 2005, 49, 569-576.	2.1	22
208	Mechanisms of Plant Resistance to Metal and Metalloid Ions and Potential Biotechnological Applications. <i>Plant and Soil</i> , 2005, 274, 163-174.	1.8	77
209	Assessing the occupational risk of dust particles in the Kenyan tanning industry using rapid image processing and microscopy techniques. <i>International Journal of Environmental Health Research</i> , 2005, 15, 53-62.	1.3	5
210	Mechanisms of plant resistance to metal and metalloid ions and potential biotechnological applications. <i>Plant Ecophysiology</i> , 2005, , 163-174.	1.5	5
211	Ligand Arsenic Complexation and Immunoperoxidase Detection of Metallothionein in the Earthworm <i>Lumbricus rubellus</i> Inhabiting Arsenic-Rich Soil. <i>Environmental Science & Technology</i> , 2005, 39, 2042-2048.	4.6	44
212	Arsenic levels in the soils and macrophytes of the "Entremuros" after the Aznalc��llar mine spill. <i>Environmental Pollution</i> , 2005, 133, 129-138.	3.7	25
213	Lead concentrations in bones and feathers of the globally threatened Spanish imperial eagle. <i>Biological Conservation</i> , 2005, 121, 603-610.	1.9	80
214	Variation in Arsenic Speciation and Concentration in Paddy Rice Related to Dietary Exposure. <i>Environmental Science & Technology</i> , 2005, 39, 5531-5540.	4.6	706
215	The Nature of Arsenic-Phytochelatin Complexes in <i>Holcus lanatus</i> and <i>Pteris cretica</i> . <i>Plant Physiology</i> , 2004, 134, 1113-1122.	2.3	275
216	Carbon flow in an upland grassland: effect of liming on the flux of recently photosynthesized carbon to rhizosphere soil. <i>Global Change Biology</i> , 2004, 10, 2100-2108.	4.2	43

#	ARTICLE	IF	CITATIONS
217	Degradation of the polycyclic aromatic hydrocarbon (PAH) fluorene is retarded in a Scots pine ectomycorrhizosphere. <i>New Phytologist</i> , 2004, 163, 641-649.	3.5	44
218	An arsenate tolerance gene on chromosome 6 of rice. <i>New Phytologist</i> , 2004, 163, 45-49.	3.5	85
219	The distribution of arsenic in soils affected by the Aznalc��llar mine spill, SW Spain. <i>Science of the Total Environment</i> , 2004, 323, 137-152.	3.9	37
220	Arsenic��glutathione complexes��their stability in solution and during separation by different HPLC modes. <i>Journal of Analytical Atomic Spectrometry</i> , 2004, 19, 183-190.	1.6	110
221	Arsenic in rice �� understanding a new disaster for South-East Asia. <i>Trends in Plant Science</i> , 2004, 9, 415-417.	4.3	375
222	INHERITED RESISTANCE TO ARSENATE TOXICITY IN TWO POPULATIONS OF LUMBRICUS RUBELLUS. <i>Environmental Toxicology and Chemistry</i> , 2003, 22, 2344.	2.2	39
223	The mechanistic basis of interactions between mycorrhizal associations and toxic metal cations. <i>Mycological Research</i> , 2003, 107, 1253-1265.	2.5	187
224	PCB congener dynamics in a heavily industrialized river catchment. <i>Science of the Total Environment</i> , 2003, 314-316, 439-450.	3.9	21
225	Arsenic speciation in the earthworms <i>Lumbricus rubellus</i> and <i>Dendrodrilus rubidus</i> . <i>Environmental Toxicology and Chemistry</i> , 2003, 22, 1302-1308.	2.2	37
226	Identification of arsenic species in sheep-wool extracts by different chromatographic methods. <i>Applied Organometallic Chemistry</i> , 2003, 17, 684-692.	1.7	11
227	A tripartite microbial reporter gene system for real-time assays of soil nutrient status. <i>FEMS Microbiology Letters</i> , 2003, 220, 35-39.	0.7	24
228	Variation in arsenic accumulation �� hyperaccumulation in ferns and their allies. <i>New Phytologist</i> , 2003, 157, 25-31.	3.5	165
229	Arsenite transport into paddy rice (<i>Oryza sativa</i>) roots. <i>New Phytologist</i> , 2003, 157, 39-44.	3.5	262
230	High��affinity phosphate/arsenate transport in white lupin (<i>Lupinus albus</i>) is relatively insensitive to phosphate status. <i>New Phytologist</i> , 2003, 158, 165-173.	3.5	84
231	Ericoid mycorrhiza: a partnership that exploits harsh edaphic conditions. <i>European Journal of Soil Science</i> , 2003, 54, 735-740.	1.8	161
232	A pre-industrial source of dioxins and furans. <i>Nature</i> , 2003, 421, 909-910.	18.7	49
233	Arsenic Contamination of Bangladesh Paddy Field Soils:�� Implications for Rice Contribution to Arsenic Consumption. <i>Environmental Science & Technology</i> , 2003, 37, 229-234.	4.6	872
234	Biotransformation and Accumulation of Arsenic in Soil Amended with Seaweed. <i>Environmental Science & Technology</i> , 2003, 37, 951-957.	4.6	73

#	ARTICLE	IF	CITATIONS
235	Antimony bioavailability in mine soils. <i>Environmental Pollution</i> , 2003, 124, 93-100.	3.7	186
236	Interactions between earthworms and arsenic in the soil environment: a review. <i>Environmental Pollution</i> , 2003, 124, 361-373.	3.7	124
237	Storage of sediment-associated nutrients and contaminants in river channel and floodplain systems. <i>Applied Geochemistry</i> , 2003, 18, 195-220.	1.4	225
238	Uptake Kinetics of Arsenic Species in Rice Plants. <i>Plant Physiology</i> , 2002, 128, 1120-1128.	2.3	593
239	Interactions between ectomycorrhizal fungi and soil saprotrophs: implications for decomposition of organic matter in soils and degradation of organic pollutants in the rhizosphere. <i>Canadian Journal of Botany</i> , 2002, 80, 803-809.	1.2	67
240	Mechanisms of Arsenic Hyperaccumulation in <i>Pteris vittata</i> . Uptake Kinetics, Interactions with Phosphate, and Arsenic Speciation. <i>Plant Physiology</i> , 2002, 130, 1552-1561.	2.3	548
241	Arsenic Accumulation and Metabolism in Rice (<i>Oryza sativa</i> L.). <i>Environmental Science & Technology</i> , 2002, 36, 962-968.	4.6	516
242	Arsenic-speciation in arsenate-resistant and non-resistant populations of the earthworm, <i>Lumbricus rubellus</i> . <i>Journal of Environmental Monitoring</i> , 2002, 4, 603-608.	2.1	70
243	Assessment of bioavailable arsenic and copper in soils and sediments from the Antofagasta region of northern Chile. <i>Science of the Total Environment</i> , 2002, 286, 51-59.	3.9	74
244	Isotopic identification of the sources of lead contamination for white storks (<i>Ciconia ciconia</i>) in a marshland ecosystem (Doña Ana, S.W. Spain). <i>Science of the Total Environment</i> , 2002, 300, 81-86.	3.9	41
245	Arsenic uptake and metabolism in arsenic resistant and nonresistant plant species. <i>New Phytologist</i> , 2002, 154, 29-43.	3.5	1,087
246	<i>Calluna vulgaris</i> root cells show increased capacity for amino acid uptake when colonized with the mycorrhizal fungus <i>Hymenoscyphus ericae</i> . <i>New Phytologist</i> , 2002, 155, 525-530.	3.5	43
247	Arsenic and old plants. <i>New Phytologist</i> , 2002, 156, 1-4.	3.5	50
248	Arsenic uptake and accumulation in rice (<i>Oryza sativa</i> L.) irrigated with contaminated water. <i>Plant and Soil</i> , 2002, 240, 311-319.	1.8	311
249	Title is missing!. <i>Plant and Soil</i> , 2002, 243, 57-66.	1.8	175
250	Survival and behaviour of the earthworms <i>Lumbricus rubellus</i> and <i>Dendrodrilus rubidus</i> from arsenate-contaminated and non-contaminated sites. <i>Soil Biology and Biochemistry</i> , 2001, 33, 1239-1244.	4.2	101
251	Toxicity of mono-, di- and tri-chlorophenols to lux marked terrestrial bacteria, <i>Burkholderia species Rasc c2</i> and <i>Pseudomonas fluorescens</i> . <i>Chemosphere</i> , 2001, 43, 157-166.	4.2	52
252	Downstream changes in the transport and storage of sediment-associated contaminants (P, Cr and) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5</i> 177-186.	3.9	81

#	ARTICLE	IF	CITATIONS
253	The potential for utilizing mycorrhizal associations in soil bioremediation. , 2001, , 445-455.		7
254	Copper- and arsenate-induced oxidative stress in <i>Holcus lanatus</i> L. clones with differential sensitivity. <i>Plant, Cell and Environment</i> , 2001, 24, 713-722.	2.8	382
255	Resistance to copper toxicity in populations of the earthworms <i>Lumbricus rubellus</i> and <i>Dendrodrilus rubidus</i> from contaminated mine wastes. <i>Environmental Toxicology and Chemistry</i> , 2001, 20, 2336-2341.	2.2	61
256	Phytochelatin Are Involved in Differential Arsenate Tolerance in <i>Holcus lanatus</i> . <i>Plant Physiology</i> , 2001, 126, 299-306.	2.3	305
257	RESISTANCE TO COPPER TOXICITY IN POPULATIONS OF THE EARTHWORMS <i>LUMBRICUS RUBELLUS</i> AND <i>DENDRODRILUS RUBIDUS</i> FROM CONTAMINATED MINE WASTES. <i>Environmental Toxicology and Chemistry</i> , 2001, 20, 2336.	2.2	28
258	Toxic effects of cadmium and zinc on ectomycorrhizal colonization of scots pine (<i>Pinus sylvestris</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf	2.2	18
259	Interactions between soil, toxicant, and a <i>lux</i> -marked bacterium during solid phase contact toxicity testing. <i>Environmental Toxicology and Chemistry</i> , 2000, 19, 1247-1252.	2.2	8
260	Title is missing!. <i>Plant and Soil</i> , 2000, 218/2, 31-42.	1.8	33
261	A review of rhizosphere carbon flow modelling. <i>Plant and Soil</i> , 2000, 222, 263-281.	1.8	168
262	Mechanism of Arsenate Resistance in the Ericoid Mycorrhizal Fungus <i>Hymenoscyphus ericae</i> . <i>Plant Physiology</i> , 2000, 124, 1327-1334.	2.3	129
263	Ectomycorrhizas "extending the capabilities of rhizosphere remediation?. <i>Soil Biology and Biochemistry</i> , 2000, 32, 1475-1484.	4.2	180
264	Bioavailability of 2,4-Dichlorophenol Associated with Soil Water-Soluble Humic Material. <i>Environmental Science & Technology</i> , 2000, 34, 4721-4726.	4.6	35
265	TOXIC EFFECTS OF CADMIUM AND ZINC ON ECTOMYCORRHIZAL COLONIZATION OF SCOTS PINE (PINUS) Tj ETQq1 1 0.784314 rgB	2.2	10
266	INTERACTIONS BETWEEN SOIL, TOXICANT, AND A <i>lux</i> -MARKED BACTERIUM DURING SOLID PHASE CONTACT TOXICITY TESTING. <i>Environmental Toxicology and Chemistry</i> , 2000, 19, 1247.	2.2	7
267	Cross-colonization of Scots pine (<i>Pinus sylvestris</i>) seedlings by the ectomycorrhizal fungus <i>Paxillus involutus</i> in the presence of inhibitory levels of Cd and Zn. <i>New Phytologist</i> , 1999, 142, 141-149.	3.5	13
268	<i>lux</i> -biosensor assessment of pH effects on microbial sorption and toxicity of chlorophenols. <i>FEMS Microbiology Letters</i> , 1999, 174, 273-278.	0.7	62
269	Assessment of <i>lux</i> -marked <i>Pseudomonas fluorescens</i> for reporting on organic carbon compounds. <i>FEMS Microbiology Letters</i> , 1999, 176, 79-83.	0.7	32
270	Arsenate sensitivity in ericoid and ectomycorrhizal fungi. <i>Environmental Toxicology and Chemistry</i> , 1999, 18, 1848-1855.	2.2	17

#	ARTICLE	IF	CITATIONS
271	Concentration effects of 1,2-dichlorobenzene on soil microbiology. <i>Environmental Toxicology and Chemistry</i> , 1999, 18, 1891-1898.	2.2	15
272	Co-evolution of Mycorrhizal Symbionts and their Hosts to Metal-contaminated Environments. <i>Advances in Ecological Research</i> , 1999, 30, 69-112.	1.4	193
273	Quantitative Structure-Toxicity Relationships for Halobenzenes in Two Species of Bioluminescent Bacteria, <i>Pseudomonas fluorescens</i> and <i>Vibrio fischeri</i> , Using an Atom-Centered Semi-Empirical Molecular-Orbital Based Model. <i>SAR and QSAR in Environmental Research</i> , 1999, 10, 17-38.	1.0	8
274	Quantitative Structure-Toxicity Relationships for Chlorophenols to Bioluminescent <i>Lux</i> -Marked Bacteria Using Atom-Based Semi-Empirical Molecular-Orbital Descriptors. <i>SAR and QSAR in Environmental Research</i> , 1999, 10, 473-495.	1.0	2
275	Biosensing 2,4-Dichlorophenol Toxicity during Biodegradation by <i>Burkholderia</i> sp. RASC c2 in Soil. <i>Environmental Science & Technology</i> , 1999, 33, 4086-4091.	4.6	25
276	Temporal and Spatial Patterns in $\hat{1}\pm$ - and $\hat{1}^3$ -Hexachlorocyclohexane Concentrations in Industrially Contaminated Rivers. <i>Environmental Science & Technology</i> , 1999, 33, 2001-2006.	4.6	16
277	CONCENTRATION EFFECTS OF 1,2-DICHLOROBENZENE ON SOIL MICROBIOLOGY. <i>Environmental Toxicology and Chemistry</i> , 1999, 18, 1891.	2.2	1
278	Edaphic factors affecting the toxicity and accumulation of arsenate in the earthworm <i>Lumbricus terrestris</i> . <i>Environmental Toxicology and Chemistry</i> , 1998, 17, 1124-1131.	2.2	41
279	Response of soil microbial biomass to 1,2-dichlorobenzene addition in the presence of plant residues. <i>Environmental Toxicology and Chemistry</i> , 1998, 17, 1462-1468.	2.2	5
280	Toxicity of chlorobenzenes to a <i>lux</i> -marked terrestrial bacterium, <i>Pseudomonas fluorescens</i> . <i>Environmental Toxicology and Chemistry</i> , 1998, 17, 2134-2140.	2.2	25
281	EDAPHIC FACTORS AFFECTING THE TOXICITY AND ACCUMULATION OF ARSENATE IN THE EARTHWORM <i>LUMBRICUS TERRESTRIS</i> . <i>Environmental Toxicology and Chemistry</i> , 1998, 17, 1124.	2.2	19
282	TOXICITY OF CHLOROBENZENES TO A <i>LUX</i> -MARKED TERRESTRIAL BACTERIUM, <i>PSEUDOMONAS FLUORESCENS</i> . <i>Environmental Toxicology and Chemistry</i> , 1998, 17, 2134.	2.2	10
283	Mineralization of 2,4-dichlorophenol by ectomycorrhizal fungi in axenic culture and in symbiosis with pine. <i>Chemosphere</i> , 1997, 34, 2495-2504.	4.2	52
284	Toxicity assessment of xenobiotic contaminated groundwater using <i>lux</i> modified <i>Pseudomonas fluorescens</i> . <i>Chemosphere</i> , 1997, 35, 1967-1985.	4.2	54
285	Dioxin and furan residues in wood mice (<i>Apodemus sylvaticus</i>) following a large scale polyvinyl chloride (PVC) fire. <i>Environmental Pollution</i> , 1997, 97, 213-220.	3.7	10
286	Title is missing!. <i>Plant and Soil</i> , 1997, 189, 303-319.	1.8	155
287	Toxic interactions of metal ions (Cd^{2+} , Pb^{2+} , Zn^{2+} and Sb^{3+}) on in vitro biomass production of ectomycorrhizal fungi. <i>New Phytologist</i> , 1997, 137, 551-562.	3.5	54
288	Assessment of toxicological interactions of benzene and its primary degradation products (catechol) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf</i> . <i>Environmental Toxicology and Chemistry</i> , 1997, 16, 849-856.	2.2	57

#	ARTICLE	IF	CITATIONS
289	ASSESSMENT OF TOXICOLOGICAL INTERACTIONS OF BENZENE AND ITS PRIMARY DEGRADATION PRODUCTS (CATECHOL AND PHENOL) USING A lux-MODIFIED BACTERIAL BIOASSAY. <i>Environmental Toxicology and Chemistry</i> , 1997, 16, 849.	2.2	8
290	Use of an earthworm lysosomal biomarker for the ecological assessment of pollution from an industrial plastics fire. <i>Applied Soil Ecology</i> , 1996, 3, 99-107.	2.1	69
291	Bioavailability of atrazine to soil microbes in the presence of the earthworm <i>Lumbricus terrestris</i> (L.). <i>Soil Biology and Biochemistry</i> , 1996, 28, 555-559.	4.2	34
292	Loss of exudates from the roots of perennial ryegrass inoculated with a range of micro-organisms. <i>Plant and Soil</i> , 1995, 170, 345-349.	1.8	129
293	Dioxins released from chemical accidents. <i>Nature</i> , 1995, 375, 353-354.	13.7	71
294	Heavy metals as markers for assessing environmental pollution from chemical warehouse and plastics fires. <i>Chemosphere</i> , 1995, 30, 1987-1994.	4.2	20
295	Cable correction of membrane currents recorded from root hairs of <i>Arabidopsis thaliana</i> L.. <i>Journal of Experimental Botany</i> , 1994, 45, 1-6.	2.4	34
296	Relationship between plant phosphorus status and the kinetics of arsenate influx in clones of <i>deschampsia cespitosa</i> (L.) Beauv. that differ in their tolerance to arsenate. <i>Plant and Soil</i> , 1994, 162, 99-106.	1.8	60
297	A critical review of labelling techniques used to quantify rhizosphere carbon-flow. <i>Plant and Soil</i> , 1994, 166, 55-62.	1.8	129
298	Integrated tolerance mechanisms: constitutive and adaptive plant responses to elevated metal concentrations in the environment. <i>Plant, Cell and Environment</i> , 1994, 17, 989-993.	2.8	266
299	Industrial accidents involving release of chemicals into the environment: <i>Ecotoxicology. Environmental Technology (United Kingdom)</i> , 1994, 15, 1041-1050.	1.2	5
300	Phosphorus Nutrition of Arsenate-Tolerant and Nontolerant Phenotypes of Velvetgrass. <i>Journal of Environmental Quality</i> , 1994, 23, 234-238.	1.0	152
301	The role of the plasmalemma in metal tolerance in angiosperms. <i>Physiologia Plantarum</i> , 1993, 88, 191-198.	2.6	128
302	Pre-Adaptation of Yorkshire Fog, <i>Holcus lanatus</i> L. (Poaceae) to Arsenate Tolerance. <i>Evolution; International Journal of Organic Evolution</i> , 1993, 47, 313.	1.1	9
303	PRE-ADAPTATION OF YORKSHIRE FOG, <i>HOLCUS LANATUS</i> L. (POACEAE) TO ARSENATE TOLERANCE. <i>Evolution; International Journal of Organic Evolution</i> , 1993, 47, 313-316.	1.1	29
304	The role of the plasmalemma in metal tolerance in angiosperms. <i>Physiologia Plantarum</i> , 1993, 88, 191-198.	2.6	82
305	Polymorphism and physiology of arsenate tolerance in <i>Holcus lanatus</i> L. from an uncontaminated site. , 1993, , 271-277.		0
306	Suppression of the High Affinity Phosphate Uptake System: A Mechanism of Arsenate Tolerance in <i>Holcus lanatus</i> L.. <i>Journal of Experimental Botany</i> , 1992, 43, 519-524.	2.4	482

#	ARTICLE	IF	CITATIONS
307	Polymorphism and physiology of arsenate tolerance in <i>Holcus lanatus</i> L. from an uncontaminated site. <i>Plant and Soil</i> , 1992, 146, 219-225.	1.8	34
308	The genetics of arsenate tolerance in Yorkshire fog, <i>Holcus lanatus</i> L.. <i>Heredity</i> , 1992, 69, 325-335.	1.2	53
309	Genetic correlation between arsenate tolerance and the rate of influx of arsenate and phosphate in <i>Holcus lanatus</i> L.. <i>Heredity</i> , 1992, 69, 336-341.	1.2	75
310	The mechanisms of arsenate tolerance in <i>Deschampsia cespitosa</i> (L.) Beauv. and <i>Agrostis capillaris</i> L.. <i>New Phytologist</i> , 1991, 119, 291-297.	3.5	112
311	Uptake, accumulation and translocation of arsenate in arsenate-tolerant and non-tolerant <i>Holcus lanatus</i> L.. <i>New Phytologist</i> , 1991, 117, 225-231.	3.5	98
312	An altered phosphate uptake system in arsenate-tolerant <i>Holcus lanatus</i> L.. <i>New Phytologist</i> , 1990, 116, 29-35.	3.5	255
313	Carbon distribution within the plant and rhizosphere in laboratory and field-grown <i>Lolium perenne</i> at different stages of development. <i>Soil Biology and Biochemistry</i> , 1990, 22, 471-477.	4.2	65
314	A comparison of carbon flow from pre-labelled and pulse-labelled plants. <i>Plant and Soil</i> , 1988, 112, 225-231.	1.8	47
315	Iodine status on the Island of Ireland. <i>Endocrine Abstracts</i> , 0, , .	0.0	1