

Eleonora d'Orsi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8151628/publications.pdf>

Version: 2024-02-01

114
papers

11,316
citations

172457

29
h-index

32842

100
g-index

143
all docs

143
docs citations

143
times ranked

19048
citing authors

#	ARTICLE	IF	CITATIONS
1	Worldwide trends in body-mass index, underweight, overweight, and obesity from 1975 to 2016: a pooled analysis of 2416 population-based measurement studies in 128.9 million children, adolescents, and adults. <i>Lancet, The</i> , 2017, 390, 2627-2642.	13.7	5,010
2	Worldwide trends in blood pressure from 1975 to 2015: a pooled analysis of 1479 population-based measurement studies with 19.1 million participants. <i>Lancet, The</i> , 2017, 389, 37-55.	13.7	1,667
3	Worldwide trends in hypertension prevalence and progress in treatment and control from 1990 to 2019: a pooled analysis of 1201 population-representative studies with 104 million participants. <i>Lancet, The</i> , 2021, 398, 957-980.	13.7	1,289
4	Rising rural body-mass index is the main driver of the global obesity epidemic in adults. <i>Nature</i> , 2019, 569, 260-264.	27.8	469
5	Height and body-mass index trajectories of school-aged children and adolescents from 1985 to 2019 in 200 countries and territories: a pooled analysis of 2181 population-based studies with 65 million participants. <i>Lancet, The</i> , 2020, 396, 1511-1524.	13.7	219
6	Loneliness, Social Integration, and Incident Dementia Over 6 Years: Prospective Findings From the English Longitudinal Study of Ageing. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2020, 75, 114-124.	3.9	157
7	Birth in Brazil: national survey into labour and birth. <i>Reproductive Health</i> , 2012, 9, 15.	3.1	145
8	English Longitudinal Study of Aging: Can Internet/E-mail Use Reduce Cognitive Decline?. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2014, 69, 1117-1121.	3.6	77
9	Trends in cardiometabolic risk factors in the Americas between 1980 and 2014: a pooled analysis of population-based surveys. <i>The Lancet Global Health</i> , 2020, 8, e123-e133.	6.3	73
10	Implementação da presença de acompanhantes durante a internação para o parto: dados da pesquisa nacional Nascer no Brasil. <i>Cadernos De Saude Publica</i> , 2014, 30, S140-S153.	1.0	72
11	Socioeconomic and Lifestyle Factors Related to Instrumental Activity of Daily Living Dynamics: Results from the English Longitudinal Study of Ageing. <i>Journal of the American Geriatrics Society</i> , 2014, 62, 1630-1639.	2.6	66
12	Desigualdades sociais e satisfação das mulheres com o atendimento ao parto no Brasil: estudo nacional de base hospitalar. <i>Cadernos De Saude Publica</i> , 2014, 30, S154-S168.	1.0	65
13	Contributions of mean and shape of blood pressure distribution to worldwide trends and variations in raised blood pressure: a pooled analysis of 1018 population-based measurement studies with 88.6 million participants. <i>International Journal of Epidemiology</i> , 2018, 47, 872-883i.	1.9	65
14	Trabalho, suporte social e lazer protegem idosos da perda funcional: estudo epidioso. <i>Revista De Saude Publica</i> , 2011, 45, 685-692.	1.7	64
15	Perception of environmental obstacles to commuting physical activity in Brazilian elderly. <i>Preventive Medicine</i> , 2011, 53, 289-292.	3.4	53
16	Internet Use and Cancer-Preventive Behaviors in Older Adults: Findings from a Longitudinal Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013, 22, 2066-2074.	2.5	53
17	Autopercepção positiva de saúde em idosos: estudo populacional no Sul do Brasil. <i>Cadernos De Saude Publica</i> , 2015, 31, 1049-1060.	1.0	45
18	Condições de vida e saúde de idosos: resultados do estudo de coorte EpiFloripa Idoso*. <i>Epidemiologia E Servicos De Saude: Revista Do Sistema Unico De Saude Do Brasil</i> , 2017, 26, 305-317.	1.0	43

#	ARTICLE	IF	CITATIONS
19	Built Environment and Walking Behavior Among Brazilian Older Adults: A Population-Based Study. <i>Journal of Physical Activity and Health</i> , 2016, 13, 617-624.	2.0	41
20	Heterogeneous contributions of change in population distribution of body mass index to change in obesity and underweight. <i>ELife</i> , 2021, 10, .	6.0	41
21	Fatores associados aos sintomas depressivos em idosos: estudo EpiFloripa. <i>Revista De Saude Publica</i> , 2013, 47, 701-710.	1.7	38
22	Factors associated with cesarean sections in a public hospital in Rio de Janeiro, Brazil. <i>Cadernos De Saude Publica</i> , 2006, 22, 2067-2078.	1.0	37
23	Demographic, health conditions, and lifestyle factors associated with urinary incontinence in elderly from Florianópolis, Santa Catarina, Brazil. <i>Revista Brasileira De Epidemiologia</i> , 2015, 18, 595-606.	0.8	36
24	EpiFloripa Aging cohort study: methods, operational aspects, and follow-up strategies. <i>Revista De Saude Publica</i> , 2017, 51, 104.	1.7	34
25	Exploring Associations Between Perceived Measures of the Environment and Walking Among Brazilian Older Adults. <i>Journal of Aging and Health</i> , 2017, 29, 45-67.	1.7	33
26	Quality of life associated with handgrip strength and sarcopenia: EpiFloripa Aging Study. <i>Archives of Gerontology and Geriatrics</i> , 2019, 81, 234-239.	3.0	31
27	Physical activity pre- and post-dementia: English Longitudinal Study of Ageing. <i>Aging and Mental Health</i> , 2019, 23, 15-21.	2.8	29
28	Psychological determinants of walking in a Brazilian sample: An application of the Theory of Planned Behavior. <i>Transportation Research Part F: Traffic Psychology and Behaviour</i> , 2020, 73, 391-398.	3.7	29
29	Tooth loss is associated with severe cognitive impairment among older people: findings from a population-based study in Brazil. <i>Aging and Mental Health</i> , 2015, 19, 876-884.	2.8	28
30	Association of objectively measured sedentary behavior and physical activity with cardiometabolic risk markers in older adults. <i>PLoS ONE</i> , 2019, 14, e0210861.	2.5	28
31	Waist circumference, body mass index and waist-height ratio: Are two indices better than one for identifying hypertension risk in older adults?. <i>Preventive Medicine</i> , 2016, 93, 76-81.	3.4	27
32	Is use of the internet in midlife associated with lower dementia incidence? Results from the English Longitudinal Study of Ageing. <i>Aging and Mental Health</i> , 2018, 22, 1525-1533.	2.8	27
33	Perfil de nascimentos no Município do Rio de Janeiro: uma análise espacial. <i>Cadernos De Saude Publica</i> , 1998, 14, 367-379.	1.0	25
34	Differential trends in mortality from AIDS in men and women in Brazil (1984-1995). <i>Aids</i> , 2000, 14, 1269-1273.	2.2	25
35	Quality of life and its association with work, the Internet, participation in groups and physical activity among the elderly from the EpiFloripa survey, Florianópolis, Santa Catarina State, Brazil. <i>Cadernos De Saude Publica</i> , 2016, 32, e00143615.	1.0	25
36	Inclusão digital e capacidade funcional de idosos residentes em Florianópolis, Santa Catarina, Brasil (EpiFloripa 2009-2010). <i>Revista Brasileira De Epidemiologia</i> , 2012, 15, 106-122.	0.8	24

#	ARTICLE	IF	CITATIONS
37	Atividade física e percepção do ambiente em idosos: estudo populacional em Florianópolis. Revista De Saude Publica, 2012, 46, 516-525.	1.7	24
38	Circunstâncias e consequências das quedas em idosos de Florianópolis. Epi Floripa Idoso 2009*. Revista Brasileira De Epidemiologia, 2013, 16, 469-481.	0.8	23
39	Prevalência de dor crônica e sua associação com a situação sociodemográfica e atividade física no lazer em idosos de Florianópolis, Santa Catarina: estudo de base populacional. Revista Brasileira De Epidemiologia, 2015, 18, 234-247.	0.8	20
40	Fetal Deaths in Brazil: Historical Series Descriptive Analysis 1996-2012. Maternal and Child Health Journal, 2016, 20, 1634-1650.	1.5	18
41	Medo de queda recorrente e fatores associados em idosos de Florianópolis, Santa Catarina, Brasil. Cadernos De Saude Publica, 2013, 29, 758-768.	1.0	18
42	Mortality caused by accidental falls among the elderly: a time series analysis. Revista Brasileira De Geriatria E Gerontologia, 2015, 18, 769-778.	0.3	16
43	Anthropometric indicators as a screening tool for sarcopenia in older adults from Florianópolis, Santa Catarina: EpiFloripa Ageing study. Revista De Nutricao, 2017, 30, 287-296.	0.4	16
44	Accelerometer-Measured Physical Activity and Sedentary Behavior: A Cross-Sectional Study of Brazilian Older Adults. Journal of Physical Activity and Health, 2018, 15, 811-818.	2.0	16
45	Fatores associados à manutenção do uso da internet, estudo longitudinal EpiFloripa Idoso. Revista De Saude Publica, 2018, 52, 37.	1.7	15
46	Association between built environment and the incidence of disability in basic and instrumental activities of daily living in the older adults: Results of a cohort study in southern Brazil. Preventive Medicine, 2018, 115, 119-125.	3.4	15
47	Knowledge about mammography and associated factors: population surveys with female adults and elderly. Revista Brasileira De Epidemiologia, 2013, 16, 930-942.	0.8	14
48	Lower serum 25-hydroxycholecalciferol is associated with depressive symptoms in older adults in Southern Brazil. Nutrition Journal, 2020, 19, 123.	3.4	14
49	Atividade física e percepção do ambiente em idosos: estudo populacional em Florianópolis. Revista De Saude Publica, 2012, 46, 516-525.	1.7	14
50	Similarity between neonatal profile and socioeconomic index: a spatial approach. Cadernos De Saude Publica, 2005, 21, 786-794.	1.0	14
51	Effects of neighborhood socioeconomic status on blood pressure in older adults. Revista De Saude Publica, 2016, 50, 78.	1.7	13
52	Orientação temporal e funções executivas na predição de mortalidade entre idosos: estudo Epidoso. Revista De Saude Publica, 2010, 44, 148-158.	1.7	12
53	Is cognitive decline in the elderly associated with contextual income? Results of a population-based study in southern Brazil. Cadernos De Saude Publica, 2016, 32, e00112715.	1.0	12
54	Sarcopenia e sua associação com mudanças nos fatores socioeconômicos, comportamentais e de saúde: Estudo EpiFloripa Idoso. Cadernos De Saude Publica, 2018, 34, e00164917.	1.0	12

#	ARTICLE	IF	CITATIONS
55	Depressive symptoms as an independent risk factor for mortality. <i>Revista Brasileira De Psiquiatria</i> , 2021, 43, 247-253.	1.7	10
56	A comprehensive program of cognitive stimulation with digital inclusion, physical activity and social interaction can modify BDNF levels and improve cognition in adults over 50: a randomized controlled pilot study. <i>Aging and Mental Health</i> , 2022, 26, 1979-1987.	2.8	9
57	Education and Income Levels are Associated With Energy and Micronutrient Intake. <i>International Journal for Vitamin and Nutrition Research</i> , 2020, 90, 228-238.	1.5	9
58	Estudo Longitudinal EpiFloripa Idoso – Rotinas de organizaÃ§Ã£o e protocolos referentes Ã coleta, anÃlise e armazenamento de material biolÃgico, exames de imagem e capacidade fÃsico-funcional. <i>Cadernos Saude Coletiva</i> , 2019, 27, 210-224.	0.6	9
59	Association between chronic diseases, multimorbidity and insufficient physical activity among older adults in southern Brazil: a cross-sectional study. <i>Sao Paulo Medical Journal</i> , 2020, 138, 545-553.	0.9	9
60	Gender differences in the association between tooth loss and obesity among older adults in Brazil. <i>Revista De Saude Publica</i> , 2015, 49, 1-9.	1.7	8
61	Cognitive and functional impairment in an older community population from Brazil: The intriguing association with frequent pain. <i>Archives of Gerontology and Geriatrics</i> , 2016, 66, 134-139.	3.0	8
62	Cognitive cooperation groups mediated by computers and internet present significant improvement of cognitive status in older adults with memory complaints: a controlled prospective study. <i>Arquivos De Neuro-Psiquiatria</i> , 2017, 75, 228-233.	0.8	8
63	Ambiente construÃdo, renda contextual e obesidade em idosos: evidÃncias de um estudo de base populacional. <i>Cadernos De Saude Publica</i> , 2018, 34, e00060217.	1.0	8
64	Influence of instrumental activities of daily living on the cognitive impairment: EpiFloripa study. <i>Aging and Mental Health</i> , 2020, 24, 382-386.	2.8	8
65	Cognition and Indicators of Dietary Habits in Older Adults from Southern Brazil. <i>PLoS ONE</i> , 2016, 11, e0147820.	2.5	7
66	Can internet use reduce the incidence of cognitive impairment? Analysis of the EpiFloripa Aging Cohort Study (2009–2019). <i>Preventive Medicine</i> , 2022, 154, 106904.	3.4	7
67	Severe obesity increases the prevalence but not the incidence of depressive symptoms in the elderly-population-based cohort in Southern Brazil. <i>International Psychogeriatrics</i> , 2017, 29, 1307-1316.	1.0	6
68	Fatores sociodemogrÃficos, comportamentais e de saÃde associados Ã autopercepÃo de saÃde positiva de idosos longevos residentes em FlorianÃpolis, Santa Catarina. <i>Revista Brasileira De Epidemiologia</i> , 2018, 21, e180004.	0.8	6
69	Obesity and 25(OH)D Serum Concentration Are More Important than Vitamin D Intake for Changes in Nutritional Status Indicators: A Population-Based Longitudinal Study in a State Capital City in Southern Brazil. <i>Nutrients</i> , 2019, 11, 2366.	4.1	6
70	Association between different cutoff points for objectively measured moderate-to-vigorous physical activity and cardiometabolic markers in older adults. <i>Archives of Gerontology and Geriatrics</i> , 2020, 91, 104238.	3.0	6
71	Agrupamentos de Fatores de Risco CardiometabÃlicos e sua AssociaÃo com Aterosclerose e InflamaÃo CrÃnica em Adultos e Idosos em FlorianÃpolis, Sul do Brasil. <i>Arquivos Brasileiros De Cardiologia</i> , 2021, 117, 39-48.	0.8	6
72	Factors associated to medical consultations by elderly adults in southern Brazil: a population based study. <i>Revista Brasileira De Epidemiologia</i> , 2014, 17, 692-704.	0.8	5

#	ARTICLE	IF	CITATIONS
73	Comparaçãõ do perfil socioeconômico e condições de saãde de idosos residentes em áreas predominantemente rural e urbana da Grande Florianópolis, Sul do Brasil. Cadernos Saude Coletiva, 2016, 24, 330-338.	0.6	5
74	Contextual income and incidence of disability. Revista De Saude Publica, 2019, 53, 11.	1.7	5
75	Muscle strength cut-points for metabolic syndrome detection among adults and the elderly from Brazil. Applied Physiology, Nutrition and Metabolism, 2021, 46, 379-388.	1.9	5
76	A Stimulation and rehabilitation program: Oficina da Lembrançã. Revista Brasileira De Atividade Física E Saãde, 2015, 20, 534.	0.1	5
77	Perfil epidemiolãgico dos cidadãos de Florianópolis quanto à exposiçãõ solar. Epidemiologia E Servicos De Saude: Revista Do Sistema Unico De Saude Do Brasil, 2011, 20, 459-469.	1.0	5
78	Are Changes in Walking for Transportation in Brazilian Older Adults Associated With Attributes of the Neighborhood Environment?. Journal of Aging and Physical Activity, 2021, 29, 686-694.	1.0	4
79	Programa intergeracional de estimulaçãõ cognitiva: Benefícios relatados por idosos e monitores participantes. Psicologia: Teoria E Pesquisa, 0, 35, .	0.1	4
80	Socioeconomic profile of the elderly in Florianópolis: Comparative analysis studies Perfil do Idoso 2002 and EpiFloripa Idoso 2009. Revista Brasileira De Epidemiologia, 2014, 17, 189-202.	0.8	3
81	Paid Work and Physical Activity Preserve Functional Capacity in Elderly People. Gerontology and Geriatric Medicine, 2015, 1, 233372141560802.	1.5	3
82	Factors associated with handgrip strength in older adults residents in Florianópolis, Brazil: EpiFloripa Aging Study. Revista De Nutricao, 2018, 31, 385-395.	0.4	3
83	Prevalence of spontaneous, induced labour or planned caesarean section and factors associated with caesarean section in low-risk women in southern Brazil. Midwifery, 2019, 79, 102530.	2.3	3
84	Mobilidade urbana ativa de adultos com perda auditiva e a percepçãõ sobre o ambiente: um estudo multicêntrico. Cadernos De Saude Publica, 2019, 35, e00209418.	1.0	3
85	Osteopenia/Osteoporosis and Its Association with Sarcopenia: EpiFloripa Aging Study 2013/2014. Portuguese Journal of Public Health, 2020, 38, 15-22.	0.5	3
86	Associations of Mutually Exclusive Categories of Physical Activity and Sedentary Time With Metabolic Syndrome in Older Adults: An Isotemporal Substitution Approach. Journal of Aging and Physical Activity, 2021, , 1-9.	1.0	3
87	Physical activity and sedentary behavior as multimorbidity discriminators among elderly Brazilians: a cross-sectional study. Sao Paulo Medical Journal, 2021, 139, 372-379.	0.9	3
88	Incidence and prevalence of diabetes self-reported on elderly in south of Brazil: results of EpiFloripa Ageing Study. Ciencia E Saude Coletiva, 2019, 24, 4191-4200.	0.5	3
89	Neighborhood environmental characteristics and sedentary behavior in later life: the EpiFloripa Study. Revista Brasileira De Atividade Física E Saãde, 0, 23, 1-7.	0.1	3
90	Does cognitive impairment precede self-reported poor hearing? Results from the English longitudinal study of ageing. International Journal of Audiology, 2023, 62, 787-794.	1.7	3

#	ARTICLE	IF	CITATIONS
91	Do sociodemographic, behavioral or health status variables affect longitudinal anthropometric changes in older adults? Population-based cohort study in Southern Brazil. <i>Geriatrics and Gerontology International</i> , 2017, 17, 2074-2082.	1.5	2
92	Associa��o entre uso de internet e manter-se ativo no lazer, estudo longitudinal EpiFloripa Idoso. <i>Revista Brasileira De Cineantropometria E Desempenho Humano</i> , 2018, 20, 134-145.	0.5	2
93	Dimensions of Violence against the Elderly and Health Conditions: a Population-based Study in Southern Brazil. <i>Research on Ageing and Social Policy</i> , 2019, 7, 426.	0.5	2
94	FATORES ASSOCIADOS AO ESTADO NUTRICIONAL EM IDOSOS PARTICIPANTES DO ESTUDO "EPIFLORIPA IDOSO" DEMETRA: Alimenta��o, Nutri��o & Sa��de, 2017, 11, .	0.2	2
95	Risk factors associated with mortality in young and long-lived older adults in Florian��polis, SC, Brazil. <i>Ciencia E Saude Coletiva</i> , 2020, 25, 2031-2040.	0.5	2
96	Association between physical activity and vitamin D is partially mediated by adiposity in older adults: EpiFloripa Aging Cohort Study. <i>Nutrition Research</i> , 2022, 103, 11-20.	2.9	2
97	Indicators of healthy food consumption among older adults with diabetes and/or hypertension are similar to healthy older adults: results from a population based study in Southern Brazil. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2018, 26, 331-338.	1.6	1
98	Reassessing the CASP-19 adapted for Brazilian Portuguese: insights from a population-based study. <i>Ageing and Society</i> , 2023, 43, 1351-1366.	1.7	1
99	Individual and Combined Association Between Healthy Lifestyle Habits With Muscle Strength According to Cardiovascular Health Status in Adults and Older Adults. <i>Journal of Physical Activity and Health</i> , 2021, 18, 973-980.	2.0	1
100	Impact of common cardio-metabolic risk factors on fatal and non-fatal cardiovascular disease in Latin America and the Caribbean: an individual-level pooled analysis of 31 cohort studies. <i>The Lancet Regional Health Americas</i> , 2021, 4, 100068.	2.6	1
101	Clustering of Physical Activity and Sedentary Behavior Associated With Body Composition in Brazilian Older Adults. <i>Journal of Aging and Physical Activity</i> , 2021, , 1-7.	1.0	1
102	Association between lower serum vitamin D (25-hydroxy-cholecalciferol) concentrations and cognitive impairment in older adults " Data from a populational-based cohort study in a middle income-country. <i>Public Health Nutrition</i> , 2021, , 1-25.	2.2	1
103	PROPOR��O DE CESARIANAS SEGUNDO COR DA PELE E ESCOLARIDADE MATERNA NAS DIFERENTES REGI��ES DO BRASIL: TEND��NCIA TEMPORAL DE 2007 A 2016. <i>Revista UniVap</i> , 2019, 25, 116.	0.1	1
104	Muscle Strength Assessed by Handgrip Strength Moderates the Relationship Between Overweight and Obesity With Cardiometabolic Risk Markers Among Adults and Older Adults. <i>Research Quarterly for Exercise and Sport</i> , 2023, 94, 409-417.	1.4	1
105	Is environment perception associated with change in leisure-time physical activity in Brazilian older adults? Results of EpiFloripa Idoso cohort study. <i>Cadernos De Saude Publica</i> , 2022, 38, .	1.0	1
106	Vitamin B12, Folate and Cognitive Function in Older Adults from Southern Brazil. <i>Ageing International</i> , 2021, 46, 311-323.	1.3	0
107	O efeito da utiliza��o de computadores e Internet na fun��o cognitiva de idosos. <i>Lecturas Educaci��n F��sica Y Deportes</i> , 2021, 26, 179-195.	0.0	0
108	Association between deficient and insufficient 25(OH)D serum concentrations and cardiometabolic risk factors: Findings of a population-based study with older adults of southern Brazil. <i>Preventive Medicine Reports</i> , 2021, 24, 101587.	1.8	0

#	ARTICLE	IF	CITATIONS
109	Positive self-perceived health of octogenarians participating in community groups. Revista Brasileira De Atividade Física E Saude, 2017, 22, 35-45.	0.1	0
110	Impact of the diagnosis of diabetes and/or hypertension on healthy food consumption indicators: a longitudinal study of elderly persons. Revista Brasileira De Geriatria E Gerontologia, 2017, 20, 33-44.	0.3	0
111	Sarcopenia, bone mineral density, and vitamin D: EpiFloripa aging study 2013/2014. Geriatrics Gerontology and Aging, 2020, 14, 282-289.	0.3	0
112	Metabolic syndrome and its association with changes in modifiable risk factors: Epifloripa aging study. Journal of Diabetes and Metabolic Disorders, 0, , 1.	1.9	0
113	Sintomas depressivos e níveis séricos das vitaminas B12 e folato em idosos de Florianópolis/SC “Estudo Epifloripa Idoso. Research, Society and Development, 2022, 11, e9811427090.	0.1	0
114	Response of letter to the editor on the validity of the mini-mental state examination and future development of research. Preventive Medicine, 2022, 159, 107041.	3.4	0