

Swei Sunny Hann

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8153247/publications.pdf>

Version: 2024-02-01

38
papers

1,461
citations

279798

23
h-index

330143

37
g-index

40
all docs

40
docs citations

40
times ranked

1890
citing authors

#	ARTICLE	IF	CITATIONS
1	HOTAIR: An Oncogenic Long Non-Coding RNA in Human Cancer. Cellular Physiology and Biochemistry, 2018, 47, 893-913.	1.6	212
2	<p></p>Biological Roles and Mechanisms of Circular RNA in Human Cancers<p></p>. OncoTargets and Therapy, 2020, Volume 13, 2067-2092.	2.0	125
3	Î²-êlemene inhibited expression of <sc>DNA</sc> methyltransferase 1 through activation of <sc>ERK</sc>1/2 and <sc>AMPK</sc>1± signalling pathways in human lung cancer cells: the role of Sp1. Journal of Cellular and Molecular Medicine, 2015, 19, 630-641.	3.6	94
4	Interactions among lncRNAs, miRNAs and mRNA in colorectal cancer. Biochimie, 2019, 163, 58-72.	2.6	81
5	Novel regulation of miRâ€³4â€³5p and HOTAIR by the combination of berberine and gefitinibÂ leading to inhibition of EMT in human lung cancer. Journal of Cellular and Molecular Medicine, 2020, 24, 5578-5592.	3.6	55
6	Combination of curcumin and bicalutamide enhanced the growth inhibition of androgen-independent prostate cancer cells through SAPK/JNK and MEK/ERK1/2-mediated targeting NF-Î²B/p65 and MUC1-C. Journal of Experimental and Clinical Cancer Research, 2015, 34, 46.	8.6	48
7	HOTAIR-mediated reciprocal regulation of EZH2 and DNMT1 contribute to polyphyllin I-inhibited growth of castration-resistant prostate cancer cells in vitro and in vivo. Biochimica Et Biophysica Acta - General Subjects, 2018, 1862, 589-599.	2.4	48
8	Emodin Increases Expression of Insulin-Like Growth Factor Binding Protein 1 through Activation of MEK/ERK/AMPK1± and Interaction of PPARÎ³ and Sp1 in Lung Cancer. Cellular Physiology and Biochemistry, 2017, 41, 339-357.	1.6	46
9	The functions and oncogenic roles of CCAT1 in human cancer. Biomedicine and Pharmacotherapy, 2019, 115, 108943.	5.6	46
10	Baicalein increases the expression and reciprocal interplay of RUNX3 and FOXO3a through crosstalk of AMPK1± and MEK/ERK1/2 signaling pathways in human non-small cell lung cancer cells. Journal of Experimental and Clinical Cancer Research, 2015, 34, 41.	8.6	43
11	<p></p>Novel Tumor Suppressor lncRNA Growth Arrest-Specific 5 (GAS5) In Human Cancer<p></p>. OncoTargets and Therapy, 2019, Volume 12, 8421-8436.	2.0	43
12	Inhibition of integrin-linked kinase expression by emodin through crosstalk of AMPK1± and ERK1/2 signaling and reciprocal interplay of Sp1 and c-Jun. Cellular Signalling, 2015, 27, 1469-1477.	3.6	40
13	Interplay of DNA methyltransferase 1 and EZH2 through inactivation of Stat3 contributes to Î²-êlemene-inhibited growth of nasopharyngeal carcinoma cells. Scientific Reports, 2017, 7, 509.	3.3	38
14	Inhibition of EZH2 via activation of SAPK/JNK and reduction of p65 and DNMT1 as a novel mechanism in inhibition of human lung cancer cells by polyphyllin I. Journal of Experimental and Clinical Cancer Research, 2016, 35, 112.	8.6	37
15	Inactivation of PI3-K/Akt and reduction of SP1 and p65 expression increase the effect of solamargine on suppressing EP4 expression in human lung cancer cells. Journal of Experimental and Clinical Cancer Research, 2015, 34, 154.	8.6	34
16	Targeting EP4 by curcumin through cross talks of AMP-dependent kinase alpha and p38 mitogen-activated protein kinase signaling: The role of PGC-1± and Sp1. Cellular Signalling, 2013, 25, 2566-2574.	3.6	32
17	Activation of SAPK/JNK mediated the inhibition and reciprocal interaction of DNA methyltransferase 1 and EZH2 by ursolic acid in human lung cancer cells. Journal of Experimental and Clinical Cancer Research, 2015, 34, 99.	8.6	32
18	Activation of AMPK1± mediates additive effects of solamargine and metformin on suppressing MUC1 expression in castration-resistant prostate cancer cells. Scientific Reports, 2016, 6, 36721.	3.3	31

#	ARTICLE	IF	CITATIONS
19	Crosstalk of NF- κ B/P65 and LncRNA HOTAIR-Mediated Repression of MUC1 Expression Contribute to Synergistic Inhibition of Castration-Resistant Prostate Cancer by Polyphyllin 1 and Enzalutamide Combination Treatment. <i>Cellular Physiology and Biochemistry</i> , 2018, 47, 759-773.	1.6	31
20	Traditional Chinese medicine, Fuzheng Kang-Ai decoction, inhibits metastasis of lung cancer cells through the STAT3/MMP9 pathway. <i>Molecular Medicine Reports</i> , 2017, 16, 2461-2468.	2.4	26
21	Repression of PDK1- and LncRNA HOTAIR-Mediated EZH2 Gene Expression Contributes to the Enhancement of Atractylenolide 1 and Erlotinib in the Inhibition of Human Lung Cancer Cells. <i>Cellular Physiology and Biochemistry</i> , 2018, 49, 1615-1632.	1.6	25
22	Inactivation of Stat3 and crosstalk of miRNA155-5p and FOXO3a contribute to the induction of IGFBP1 expression by beta-elemene in human lung cancer. <i>Experimental and Molecular Medicine</i> , 2018, 50, 1-14.	7.7	25
23	Repression of phosphoinositide-dependent protein kinase 1 expression by ciglitazone via Egr-1 represents a new approach for inhibition of lung cancer cell growth. <i>Molecular Cancer</i> , 2014, 13, 149.	19.2	24
24	Novel reciprocal interaction of LncRNA HOTAIR and miR-214-3p contribute to the solamargine-inhibited PDK1 gene expression in human lung cancer. <i>Journal of Cellular and Molecular Medicine</i> , 2019, 23, 7749-7761.	3.6	23
25	The enhancement of combination of berberine and metformin in inhibition of DNMT1 gene expression through interplay of SP1 and PDK1. <i>Journal of Cellular and Molecular Medicine</i> , 2018, 22, 600-612.	3.6	21
26	Chinese herbal medicine Fuzheng Kang-Ai decoction sensitized the effect of gefitinib on inhibition of human lung cancer cells through inactivating PI3-K/Akt-mediated suppressing MUC1 expression. <i>Journal of Ethnopharmacology</i> , 2016, 194, 918-929.	4.1	20
27	Inter-regulation of IGFBP1 and FOXO3a unveils novel mechanism in ursolic acid-inhibited growth of hepatocellular carcinoma cells. <i>Journal of Experimental and Clinical Cancer Research</i> , 2016, 35, 59.	8.6	20
28	Activation of ERK and Mutual Regulation of Stat3 and SP1 Contribute to Inhibition of PDK1 Expression by Atractylenolide-1 in Human Lung Cancer Cells. <i>Cellular Physiology and Biochemistry</i> , 2017, 43, 2353-2366.	1.6	20
29	The Reciprocal Interaction Between LncRNA CCAT1 and miR-375-3p Contribute to the Downregulation of IRF5 Gene Expression by Solasonine in HepG2 Human Hepatocellular Carcinoma Cells. <i>Frontiers in Oncology</i> , 2019, 9, 1081.	2.8	20
30	Regulations of miR-183-5p and Snail-Mediated Shikonin-Reduced Epithelial-Mesenchymal Transition in Cervical Cancer Cells. <i>Drug Design, Development and Therapy</i> , 2020, Volume 14, 577-589.	4.3	19
31	The regulation and interaction of colon cancer-associated transcript 1 and miR7-5p contribute to the inhibition of SP1 expression by solamargine in human nasopharyngeal carcinoma cells. <i>Phytotherapy Research</i> , 2020, 34, 201-213.	5.8	17
32	Combination of Solamargine and Metformin Strengthens IGFBP1 Gene Expression Through Inactivation of Stat3 and Reciprocal Interaction Between FOXO3a and SP1. <i>Cellular Physiology and Biochemistry</i> , 2017, 43, 2310-2326.	1.6	16
33	Decoction of Chinese Herbal Medicine Fuzheng Kang-Ai Induces Lung Cancer Cell Apoptosis via STAT3/Bcl-2/Caspase-3 Pathway. <i>Evidence-based Complementary and Alternative Medicine</i> , 2018, 2018, 1-14.	1.2	16
34	Reciprocal interaction of HOTAIR and SP1 together enhance the ability of Xiaoji decoction and gefitinib to inhibit EP4 expression. <i>Journal of Ethnopharmacology</i> , 2019, 237, 128-140.	4.1	15
35	Interaction Of c-Jun And HOTAIR- Increased Expression Of p21 Converge In Polyphyllin I-Inhibited Growth Of Human Lung Cancer Cells. <i>OncoTargets and Therapy</i> , 2019, Volume 12, 10115-10127.	2.0	11
36	Chinese Herbal Medicine Fuzheng Kang-Ai Decoction Inhibited Lung Cancer Cell Growth through AMPK-Mediated Induction and Interplay of IGFBP1 and FOXO3a. <i>Evidence-based Complementary and Alternative Medicine</i> , 2016, 2016, 1-15.	1.2	10

#	ARTICLE	IF	CITATIONS
37	The regulation and interaction of PVT1 and miR181a-5p contributes to the repression of SP1 expression by the combination of XJD decoction and cisplatin in human lung cancer cells. <i>Biomedicine and Pharmacotherapy</i> , 2020, 121, 109632.	5.6	9
38	The repression and reciprocal interaction of DNA methyltransferase 1 and specificity protein 1 contributes to the inhibition of MET expression by the combination of Chinese herbal medicine FZKA decoction and erlotinib. <i>Journal of Ethnopharmacology</i> , 2019, 239, 111928.	4.1	6