

# Eric Granholm

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8158194/publications.pdf>

Version: 2024-02-01

107  
papers

6,307  
citations

61984

43  
h-index

69250

77  
g-index

110  
all docs

110  
docs citations

110  
times ranked

6231  
citing authors

#	ARTICLE	IF	CITATIONS
1	Neurocognitive Functioning of Adolescents: Effects of Protracted Alcohol Use. <i>Alcoholism: Clinical and Experimental Research</i> , 2000, 24, 164-171.	2.4	455
2	Pupillary responses index cognitive resource limitations. <i>Psychophysiology</i> , 1996, 33, 457-461.	2.4	371
3	Memory disorders associated with huntington's disease: Verbal recall, verbal recognition and procedural memory. <i>Neuropsychologia</i> , 1985, 23, 729-743.	1.6	279
4	A Randomized, Controlled Trial of Cognitive Behavioral Social Skills Training for Middle-Aged and Older Outpatients With Chronic Schizophrenia. <i>American Journal of Psychiatry</i> , 2005, 162, 520-529.	7.2	278
5	Mobile Assessment and Treatment for Schizophrenia (MATS): A Pilot Trial of An Interactive Text-Messaging Intervention for Medication Adherence, Socialization, and Auditory Hallucinations. <i>Schizophrenia Bulletin</i> , 2012, 38, 414-425.	4.3	268
6	Substance use and withdrawal: Neuropsychological functioning over 8 years in youth. <i>Journal of the International Neuropsychological Society</i> , 2002, 8, 873-883.	1.8	238
7	Mobile Interventions for Severe Mental Illness. <i>Journal of Nervous and Mental Disease</i> , 2010, 198, 715-721.	1.0	236
8	Pupillometric measures of cognitive and emotional processes. <i>International Journal of Psychophysiology</i> , 2004, 52, 1-6.	1.0	232
9	An Assessment of Verbal Recall, Recognition and Fluency Abilities in Patients with Huntington's Disease. <i>Cortex</i> , 1986, 22, 11-32.	2.4	213
10	Feasibility and Validity of Computerized Ecological Momentary Assessment in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2007, 34, 507-514.	4.3	170
11	Pupillary and reaction time measures of sustained processing of negative information in depression. <i>Biological Psychiatry</i> , 2001, 49, 624-636.	1.3	153
12	Brain activation and pupil response during covert performance of the Stroop Color Word task. <i>Journal of the International Neuropsychological Society</i> , 1999, 5, 308-319.	1.8	138
13	The Latent Structure of Negative Symptoms in Schizophrenia. <i>JAMA Psychiatry</i> , 2018, 75, 1271.	11.0	135
14	Measuring cognitive insight in middle-aged and older patients with psychotic disorders. <i>Schizophrenia Research</i> , 2004, 71, 297-305.	2.0	112
15	Randomized clinical trial of cognitive behavioral social skills training for schizophrenia: Improvement in functioning and experiential negative symptoms.. <i>Journal of Consulting and Clinical Psychology</i> , 2014, 82, 1173-1185.	2.0	111
16	Pupillary responses on the visual backward masking task reflect general cognitive ability. <i>International Journal of Psychophysiology</i> , 2004, 52, 23-36.	1.0	109
17	Real-Time Electronic Ambulatory Monitoring of Substance Use and Symptom Expression in Schizophrenia. <i>American Journal of Psychiatry</i> , 2011, 168, 202-209.	7.2	101
18	Randomized Controlled Trial of Cognitive Behavioral Social Skills Training for Older Consumers With Schizophrenia: Defeatist Performance Attitudes and Functional Outcome. <i>American Journal of Geriatric Psychiatry</i> , 2013, 21, 251-262.	1.2	100

#	ARTICLE	IF	CITATIONS
19	Randomized Controlled Trial of Cognitive Behavioral Social Skills Training for Older People With Schizophrenia. <i>Journal of Clinical Psychiatry</i> , 2007, 68, 730-737.	2.2	98
20	Associative encoding and retrieval in Alzheimer's and Huntington's disease. <i>Brain and Cognition</i> , 1988, 7, 335-347.	1.8	94
21	Examining a Cognitive Model of Persecutory Ideation in the Daily Life of People With Schizophrenia: A Computerized Experience Sampling Study. <i>Schizophrenia Bulletin</i> , 2011, 37, 1248-1256.	4.3	87
22	Novel Treatment for Geriatric Hoarding Disorder: An Open Trial of Cognitive Rehabilitation Paired with Behavior Therapy. <i>American Journal of Geriatric Psychiatry</i> , 2014, 22, 248-252.	1.2	84
23	Tropicamide effects on pupil size and pupillary light reflexes in Alzheimer's and Parkinson's disease. <i>International Journal of Psychophysiology</i> , 2003, 47, 95-115.	1.0	76
24	Ecological Momentary Assessment of social functioning in schizophrenia: Impact of performance appraisals and affect on social interactions. <i>Schizophrenia Research</i> , 2013, 145, 120-124.	2.0	76
25	Differentiation of deception using pupillary responses as an index of cognitive processing. <i>Psychophysiology</i> , 2001, 38, 205-211.	2.4	74
26	Visual scanning deficits in schizophrenia and their relationship to executive functioning impairment. <i>Schizophrenia Research</i> , 2005, 74, 69-79.	2.0	72
27	Pupillary responses and processing resources on the visual backward masking task. <i>Psychophysiology</i> , 2001, 38, 76-83.	2.4	67
28	Integrated Cognitive Behavioral Therapy Versus Twelve-Step Facilitation Therapy for Substance-Dependent Adults with Depressive Disorders. <i>Journal of Psychoactive Drugs</i> , 2006, 38, 449-460.	1.7	65
29	Selective corticostriatal dysfunction in schizophrenia: Examination of motor and cognitive skill learning.. <i>Neuropsychology</i> , 2008, 22, 100-109.	1.3	65
30	What Do People With Schizophrenia Do All Day? Ecological Momentary Assessment of Real-World Functioning in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2019, 46, 242-251.	4.3	64
31	Feasibility and Acceptability of Ecological Momentary Assessment of Daily Functioning Among Older Adults with HIV. <i>American Journal of Geriatric Psychiatry</i> , 2017, 25, 829-840.	1.2	63
32	Social Disinterest Attitudes and Group Cognitive-Behavioral Social Skills Training for Functional Disability in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2009, 35, 874-883.	4.3	60
33	Clinical outcomes of an integrated treatment for depression and substance use disorders.. <i>Psychology of Addictive Behaviors</i> , 2010, 24, 453-465.	2.1	59
34	Pupillary responses and attentional allocation problems on the backward masking task in schizophrenia. <i>International Journal of Psychophysiology</i> , 2004, 52, 37-51.	1.0	57
35	Dual-task performance operating characteristics, resource limitations, and automatic processing in schizophrenia.. <i>Neuropsychology</i> , 1996, 10, 11-21.	1.3	56
36	Accelerated age-related decline in processing resources in schizophrenia: Evidence from pupillary responses recorded during the span of apprehension task. <i>Journal of the International Neuropsychological Society</i> , 2000, 6, 30-43.	1.8	56

#	ARTICLE	IF	CITATIONS
37	Neuropsychological predictors of functional outcome in Cognitive Behavioral Social Skills Training for older people with schizophrenia. <i>Schizophrenia Research</i> , 2008, 100, 133-143.	2.0	52
38	Predicting the Occurrence, Conviction, Distress, and Disruption of Different Delusional Experiences in the Daily Life of People with Schizophrenia. <i>Schizophrenia Bulletin</i> , 2012, 38, 826-837.	4.3	52
39	Priming semantic relations in patients with Huntington's Disease. <i>Brain and Language</i> , 1988, 33, 27-40.	1.6	51
40	Somatosensory System Deficits in Schizophrenia Revealed by MEG during a Median-Nerve Oddball Task. <i>Brain Topography</i> , 2010, 23, 82-104.	1.8	51
41	The role of dysfunctional attitudes in models of negative symptoms and functioning in schizophrenia. <i>Schizophrenia Research</i> , 2014, 157, 182-189.	2.0	50
42	Improvement in Negative Symptoms and Functioning in Cognitive-Behavioral Social Skills Training for Schizophrenia: Mediation by Defeatist Performance Attitudes and Asocial Beliefs. <i>Schizophrenia Bulletin</i> , 2018, 44, 653-661.	4.3	49
43	Preliminary associations between motor procedural learning, basal ganglia T2 relaxation times, and tardive dyskinesia in schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 1993, 50, 33-44.	1.8	45
44	The acceptability and feasibility of a novel virtual reality based social skills training game for schizophrenia: Preliminary findings. <i>Psychiatry Research</i> , 2018, 270, 496-502.	3.3	45
45	Insight and theory of mind in schizophrenia. <i>Psychiatry Research</i> , 2015, 225, 169-174.	3.3	44
46	Effortful Cognitive Resource Allocation and Negative Symptom Severity in Chronic Schizophrenia. <i>Schizophrenia Bulletin</i> , 2007, 33, 831-842.	4.3	42
47	Pupillary Responses as a Biomarker of Diminished Effort Associated With Defeatist Attitudes and Negative Symptoms in Schizophrenia. <i>Biological Psychiatry</i> , 2016, 80, 581-588.	1.3	37
48	Pupillary dilation to simple vs. complex tasks and its relationship to thought disturbance in schizophrenia patients. <i>International Journal of Psychophysiology</i> , 2004, 52, 53-62.	1.0	36
49	Age-related practice effects across longitudinal neuropsychological assessments in older people with schizophrenia.. <i>Neuropsychology</i> , 2010, 24, 616-624.	1.3	32
50	Therapeutic Factors Contributing to Change in Cognitive-Behavioral Group Therapy for Older Persons with Schizophrenia. <i>Journal of Contemporary Psychotherapy</i> , 2006, 36, 31-41.	1.2	29
51	Emotional determinants of life-space through GPS and ecological momentary assessment in schizophrenia: What gets people out of the house?. <i>Schizophrenia Research</i> , 2020, 224, 67-73.	2.0	26
52	Daily Activities Related to Mobile Cognitive Performance in Middle-Aged and Older Adults: An Ecological Momentary Cognitive Assessment Study. <i>JMIR MHealth and UHealth</i> , 2020, 8, e19579.	3.7	26
53	UPSA-M: Feasibility and initial validity of a mobile application of the UCSD Performance-Based Skills Assessment. <i>Schizophrenia Research</i> , 2015, 164, 187-192.	2.0	25
54	Interpersonal beliefs related to suicide and facial emotion processing in psychotic disorders. <i>Journal of Psychiatric Research</i> , 2018, 100, 107-112.	3.1	25

#	ARTICLE	IF	CITATIONS
55	Psychosocial functioning on the Independent Living Skills Survey in older outpatients with schizophrenia. <i>Schizophrenia Research</i> , 2004, 69, 307-316.	2.0	24
56	Culture-Fair Cognitive Ability Assessment. <i>Assessment</i> , 2005, 12, 303-319.	3.1	24
57	Social Skills Training for Negative Symptoms of Schizophrenia. <i>Schizophrenia Bulletin</i> , 2018, 44, 472-474.	4.3	24
58	Effects of schizophrenia and aging on pupillographic measures of working memory. <i>Schizophrenia Research</i> , 1997, 27, 119-128.	2.0	23
59	Positive and negative schizotypal symptoms relate to different aspects of crossover reaction time task performance. <i>Psychiatry Research</i> , 1998, 81, 241-249.	3.3	22
60	Brief Integrated Outpatient Dual-diagnosis Treatment Reduces Psychiatric Hospitalizations. <i>American Journal on Addictions</i> , 2003, 12, 306-313.	1.4	22
61	Goal Attainment Scaling: Tracking Goal Achievement in Consumers with Serious Mental Illness. <i>American Journal of Psychiatric Rehabilitation</i> , 2015, 18, 173-186.	0.7	22
62	Pupillary Responses Evoked during Verbal Fluency Tasks Indicate Semantic Network Dysfunction in Schizophrenia. <i>Journal of Clinical and Experimental Neuropsychology</i> , 1998, 20, 856-872.	1.3	20
63	Reduced Processing Resource Availability in Schizotypal Personality Disorder: Evidence From a Dual-Task CPT Study. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2003, 25, 335-347.	1.3	20
64	Dual-task information processing in schizotypal personality disorder: Evidence of impaired processing capacity. <i>Neuropsychology</i> , 2006, 20, 453-460.	1.3	19
65	Easier tasks can have higher processing loads: Task difficulty and cognitive resource limitations in schizophrenia. <i>Journal of Abnormal Psychology</i> , 2008, 117, 355-363.	1.9	19
66	Pupillometric measures of attentional allocation to target and mask processing on the backward masking task in schizophrenia. <i>Psychophysiology</i> , 2009, 46, 510-520.	2.4	18
67	Symptoms of depression and anxiety mediate the relationship between self-esteem and paranoia. <i>Schizophrenia Research</i> , 2009, 115, 377-378.	2.0	18
68	Two Factors, Five Factors, or Both? External Validation Studies of Negative Symptom Dimensions in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2022, 48, 620-630.	4.3	18
69	Prevalence and longitudinal stability of negative symptoms in healthy participants. <i>International Journal of Geriatric Psychiatry</i> , 2009, 24, 1438-1444.	2.7	17
70	The effects of combined oxytocin and cognitive behavioral social skills training on social cognition in schizophrenia. <i>Psychological Medicine</i> , 2019, 49, 1731-1739.	4.5	16
71	Neurocognitive Functioning of Adolescents: Effects of Protracted Alcohol Use. <i>Alcoholism: Clinical and Experimental Research</i> , 2000, 24, 164-171.	2.4	16
72	Group Cognitive-Behavioral Social Skills Training for Older Outpatients With Chronic Schizophrenia. <i>Journal of Cognitive Psychotherapy</i> , 2004, 18, 265-279.	0.4	15

#	ARTICLE	IF	CITATIONS
73	Mindful cognitive enhancement training for psychosis: A pilot study. <i>Schizophrenia Research</i> , 2014, 157, 312-313.	2.0	15
74	Mathematically Modeling Anhedonia in Schizophrenia: A Stochastic Dynamical Systems Approach. <i>Schizophrenia Bulletin</i> , 2020, 46, 1191-1201.	4.3	14
75	Combined Oxytocin and Cognitive Behavioral Social Skills Training for Social Function in People With Schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , 2021, 41, 236-243.	1.4	13
76	Affective arousal factors in the recall of thematic stories by amnesic and demented patients. <i>Developmental Neuropsychology</i> , 1985, 1, 317-333.	1.4	12
77	Modulation of frontal gamma oscillations improves working memory in schizophrenia. <i>NeuroImage: Clinical</i> , 2020, 27, 102339.	2.7	12
78	Cognitive behavioural social skills training: Methods of a randomized controlled trial for youth at risk of psychosis. <i>Microbial Biotechnology</i> , 2021, 15, 1626-1636.	1.7	12
79	Span of apprehension deficits in older outpatients with schizophrenia. <i>Schizophrenia Research</i> , 1996, 20, 51-56.	2.0	11
80	Ecological momentary assessment of interpersonal theory of suicide constructs in people experiencing psychotic symptoms. <i>Journal of Psychiatric Research</i> , 2021, 140, 496-503.	3.1	11
81	Dynamic contextual influences on social motivation and behavior in schizophrenia: a case-control network analysis. <i>NPJ Schizophrenia</i> , 2021, 7, 62.	3.6	11
82	Hemispheric and attentional contributions to perceptual organization deficits on the global-local task in schizophrenia. <i>Neuropsychology</i> , 1999, 13, 271-281.	1.3	11
83	Insight into illness in late-life schizophrenia: A function of illness severity and premorbid intellectual function. <i>Schizophrenia Research</i> , 2013, 150, 217-222.	2.0	10
84	Reducing negative symptoms in schizophrenia: Feasibility and acceptability of a combined cognitive-behavioral social skills training and compensatory cognitive training intervention. <i>Psychiatry Research</i> , 2021, 295, 113620.	3.3	10
85	Mobile-Assisted Cognitive Behavioral Therapy for Negative Symptoms: Open Single-Arm Trial With Schizophrenia Patients. <i>JMIR Mental Health</i> , 2020, 7, e24406.	3.3	10
86	Mediated and moderated effects of neurocognitive impairment on outcomes of treatment for substance dependence and major depression. <i>Journal of Consulting and Clinical Psychology</i> , 2014, 82, 418-428.	2.0	8
87	Cognitive behavioural social skills training for first episode psychosis: a feasibility study. <i>Microbial Biotechnology</i> , 2018, 12, 863-868.	1.7	8
88	Sleep deprivation and compensatory cognitive effort on a visual information processing task. <i>Sleep</i> , 2021, 44, .	1.1	8
89	A cross-diagnostic study of adherence to ecological momentary assessment: Comparisons across study length and daily survey frequency find that early adherence is a potent predictor of study-long adherence. <i>Personalized Medicine in Psychiatry</i> , 2021, 29-30, 100085.	0.1	8
90	Brief integrated outpatient dual-diagnosis treatment reduces psychiatric hospitalizations. <i>American Journal on Addictions</i> , 2003, 12, 306-13.	1.4	8

#	ARTICLE	IF	CITATIONS
91	Extraction of Emotional Information via Visual Scanning Patterns. <i>ACM Transactions on Accessible Computing</i> , 2018, 11, 1-20.	2.4	7
92	Revisiting the Potential of EEG Neurofeedback for Patients With Schizophrenia. <i>Schizophrenia Bulletin</i> , 2020, 46, 741-742.	4.3	6
93	Integrated Cognitive-Behavioral Social Skills Training and Compensatory Cognitive Training for Negative Symptoms of Psychosis: Effects in a Pilot Randomized Controlled Trial. <i>Schizophrenia Bulletin</i> , 2022, 48, 359-370.	4.3	6
94	Neuropsychological Functioning and Outcomes of Treatment for Co-occurring Depression and Substance Use Disorders. <i>American Journal of Drug and Alcohol Abuse</i> , 2011, 37, 240-249.	2.1	5
95	Stakeholder Perspectives on Implementing Cognitive Behavioral Social Skills Training on Assertive Community Treatment Teams. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2019, 46, 188-199.	2.1	5
96	Mobile-assisted cognitive-behavioral social skills training in older adults with schizophrenia. <i>Journal of Behavioral and Cognitive Therapy</i> , 2020, 30, 13-21.	1.4	5
97	A Brief Mobile-Augmented Suicide Prevention Intervention for People With Psychotic Disorders in Transition From Acute to Ongoing Care: Protocol for a Pilot Trial. <i>JMIR Research Protocols</i> , 2021, 10, e14378.	1.0	5
98	Lateralized perceptual organization deficits on the global-local task in schizotypal personality disorder.. <i>Journal of Abnormal Psychology</i> , 2002, 111, 42-52.	1.9	5
99	Bullying and social functioning, schemas, and beliefs among youth at clinical high risk for psychosis. <i>Microbial Biotechnology</i> , 2022, 16, 281-288.	1.7	4
100	Differentiation of deception using pupillary responses as an index of cognitive processing. <i>Psychophysiology</i> , 2001, 38, 205-211.	2.4	4
101	Cognitive Impairment in Schizophrenia. <i>Psychiatric Annals</i> , 1994, 24, 484-490.	0.1	4
102	Modifiable predictors of self-reported and performance-based functioning in individuals with schizophrenia-spectrum disorders and high levels of negative symptoms. <i>Journal of Psychiatric Research</i> , 2022, 151, 347-353.	3.1	4
103	Feasibility of Implementing Cognitive Behavioral Therapy for Psychosis on Assertive Community Treatment Teams: A Controlled Pilot Study. <i>International Journal of Cognitive Therapy</i> , 2010, 3, 295-303.	2.2	3
104	Concept mapping study of stakeholder perceptions of implementation of cognitive-behavioral social skills training on assertive community treatment teams.. <i>Psychological Services</i> , 2021, 18, 33-41.	1.5	3
105	Negative symptoms: associations with defeatist beliefs, self-efficacy, and maladaptive schemas in youth and young adults at-risk for psychosis. <i>Behavioural and Cognitive Psychotherapy</i> , 2022, 50, 298-311.	1.2	3
106	Lack of Insight in Late-Life Schizophrenia: A Function of Illness Severity and Premorbid Intellectual Functioning. <i>American Journal of Geriatric Psychiatry</i> , 2013, 21, S120-S121.	1.2	0
107	Cognitive and Functional Ability in Older Adults with Schizophrenia. <i>American Journal of Geriatric Psychiatry</i> , 2013, 21, S119.	1.2	0