

# Lin-Jie Zhi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8158922/publications.pdf>

Version: 2024-02-01

92  
papers

15,327  
citations

29994

54  
h-index

40881

93  
g-index

93  
all docs

93  
docs citations

93  
times ranked

18886  
citing authors

#	ARTICLE	IF	CITATIONS
1	Inside-out dual-doping effects on tubular catalysts: Structural and chemical variation for advanced oxygen reduction performance. <i>Nano Research</i> , 2022, 15, 361-367.	5.8	18
2	Spatially hierarchical carbon enables superior long-term cycling of ultrahigh areal capacity lithium metal anodes. <i>Matter</i> , 2022, 5, 1263-1276.	5.0	15
3	Electrifying Schiff-based networks as model catalysts towards deeply understanding the crucial role of sp <sup>2</sup> -carbon in nitrogen-doped carbocatalyst for oxygen reduction reaction. <i>Applied Surface Science</i> , 2022, 599, 153961.	3.1	2
4	Bottom-up construction of microporous catalyst with identical active sites for efficient hydrogen peroxide production. <i>Carbon</i> , 2021, 171, 931-937.	5.4	8
5	The Different Roles of Cobalt and Manganese in Metal-Organic Frameworks for Supercapacitors. <i>Advanced Materials Technologies</i> , 2021, 6, 2000941.	3.0	33
6	Molecular Orientations at Buried Conducting Polymer/Graphene Interfaces. <i>Macromolecules</i> , 2021, 54, 4050-4060.	2.2	6
7	Scalable synthesis of silicon nanoplate-decorated graphite for advanced lithium-ion battery anodes. <i>Nanoscale</i> , 2021, 13, 2820-2824.	2.8	12
8	Covalently encapsulating sulfur chains into carbon-rich nanomaterials towards high-capacity and high-rate sodium-ion storage. <i>Journal of Materials Chemistry A</i> , 2021, 9, 24460-24471.	5.2	6
9	A template oriented one-dimensional Schiff-base polymer: towards flexible nitrogen-enriched carbonaceous electrodes with ultrahigh electrochemical capacity. <i>Nanoscale</i> , 2021, 13, 19210-19217.	2.8	6
10	Stable high-capacity and high-rate silicon-based lithium battery anodes upon two-dimensional covalent encapsulation. <i>Nature Communications</i> , 2020, 11, 3826.	5.8	193
11	Maximizing pore and heteroatom utilization within N,P-co-doped polypyrrole-derived carbon nanotubes for high-performance supercapacitors. <i>Journal of Materials Chemistry A</i> , 2020, 8, 17558-17567.	5.2	64
12	Unzipping carbon nanotubes to nanoribbons for revealing the mechanism of nonradical oxidation by carbocatalysis. <i>Applied Catalysis B: Environmental</i> , 2020, 276, 119146.	10.8	108
13	N,P co-doped hollow carbon nanofiber membranes with superior mass transfer property for trifunctional metal-free electrocatalysis. <i>Nano Energy</i> , 2019, 64, 103879.	8.2	110
14	Band Structure Engineering of Schiff-Base Microporous Organic Polymers for Enhanced Visible-Light Photocatalytic Performance. <i>Small</i> , 2019, 15, e1900244.	5.2	28
15	New insight to the role of edges and heteroatoms in nanocarbons for oxygen reduction reaction. <i>Nano Energy</i> , 2019, 66, 104096.	8.2	79
16	Ultrafast-Charging Silicon-Based Coral-Like Network Anodes for Lithium-Ion Batteries with High Energy and Power Densities. <i>ACS Nano</i> , 2019, 13, 2307-2315.	7.3	115
17	Chemical tailoring of one-dimensional polypyrene nanocapsules at a molecular level: towards ideal sulfur hosts for high-performance Li-S batteries. <i>Journal of Materials Chemistry A</i> , 2019, 7, 2009-2014.	5.2	10
18	Ultrafast microwave reduction process for high-quality graphene foam with outstanding electromagnetic interference shielding and good adsorption capacity. <i>FlatChem</i> , 2019, 17, 100117.	2.8	6

#	ARTICLE	IF	CITATIONS
19	Electrode Design from “Internal” to “External” for High Stability Silicon Anodes in Lithium-Ion Batteries. ACS Applied Materials & Interfaces, 2019, 11, 14142-14149.	4.0	32
20	A hierarchical layering design for stable, self-restrained and high volumetric binder-free lithium storage. Nanoscale, 2019, 11, 21728-21732.	2.8	8
21	Sp <sup>2</sup> -carbon dominant carbonaceous materials for energy conversion and storage. Materials Science and Engineering Reports, 2019, 137, 1-37.	14.8	25
22	Dimensionally Designed Carbon-Silicon Hybrids for Lithium Storage. Advanced Functional Materials, 2019, 29, 1806061.	7.8	140
23	Isonothermal strategy towards template-free hierarchical porous carbons for supercapacitive energy storage. Carbon, 2019, 143, 487-493.	5.4	24
24	Rational Design of Carbon-Rich Materials for Energy Storage and Conversion. Advanced Materials, 2019, 31, e1804973.	11.1	74
25	Graphene-Based Transparent Conductive Films: Material Systems, Preparation and Applications. Small Methods, 2019, 3, 1800199.	4.6	135
26	Graphene hybridization for energy storage applications. Chemical Society Reviews, 2018, 47, 3189-3216.	18.7	297
27	Nitrogen-Enriched Carbon/CNT Composites Based on Schiff-Base Networks: Ultrahigh N Content and Enhanced Lithium Storage Properties. Small, 2018, 14, e1703569.	5.2	31
28	A synergistic strategy for stable lithium metal anodes using 3D fluorine-doped graphene shuttle-implanted porous carbon networks. Nano Energy, 2018, 49, 179-185.	8.2	138
29	A facile Schiff base chemical approach: towards molecular-scale engineering of N-C interface for high performance lithium-sulfur batteries. Nano Energy, 2018, 46, 365-371.	8.2	32
30	Caging tin oxide in three-dimensional graphene networks for superior volumetric lithium storage. Nature Communications, 2018, 9, 402.	5.8	227
31	A collaborative strategy for stable lithium metal anodes by using three-dimensional nitrogen-doped graphene foams. Nanoscale, 2018, 10, 4675-4679.	2.8	36
32	Controllable growth of SnS <sub>2</sub> nanostructures on nanocarbon surfaces for lithium-ion and sodium-ion storage with high rate capability. Journal of Materials Chemistry A, 2018, 6, 1462-1472.	5.2	117
33	Light-weight 3D Co-N-doped hollow carbon spheres as efficient electrocatalysts for rechargeable zinc-air batteries. Nanoscale, 2018, 10, 10412-10419.	2.8	73
34	Editable asymmetric all-solid-state supercapacitors based on high-strength, flexible, and programmable 2D-metal-organic framework/reduced graphene oxide self-assembled papers. Journal of Materials Chemistry A, 2018, 6, 20254-20266.	5.2	110
35	A facile and processable integration strategy towards Schiff-base polymer-derived carbonaceous materials with high lithium storage performance. Nanoscale, 2018, 10, 10351-10356.	2.8	15
36	Scalop-Inspired Shell Engineering of Microparticles for Stable and High Volumetric Capacity Battery Anodes. Small, 2018, 14, e1800752.	5.2	27

#	ARTICLE	IF	CITATIONS
37	Fabrication of the reduced preoxidized graphene-based nanofiltration membranes with tunable porosity and good performance. <i>RSC Advances</i> , 2017, 7, 2544-2549.	1.7	35
38	Structure controllable carbon matrix derived from benzene-constructed porous organic polymers for high-performance Li-S batteries. <i>Carbon</i> , 2017, 116, 633-639.	5.4	16
39	Fast tuning of covalent triazine frameworks for photocatalytic hydrogen evolution. <i>Chemical Communications</i> , 2017, 53, 5854-5857.	2.2	206
40	Pyrolyzed bacterial cellulose/graphene oxide sandwich interlayer for lithium-sulfur batteries. <i>Rare Metals</i> , 2017, 36, 418-424.	3.6	30
41	A Facile Reduction Method for Roll-to-Roll Production of High Performance Graphene-Based Transparent Conductive Films. <i>Advanced Materials</i> , 2017, 29, 1605028.	11.1	70
42	Silicene Flowers: A Dual Stabilized Silicon Building Block for High-Performance Lithium Battery Anodes. <i>ACS Nano</i> , 2017, 11, 7476-7484.	7.3	132
43	Porous graphene oxide-based carbon artefact with high capacity for methylene blue adsorption. <i>Adsorption</i> , 2016, 22, 1043-1050.	1.4	15
44	All-biomaterial supercapacitor derived from bacterial cellulose. <i>Nanoscale</i> , 2016, 8, 9146-9150.	2.8	97
45	Direct Chemical-Vapor-Deposition-Fabricated, Large-Scale Graphene Glass with High Carrier Mobility and Uniformity for Touch Panel Applications. <i>ACS Nano</i> , 2016, 10, 11136-11144.	7.3	69
46	Carbon Network-Integrated SnSiO <sub>x</sub> +2 Nanofiber Sheathed by Ultrathin Graphitic Carbon for Highly Reversible Lithium Storage. <i>Advanced Energy Materials</i> , 2016, 6, 1502495.	10.2	18
47	Encapsulating V <sub>2</sub> O <sub>5</sub> into carbon nanotubes enables the synthesis of flexible high-performance lithium ion batteries. <i>Energy and Environmental Science</i> , 2016, 9, 906-911.	15.6	162
48	Tin nanoparticles encapsulated in graphene backboned carbonaceous foams as high-performance anodes for lithium-ion and sodium-ion storage. <i>Nano Energy</i> , 2016, 22, 232-240.	8.2	136
49	Graphene-templated formation of 3D tin-based foams for lithium ion storage applications with a long lifespan. <i>Journal of Materials Chemistry A</i> , 2016, 4, 362-367.	5.2	25
50	Freestanding carbon-coated CNT/Sn(O <sub>2</sub> ) coaxial sponges with enhanced lithium-ion storage capability. <i>Nanoscale</i> , 2015, 7, 20380-20385.	2.8	20
51	Porous layer-stacking carbon derived from in-built template in biomass for high volumetric performance supercapacitors. <i>Nano Energy</i> , 2015, 12, 141-151.	8.2	540
52	Approaching the Downsizing Limit of Silicon for Surface-Controlled Lithium Storage. <i>Advanced Materials</i> , 2015, 27, 1526-1532.	11.1	110
53	Bottom-Up Construction of Triazine-Based Frameworks as Metal-Free Electrocatalysts for Oxygen Reduction Reaction. <i>Advanced Materials</i> , 2015, 27, 3190-3195.	11.1	167
54	Conversion of amorphous polymer networks to covalent organic frameworks under ionothermal conditions: a facile synthesis route for covalent triazine frameworks. <i>Journal of Materials Chemistry A</i> , 2015, 3, 24422-24427.	5.2	91

#	ARTICLE	IF	CITATIONS
55	High-Performance Silicon Battery Anodes Enabled by Engineering Graphene Assemblies. <i>Nano Letters</i> , 2015, 15, 6222-6228.	4.5	173
56	Synergistically engineered self-standing silicon/carbon composite arrays as high performance lithium battery anodes. <i>Journal of Materials Chemistry A</i> , 2015, 3, 494-498.	5.2	26
57	Hydrogen reduced graphene oxide/metal grid hybrid film: towards high performance transparent conductive electrode for flexible electrochromic devices. <i>Carbon</i> , 2015, 81, 232-238.	5.4	91
58	Structural Evolution of 2D Microporous Covalent Triazine-Based Framework toward the Study of High-Performance Supercapacitors. <i>Journal of the American Chemical Society</i> , 2015, 137, 219-225.	6.6	390
59	Design and construction of three dimensional graphene-based composites for lithium ion battery applications. <i>Energy and Environmental Science</i> , 2015, 8, 456-477.	15.6	243
60	A fast room-temperature strategy for direct reduction of graphene oxide films towards flexible transparent conductive films. <i>Journal of Materials Chemistry A</i> , 2014, 2, 10969-10973.	5.2	31
61	Rational design of MoS <sub>2</sub> @graphene nanocables: towards high performance electrode materials for lithium ion batteries. <i>Energy and Environmental Science</i> , 2014, 7, 3320-3325.	15.6	218
62	A novel SnS <sub>2</sub> @graphene nanocable network for high-performance lithium storage. <i>RSC Advances</i> , 2014, 4, 23372-23376.	1.7	44
63	Graphenel Polymers for Energy Storage. <i>Small</i> , 2014, 10, 2122-2135.	5.2	35
64	Managing voids of Si anodes in lithium ion batteries. <i>Nanoscale</i> , 2013, 5, 8864.	2.8	52
65	High Volumetric Capacity Silicon-Based Lithium Battery Anodes by Nanoscale System Engineering. <i>Nano Letters</i> , 2013, 13, 5578-5584.	4.5	170
66	One-dimensional/two-dimensional hybridization for self-supported binder-free silicon-based lithium ion battery anodes. <i>Nanoscale</i> , 2013, 5, 1470.	2.8	80
67	Reduced Graphene Oxide Nanoribbon Networks: A Novel Approach towards Scalable Fabrication of Transparent Conductive Films. <i>Small</i> , 2013, 9, 820-824.	5.2	26
68	Adaptable Silicon@Carbon Nanocables Sandwiched between Reduced Graphene Oxide Sheets as Lithium Ion Battery Anodes. <i>ACS Nano</i> , 2013, 7, 1437-1445.	7.3	392
69	Pyrolyzed Bacterial Cellulose: A Versatile Support for Lithium Ion Battery Anode Materials. <i>Small</i> , 2013, 9, 2399-2404.	5.2	158
70	Contact@Engineered and Void@Involved Silicon/Carbon Nanohybrids as Lithium@Ion@Battery Anodes. <i>Advanced Materials</i> , 2013, 25, 3560-3565.	11.1	227
71	Carbonaceous Electrode Materials for Supercapacitors. <i>Advanced Materials</i> , 2013, 25, 3899-3904.	11.1	625
72	Covalently Stabilized Pd Clusters in Microporous Polyphenylene: An Efficient Catalyst for Suzuki Reactions Under Aerobic Conditions. <i>Small</i> , 2013, 9, 2460-2465.	5.2	20

#	ARTICLE	IF	CITATIONS
73	Intertwined Network of Si/C Nanocables and Carbon Nanotubes as Lithium-Ion Battery Anodes. ACS Applied Materials & Interfaces, 2013, 5, 6467-6472.	4.0	50
74	Enhanced Transparent Conductive Properties of Graphene/Carbon Nano-Composite Films. Journal of Nanoscience and Nanotechnology, 2013, 13, 942-945.	0.9	2
75	Two dimensional graphene-SnS <sub>2</sub> hybrids with superior rate capability for lithium ion storage. Energy and Environmental Science, 2012, 5, 5226-5230.	15.6	386
76	The dimensionality of Sn anodes in Li-ion batteries. Materials Today, 2012, 15, 544-552.	8.3	222
77	Terephthalonitrile-derived nitrogen-rich networks for high performance supercapacitors. Energy and Environmental Science, 2012, 5, 9747.	15.6	171
78	Chemical Approaches toward Graphene-Based Nanomaterials and their Applications in Energy-Related Areas. Small, 2012, 8, 630-646.	5.2	368
79	High-Efficiency and Room-Temperature Reduction of Graphene Oxide: A Facile Green Approach Towards Flexible Graphene Films. Small, 2012, 8, 1180-1184.	5.2	36
80	Advanced Asymmetric Supercapacitors Based on Ni(OH) <sub>2</sub> /Graphene and Porous Graphene Electrodes with High Energy Density. Advanced Functional Materials, 2012, 22, 2632-2641.	7.8	1,855
81	Rod-Coating: Towards Large-Area Fabrication of Uniform Reduced Graphene Oxide Films for Flexible Touch Screens. Advanced Materials, 2012, 24, 2874-2878.	11.1	285
82	Graphene-Confined Sn Nanosheets with Enhanced Lithium Storage Capability. Advanced Materials, 2012, 24, 3538-3543.	11.1	271
83	Template-Directed Synthesis of Pillared-Porous Carbon Nanosheet Architectures: High-Performance Electrode Materials for Supercapacitors. Advanced Energy Materials, 2012, 2, 419-424.	10.2	267
84	Reduced Graphene Oxide-Mediated Growth of Uniform Tin-Core/Carbon-Sheath Coaxial Nanocables with Enhanced Lithium Ion Storage Properties. Advanced Materials, 2012, 24, 1405-1409.	11.1	182
85	Asymmetric Supercapacitors Based on Graphene/MnO <sub>2</sub> and Activated Carbon Nanofiber Electrodes with High Power and Energy Density. Advanced Functional Materials, 2011, 21, 2366-2375.	7.8	1,827
86	Synthesis of Microporous Carbon Nanofibers and Nanotubes from Conjugated Polymer Network and Evaluation in Electrochemical Capacitor. Advanced Functional Materials, 2009, 19, 2125-2129.	7.8	172
87	A simple approach towards one-dimensional mesoporous carbon with superior electrochemical capacitive activity. Chemical Communications, 2009, , 809-811.	2.2	61
88	Transparent Carbon Films as Electrodes in Organic Solar Cells. Angewandte Chemie - International Edition, 2008, 47, 2990-2992.	7.2	598
89	Two-Dimensional Graphene Nanoribbons. Journal of the American Chemical Society, 2008, 130, 4216-4217.	6.6	695
90	A bottom-up approach from molecular nanographenes to unconventional carbon materials. Journal of Materials Chemistry, 2008, 18, 1472.	6.7	330

#	ARTICLE	IF	CITATIONS
91	Self-Assembly of Positively Charged Discotic PAHs: From Nanofibers to Nanotubes. <i>Angewandte Chemie - International Edition</i> , 2007, 46, 5417-5420.	7.2	133
92	Carbonization of Dislike Molecules in Porous Alumina Membranes: Toward Carbon Nanotubes with Controlled Graphene-Layer Orientation. <i>Angewandte Chemie - International Edition</i> , 2005, 44, 2120-2123.	7.2	111