List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8161134/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Autologous Transplantation and Maintenance Therapy in Multiple Myeloma. New England Journal of Medicine, 2014, 371, 895-905.	27.0	683
2	Frequent gain of chromosome band 1q21 in plasma-cell dyscrasias detected by fluorescence in situ hybridization: incidence increases from MGUS to relapsed myeloma and is related to prognosis and disease progression following tandem stem-cell transplantation. Blood, 2006, 108, 1724-1732.	1.4	417
3	Classification of current anticancer immunotherapies. Oncotarget, 2014, 5, 12472-12508.	1.8	395
4	Oral melphalan, prednisone, and thalidomide in elderly patients with multiple myeloma: updated results of a randomized controlled trial. Blood, 2008, 112, 3107-3114.	1.4	339
5	Intermediate-dose melphalan improves survival of myeloma patients aged 50 to 70: results of a randomized controlled trial. Blood, 2004, 104, 3052-3057.	1.4	305
6	Aspirin or enoxaparin thromboprophylaxis for patients with newly diagnosed multiple myeloma treated with lenalidomide. Blood, 2012, 119, 933-939.	1.4	260
7	Complete response correlates with long-term progression-free and overall survival in elderly myeloma treated with novel agents: analysis of 1175 patients. Blood, 2011, 117, 3025-3031.	1.4	247
8	Major Tumor Shrinking and Persistent Molecular Remissions After Consolidation With Bortezomib, Thalidomide, and Dexamethasone in Patients With Autografted Myeloma. Journal of Clinical Oncology, 2010, 28, 2077-2084.	1.6	246
9	Selinexor in patients with relapsed or refractory diffuse large B-cell lymphoma (SADAL): a single-arm, multinational, multicentre, open-label, phase 2 trial. Lancet Haematology,the, 2020, 7, e511-e522.	4.6	201
10	Bortezomib, melphalan, prednisone, and thalidomide for relapsed multiple myeloma. Blood, 2007, 109, 2767-2772.	1.4	174
11	Continuous Therapy Versus Fixed Duration of Therapy in Patients With Newly Diagnosed Multiple Myeloma. Journal of Clinical Oncology, 2015, 33, 3459-3466.	1.6	138
12	Efficacy of low-dose thalidomide and dexamethasone as first salvage regimen in multiple myeloma. The Hematology Journal, 2004, 5, 318-324.	1.4	126
13	Consensus nomenclature for CD8 ⁺ T cell phenotypes in cancer. Oncolmmunology, 2015, 4, e998538.	4.6	119
14	The Crosstalk Between Tumor Cells and the Immune Microenvironment in Breast Cancer: Implications for Immunotherapy. Frontiers in Oncology, 2021, 11, 610303.	2.8	118
15	Immunotargeting of Antigen xCT Attenuates Stem-like Cell Behavior and Metastatic Progression in Breast Cancer. Cancer Research, 2016, 76, 62-72.	0.9	93
16	Integration of cell of origin into the clinical CNS International Prognostic Index improves CNS relapse prediction in DLBCL. Blood, 2019, 133, 919-926.	1.4	89
17	Melphalan 200 mg/m2 versus melphalan 100 mg/m2 in newly diagnosed myeloma patients: a prospective, multicenter phase 3 study. Blood, 2010, 115, 1873-1879.	1.4	87
18	Cyclooxygenase-2 (COX-2) is frequently expressed in multiple myeloma and is an independent predictor of poor outcome. Blood, 2005, 105, 4784-4791.	1.4	80

#	Article	IF	CITATIONS
19	Long-term results of the GIMEMA VEL-03-096 trial in MM patients receiving VTD consolidation after ASCT: MRD kinetics' impact on survival. Leukemia, 2015, 29, 689-695.	7.2	75
20	Bortezomib induction, reduced-intensity transplantation, and lenalidomide consolidation-maintenance for myeloma: updated results. Blood, 2013, 122, 1376-1383.	1.4	74
21	Simplified Geriatric Assessment in Older Patients With Diffuse Large B-Cell Lymphoma: The Prospective Elderly Project of the Fondazione Italiana Linfomi. Journal of Clinical Oncology, 2021, 39, 1214-1222.	1.6	74
22	The IKK/NF-κB signalingÂpathway requires Morgana to drive breast cancer metastasis. Nature Communications, 2017, 8, 1636.	12.8	73
23	CSPG4-Specific Immunity and Survival Prolongation in Dogs with Oral Malignant Melanoma Immunized with Human CSPG4 DNA. Clinical Cancer Research, 2014, 20, 3753-3762.	7.0	64
24	Highly sensitive <i>MYD88</i> ^{L265P} mutation detection by droplet digital polymerase chain reaction in WaldenstrĶm macroglobulinemia. Haematologica, 2018, 103, 1029-1037.	3.5	61
25	In vivo evaluation of tumour acidosis for assessing the early metabolic response and onset of resistance to dichloroacetate by using magnetic resonance pH imaging. International Journal of Oncology, 2017, 51, 498-506.	3.3	57
26	Phase I study of the anti insulin-like growth factor 1 receptor (IGF-1R) monoclonal antibody, AVE1642, as single agent and in combination with bortezomib in patients with relapsed multiple myeloma. Leukemia, 2011, 25, 872-874.	7.2	56
27	L-Ferritin targets breast cancer stem cells and delivers therapeutic and imaging agents. Oncotarget, 2016, 7, 66713-66727.	1.8	54
28	Early progression as a predictor of survival in marginal zone lymphomas: an analysis from the FIL-NF10 study. Blood, 2019, 134, 798-801.	1.4	53
29	Simlukafusp alfa (FAP-IL2v) immunocytokine is a versatile combination partner for cancer immunotherapy. MAbs, 2021, 13, 1913791.	5.2	53
30	A prospective evaluation of the biochemical, metabolic, hormonal and structural bone changes associated with bortezomib response in multiple myeloma patients. Haematologica, 2011, 96, 333-336.	3.5	52
31	Intravenous melphalan, thalidomide and prednisone in refractory and relapsed multiple myeloma. European Journal of Haematology, 2006, 76, 273-277.	2.2	51
32	Stem cell mobilization in patients with newly diagnosed multiple myeloma after lenalidomide induction therapy. Leukemia, 2011, 25, 1627-1631.	7.2	51
33	CSPG4: a prototype oncoantigen for translational immunotherapy studies. Journal of Translational Medicine, 2017, 15, 151.	4.4	51
34	Novel insights into Notum and glypicans regulation in colorectal cancer. Oncotarget, 2015, 6, 41237-41257.	1.8	50
35	A Virus-Like-Particle immunotherapy targeting Epitope-Specific anti-xCT expressed on cancer stem cell inhibits the progression of metastatic cancer <i>in vivo</i> . Oncolmmunology, 2018, 7, e1408746.	4.6	49
36	Breast cancer stem cell antigens as targets for immunotherapy. Seminars in Immunology, 2020, 47, 101386.	5.6	48

#	Article	IF	CITATIONS
37	NK cells control breast cancer and related cancer stem cell hematological spread. OncoImmunology, 2017, 6, e1284718.	4.6	47
38	Tumour acidosis evaluated in vivo by MRI-CEST pH imaging reveals breast cancer metastatic potential. British Journal of Cancer, 2021, 124, 207-216.	6.4	44
39	Phase II study of melphalan, thalidomide and prednisone combined with oral panobinostat in patients with relapsed/refractory multiple myeloma. Leukemia and Lymphoma, 2012, 53, 1722-1727.	1.3	43
40	Virus-Like Particles as an Immunogenic Platform for Cancer Vaccines. Viruses, 2020, 12, 488.	3.3	43
41	Efficacy of a Cancer Vaccine against <i>ALK</i> Rearranged Lung Tumors. Cancer Immunology Research, 2015, 3, 1333-1343.	3.4	42
42	Melphalan, prednisone, thalidomide and defibrotide in relapsed/refractory multiple myeloma: results of a multicenter phase I/II trial. Haematologica, 2010, 95, 1144-1149.	3.5	40
43	The Promise of Preventive Cancer Vaccines. Vaccines, 2015, 3, 467-489.	4.4	38
44	Fighting breast cancer stem cells through the immune-targeting of the xCT cystine–glutamate antiporter. Cancer Immunology, Immunotherapy, 2019, 68, 131-141.	4.2	37
45	Thalidomide plus dexamethasone is an effective salvage regimen for myeloma patients relapsing after autologous transplant. European Journal of Haematology, 2005, 75, 391-395.	2.2	36
46	A plant-expressed conjugate vaccine breaks CD4 ⁺ tolerance and induces potent immunity against metastatic Her2 ⁺ breast cancer. OncoImmunology, 2016, 5, e1166323.	4.6	36
47	PCR-Detectable Nonneoplastic Bcl-2/IgH Rearrangements Are Common in Normal Subjects and Cancer Patients at Diagnosis but Rare in Subjects Treated With Chemotherapy. Journal of Clinical Oncology, 2003, 21, 1398-1403.	1.6	35
48	Predictive value of alkaline phosphatase for response and time to progression in bortezomib-treated multiple myeloma patients. American Journal of Hematology, 2007, 82, 831-833.	4.1	34
49	Hemostatic effects of bortezomib treatment in patients with relapsed or refractory multiple myeloma. Haematologica, 2008, 93, 953-954.	3.5	34
50	Cluster analysis of quantitative parametric maps from DCE-MRI: application in evaluating heterogeneity of tumor response to antiangiogenic treatment. Magnetic Resonance Imaging, 2015, 33, 725-736.	1.8	34
51	Naturally occurring cancers in pet dogs as pre-clinical models for cancer immunotherapy. Cancer Immunology, Immunotherapy, 2019, 68, 1839-1853.	4.2	34
52	Response-Adapted Postinduction Strategy in Patients With Advanced-Stage Follicular Lymphoma: The FOLL12 Study. Journal of Clinical Oncology, 2022, 40, 729-739.	1.6	34
53	Serum Free Light Chain Ratio, Total κ/λ Ratio, and Immunofixation Results Are Not Prognostic Factors after Stem Cell Transplantation for Newly Diagnosed Multiple Myeloma. Clinical Chemistry, 2009, 55, 1510-1516.	3.2	33
54	Have drug combinations supplanted stem cell transplantation in myeloma?. Blood, 2012, 120, 4692-4698.	1.4	33

FEDERICA CAVALLO

#	Article	IF	CITATIONS
55	Strengths and Weaknesses of Pre-Clinical Models for Human Melanoma Treatment: Dawn of Dogs' Revolution for Immunotherapy. International Journal of Molecular Sciences, 2018, 19, 799.	4.1	33
56	A Prospective, Randomized, Phase III Study of Bortezomib, Melphalan, Prednisone and Thalidomide (VMPT) Versus Bortezomib, Melphalan and Prednisone (VMP) in Elderly Newly Diagnosed Myeloma Patients. Blood, 2008, 112, 652-652.	1.4	33
57	Cancer stem cell immunology and immunotherapy: Harnessing the immune system against cancer's source. Progress in Molecular Biology and Translational Science, 2019, 164, 119-188.	1.7	32
58	Toll-Like Receptor 2 at the Crossroad between Cancer Cells, the Immune System, and the Microbiota. International Journal of Molecular Sciences, 2020, 21, 9418.	4.1	32
59	Lenalidomideâ ``prednisone induction followed by lenalidomideâ ``melphalanâ ``prednisone consolidation and lenalidomideâ ``prednisone maintenance in newly diagnosed elderly unfit myeloma patients. Leukemia, 2013, 27, 695-701.	7.2	31
60	Multiple myeloma: comparison of two dose-intensive melphalan regimens (100 vs 200 mg/m2). Leukemia, 2004, 18, 133-138.	7.2	30
61	The non-inflammatory role of C1q during Her2/neu-driven mammary carcinogenesis. Oncolmmunology, 2016, 5, e1253653.	4.6	30
62	Italian consensus conference for the outpatient autologous stem cell transplantation management in multiple myeloma. Bone Marrow Transplantation, 2016, 51, 1032-1040.	2.4	26
63	The scaffold protein p140Cap limits ERBB2-mediated breast cancer progression interfering with Rac GTPase-controlled circuitries. Nature Communications, 2017, 8, 14797.	12.8	26
64	Bovine herpesvirus 4-based vector delivering the full length xCT DNA efficiently protects mice from mammary cancer metastases by targeting cancer stem cells. Oncolmmunology, 2018, 7, e1494108.	4.6	26
65	Immunotargeting of the xCT Cystine/Glutamate Antiporter Potentiates the Efficacy of HER2-Targeted Immunotherapies in Breast Cancer. Cancer Immunology Research, 2020, 8, 1039-1053.	3.4	26
66	Early Progression As a Predictor of Survival in Marginal Zone Lymphomas: An Analysis from the Prospective International NF10 Study By Fondazione Italiana Linfomi. Blood, 2018, 132, 393-393.	1.4	26
67	Effect on survival of treatment-associated venous thromboembolism in newly diagnosed multiple myeloma patients. Blood Coagulation and Fibrinolysis, 2007, 18, 595-598.	1.0	25
68	Cripto-1 Plasmid DNA Vaccination Targets Metastasis and Cancer Stem Cells in Murine Mammary Carcinoma. Cancer Immunology Research, 2018, 6, 1417-1425.	3.4	25
69	Development of a VLP-Based Vaccine Displaying an xCT Extracellular Domain for the Treatment of Metastatic Breast Cancer. Cancers, 2020, 12, 1492.	3.7	25
70	Hyperammonemia and encephalopathy in patients with multiple myeloma. American Journal of Hematology, 2007, 82, 414-415.	4.1	24
71	Chimeric Rat/Human HER2 Efficiently Circumvents HER2 Tolerance in Cancer Patients. Clinical Cancer Research, 2014, 20, 2910-2921.	7.0	24
72	A Prospective Randomized Trial of Oral Melphalan, Prednisone, Thalidomide (MPT) vs Oral Melphalan, Prednisone (MP): An Interim Analysis Blood, 2004, 104, 207-207.	1.4	24

#	Article	IF	CITATIONS
73	Serum Free-Lite Chain (sFLC) Assay in Multiple Myeloma (MM): Clinical Correlates and Prognostic Implications in Newly Diagnosed MM Patients Treated with Total Therapy 2 or 3 (TT2/3) Blood, 2005, 106, 3490-3490.	1.4	23
74	Intermediate-Dose Melphalan (100 mg/m2)/Bortezomib/Thalidomide/Dexamethasone and Stem Cell Support in Patients with Refractory or Relapsed Myeloma. Clinical Lymphoma and Myeloma, 2006, 6, 475-477.	1.4	22
75	Microenvironment, Oncoantigens, and Antitumor Vaccination: Lessons Learned from BALB-neuT Mice. BioMed Research International, 2014, 2014, 1-16.	1.9	22
76	Angiomotin like-1 is a novel component of the N-cadherin complex affecting endothelial/pericyte interaction in normal and tumor angiogenesis. Scientific Reports, 2016, 6, 30622.	3.3	22
77	CNS relapse in patients with DLBCL treated with lenalidomide plus R-CHOP (R2CHOP): analysis from two phase 2 studies. Blood Cancer Journal, 2018, 8, 63.	6.2	22
78	Outcome of transformed follicular lymphoma worsens according to the timing of transformation and to the number of previous therapies. A retrospective multicenter study on behalf of Fondazione Italiana Linfomi (<scp>FIL</scp>). British Journal of Haematology, 2019, 185, 713-717.	2.5	21
79	MET dysregulation is a hallmark of aggressive disease in multiple myeloma patients. British Journal of Haematology, 2014, 164, 841-850.	2.5	20
80	Identification of CSPG4 as a promising target for translational combinatorial approaches in osteosarcoma. Therapeutic Advances in Medical Oncology, 2019, 11, 175883591985549.	3.2	20
81	Time to first disease progression, but not \hat{l}^22 -microglobulin, predicts outcome in myeloma patients who receive thalidomide as salvage therapy. Cancer, 2007, 110, 824-829.	4.1	19
82	New Approaches to Management of Multiple Myeloma. Current Treatment Options in Oncology, 2014, 15, 157-170.	3.0	19
83	Bortezomib (Velcade) for progressive myeloma after autologous stem cell transplantation and thalidomide. Leukemia Research, 2006, 30, 283-285.	0.8	17
84	A Phase III Study of Enoxaparin Vs Aspirin as Thromboprophylaxis for Newly Diagnosed Myeloma Patients Treated with Lenalidomide-Based Regimen Blood, 2010, 116, 1092-1092.	1.4	17
85	Reduced Dose-Intensity Subcutaneous Bortezomib Plus Prednisone (VP) Or Plus Cyclophosfamide (VCP) Or Plus Melphalan (VMP) For Newly Diagnosed Multiple Myeloma Patients Older Than 75 Years Of Age. Blood, 2013, 122, 539-539.	1.4	17
86	Multiple Roles of Perforin in Hampering ERBB-2 (Her-2/neu) Carcinogenesis in Transgenic Male Mice. Journal of Immunology, 2014, 192, 5434-5441.	0.8	16
87	Xenogene vaccination in the therapy of cancer. Expert Opinion on Biological Therapy, 2014, 14, 1427-1442.	3.1	16
88	Tumor-Associated Antigen xCT and Mutant-p53 as Molecular Targets for New Combinatorial Antitumor Strategies. Cells, 2021, 10, 108.	4.1	16
89	Targeting the Extracellular HSP90 Co-Chaperone Morgana Inhibits Cancer Cell Migration and Promotes Anticancer Immunity. Cancer Research, 2021, 81, 4794-4807.	0.9	16
90	Characterization of B-Cell and Plasma Cell Compartment By Eight-Color Multiparameter Flow Cytometry in Patients with Waldenstrom Macroglobulinemia Prospectively Enrolled in the Fondazione Italiana Linfomi (FIL) BIO-WM Trial. Blood, 2020, 136, 29-30.	1.4	16

FEDERICA CAVALLO

#	Article	IF	CITATIONS
91	Lenalidomide and its role in the management of multiple myeloma. Expert Review of Anticancer Therapy, 2008, 8, 865-874.	2.4	15
92	Melphalan/prednisone/lenalidomide (MPR) versus high-dose melphalan and autologous transplantation (MEL200) plus lenalidomide maintenance or no maintenance in newly diagnosed multiple myeloma (MM) patients Journal of Clinical Oncology, 2013, 31, 8509-8509.	1.6	15
93	A hypoxic signature marks tumors formed by disseminated tumor cells in the BALB-neuT mammary cancer model. Oncotarget, 2016, 7, 33081-33095.	1.8	15
94	The Hemostatic System and Malignancy. Clinical Lymphoma and Myeloma, 2008, 8, 230-236.	1.4	14
95	Obinutuzumab and miniCHOP for unfit patients with diffuse large B-cell lymphoma. A phase II study by Fondazione Italiana Linfomi. Journal of Geriatric Oncology, 2020, 11, 37-40.	1.0	14
96	MYD88L265P Detection in IgM Monoclonal Gammopathies: Methodological Considerations for Routine Implementation. Diagnostics, 2021, 11, 779.	2.6	14
97	Difference in outcome between curative intent vs marginal excision as a first treatment in dogs with oral malignant melanoma and the impact of adjuvant <scp>CSPG4â€DNA</scp> electrovaccination: A retrospective study on 155 cases. Veterinary and Comparative Oncology, 2021, 19, 651-660.	1.8	13
98	The Amot/integrin protein complex transmits mechanical forces required for vascular expansion. Cell Reports, 2021, 36, 109616.	6.4	13
99	A Randomized Phase 3 Trial Of Melphalan-Lenalidomide-Prednisone (MPR) Or Cyclophosphamide-Prednisone-Lenalidomide (CPR) Vs Lenalidomide Plus Dexamethsone (Rd) In Elderly Newly Diagnosed Multiple Myeloma Patients. Blood, 2013, 122, 536-536.	1.4	13
100	A Mathematical-Biological Joint Effort to Investigate the Tumor-Initiating Ability of Cancer Stem Cells. PLoS ONE, 2014, 9, e106193.	2.5	12
101	Antitumor immunization of mothers delays tumor development in cancer-prone offspring. Oncolmmunology, 2015, 4, e1005500.	4.6	12
102	Preclinical pharmacokinetics comparison between resveratrol 2-hydroxypropyl-β-cyclodextrin complex and resveratrol suspension after oral administration. Journal of Inclusion Phenomena and Macrocyclic Chemistry, 2016, 86, 263-271.	1.6	12
103	The rat ErbB2 tyrosine kinase receptor produced in plants is immunogenic in mice and confers protective immunity against ErbB2 ⁺ mammary cancer. Plant Biotechnology Journal, 2016, 14, 153-159.	8.3	12
104	Cancer stem cell antigens as targets for new combined anti-cancer therapies. International Journal of Biochemistry and Cell Biology, 2020, 129, 105861.	2.8	12
105	A Prospective, Randomized, Phase III Study of Melphalan 200 mg/m2 (Mel200) Versus Melphalan 100 mg/m2 (Mel100) in Newly Diagnosed Myeloma Patients Blood, 2007, 110, 727-727.	1.4	12
106	Pattern of Care in Indolent Non Follicular Lymphoma: A Report from NF10 Project, an International, Prospective, Observational Study Coordinated By the Fondazione Italiana Linfomi. Blood, 2015, 126, 2686-2686.	1.4	12
107	Toll-like receptor 2 promotes breast cancer progression and resistance to chemotherapy. Oncolmmunology, 2022, 11, .	4.6	12
108	Successful management of immune thrombocytopenic purpura with thalidomide in a patient with multiple myeloma. The Hematology Journal, 2004, 5, 456-457.	1.4	11

#	Article	IF	CITATIONS
109	Current treatment strategies with lenalidomide in multiple myeloma and future perspectives. Future Oncology, 2012, 8, 1223-1238.	2.4	11
110	Single-agent panobinostat for relapsed/refractory diffuse large B-cell lymphoma: clinical outcome and correlation with genomic data. A phase 2 study of the Fondazione Italiana Linfomi. Leukemia and Lymphoma, 2018, 59, 2904-2910.	1.3	11
111	Major Shrinking of Residual Tumor Cell Burden and Achievement of Molecular Remissions in Myeloma Patients Undergoing Post-Trasplant Consolidation with Bortezomib, Thalidomide and Dexamethasone: A Qualitative and Quantitative PCR Study. Blood, 2008, 112, 3683-3683.	1.4	11
112	A Prospective, Randomized Study of Melphalan, Prednisone, Lenalidomide (MPR) versus Melphalan (200) Tj ETQq Analysis Blood, 2009, 114, 350-350.	0 0 0 rgB1 1.4	/Overlock 1 11
113	Melphalan/Prednisone/Lenalidomide (MPR) Versus High-Dose Melphalan and Autologous Transplantation (MEL200) in Newly Diagnosed Multiple Myeloma (MM) Patients <65 Years: Results of a Randomized Phase III Study. Blood, 2011, 118, 3069-3069.	1.4	11
114	Maintenance Therapy With Lenalidomide Significantly Improved Survival Of Yong Newly Diagnosed Multiple Myeloma Patients. Blood, 2013, 122, 2089-2089.	1.4	11
115	Chimeric DNA Vaccines: An Effective Way to Overcome Immune Tolerance. Current Topics in Microbiology and Immunology, 2014, 405, 99-122.	1.1	10
116	Functional imaging of the angiogenic switch in a transgenic mouse model of human breast cancer by dynamic contrast enhanced magnetic resonance imaging. International Journal of Cancer, 2016, 139, 404-413.	5.1	9
117	Bovine herpesvirus 4-based vector delivering a hybrid rat/human HER-2 oncoantigen efficiently protects mice from autochthonous Her-2+ mammary cancer. Oncolmmunology, 2016, 5, e1082705.	4.6	9
118	Evaluation of prognostic impact of preâ€ŧreatment neutrophil to lymphocyte and lymphocyte to monocyte ratios in dogs with oral malignant melanoma treated with surgery and adjuvant <scp>CSPG4</scp> â€antigen electrovaccination: anÂexplorativeÂstudy. Veterinary and Comparative Oncology. 2021. 19. 353-361.	1.8	9
119	Prognostic impact of bone invasion in canine oral malignant melanoma treated by surgery and <scp>anti SPG4</scp> vaccination: A retrospective study on 68 cases (2010–2020). Veterinary and Comparative Oncology, 2022, 20, 189-197.	1.8	8
120	Role of Consolidation/Maintenance Therapy in Multiple Myeloma. Clinical Lymphoma, Myeloma and Leukemia, 2013, 13, S349-S354.	0.4	7
121	Lenalidomide Maintenance after Autologous Transplantation Prolongs PFS in Young MCL Patients: Results of the Randomized Phase III MCL 0208 Trial from Fondazione Italiana Linfomi (FIL). Blood, 2018, 132, 401-401.	1.4	7
122	Antigen mimicry as an effective strategy to induce CSPG4-targeted immunity in dogs with oral melanoma: a veterinary trial. , 2022, 10, e004007.		7
123	Maternal Immunization: New Perspectives on Its Application Against Non-Infectious Related Diseases in Newborns. Vaccines, 2017, 5, 20.	4.4	6
124	ABVD vs BEACOPP escalated in advancedâ€stage Hodgkin's lymphoma: Results from a multicenter European study. American Journal of Hematology, 2020, 95, 1030-1037.	4.1	6
125	Identification of TENM4 as a Novel Cancer Stem Cell-Associated Molecule and Potential Target in Triple Negative Breast Cancer. Cancers, 2021, 13, 894.	3.7	6
126	Real Life Use of Bendamustine in Elderly Patients with Lymphoid Neoplasia. Journal of Personalized Medicine, 2021, 11, 249.	2.5	6

FEDERICA CAVALLO

#	Article	IF	CITATIONS
127	Targeted locus amplification to detect molecular markers in mantle cell and follicular lymphoma. Hematological Oncology, 2021, 39, 293-303.	1.7	6
128	LONG-TERM RESULTS of the GIMEMA VTD Consolidation TRIAL In Autografted MULTIPLE Myeloma PATIENTS (VEL-03-096): IMPACT of Minimal RESIDUAL DISEASE Detection by REAL Time Quantitative PCR On LATE Recurrences and Overall SURVIVAL. Blood, 2011, 118, 827-827.	1.4	6
129	Continuous treatment (CT) versus fixed duration of therapy (FDT) in newly diagnosed myeloma patients: PFS1, PFS2, OS endpoints Journal of Clinical Oncology, 2014, 32, 8515-8515.	1.6	6
130	Farnesyltransferase Inhibitors and Rapamycin in the Treatment of Multiple Myeloma. Current Pharmaceutical Biotechnology, 2006, 7, 449-453.	1.6	5
131	The Role of Pre-Transplant Induction Regimens and Autologous Stem Cell Transplantation in the Era of Novel Targeted Agents. Drugs, 2015, 75, 367-375.	10.9	5
132	Netupitant-palonosetron to prevent chemotherapy-induced nausea and vomiting in multiple myeloma patients receiving high-dose melphalan and autologous stem cell transplantation. Annals of Hematology, 2020, 99, 2197-2199.	1.8	5
133	Comparison of the Effectiveness and Safety of the Oral Selective Inhibitor of Nuclear Export, Selinexor, in Diffuse Large B Cell Lymphoma Subtypes. Clinical Lymphoma, Myeloma and Leukemia, 2021, ,	0.4	5
134	Have drug combinations supplanted stem cell transplantation in myeloma?. Hematology American Society of Hematology Education Program, 2012, 2012, 335-341.	2.5	5
135	A Multicenter, Open Label Study of Oral Lenalidomide and Prednisone (RP) Followed by Oral Lenalidomide Melphalan and Prednisone (MPR) and Oral Lenalidomide Maintenance In Newly Diagnosed Elderly Multiple Myeloma Patients. Blood, 2010, 116, 1940-1940.	1.4	5
136	Melphalan, Thalidomide and Prednisone (MPT) Combined with Oral Panobinostat In Patients with Relapsed/Refractory MM: a Phase I-II Study. Blood, 2010, 116, 3019-3019.	1.4	5
137	Superior Efficacy of VTD over VCD As Induction Therapy for Autotransplantation-Eligible, Newly Diagnosed, Myeloma Patients. Blood, 2014, 124, 197-197.	1.4	5
138	The treatment of the elderly multiple myeloma patients. Leukemia and Lymphoma, 2007, 48, 469-480.	1.3	4
139	COVID-19 in a Post-transplant Heart Recipient Who Developed Aggressive Lymphoma: A Biphasic Course During Rituximab Treatment. HemaSphere, 2021, 5, e592.	2.7	4
140	Weekly Carfilzomib, Cyclophosphamide and Dexamethasone (wCCd) in Newly Diagnosed Multiple Myeloma Patients: A Phase I- II Study. Blood, 2014, 124, 175-175.	1.4	4
141	Role and Involvement of TENM4 and miR-708 in Breast Cancer Development and Therapy. Cells, 2022, 11, 172.	4.1	4
142	Canine Melanoma Immunology and Immunotherapy: Relevance of Translational Research. Frontiers in Veterinary Science, 2022, 9, 803093.	2.2	4
143	Are Cancer Stem Cells a Suitable Target for Breast Cancer Immunotherapy?. Frontiers in Oncology, 2022, 12, 877384.	2.8	4
144	Lenalidomide in the treatment of plasma cell dyscrasia: state of the art and perspectives. Haematologica, 2013, 98, 660-661.	3.5	3

#	Article	IF	CITATIONS
145	Protection of mice against the highly pathogenic VVIHD-J by DNA and fowlpox recombinant vaccines, administered by electroporation and intranasal routes, correlates with serum neutralizing activity. Antiviral Research, 2016, 134, 182-191.	4.1	3
146	A retrospective study of Râ€ÐHAP/Ox for early progressing follicular lymphoma. British Journal of Haematology, 2018, 183, 828-831.	2.5	3
147	Droplet Digital PCR Assay for <i>MYD88</i> ^{<i>L265P</i>} : Clinical Applications in WaldenstrA¶m Macroglobulinemia. HemaSphere, 2020, 4, e324.	2.7	3
148	Role of Radiotherapy in Post-transplant Lymphoproliferative Disorders: Three Case Reports and Review of the Literature. Clinical Lymphoma, Myeloma and Leukemia, 2021, 21, e309-e316.	0.4	3
149	Prospective Evaluation of the Bone Anabolic Effect of Bortezomib in Relapsed Multiple Myeloma (MM) Patients Blood, 2007, 110, 2719-2719.	1.4	3
150	Correlation Between Clinical Outcome and Disease Kinetics by Quantitative PCR in Myeloma Patients Following Post-Transplant Consolidation with Bortezomib, Thalidomide and Dexamethasone Blood, 2009, 114, 960-960.	1.4	3
151	A Phase III Study to Compare Melphalan, Prednisone, Lenalidomide (MPR) Versus Melphalan 200 Mg/m2 and Autologous Transplantation (MEL200) In Newly Diagnosed Multiple Myeloma Patients. Blood, 2010, 116, 3573-3573.	1.4	3
152	Impact of Autologous Transplantation Vs. Chemotherapy Plus Lenalidomide in Newly Diagnosed Myeloma According to Patient Prognosis: Results of a Pooled Analysis of 2 Phase III Trials. Blood, 2014, 124, 198-198.	1.4	3
153	Adding Romidepsin to CHOEP in First Line Treatment of Peripheral T-Cell Lymphomas Does Not Improve the Response Rate: Final Analysis of Phase II PTCL13 Study. Blood, 2021, 138, 134-134.	1.4	3
154	Clinical and Molecular Results of the Phase II Brb (Bendamustine, Rituximab and Bortezomib) Trial of the Fondazione Italiana Linfomi (FIL) for Relapsed/Refractory WaldenstrÃf¶m Macroglobulinemia Patients. Blood, 2018, 132, 1607-1607.	1.4	2
155	Single Agent Oral Selinexor Demonstrates Deep and Durable Responses in Relapsed/Refractory Diffuse Large B-Cell Lymphoma (DLBCL) in Both GCB and Non-GCB Subtypes: The Phase 2b Sadal Study. Blood, 2018, 132, 1677-1677.	1.4	2
156	Lenalidomide Plus R-CHOP (R2CHOP) in Patients with DLBCL Is Associated with a Lower Risk of CNS Relapse: Combined Analysis from Two Phase 2 Studies. Blood, 2016, 128, 3033-3033.	1.4	2
157	Minimal Residual Disease Monitoring During Maintenance In Multiple Myeloma Patients. Blood, 2013, 122, 3126-3126.	1.4	2
158	The Elderly Project By the Fondazione Italiana Linfomi (FIL): A Prospective Multidimensional Assessment of Elderly Patients with Diffuse Large B-Cell Lymphoma. Blood, 2016, 128, 3049-3049.	1.4	2
159	Treatment of Relapsed/Refractory Waldenström Macroglobulinemia Patients: Final Clinical and Molecular Results of the Phase II Brb (Bendamustine, Rituximab and Bortezomib) Trial of the Fondazione Italiana Linfomi (FIL). Blood, 2021, 138, 48-48.	1.4	2
160	Pharmacogenomics Drives Lenalidomide Efficacy and MRD Kinetics in Mantle Cell Lymphoma after Autologous Transplantation: Results from the MCL0208 Multicenter, Phase III, Randomized Clinical Trial from the Fondazione Italiana Linfomi (FIL). Blood, 2020, 136, 16-17.	1.4	2
161	The Association between Patient Characteristics and the Efficacy and Safety of Selinexor in Diffuse Large B-Cell Lymphoma in the SADAL Study. Cancers, 2022, 14, 791.	3.7	2
162	Progressive telomere shortening is part of the natural history of chronic lymphocytic leukaemia and impacts clinical outcome: evidences from long term followâ€up. British Journal of Haematology, 2018, 181, 693-695.	2.5	1

#	Article	IF	CITATIONS
163	A Phase 2b Study of Selinexor in Patients with Relapsed/Refractory (R/R) Diffuse Large B-Cell Lymphoma (DLBCL). Clinical Lymphoma, Myeloma and Leukemia, 2019, 19, S248-S249.	0.4	1
164	Immunization against ROS1 by DNA Electroporation Impairs K-Ras-Driven Lung Adenocarcinomas. Vaccines, 2020, 8, 166.	4.4	1
165	ABVD Versus Escalated Beacopp in Advanced Stage Hodgkin's Lymphoma: Results from a Retrospective, Multicenter European Study. Blood, 2019, 134, 1565-1565.	1.4	1
166	Efficacy of Tafasitamab (MOR208) Combined with Lenalidomide in Patients with High-Risk Relapsed or Refractory Diffuse Large B-Cell Lymphoma in the L-Mind Study. Blood, 2020, 136, 1-2.	1.4	1
167	Rare Igh Translocations in Newly Diagnosed Multiple Myeloma (MM) Patients: Cytogenetic Characterization and Relevance on Prognosis. Blood, 2014, 124, 2042-2042.	1.4	1
168	Coagulation-Related Effect of Bortezomib Treatment in Patients with Relapsed or Refractory Multiple Myeloma Blood, 2007, 110, 2733-2733.	1.4	1
169	A Simplified Geriatric Assessment (sGA) Can Identify Older Patients with Relapse/Refractory (R/R) Aggressive Lymphoma Suitable for Autologous Stem Cell Transplantation (ASCT): Final Results of Recanz Multicentre Prospective Phase 2 Study By the Fondazione Italiana Linfomi (FIL). Blood, 2021, 138, 2496-2496	1.4	1
170	Role of ADCC, CDC, and CDCC in Vaccine-Mediated Protection against Her2 Mammary Carcinogenesis. Biomedicines, 2022, 10, 230.	3.2	1
171	HBV Reactivation in Patients with Past Infection Affected by Non-Hodgkin Lymphoma and Treated with Anti-CD20 Antibody Based Immuno-Chemotherapy: A Multicenter Experience. Journal of Personalized Medicine, 2022, 12, 285.	2.5	1
172	Effect of Prior Therapy and Disease Refractoriness on the Efficacy and Safety of Oral Selinexor in Patients with Diffuse Large B-cell Lymphoma (DLBCL): A Post-hoc Analysis of the SADAL Study. Clinical Lymphoma, Myeloma and Leukemia, 2021, , .	0.4	1
173	New Combination Approaches for Multiple Myeloma. Clinical Lymphoma and Myeloma, 2009, 9, S42-S43.	1.4	Ο
174	High-Risk Myeloma: When To Transplant—Or Not. Seminars in Oncology, 2014, 41, e1-e9.	2.2	0
175	Impact of Early Consolidation with Bortezomib, Thalidomide and Dexamethasone on Molecularly-Detectable Disease in MM Patients in CR or VGPR Following Autologous Transplantation: Uncommon Achievement of Molecular Remission Despite Evidence of Tumor Load Reduction by Real Time PCR Blood 2006 108 3100-3100	1.4	0
176	High Expression of mRNA and Gene Amplification of Met In Myeloma Plasma Cells Characterize a More Aggressive Disease. Blood, 2010, 116, 1898-1898.	1.4	0
177	miRNA in Serum and Bone Marrow Plasma Cells From Multiple Myeloma Patients Blood, 2012, 120, 2921-2921.	1.4	Ο
178	Long-Term Molecular Results Of The Gimema VEL-03-096 Trial: Molecular Remission Achievement and Loss Are Major Outcome Predictors. Blood, 2013, 122, 2077-2077.	1.4	0
179	Management of Grade 3B Follicular Lymphoma (FL) Outside Clinical Trials: A Multicentric Retrospective Analysis on Behalf of Fondazione Italiana Linfomi (FIL). Blood, 2015, 126, 2716-2716.	1.4	0
180	Outcome of Transformed FL(t-FL) Worsens According to the Timing of Transformation and to the Number of Previous Therapies. A Survey of the Fondazione Italiana Linfomi (FIL). Blood, 2015, 126, 3933-3933.	1.4	0

#	Article	IF	CITATIONS
181	De-Novo Diffuse Large B Cell Lymphoma (DLBCL) Treated with Rituximab (R)-CHOP: Definition and Validation of a Prognostic Score Model Based on MYC, BCL2 and BCL6 Expression By Immunohistochemistry (IHC). Blood, 2015, 126, 2650-2650.	1.4	0
182	Myc and Bcl2 Overexpression and Traslocation Assessed By Immunohystochemistry (IHC) and FISH: Retrospective Analysis in a Series of De Novo DLBCL Homogeneously Treated with Rituximab-CHOP. Blood, 2016, 128, 5305-5305.	1.4	0
183	Cost efficiency and effectiveness of biosimilar filgrastim in autologous transplant. Bone Marrow Transplantation, 2021, , .	2.4	0
184	Selinexor Efficacy and Safety Are Independent of Renal Function in Patients with Relapsed/Refractory Diffuse Large B-Cell Lymphoma (DLBCL): A Post-Hoc Analysis from the Pivotal Phase 2b Sadal Study. Blood, 2020, 136, 34-35.	1.4	0
185	Effect of Age on the Efficacy and Safety of Single Agent Oral Selinexor in Patients with Relapsed/Refractory Diffuse Large B-Cell Lymphoma (DLBCL): A Post-Hoc Analysis of the Sadal Pivotal Study. Blood, 2020, 136, 5-6.	1.4	0