

Jin Ho Shin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/816533/publications.pdf>

Version: 2024-02-01

189
papers

2,756
citations

236925

25
h-index

276875

41
g-index

193
all docs

193
docs citations

193
times ranked

3246
citing authors

#	ARTICLE	IF	CITATIONS
1	2018 Korean Society of Hypertension Guidelines for the management of hypertension: part II-diagnosis and treatment of hypertension. <i>Clinical Hypertension</i> , 2019, 25, 20.	2.0	193
2	Expert panel consensus recommendations for ambulatory blood pressure monitoring in Asia: The HOPE Asia Network. <i>Journal of Clinical Hypertension</i> , 2019, 21, 1250-1283.	2.0	107
3	Expert panel consensus recommendations for home blood pressure monitoring in Asia: the Hope Asia Network. <i>Journal of Human Hypertension</i> , 2018, 32, 249-258.	2.2	77
4	2018 Korean Society of Hypertension guidelines for the management of hypertension: part I-epidemiology of hypertension. <i>Clinical Hypertension</i> , 2019, 25, 16.	2.0	69
5	Morning surge in blood pressure and blood pressure variability in Asia: Evidence and statement from the HOPE Asia Network. <i>Journal of Clinical Hypertension</i> , 2019, 21, 324-334.	2.0	67
6	Current status of home blood pressure monitoring in Asia: Statement from the HOPE Asia Network. <i>Journal of Clinical Hypertension</i> , 2017, 19, 1192-1201.	2.0	65
7	2013 Korean Society of Hypertension guidelines for the management of hypertension: part I-epidemiology and diagnosis of hypertension. <i>Clinical Hypertension</i> , 2015, 21, 1.	2.0	64
8	2020 Consensus summary on the management of hypertension in Asia from the HOPE Asia Network. <i>Journal of Clinical Hypertension</i> , 2020, 22, 351-362.	2.0	56
9	Guidance on home blood pressure monitoring: A statement of the HOPE Asia Network. <i>Journal of Clinical Hypertension</i> , 2018, 20, 456-461.	2.0	55
10	Home blood pressure control status in 2017-2018 for hypertension specialist centers in Asia: Results of the Asia BP@Home study. <i>Journal of Clinical Hypertension</i> , 2018, 20, 1686-1695.	2.0	53
11	Sex-Specific Characteristics of Anthropometry in Patients With Obstructive Sleep Apnea. <i>Annals of Otolaryngology, Rhinology and Laryngology</i> , 2014, 123, 517-523.	1.1	51
12	Hypertension and stroke in Asia: A comprehensive review from HOPE Asia. <i>Journal of Clinical Hypertension</i> , 2021, 23, 513-521.	2.0	50
13	The influence of the ambient temperature on blood pressure and how it will affect the epidemiology of hypertension in Asia. <i>Journal of Clinical Hypertension</i> , 2020, 22, 438-444.	2.0	42
14	Left atrial appendage: morphology and function in patients with paroxysmal and persistent atrial fibrillation. <i>International Journal of Cardiovascular Imaging</i> , 2013, 29, 935-944.	1.5	41
15	Vulnerable Atherosclerotic Plaque: Clinical Implications. <i>Current Vascular Pharmacology</i> , 2003, 1, 183-204.	1.7	41
16	Diversity of and initiatives for hypertension management in Asia-Why we need the HOPE Asia Network. <i>Journal of Clinical Hypertension</i> , 2020, 22, 331-343.	2.0	36
17	Guidance on ambulatory blood pressure monitoring: A statement from the HOPE Asia Network. <i>Journal of Clinical Hypertension</i> , 2021, 23, 411-421.	2.0	36
18	Hypertension and Dementia: A comprehensive review from the HOPE Asia Network. <i>Journal of Clinical Hypertension</i> , 2019, 21, 1091-1098.	2.0	35

#	ARTICLE	IF	CITATIONS
19	Central blood pressure for the management of hypertension: Is it a practical clinical tool in current practice?. <i>Journal of Clinical Hypertension</i> , 2020, 22, 391-406.	2.0	32
20	Relation of Conjugated Bilirubin Concentrations to the Presence of Coronary Artery Calcium. <i>American Journal of Cardiology</i> , 2013, 112, 1873-1879.	1.6	31
21	2018 Korean society of hypertension guidelines for the management of hypertension: part III-hypertension in special situations. <i>Clinical Hypertension</i> , 2019, 25, 19.	2.0	31
22	2013 Korean Society of Hypertension guidelines for the management of hypertension. Part II—treatments of hypertension. <i>Clinical Hypertension</i> , 2015, 21, 2.	2.0	30
23	A potent opiate agonist protects against myocardial stunning during myocardial ischemia and reperfusion in rats. <i>Coronary Artery Disease</i> , 2005, 16, 407-410.	0.7	29
24	Rationale and design for the Asia BP@Home study on home blood pressure control status in 12 Asian countries and regions. <i>Journal of Clinical Hypertension</i> , 2018, 20, 33-38.	2.0	29
25	Applications of artificial intelligence for hypertension management. <i>Journal of Clinical Hypertension</i> , 2021, 23, 568-574.	2.0	29
26	Mental health problems and hypertension in the elderly: Review from the HOPE Asia Network. <i>Journal of Clinical Hypertension</i> , 2021, 23, 504-512.	2.0	28
27	A Reverse Dipping Pattern Predicts Cardiovascular Mortality In a Clinical Cohort. <i>Journal of Korean Medical Science</i> , 2013, 28, 1468.	2.5	27
28	Current status of ambulatory blood pressure monitoring in Asian countries: A report from the HOPE Asia Network. <i>Journal of Clinical Hypertension</i> , 2020, 22, 384-390.	2.0	27
29	An overview of hypertension and cardiac involvement in Asia: Focus on heart failure. <i>Journal of Clinical Hypertension</i> , 2020, 22, 423-430.	2.0	27
30	Seven—action approaches for the management of hypertension in Asia — The HOPE Asia network. <i>Journal of Clinical Hypertension</i> , 2022, 24, 213-223.	2.0	27
31	A Comparison of Cornell and Sokolow-Lyon Electrocardiographic Criteria for Left Ventricular Hypertrophy in Korean Patients. <i>Korean Circulation Journal</i> , 2012, 42, 606.	1.9	25
32	The Relationship Between Ambulatory Arterial Stiffness Index and Blood Pressure Variability in Hypertensive Patients. <i>Korean Circulation Journal</i> , 2011, 41, 235.	1.9	24
33	Effects of granulocyte-colony stimulating factor (G-CSF) on diabetic cardiomyopathy in Otsuka Long-Evans Tokushima Fatty rats. <i>Cardiovascular Diabetology</i> , 2011, 10, 92.	6.8	24
34	Body Fat Distribution After Menopause and Cardiovascular Disease Risk Factors: Korean National Health and Nutrition Examination Survey 2010. <i>Journal of Women's Health</i> , 2013, 22, 587-594.	3.3	24
35	High sodium intake and sodium to potassium ratio may be linked to subsequent increase in vascular damage in adults aged 40 years and older: the Korean multi-rural communities cohort (MRCohort). <i>European Journal of Nutrition</i> , 2019, 58, 1659-1671.	3.9	24
36	Association between insulin resistance and risk of atrial fibrillation in non-diabetics. <i>European Journal of Preventive Cardiology</i> , 2020, 27, 1934-1941.	1.8	24

#	ARTICLE	IF	CITATIONS
37	Changes in body fat distribution through menopause increase blood pressure independently of total body fat in middle-aged women: the Korean National Health and Nutrition Examination Survey 2007-2010. <i>Hypertension Research</i> , 2013, 36, 444-449.	2.7	23
38	Within-visit blood pressure variability: relevant factors in the general population. <i>Journal of Human Hypertension</i> , 2013, 27, 328-334.	2.2	22
39	Not nondipping but nocturnal blood pressure predicts left ventricular hypertrophy in the essential hypertensive patients. <i>Journal of Hypertension</i> , 2014, 32, 1999-2004.	0.5	22
40	Disaster hypertension and cardiovascular events in disaster and COVID-19 pandemic. <i>Journal of Clinical Hypertension</i> , 2021, 23, 575-583.	2.0	22
41	Relationship between sodium intake and blood pressure according to metabolic syndrome status in the Korean National Health and Nutrition Examination Survey. <i>Blood Pressure Monitoring</i> , 2012, 17, 120-127.	0.8	21
42	Health-Related Quality of Life in Coronary Heart Disease in Korea. <i>Angiology</i> , 2015, 66, 326-332.	1.8	20
43	Impact of subclinical hypothyroidism on clinical outcomes following percutaneous coronary intervention. <i>International Journal of Cardiology</i> , 2018, 253, 155-160.	1.7	20
44	Single and persistent elevation of C-reactive protein levels and the risk of atrial fibrillation in a general population: The Ansan-Ansung Cohort of the Korean Genome and Epidemiology Study. <i>International Journal of Cardiology</i> , 2019, 277, 240-246.	1.7	20
45	What is new in the 2018 Chinese hypertension guideline and the implication for the management of hypertension in Asia?. <i>Journal of Clinical Hypertension</i> , 2020, 22, 363-368.	2.0	20
46	Cardiovascular risk assessment tools in Asia. <i>Journal of Clinical Hypertension</i> , 2022, 24, 369-377.	2.0	20
47	Non-Dipper Pattern is a Determinant of the Inappropriateness of Left Ventricular Mass in Essential Hypertensive Patients. <i>Korean Circulation Journal</i> , 2011, 41, 191.	1.9	18
48	The cross-sectional relationships of dietary and serum vitamin D with cardiometabolic risk factors: Metabolic components, subclinical atherosclerosis, and arterial stiffness. <i>Nutrition</i> , 2016, 32, 1048-1056.e1.	2.4	18
49	Highlights of the 2019 Japanese Society of Hypertension Guidelines and perspectives on the management of Asian hypertensive patients. <i>Journal of Clinical Hypertension</i> , 2020, 22, 369-377.	2.0	18
50	Efficacy and Safety of Ezetimibe and Rosuvastatin Combination Therapy Versus Those of Rosuvastatin Monotherapy in Patients With Primary Hypercholesterolemia. <i>Clinical Therapeutics</i> , 2018, 40, 993-1013.	2.5	17
51	Target blood pressure and control status in Asia. <i>Journal of Clinical Hypertension</i> , 2020, 22, 344-350.	2.0	17
52	Antihypertensive Drugs and the Risk of Cancer: A Nationwide Cohort Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 771.	2.4	16
53	Comparison of guidelines for the management of hypertension: Similarities and differences between international and Asian countries; perspectives from HOPE-Asia Network. <i>Journal of Clinical Hypertension</i> , 2021, 23, 422-434.	2.0	16
54	Clinical characteristics, practice patterns, and outcomes of patients with acute severe hypertension visiting the emergency department. <i>Journal of Hypertension</i> , 2021, 39, 2506-2513.	0.5	16

#	ARTICLE	IF	CITATIONS
55	A case report of type VI dual left anterior descending coronary artery anomaly presenting with non-ST-segment elevation myocardial infarction. <i>BMC Cardiovascular Disorders</i> , 2012, 12, 101.	1.7	15
56	The relationship between bone mineral density and blood pressure in the Korean elderly population: the Korea National Health and Nutrition Examination Survey, 2008–2011. <i>Clinical and Experimental Hypertension</i> , 2015, 37, 212-217.	1.3	15
57	The Relationship between Adiponectin and Left Ventricular Mass Index Varies with the Risk of Left Ventricular Hypertrophy. <i>PLoS ONE</i> , 2013, 8, e70246.	2.5	15
58	Low-Dose Triple Antihypertensive Combination Therapy in Patients with Hypertension: A Randomized, Double-Blind, Phase II Study. <i>Drug Design, Development and Therapy</i> , 2020, Volume 14, 5735-5746.	4.3	15
59	Discordance between ambulatory versus clinic blood pressure according to global cardiovascular risk group. <i>Korean Journal of Internal Medicine</i> , 2015, 30, 610-619.	1.7	15
60	Clinical implications of cardiac troponin-I in patients with hypertensive crisis visiting the emergency department. <i>Annals of Medicine</i> , 2022, 54, 507-515.	3.8	15
61	Efficacy and Safety of 30-Mg Fimasartan for the Treatment of Patients With Mild to Moderate Hypertension: An 8-Week, Multicenter, Randomized, Double-Blind, Phase III Clinical Study. <i>Clinical Therapeutics</i> , 2014, 36, 1412-1421.	2.5	14
62	Relationship between bone mineral density and a 10-year risk for coronary artery disease in a healthy Korean population. <i>Coronary Artery Disease</i> , 2015, 26, 66-71.	0.7	14
63	Impact of Visit-to-Visit Variability in Systolic Blood Pressure on Cardiovascular Outcomes in Korean National Health Insurance Service–National Sample Cohort. <i>American Journal of Hypertension</i> , 2017, 30, 577-586.	2.0	14
64	Dietary iodine, seaweed consumption, and incidence risk of metabolic syndrome among postmenopausal women: a prospective analysis of the Korean Multi-Rural Communities Cohort Study (MRCohort). <i>European Journal of Nutrition</i> , 2021, 60, 135-146.	3.9	14
65	The Relationship Between Coronary Artery Calcification and Bone Mineral Density in Patients According to Their Metabolic Syndrome Status. <i>Korean Circulation Journal</i> , 2011, 41, 76.	1.9	13
66	Unilateral Pulmonary Edema: A Rare Initial Presentation of Cardiogenic Shock due to Acute Myocardial Infarction. <i>Journal of Korean Medical Science</i> , 2012, 27, 211.	2.5	13
67	Clinical Characteristics and Predictors of All-Cause Mortality in Patients with Hypertensive Urgency at an Emergency Department. <i>Journal of Clinical Medicine</i> , 2021, 10, 4314.	2.4	13
68	Feasibility and safety of regional myocardial hypothermia during myocardial ischemia and infarction in pigs. <i>Coronary Artery Disease</i> , 2005, 16, 125-129.	0.7	12
69	Association between Central Obesity and Circadian Parameters of Blood Pressure from the Korean Ambulatory Blood Pressure Monitoring Registry: Kor-ABP Registry. <i>Journal of Korean Medical Science</i> , 2013, 28, 1461.	2.5	12
70	Comparison Between an Automated Device and a Manual Mercury Sphygmomanometer in an Epidemiological Survey of Hypertension Prevalence. <i>American Journal of Hypertension</i> , 2014, 27, 537-545.	2.0	12
71	Prevalence of Atrial Fibrillation and Relation to Echocardiographic Parameters in a Healthy Asymptomatic Rural Korean Population. <i>Journal of Korean Medical Science</i> , 2015, 30, 1078.	2.5	12
72	Is the use of RAS inhibitors safe in the current era of COVID-19 pandemic?. <i>Clinical Hypertension</i> , 2020, 26, 11.	2.0	12

#	ARTICLE	IF	CITATIONS
73	A randomized, double-blind clinical trial to evaluate the efficacy and safety of a fixed-dose combination of amlodipine/rosuvastatin in patients with dyslipidemia and hypertension. <i>Journal of Clinical Hypertension</i> , 2020, 22, 261-269.	2.0	12
74	Psychosocial, Physical, and Autonomic Correlates of Depression in Korean Adults: Results from a County-Based Depression Screening Study. <i>Psychiatry Investigation</i> , 2014, 11, 402.	1.6	12
75	2013 Korean Society of Hypertension guidelines for the management of hypertension: part III-hypertension in special situations. <i>Clinical Hypertension</i> , 2015, 21, 3.	2.0	11
76	The feasibility of polypill for cardiovascular disease prevention in Asian Population. <i>Journal of Clinical Hypertension</i> , 2021, 23, 545-555.	2.0	11
77	Updated Reasons and Clinical Implications of New Korean Hypertension Guidelines for Cardiologists. <i>Korean Circulation Journal</i> , 2020, 50, 476.	1.9	11
78	A Randomized, Double-blind, Multicenter, Phase III Study to Evaluate the Efficacy and Safety of Fimasartan/Amlodipine Combined Therapy Versus Fimasartan Monotherapy in Patients With Essential Hypertension Unresponsive to Fimasartan Monotherapy. <i>Clinical Therapeutics</i> , 2016, 38, 2159-2170.	2.5	10
79	Prevalence of resistant hypertension and associated factors for blood pressure control status using Korean ambulatory blood pressure monitoring registry data. <i>Clinical Hypertension</i> , 2016, 22, 8.	2.0	10
80	Prevalence and clinical features of bone morphogenetic protein receptor type 2 mutation in Korean idiopathic pulmonary arterial hypertension patients: The PILGRIM explorative cohort. <i>PLoS ONE</i> , 2020, 15, e0238698.	2.5	10
81	Bone Mineral Density is an Independent Determinant of Left Ventricular Mass Index in the General Female Population. <i>Korean Circulation Journal</i> , 2010, 40, 573.	1.9	9
82	Elevated Brachial-Ankle Pulse Wave Velocity Is Independently Associated with Microalbuminuria in a Rural Population. <i>Journal of Korean Medical Science</i> , 2014, 29, 941.	2.5	9
83	Two Distinct Responses of Left Ventricular End-Diastolic Pressure to Leg-Raise Exercise in Euvolemic Patients with Exertional Dyspnea. <i>Korean Circulation Journal</i> , 2016, 46, 350.	1.9	9
84	Prevalence of Fabry Disease in Korean Men with Left Ventricular Hypertrophy. <i>Journal of Korean Medical Science</i> , 2019, 34, e63.	2.5	9
85	Regional differences in office and self-measured home heart rates in Asian hypertensive patients: AsiaBP@Home study. <i>Journal of Clinical Hypertension</i> , 2021, 23, 606-613.	2.0	9
86	Clinical features and predictors of masked uncontrolled hypertension from the Korean Ambulatory Blood Pressure Monitoring Registry. <i>Korean Journal of Internal Medicine</i> , 2021, 36, 1102-1114.	1.7	9
87	Interventions for Adherence Improvement in the Primary Prevention of Cardiovascular Diseases: Expert Consensus Statement. <i>Korean Circulation Journal</i> , 2022, 52, 1.	1.9	9
88	Influences of Body Size and Cardiac Workload on the Left Ventricular Mass in Healthy Korean Adults with Normal Body Weight and Blood Pressure. <i>Korean Circulation Journal</i> , 2005, 35, 335.	1.9	8
89	Association Between Inappropriateness of Left Ventricular Mass and Left Ventricular Diastolic Dysfunction: A Study Using the Tissue Doppler Parameter, E/E'. <i>Korean Circulation Journal</i> , 2009, 39, 138.	1.9	8
90	Morphological Findings in Typical Variant Angina Presenting as Acute Coronary Syndrome Using Optical Coherence Tomography. <i>Journal of Interventional Cardiology</i> , 2013, 26, 491-500.	1.2	8

#	ARTICLE	IF	CITATIONS
91	Higher Blood Pressure Variability in White Coat Hypertension; from the Korean Ambulatory Blood Pressure Monitoring Registry. <i>Korean Circulation Journal</i> , 2016, 46, 365.	1.9	8
92	Comparison of the accuracy and errors of blood pressure measured by 2 types of non-mercury sphygmomanometers in an epidemiological survey. <i>Medicine (United States)</i> , 2018, 97, e10851.	1.0	8
93	Efficacy and Safety of a Fixed-Dose Combination of Candesartan and Rosuvastatin on Blood Pressure and Cholesterol in Patients With Hypertension and Hypercholesterolemia: A Multicenter, Randomized, Double-Blind, Parallel Phase III Clinical Study. <i>Clinical Therapeutics</i> , 2019, 41, 1508-1521.	2.5	8
94	High blood pressure in dementia: How low can we go?. <i>Journal of Clinical Hypertension</i> , 2020, 22, 415-422.	2.0	8
95	Blood pressure levels and cardiovascular risk according to age in patients with diabetes mellitus: a nationwide population-based cohort study. <i>Cardiovascular Diabetology</i> , 2020, 19, 181.	6.8	8
96	Real-World Bleeding and Ischemic Events in Asian Patients on P2Y12-Inhibitors After Percutaneous Coronary Intervention: A National Claims Data Analysis. <i>Advances in Therapy</i> , 2021, 38, 562-578.	2.9	8
97	Suboptimal Management Status of Younger Hypertensive Population in Korea. <i>Korean Circulation Journal</i> , 2021, 51, 598.	1.9	8
98	Influence of abdominal circumference on the inappropriateness of left ventricular mass and diastolic function in non-obese patients. <i>Journal of Cardiology</i> , 2007, 49, 323-9.	1.9	8
99	Clinical Factors Associated with Brachial-Ankle Pulse Wave Velocity in Patients on Maintenance Hemodialysis. <i>Electrolyte and Blood Pressure</i> , 2008, 6, 61.	1.8	7
100	Type 2 Myocardial Infarction Following Generalized Tonic-Clonic Seizure. <i>Korean Circulation Journal</i> , 2011, 41, 681.	1.9	7
101	Biatrial myxoma and multiple organ infarctions combined with Leriche syndrome in a female patient. <i>BMC Cardiovascular Disorders</i> , 2014, 14, 175.	1.7	7
102	The Impact of Metabolic Syndrome on Clinical Outcomes After Everolimus-Eluting Stent Implantation. <i>American Journal of Cardiology</i> , 2015, 116, 717-724.	1.6	7
103	Cardiovascular Risk Factors in Gastric Cancer Patients Decrease 1 Year After Gastrectomy. <i>Obesity Surgery</i> , 2016, 26, 2340-2347.	2.1	7
104	Clinical efficacy of aspirin with identification of intimal morphology by optical coherence tomography in preventing event recurrence in patients with vasospasm-induced acute coronary syndrome. <i>International Journal of Cardiovascular Imaging</i> , 2018, 34, 1697-1706.	1.5	7
105	Asian management of hypertension: Current status, home blood pressure, and specific concerns in Korea. <i>Journal of Clinical Hypertension</i> , 2020, 22, 493-496.	2.0	7
106	Efficacy and safety of co-administered telmisartan/amlodipine and rosuvastatin in subjects with hypertension and dyslipidemia. <i>Journal of Clinical Hypertension</i> , 2020, 22, 1835-1845.	2.0	7
107	Positive association of alcohol consumption with incidence of hypertension in adults aged 40 years and over: Use of repeated alcohol consumption measurements. <i>Clinical Nutrition</i> , 2020, 39, 3125-3131.	5.0	7
108	Effect of angiotensin receptor blockers on the development of cancer: A nationwide cohort study in Korea. <i>Journal of Clinical Hypertension</i> , 2021, 23, 879-887.	2.0	7

#	ARTICLE	IF	CITATIONS
109	Beneficial and Adverse Effects of Bosentan Treatment in Korean Patients With Pulmonary Artery Hypertension. <i>Korean Circulation Journal</i> , 2009, 39, 105.	1.9	6
110	Relationship between nocturnal blood pressure and 24-h urinary sodium excretion in a rural population in Korea. <i>Clinical Hypertension</i> , 2014, 20, 9.	2.0	6
111	LBPS 03-24 KOREAN PHYSICIAN PERCEPTIONS OF HOME BLOOD PRESSURE MONITORING (HBPM) FOR HYPERTENSION PATIENTS. <i>Journal of Hypertension</i> , 2016, 34, e530-e531.	0.5	6
112	Comparison of effects between calcium channel blocker and diuretics in combination with angiotensin II receptor blocker on 24-h central blood pressure and vascular hemodynamic parameters in hypertensive patients: study design for a multicenter, double-blinded, active-controlled, phase 4, randomized trial. <i>Clinical Hypertension</i> , 2017, 23, 18.	2.0	6
113	Independent effect of physical activity and resting heart rate on the incidence of atrial fibrillation in the general population. <i>Scientific Reports</i> , 2019, 9, 11228.	3.3	6
114	The Impact of Aversive Advice During Percutaneous Coronary Intervention on Smoking Cessation in Patients With Acute Coronary Syndrome. <i>Global Heart</i> , 2019, 14, 253.	2.3	6
115	Prospective associations between total, animal, and vegetable calcium intake and metabolic syndrome in adults aged 40 years and older. <i>Clinical Nutrition</i> , 2020, 39, 2282-2291.	5.0	6
116	Current status of adherence interventions in hypertension management in Asian countries: A report from the HOPE Asia Network. <i>Journal of Clinical Hypertension</i> , 2021, 23, 584-594.	2.0	6
117	Association of Dipstick Proteinuria with Long-Term Mortality among Patients with Hypertensive Crisis in the Emergency Department. <i>Journal of Personalized Medicine</i> , 2022, 12, 971.	2.5	6
118	A Case of Arteriovenous Type Cardiac Hemangioma. <i>Korean Journal of Internal Medicine</i> , 1998, 13, 123-126.	1.7	5
119	A novel adenoviral gutless vector encoding sphingosine kinase promotes arteriogenesis and improves perfusion in a rabbit hindlimb ischemia model. <i>Coronary Artery Disease</i> , 2005, 16, 451-456.	0.7	5
120	Correlation between Proximal Abdominal Aortic Stiffness Measured by Ultrasound and Brachial-Ankle Pulse Wave Velocity. <i>Korean Circulation Journal</i> , 2013, 43, 391.	1.9	5
121	Gene and dietary calcium interaction effects on brachial-ankle pulse wave velocity. <i>Clinical Nutrition</i> , 2016, 35, 1127-1134.	5.0	5
122	The relationship between decreased pulmonary function and atrial fibrillation in general population: Findings from Ansan-Ansan cohort of the Korean Genome and Epidemiology Study. <i>Journal of Cardiology</i> , 2019, 74, 488-493.	1.9	5
123	Office blood pressure threshold of 130/80 mmHg better predicts uncontrolled out-of-office blood pressure in apparent treatment-resistant hypertension. <i>Journal of Clinical Hypertension</i> , 2021, 23, 595-605.	2.0	5
124	Characteristics and control of the 24-hour ambulatory blood pressure in patients with metabolic syndrome. <i>Journal of Clinical Hypertension</i> , 2021, 23, 450-456.	2.0	5
125	The Relationship between the Pulse Wave Velocity(PWV) and the Left Ventricular Geometry: A Community-Based Cross-Sectional Study. <i>Korean Circulation Journal</i> , 2005, 35, 683.	1.9	5
126	Cumulative average nut consumption in relation to lower incidence of hypertension: a prospective cohort study of 10,347 adults. <i>European Journal of Nutrition</i> , 2022, 61, 1571-1583.	3.9	5

#	ARTICLE	IF	CITATIONS
127	Impact of the estimated glomerular filtration rate on long-term mortality in patients with hypertensive crisis visiting the emergency department. PLoS ONE, 2022, 17, e0266317.	2.5	5
128	Aterial Stiffness and Abdominal Obesity are Associated with the Relaxation Abnormality of Left Ventricle in Human Hypertension. Korean Circulation Journal, 2006, 36, 221.	1.9	4
129	Association of heart rate and left ventricular structure in a rural population in Korea. Clinical and Experimental Hypertension, 2014, 36, 165-172.	1.3	4
130	Validation study of candidate single nucleotide polymorphisms associated with left ventricular hypertrophy in the Korean population. BMC Medical Genetics, 2015, 16, 13.	2.1	4
131	Comparisons of Clinical and Procedural Outcomes Between Transradial and Transfemoral Approaches in Percutaneous Coronary Intervention (from the Korean Transradial Intervention Prospective) Tj ETQq1 1 0.784314.rgBT /Overlock 10T	1.0	4
132	Comparison of 24-Hour Ambulatory Central Blood Pressure Reduction Efficacy Between Fixed Amlodipine or Up-Titrated Hydrochlorothiazide Plus Losartan: The K-Central Study. American Journal of Hypertension, 2019, 32, 992-1002.	2.0	4
133	Comparison of day-to-day blood pressure variability in hypertensive patients with type 2 diabetes mellitus to those without diabetes: Asia BP@Home Study. Journal of Clinical Hypertension, 2020, 22, 407-414.	2.0	4
134	Prognostic value of myocardial injury-related findings on resting electrocardiography for cardiovascular risk in the asymptomatic general population: the 12-year follow-up report from the Ansan-Ansung cohort. Annals of Medicine, 2020, 52, 215-224.	3.8	4
135	A Long-Term Incidence of Heart Failure and Predictors Following Newly Developed Acute Myocardial Infarction: A 10 Years Retrospective Cohort Study with Korean National Health Insurance Data. International Journal of Environmental Research and Public Health, 2021, 18, 6207.	2.6	4
136	A clinical algorithm to determine target blood pressure in the elderly: evidence and limitations from a clinical perspective. Clinical Hypertension, 2022, 28, .	2.0	4
137	Type A Personality and Coronary Artery Disease. Hanyang Medical Reviews, 2014, 34, 72.	0.4	3
138	Defining Vitamin D Deficiency and Its Relationship to Hypertension in Postmenopausal Korean Women. Journal of Women's Health, 2015, 24, 1021-1029.	3.3	3
139	Mediating effects of nocturnal blood pressure and morning surge on the contributions of arterial stiffness and sodium intake to morning blood pressure: A path analysis. Blood Pressure, 2016, 25, 28-35.	1.5	3
140	Fimasartan versus perindopril with and without diuretics in the treatment of elderly patients with essential hypertension (Fimasartan in the Senior Subjects (FITNESS)): study protocol for a randomized controlled trial. Trials, 2019, 20, 389.	1.6	3
141	Efficacy of a fixed dose combination of irbesartan and atorvastatin (Rovelito [®]) in Korean adults with hypertension and hypercholesterolemia. Drug Design, Development and Therapy, 2019, Volume 13, 633-645.	4.3	3
142	Real-world efficacy and safety of nebivolol in Korean patients with hypertension from the BENEFIT KOREA study. Journal of Hypertension, 2020, 38, 527-535.	0.5	3
143	May Measurement Month 2019: an analysis of blood pressure screening results from Korea. European Heart Journal Supplements, 2021, 23, B89-B91.	0.1	3
144	Apparent treatment-resistant hypertension among ambulatory hypertensive patients: a cross-sectional study from 13 general hospitals. Korean Journal of Internal Medicine, 2021, 36, 888-897.	1.7	3

#	ARTICLE	IF	CITATIONS
145	Comparison of the Efficacy and Safety of Atorvastatin 40 mg/1% ω -3 Fatty Acids 4 g Fixed-dose Combination and Atorvastatin 40 mg Monotherapy in Hypertriglyceridemic Patients who Poorly Respond to Atorvastatin 40 mg Monotherapy: An 8-week, Multicenter, Randomized, Double-blind Phase III Study. <i>Clinical Therapeutics</i> , 2021, 43, 1419-1430.	2.5	3
146	Diagnostic accuracy of manual office blood pressure measurement in ambulatory hypertensive patients in Korea. <i>Korean Journal of Internal Medicine</i> , 2018, 33, 113-120.	1.7	3
147	Elevated On-Treatment Diastolic Blood Pressure and Cardiovascular Outcomes in the Presence of Achieved Systolic Blood Pressure Targets. <i>Korean Circulation Journal</i> , 2022, 52, 460.	1.9	3
148	Development and validation of hypertension prediction models: The Korean Genome and Epidemiology Study_Cardiovascular Disease Association Study (KoGES_CAVAS). <i>Journal of Human Hypertension</i> , 2023, 37, 205-212.	2.2	3
149	Early text page alarms sent to cardiologists reduce door-to-balloon times in ST-elevation myocardial infarction. <i>Journal of Telemedicine and Telecare</i> , 2014, 20, 242-249.	2.7	2
150	Assessment of the efficacy and tolerability of clopidogrel napadisilate in Korean patients with coronary stenting: a multicenter, prospective, open-label, randomized trial. <i>Current Medical Research and Opinion</i> , 2015, 31, 449-457.	1.9	2
151	GAREM1 regulates the PR interval on electrocardiograms. <i>Journal of Human Genetics</i> , 2018, 63, 297-307.	2.3	2
152	Data on the impact of subclinical hypothyroidism on clinical outcomes following percutaneous coronary intervention. <i>Data in Brief</i> , 2018, 16, 630-634.	1.0	2
153	E/E ϵ ² and D-shaped Left Ventricle Severity in Patients with Increased Pulmonary Artery Pressure. <i>Journal of Cardiovascular Imaging</i> , 2018, 26, 85.	0.7	2
154	The relationship between visit-to-visit variability in blood pressure and incidence of metabolic syndrome: a general population-based cohort study in Korea. <i>Clinical Hypertension</i> , 2019, 25, 11.	2.0	2
155	The association of smoothness index of central blood pressure with ambulatory carotid femoral pulse wave velocity after 20-week treatment with losartan in combination with amlodipine versus hydrochlorothiazide. <i>Journal of Hypertension</i> , 2019, 37, 2490-2497.	0.5	2
156	Wrist devices with both accuracy and feasibility, new option to measure nocturnal blood pressure?. <i>Journal of Clinical Hypertension</i> , 2020, 22, 979-980.	2.0	2
157	Left Ventricular Geometry in Essential Hypertensive Patients Versus Hemodialysis Patients. <i>Journal of the Korean Society of Echocardiography</i> , 1998, 6, 29.	0.0	2
158	Benefits of pressure-controlled hemostasis for transradial vascular access: a randomized controlled trial. <i>Minerva Cardioangiologica</i> , 2020, 68, 34-41.	1.2	2
159	Sex Differences in Long-Term Mortality of Patients with Hypertensive Crisis Visiting the Emergency Department. <i>Journal of Women's Health</i> , 2021, , .	3.3	2
160	Diuretics versus others for long-term clinical outcomes as first-line antihypertensive medications: analysis of national real-world database. <i>Hypertension Research</i> , 2022, , .	2.7	2
161	Effect of low sodium and high potassium diet on lowering blood pressure. <i>Journal of the Korean Medical Association</i> , 2022, 65, 368-376.	0.3	2
162	Acute Myocardial Infarction in the Evening Has a Worse Prognosis. <i>Circadian Rhythm, Does It Matter?</i> . <i>Korean Circulation Journal</i> , 2010, 40, 614.	1.9	1

#	ARTICLE	IF	CITATIONS
163	Recurrent Infective Endocarditis Associated With Pyogenic Spondylodiskitis. Korean Circulation Journal, 2011, 41, 167.	1.9	1
164	Sleep Apnea Syndrome and the Cardiovascular Diseases. Hanyang Medical Reviews, 2013, 33, 221.	0.4	1
165	Seasonal variation in ambulatory blood pressure among hypertensive patients: results from the Korean ambulatory blood pressure (Kor-ABP) registry. Journal of the American Society of Hypertension, 2016, 10, e29-e30.	2.3	1
166	Revised definition of predicted left ventricular mass using ambulatory blood pressure in healthy Korean adults. Clinical Hypertension, 2017, 23, 8.	2.0	1
167	S-amlodipine plus chlorthalidone vs. S-amlodipine plus telmisartan in hypertensive patients unresponsive to amlodipine monotherapy: study protocol for a randomized controlled trial. Trials, 2018, 19, 324.	1.6	1
168	Effect of acute intradialytic aerobic and resistance exercise on one-day blood pressure in patients undergoing hemodialysis: a pilot study. Journal of Sports Medicine and Physical Fitness, 2019, 59, 1413-1419.	0.7	1
169	Evening blood pressure rise, from myth to reality. Journal of Clinical Hypertension, 2019, 21, 1682-1683.	2.0	1
170	The longitudinal associations between trajectory of and quantity of alcohol consumption and subsequent changes in blood pressure levels among non-hypertensive adults. British Journal of Nutrition, 2021, 126, 1-9.	2.3	1
171	A Case of Transient Mid-Ventricular Ballooning Syndrome after Cardiac Arrest. Korean Journal of Medicine, 2012, 83, 347.	0.3	1
172	Impact of a screening protocol for blood pressure level for hypertension in the Korean community health survey. Blood Pressure, 2021, 30, 403-410.	1.5	1
173	Comparison of Endothelium-Dependent Vasodilation According to the Presence of Diabetes in Coronary Artery Disease. Korean Circulation Journal, 2005, 35, 910.	1.9	0
174	Relationship between Clinical Factors Including Physical Activity and Job Category and Masked Effect Defined by Ambulatory Blood Pressure Monitoring. Journal of the Korean Society of Hypertension, 2011, 17, 166.	0.2	0
175	Association of Hypertension and Obesity with Echocardiographic Left Ventricular Hypertrophy or Microalbuminuria in a General Population in South Korea. Journal of the Korean Society of Hypertension, 2011, 17, 156.	0.2	0
176	Efonidipine, Another Beauty Relieving the Pressure. Korean Circulation Journal, 2012, 42, 229.	1.9	0
177	J-curve Phenomenon Might Be Inherent: How to Know If It Is Treatment Induced?. Korean Circulation Journal, 2018, 48, 80.	1.9	0
178	Clock timeâ€¢based hourly blood pressure surge around 6 <scp>am</scp>: Blood pressure dynamics specific to awakening or endogenous circadian rhythm?. Journal of Clinical Hypertension, 2019, 21, 587-588.	2.0	0
179	Implications of Simultaneously Measured Inter-Arm Difference. Korean Circulation Journal, 2019, 49, 278.	1.9	0
180	The Relationship between Poor Pulmonary Function and Irregular Pulse in the Elderly: Findings from a Nationwide Cross-Sectional Survey in Korea. Healthcare (Switzerland), 2020, 8, 312.	2.0	0

#	ARTICLE	IF	CITATIONS
181	Transition of May Measurement Month to an online hypertension awareness campaign in Korea during the COVID-19 pandemic. <i>European Heart Journal Digital Health</i> , 0, , .	1.7	0
182	A Randomized, Double-blind, Active-controlled, Two Parallel-Group, Optional Titration, Multicenter, Phase IIIb Study to Evaluate the Efficacy and Safety of Fimasartan Versus Perindopril Monotherapy With and Without a Diuretic Combination in Elderly Patients With Essential Hypertension. <i>Clinical Therapeutics</i> , 2021, 43, 1746-1756.	2.5	0
183	Left Atrial Function in Various Type of Left Hypertrophy in Hypertensive Patients. <i>Journal of the Korean Society of Echocardiography</i> , 2000, 8, 166.	0.0	0
184	A Case of Transient Ischemic Attack and Cardiomyopathy Presented with Pheochromocytoma. <i>Korean Journal of Medicine</i> , 2012, 83, 232.	0.3	0
185	Harmful Relationship between Alcohol Consumption and Brachial Ankle Pulse Wave Velocity : No Favorable Zone for Vascular Damages. <i>FASEB Journal</i> , 2013, 27, .	0.5	0
186	Relationship between nocturnal blood pressure and 24-h urinary sodium excretion in a rural population in Korea. <i>Clinical Hypertension</i> , 2014, 20, 9.	2.0	0
187	Exercise Induced Left Bundle Branch Block Accompanied by Chest Pain. <i>Journal of the Korean Geriatrics Society</i> , 2014, 18, 169-171.	0.3	0
188	A genome-wide association study of the association between single nucleotide polymorphisms and brachial-ankle pulse wave velocity in healthy Koreans. <i>Journal of Genetic Medicine</i> , 2017, 14, 8-17.	0.2	0
189	A count-based decision method for target blood pressure achievement in home blood pressure monitoring data interpretation for clinical practices. <i>Scientific Reports</i> , 2022, 12, 3897.	3.3	0