

Marleen Temmerman

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8171964/publications.pdf>

Version: 2024-02-01

90
papers

9,100
citations

168829

31
h-index

54771

88
g-index

93
all docs

93
docs citations

93
times ranked

11176
citing authors

#	ARTICLE	IF	CITATIONS
1	Global causes of maternal death: a WHO systematic analysis. <i>The Lancet Global Health</i> , 2014, 2, e323-e333.	2.9	3,772
2	Global, regional, and national levels and trends in maternal mortality between 1990 and 2015, with scenario-based projections to 2030: a systematic analysis by the UN Maternal Mortality Estimation Inter-Agency Group. <i>Lancet, The</i> , 2016, 387, 462-474.	6.3	1,461
3	A Systematic Review of African Studies on Intimate Partner Violence against Pregnant Women: Prevalence and Risk Factors. <i>PLoS ONE</i> , 2011, 6, e17591.	1.1	380
4	Cloning of 16S rRNA genes amplified from normal and disturbed vaginal microflora suggests a strong association between <i>Atopobium vaginae</i> , <i>Gardnerella vaginalis</i> and bacterial vaginosis. <i>BMC Microbiology</i> , 2004, 4, 16.	1.3	302
5	Barriers to modern contraceptive methods uptake among young women in Kenya: a qualitative study. <i>BMC Public Health</i> , 2015, 15, 118.	1.2	225
6	Factors associated with teenage pregnancy in the European Union countries: a systematic review. <i>European Journal of Public Health</i> , 2007, 17, 630-636.	0.1	165
7	Quantitative determination by real-time PCR of four vaginal <i>Lactobacillus</i> species, <i>Gardnerella vaginalis</i> and <i>Atopobium vaginae</i> indicates an inverse relationship between <i>L. gasseri</i> and <i>L. iners</i> . <i>BMC Microbiology</i> , 2007, 7, 115.	1.3	160
8	Hidden violence is silent rape: sexual and gender-based violence in refugees, asylum seekers and undocumented migrants in Belgium and the Netherlands. <i>Culture, Health and Sexuality</i> , 2012, 14, 505-520.	1.0	156
9	Comparison between Gram stain and culture for the characterization of vaginal microflora: definition of a distinct grade that resembles grade I microflora and revised categorization of grade I microflora. <i>BMC Microbiology</i> , 2005, 5, 61.	1.3	120
10	Impact of five years of peer-mediated interventions on sexual behavior and sexually transmitted infections among female sex workers in Mombasa, Kenya. <i>BMC Public Health</i> , 2008, 8, 143.	1.2	117
11	Women's Empowerment and Contraceptive Use: The Role of Independent versus Couples' Decision-Making, from a Lower Middle Income Country Perspective. <i>PLoS ONE</i> , 2014, 9, e104633.	1.1	111
12	Increased Risk of HIV in Women Experiencing Physical Partner Violence in Nairobi, Kenya. <i>AIDS and Behavior</i> , 2005, 9, 335-339.	1.4	110
13	Vulnerability of women in an African setting: lessons for mother-to-child HIV transmission prevention programmes. <i>Aids</i> , 2002, 16, 937-939.	1.0	100
14	Family Planning Knowledge, Attitude and Practice among Married Couples in Jimma Zone, Ethiopia. <i>PLoS ONE</i> , 2013, 8, e61335.	1.1	93
15	Sex work and the 2010 FIFA World Cup: time for public health imperatives to prevail. <i>Globalization and Health</i> , 2010, 6, 1.	2.4	92
16	Comparison of different sampling techniques and of different culture methods for detection of group B streptococcus carriage in pregnant women. <i>BMC Infectious Diseases</i> , 2010, 10, 285.	1.3	89
17	Longitudinal qPCR Study of the Dynamics of <i>L. crispatus</i> , <i>L. iners</i> , <i>A. vaginae</i> , (Sialidase Positive) <i>G. vaginalis</i> , and <i>P. bivia</i> in the Vagina. <i>PLoS ONE</i> , 2012, 7, e45281.	1.1	84
18	Identification and genotyping of bacteria from paired vaginal and rectal samples from pregnant women indicates similarity between vaginal and rectal microflora. <i>BMC Infectious Diseases</i> , 2009, 9, 167.	1.3	77

#	ARTICLE	IF	CITATIONS
19	A knowledge, attitudes, and practice survey among obstetrician-gynaecologists on intimate partner violence in Flanders, Belgium. <i>BMC Public Health</i> , 2006, 6, 238.	1.2	73
20	Longitudinal Study of the Dynamics of Vaginal Microflora during Two Consecutive Menstrual Cycles. <i>PLoS ONE</i> , 2011, 6, e28180.	1.1	72
21	Contraceptive needs of female sex workers in Kenya – A cross-sectional study. <i>European Journal of Contraception and Reproductive Health Care</i> , 2011, 16, 173-182.	0.6	62
22	Migration Status, Work Conditions and Health Utilization of Female Sex Workers in Three South African Cities. <i>Journal of Immigrant and Minority Health</i> , 2014, 16, 7-17.	0.8	62
23	Sexual and reproductive health of migrants: Does the EU care?. <i>Health Policy</i> , 2014, 114, 215-225.	1.4	59
24	Couple based family planning education: changes in male involvement and contraceptive use among married couples in Jimma Zone, Ethiopia. <i>BMC Public Health</i> , 2015, 15, 682.	1.2	58
25	Opportunities to improve postpartum care for mothers and infants: design of context-specific packages of postpartum interventions in rural districts in four sub-Saharan African countries. <i>BMC Pregnancy and Childbirth</i> , 2015, 15, 131.	0.9	46
26	Reproductive health services for populations at high risk of HIV: Performance of a night clinic in Tete province, Mozambique. <i>BMC Health Services Research</i> , 2010, 10, 144.	0.9	45
27	Pattern of Sexually Transmitted Diseases and Risk Factors Among Women Attending an STD Referral Clinic in Nairobi, Kenya. <i>Sexually Transmitted Diseases</i> , 2000, 27, 417-423.	0.8	43
28	Disclosure and health-seeking behaviour following intimate partner violence before and during pregnancy in Flanders, Belgium: A survey surveillance study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2008, 137, 37-42.	0.5	41
29	Genotyping of <i>Streptococcus agalactiae</i> (group B streptococci) isolated from vaginal and rectal swabs of women at 35-37 weeks of pregnancy. <i>BMC Infectious Diseases</i> , 2009, 9, 153.	1.3	40
30	“œA Baby Was an Added Burden” Predictors and Consequences of Unintended Pregnancies for Female Sex Workers in Mombasa, Kenya: A Mixed-Methods Study. <i>PLoS ONE</i> , 2016, 11, e0162871.	1.1	39
31	Strong correspondence in bacterial loads between the vagina and rectum of pregnant women. <i>Research in Microbiology</i> , 2011, 162, 506-513.	1.0	36
32	Deliver on Your Own: Disrespectful Maternity Care in rural Kenya. <i>PLoS ONE</i> , 2020, 15, e0214836.	1.1	35
33	Prevalence and evolution of intimate partner violence before and during pregnancy: a cross-sectional study. <i>BMC Pregnancy and Childbirth</i> , 2014, 14, 294.	0.9	34
34	Assessing predictors of contraceptive use and demand for family planning services in underserved areas of Punjab province in Pakistan: results of a cross-sectional baseline survey. <i>Reproductive Health</i> , 2015, 12, 25.	1.2	33
35	Sexual health is dead in my body: participatory assessment of sexual health determinants by refugees, asylum seekers and undocumented migrants in Belgium and the Netherlands. <i>BMC Public Health</i> , 2014, 14, 416.	1.2	32
36	Vulnerabilities, health needs and predictors of high-risk sexual behaviour among female adolescent sex workers in Kunming, China. <i>Sexually Transmitted Infections</i> , 2013, 89, 237-244.	0.8	31

#	ARTICLE	IF	CITATIONS
37	Determinants of modern contraceptive use among sexually active men in Kenya. <i>Reproductive Health</i> , 2017, 14, 56.	1.2	29
38	Intimate partner violence, forced first sex and adverse pregnancy outcomes in a sample of Zimbabwean women accessing maternal and child health care. <i>BMC Public Health</i> , 2018, 18, 595.	1.2	26
39	Secrecy, disclosure and accidental discovery: Perspectives of diaphragm users in Mombasa, Kenya. <i>Culture, Health and Sexuality</i> , 2008, 10, 13-26.	1.0	25
40	Female sex work and international sport events - no major changes in demand or supply of paid sex during the 2010 Soccer World Cup: a cross-sectional study. <i>BMC Public Health</i> , 2012, 12, 763.	1.2	25
41	Intimate partner violence and psychosocial health, a cross-sectional study in a pregnant population. <i>BMC Pregnancy and Childbirth</i> , 2015, 15, 278.	0.9	25
42	Comparison of culture with two different qPCR assays for detection of rectovaginal carriage of <i>Streptococcus agalactiae</i> (group B streptococci) in pregnant women. <i>Research in Microbiology</i> , 2011, 162, 499-505.	1.0	23
43	Association of differential symptoms of stress to hair cortisol and cortisone concentrations among pregnant women in Kenya. <i>Stress</i> , 2020, 23, 556-566.	0.8	23
44	Reproductive health indicators in the European Union: The REPROSTAT project. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2006, 126, 3-10.	0.5	22
45	Sexual and reproductive health risks amongst female adolescents who use amphetamine-type stimulants and sell sex: a qualitative inquiry in Yunnan, China. <i>Harm Reduction Journal</i> , 2015, 12, 34.	1.3	21
46	A cross sectional comparison of postnatal care quality in facilities participating in a maternal health voucher program versus non-voucher facilities in Kenya. <i>BMC Pregnancy and Childbirth</i> , 2015, 15, 153.	0.9	21
47	WHISPER or SHOUT study: protocol of a cluster-randomised controlled trial assessing mHealth sexual reproductive health and nutrition interventions among female sex workers in Mombasa, Kenya. <i>BMJ Open</i> , 2017, 7, e017388.	0.8	21
48	Maternal morbidity in the first year after childbirth in Mombasa Kenya; a needs assessment. <i>BMC Pregnancy and Childbirth</i> , 2009, 9, 51.	0.9	19
49	The gender-based violence and recovery centre at Coast Provincial General Hospital, Mombasa, Kenya: An integrated care model for survivors of sexual violence. <i>PLoS Medicine</i> , 2019, 16, e1002886.	3.9	19
50	Is Repeat Abortion a Public Health Problem among Chinese Adolescents? A Cross-Sectional Survey in 30 Provinces. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 794.	1.2	18
51	Sexual and reproductive health and rights of refugee and migrant women: gynecologists' and obstetricians' responsibilities. <i>International Journal of Gynecology and Obstetrics</i> , 2020, 149, 113-119.	1.0	16
52	Sexual and reproductive health of adolescents in Belgium, the Czech Republic, Estonia and Portugal. <i>European Journal of Contraception and Reproductive Health Care</i> , 2009, 14, 215-220.	0.6	15
53	Family planning versus contraception: what's in a name?. <i>The Lancet Global Health</i> , 2014, 2, e131-e132.	2.9	15
54	Caesarean section surgical techniques: all equally safe. <i>Lancet</i> , The, 2016, 388, 8-9.	6.3	15

#	ARTICLE	IF	CITATIONS
55	Determinants of Method Switching among Social Franchise Clients Who Discontinued the Use of Intrauterine Contraceptive Device. <i>International Journal of Reproductive Medicine</i> , 2015, 2015, 1-8.	0.4	14
56	Post-abortion family planning counselling practice among abortion service providers in China: a nationwide cross-sectional study. <i>European Journal of Contraception and Reproductive Health Care</i> , 2017, 22, 24-29.	0.6	14
57	Health Care Workersâ€™ Perspectives of the Influences of Disrespectful Maternity Care in Rural Kenya. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 8218.	1.2	14
58	Effect of a mobile phone intervention for female sex workers on unintended pregnancy in Kenya (WHISPER or SHOUT): a cluster-randomised controlled trial. <i>The Lancet Global Health</i> , 2020, 8, e1534-e1545.	2.9	14
59	The impact of a referral card-based intervention on intimate partner violence, psychosocial health, help-seeking and safety behaviour during pregnancy and postpartum: a randomized controlled trial. <i>BMC Pregnancy and Childbirth</i> , 2017, 17, 346.	0.9	12
60	Pattern and determinants of contraceptive usage among women of reproductive age from the Digo community residing in Kwale, Kenya: results from a cross-sectional household survey. <i>BMC Women's Health</i> , 2018, 18, 10.	0.8	12
61	Birth preparedness and complication readiness among women of reproductive age in Kenya and Tanzania: a community-based cross-sectional survey. <i>BMC Pregnancy and Childbirth</i> , 2020, 20, 636.	0.9	12
62	The PRECISE (PREgnancy Care Integrating translational Science, Everywhere) Networkâ€™s first protocol: deep phenotyping in three sub-Saharan African countries. <i>Reproductive Health</i> , 2020, 17, 51.	1.2	12
63	Induced abortion in 30 Chinese provinces in 2013: a cross-sectional survey. <i>Lancet, The</i> , 2015, 386, S18.	6.3	10
64	A cross-sectional mixed study of the opportunity to improve maternal postpartum care in reproductive, maternal, newborn, and child health services in the Kaya health district of Burkina Faso. <i>International Journal of Gynecology and Obstetrics</i> , 2016, 135, S20-S26.	1.0	10
65	Integration of postpartum care into child health and immunization services in Burkina Faso: findings from a cross-sectional study. <i>Reproductive Health</i> , 2018, 15, 171.	1.2	10
66	Maternal healthcare services use in Mwanza Region, Tanzania: a cross-sectional baseline survey. <i>BMC Pregnancy and Childbirth</i> , 2019, 19, 474.	0.9	10
67	Male Involvement in Reproductive and Maternal and New Child Health: An Evaluative Qualitative Study on Facilitators and Barriers From Rural Kenya. <i>Frontiers in Public Health</i> , 2021, 9, 644293.	1.3	10
68	Implementation of Point-of-Care Diagnostics Leads to Variable Uptake of Syphilis, Anemia and CD4+ T-Cell Count Testing in Rural Maternal and Child Health Clinics. <i>PLoS ONE</i> , 2015, 10, e0135744.	1.1	9
69	Integration of maternal postpartum services in maternal and child health services in Kaya health district (Burkina Faso): an intervention time trend analysis. <i>BMC Health Services Research</i> , 2018, 18, 298.	0.9	9
70	â€œOur voices matterâ€: a before-after assessment of the effect of a community-participatory intervention to promote uptake of maternal and child health services in Kwale, Kenya. <i>BMC Health Services Research</i> , 2018, 18, 938.	0.9	9
71	Correlates of facility-based delivery among women of reproductive age from the Digo community residing in Kwale, Kenya. <i>BMC Research Notes</i> , 2018, 11, 715.	0.6	9
72	Repeat induced abortion in 30 Chinese provinces: A cross-sectional study. <i>International Journal of Gynecology and Obstetrics</i> , 2021, 154, 532-539.	1.0	8

#	ARTICLE	IF	CITATIONS
73	Preconception Care among Pregnant Women in an Urban and a Rural Health Facility in Kenya: A Quantitative Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 7430.	1.2	7
74	Research priorities in maternal and neonatal health in Africa: results using the Child Health and Nutrition Research Initiative method involving over 900 experts across the continent. <i>AAS Open Research</i> , 2021, 4, 8.	1.5	6
75	Demand satisfied by modern contraceptive among married women of reproductive age in Kenya. <i>PLoS ONE</i> , 2021, 16, e0248393.	1.1	6
76	A Qualitative Endline Evaluation Study of Male Engagement in Promoting Reproductive, Maternal, Newborn, and Child Health Services in Rural Kenya. <i>Frontiers in Public Health</i> , 2021, 9, 670239.	1.3	6
77	Failing the rights: sexual vulnerability, access to services and barriers to contraceptives among adolescents in Narok County, Kenya. <i>International Journal of Human Rights in Healthcare</i> , 2021, 14, 374-386.	0.6	6
78	Nutritional Influences on the Health of Women and Children in Cabo Delgado, Mozambique: A Qualitative Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 6205.	1.2	5
79	Repeat Induced Abortion among Chinese Women Seeking Abortion: Two Cross Sectional Studies. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 4446.	1.2	5
80	The impact of training on self-reported performance in reproductive, maternal, and newborn health service delivery among healthcare workers in Tanzania: a baseline- and endline-survey. <i>Reproductive Health</i> , 2022, 19, .	1.2	5
81	A new woman-controlled contraceptive vaginal ring: a global step forward. <i>The Lancet Global Health</i> , 2019, 7, e986-e987.	2.9	4
82	A Mobile Phone-Based Sexual and Reproductive Health Intervention for Female Sex Workers in Kenya: Development and Qualitative Study. <i>JMIR MHealth and UHealth</i> , 2020, 8, e15096.	1.8	4
83	Contraception interventions for women seeking abortion. <i>The Cochrane Library</i> , 2014, . .	1.5	3
84	Maternal Sociodemographic Factors and Antenatal Stress. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 6812.	1.2	3
85	Translation and validation of Training Needs Analysis Questionnaire among reproductive, maternal and newborn health workers in Tanzania. <i>BMC Health Services Research</i> , 2021, 21, 735.	0.9	3
86	Loop electrosurgical excision procedure (LEEP) plus top hat for HIV-infected women with endocervical intraepithelial neoplasia in Kenya. <i>International Journal of Gynecology and Obstetrics</i> , 2021, 152, 118-124.	1.0	2
87	A Curriculum Model for Multidisciplinary Training of Midwife Sonographers in a Low Resource Setting. <i>Journal of Multidisciplinary Healthcare</i> , 2021, Volume 14, 2833-2844.	1.1	2
88	Missed opportunities for family planning counselling among postpartum women in eleven counties in Kenya. <i>BMC Public Health</i> , 2022, 22, 253.	1.2	1
89	Nevirapine hair and plasma concentrations and HIV-1 viral suppression among HIV infected ante-partum and post-partum women attended in a mother and child prevention program in Maputo city, Mozambique. <i>PLoS ONE</i> , 2022, 17, e0261522.	1.1	1
90	Assessing changes in costs of maternal postpartum services between 2013 and 2014 in Burkina Faso. <i>International Journal for Equity in Health</i> , 2019, 18, 154.	1.5	0