

Alexander van Geen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8173944/publications.pdf>

Version: 2024-02-01

104
papers

10,182
citations

41344

49
h-index

33894

99
g-index

111
all docs

111
docs citations

111
times ranked

8012
citing authors

#	ARTICLE	IF	CITATIONS
1	A mass-balance model to assess arsenic exposure from multiple wells in Bangladesh. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2022, 32, 442-450.	3.9	7
2	Groundwater fluoride across the Punjab plains of Pakistan and India: Distribution and underlying mechanisms. <i>Science of the Total Environment</i> , 2022, 806, 151353.	8.0	24
3	Demand for Information on Environmental Health Risk, Mode of Delivery, and Behavioral Change: Evidence from Sonargaon, Bangladesh. <i>World Bank Economic Review</i> , 2021, 35, 764-792.	2.4	3
4	Recommended Sampling Intervals for Arsenic in Private Wells. <i>Ground Water</i> , 2021, 59, 80-89.	1.3	6
5	Evaluation of a field kit for testing arsenic in paddy soil contaminated by irrigation water. <i>Geoderma</i> , 2021, 382, 114755.	5.1	4
6	Well-switching to Reduce Arsenic Exposure in Bangladesh: Making the Most of Inaccurate Field Kit Measurements. <i>GeoHealth</i> , 2021, 5, e2021GH000464.	4.0	4
7	Testing Homes for Potential Sources of Lead Exposure as a High School Science Project. <i>GeoHealth</i> , 2021, 5, e2021GH000498.	4.0	6
8	Aquifer-Scale Observations of Iron Redox Transformations in Arsenic-Impacted Environments to Predict Future Contamination. <i>Environmental Science and Technology Letters</i> , 2020, 7, 916-922.	8.7	19
9	Fallout of Lead Over Paris From the 2019 Notre-Dame Cathedral Fire. <i>GeoHealth</i> , 2020, 4, e2020GH000279.	4.0	13
10	Arsenic contamination of Bangladesh aquifers exacerbated by clay layers. <i>Nature Communications</i> , 2020, 11, 2244.	12.8	68
11	Similar retardation of arsenic in gray Holocene and orange Pleistocene sediments: Evidence from field-based column experiments in Bangladesh. <i>Water Research</i> , 2020, 183, 116081.	11.3	9
12	Regulation of groundwater arsenic concentrations in the Ravi, Beas, and Sutlej floodplains of Punjab, India. <i>Geochimica Et Cosmochimica Acta</i> , 2020, 276, 384-403.	3.9	14
13	New Approaches to Identifying and Reducing the Global Burden of Disease From Pollution. <i>GeoHealth</i> , 2020, 4, e2018GH000167.	4.0	24
14	Soil arsenic but not rice arsenic increasing with arsenic in irrigation water in the Punjab plains of Pakistan. <i>Plant and Soil</i> , 2020, 450, 601-611.	3.7	15
15	Evaluating Strategies to Reduce Arsenic Poisoning in South Asia: A View from the Social Sciences. <i>Asian Development Review</i> , 2020, 37, 21-44.	1.5	6
16	Demand for Information on Environmental Health Risk, Mode of Delivery, and Behavioral Change: Evidence from Sonargaon, Bangladesh. , 2020, , .		2
17	Quantifying Riverine Recharge Impacts on Redox Conditions and Arsenic Release in Groundwater Aquifers Along the Red River, Vietnam. <i>Water Resources Research</i> , 2019, 55, 6712-6728.	4.2	16
18	Does Involving Parents in Soil Sampling Identify Causes of Child Exposure to Lead? A Case Study of Community Engagement in Mining-Impacted Towns in Peru. <i>GeoHealth</i> , 2019, 3, 218-236.	4.0	8

#	ARTICLE	IF	CITATIONS
19	Changes in arsenic exposure in Araihasar, Bangladesh from 2001 through 2015 following a blanket well testing and education campaign. <i>Environment International</i> , 2019, 125, 82-89.	10.0	21
20	A Field Procedure To Screen Soil for Hazardous Lead. <i>Analytical Chemistry</i> , 2019, 91, 8192-8198.	6.5	18
21	Effectiveness of Different Approaches to Arsenic Mitigation over 18 Years in Araihasar, Bangladesh: Implications for National Policy. <i>Environmental Science & Technology</i> , 2019, 53, 5596-5604.	10.0	37
22	Inversion of High-Arsenic Soil for Improved Rice Yield in Bangladesh. <i>Environmental Science & Technology</i> , 2019, 53, 3410-3418.	10.0	13
23	Field testing of over 30,000 wells for arsenic across 400 villages of the Punjab plains of Pakistan and India: Implications for prioritizing mitigation. <i>Science of the Total Environment</i> , 2019, 654, 1358-1363.	8.0	47
24	Quantitative drinking water arsenic concentrations in field environments using mobile phone photometry of field kits. <i>Science of the Total Environment</i> , 2018, 618, 579-585.	8.0	19
25	Simultaneously quantifying ferrihydrite and goethite in natural sediments using the method of standard additions with X-ray absorption spectroscopy. <i>Chemical Geology</i> , 2018, 476, 248-259.	3.3	32
26	Urinary metals and metal mixtures in Bangladesh: Exploring environmental sources in the Health Effects of Arsenic Longitudinal Study (HEALS). <i>Environment International</i> , 2018, 121, 852-860.	10.0	26
27	A cross-sectional study of water arsenic exposure and intellectual function in adolescence in Araihasar, Bangladesh. <i>Environment International</i> , 2018, 118, 304-313.	10.0	59
28	Reversible adsorption and flushing of arsenic in a shallow, Holocene aquifer of Bangladesh. <i>Applied Geochemistry</i> , 2017, 77, 142-157.	3.0	41
29	Field Study of Rice Yield Diminished by Soil Arsenic in Bangladesh. <i>Environmental Science & Technology</i> , 2017, 51, 11553-11560.	10.0	38
30	Demand for environmental quality information and household response: Evidence from well-water arsenic testing. <i>Journal of Environmental Economics and Management</i> , 2017, 86, 160-192.	4.7	24
31	Microbial Community Structure and Arsenic Biogeochemistry in Two Arsenic-Impacted Aquifers in Bangladesh. <i>MBio</i> , 2017, 8, .	4.1	46
32	Child Intelligence and Reductions in Water Arsenic and Manganese: A Two-Year Follow-up Study in Bangladesh. <i>Environmental Health Perspectives</i> , 2016, 124, 1114-1120.	6.0	46
33	Provision of well-water treatment units to 600 households in Bangladesh: A longitudinal analysis of urinary arsenic indicates fading utility. <i>Science of the Total Environment</i> , 2016, 563-564, 131-137.	8.0	13
34	River bank geomorphology controls groundwater arsenic concentrations in aquifers adjacent to the Red River, Hanoi Vietnam. <i>Water Resources Research</i> , 2016, 52, 6321-6334.	4.2	57
35	Megacity pumping and preferential flow threaten groundwater quality. <i>Nature Communications</i> , 2016, 7, 12833.	12.8	96
36	Folic Acid and Creatine as Therapeutic Approaches to Lower Blood Arsenic: A Randomized Controlled Trial. <i>Environmental Health Perspectives</i> , 2015, 123, 1294-1301.	6.0	76

#	ARTICLE	IF	CITATIONS
37	Evaluation of an Elementary Schoolâ€‘based Educational Intervention for Reducing Arsenic Exposure in Bangladesh. <i>Environmental Health Perspectives</i> , 2015, 123, 1331-1336.	6.0	16
38	Evolution of households' responses to the groundwater arsenic crisis in Bangladesh: information on environmental health risks can have increasing behavioral impact over time. <i>Environment and Development Economics</i> , 2014, 19, 631-647.	1.5	22
39	Confirmation of elevated arsenic levels in groundwater of Myanmar. <i>Science of the Total Environment</i> , 2014, 478, 21-24.	8.0	39
40	A cross-sectional study of well water arsenic and child IQ in Maine schoolchildren. <i>Environmental Health</i> , 2014, 13, 23.	4.0	136
41	Comparison of two blanket surveys of arsenic in tubewells conducted 12years apart in a 25km2 area of Bangladesh. <i>Science of the Total Environment</i> , 2014, 488-489, 484-492.	8.0	54
42	Retardation of arsenic transport through a Pleistocene aquifer. <i>Nature</i> , 2013, 501, 204-207.	27.8	136
43	Approaches to Increase Arsenic Awareness in Bangladesh. <i>Health Education and Behavior</i> , 2013, 40, 331-338.	2.5	14
44	Impact of a randomized controlled trial in arsenic risk communication on household water-source choices in Bangladesh. <i>Journal of Environmental Economics and Management</i> , 2013, 65, 225-240.	4.7	60
45	Arsenic Exposure from Drinking Water and QT-Interval Prolongation: Results from the Health Effects of Arsenic Longitudinal Study. <i>Environmental Health Perspectives</i> , 2013, 121, 427-432.	6.0	45
46	Chronic Arsenic Exposure and Blood Glutathione and Glutathione Disulfide Concentrations in Bangladeshi Adults. <i>Environmental Health Perspectives</i> , 2013, 121, 1068-1074.	6.0	66
47	A Doseâ€‘Response Study of Arsenic Exposure and Global Methylation of Peripheral Blood Mononuclear Cell DNA in Bangladeshi Adults. <i>Environmental Health Perspectives</i> , 2013, 121, 1306-1312.	6.0	51
48	Advection of surface-derived organic carbon fuels microbial reduction in Bangladesh groundwater. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 5331-5335.	7.1	96
49	Lead exposure from soil in Peruvian mining towns: a national assessment supported by two contrasting examples. <i>Bulletin of the World Health Organization</i> , 2012, 90, 878-886.	3.3	42
50	Association Between Arsenic Exposure From Drinking Water and Plasma Levels of Cardiovascular Markers. <i>American Journal of Epidemiology</i> , 2012, 175, 1252-1261.	3.4	63
51	Manganese exposure from drinking water and children's academic achievement. <i>NeuroToxicology</i> , 2012, 33, 91-97.	3.0	199
52	A cluster-based randomized controlled trial promoting community participation in arsenic mitigation efforts in Bangladesh. <i>Environmental Health</i> , 2012, 11, 41.	4.0	30
53	Impact on arsenic exposure of a growing proportion of untested wells in Bangladesh. <i>Environmental Health</i> , 2012, 11, 7.	4.0	17
54	Evaluation of an Arsenic Test Kit for Rapid Well Screening in Bangladesh. <i>Environmental Science & Technology</i> , 2012, 46, 11213-11219.	10.0	78

#	ARTICLE	IF	CITATIONS
55	Arsenic exposure from drinking water and mortality from cardiovascular disease in Bangladesh: prospective cohort study. <i>BMJ: British Medical Journal</i> , 2011, 342, d2431-d2431.	2.3	344
56	Fecal Contamination of Shallow Tubewells in Bangladesh Inversely Related to Arsenic. <i>Environmental Science & Technology</i> , 2011, 45, 1199-1205.	10.0	74
57	Microbes Enhance Mobility of Arsenic in Pleistocene Aquifer Sand from Bangladesh. <i>Environmental Science & Technology</i> , 2011, 45, 2648-2654.	10.0	64
58	Arsenic and manganese exposure and children's intellectual function. <i>NeuroToxicology</i> , 2011, 32, 450-457.	3.0	217
59	Arsenic Exposure and Motor Function among Children in Bangladesh. <i>Environmental Health Perspectives</i> , 2011, 119, 1665-1670.	6.0	160
60	Manganese Exposure from Drinking Water and Children's Classroom Behavior in Bangladesh. <i>Environmental Health Perspectives</i> , 2011, 119, 1501-1506.	6.0	164
61	Increase in Diarrheal Disease Associated with Arsenic Mitigation in Bangladesh. <i>PLoS ONE</i> , 2011, 6, e29593.	2.5	30
62	Contrasting Influence of Geology on E. coli and Arsenic in Aquifers of Bangladesh. <i>Ground Water</i> , 2011, 49, 111-123.	1.3	45
63	Impact of tubewell access and tubewell depth on childhood diarrhea in Matlab, Bangladesh. <i>Environmental Health</i> , 2011, 10, 109.	4.0	17
64	Arsenic exposure from drinking water, and all-cause and chronic-disease mortalities in Bangladesh (HEALS): a prospective cohort study. <i>Lancet, The</i> , 2010, 376, 252-258.	13.7	590
65	Arsenic exposure from drinking water and mortality in Bangladesh – Authors' reply. <i>Lancet, The</i> , 2010, 376, 1642.	13.7	3
66	Spatial and Temporal Variations of Groundwater Arsenic in South and Southeast Asia. <i>Science</i> , 2010, 328, 1123-1127.	12.6	972
67	Arsenic meets dense populations. <i>Nature Geoscience</i> , 2008, 1, 494-496.	12.9	8
68	Geochemical processes underlying a sharp contrast in groundwater arsenic concentrations in a village on the Red River delta, Vietnam. <i>Applied Geochemistry</i> , 2008, 23, 3143-3154.	3.0	107
69	Protective Effects of B Vitamins and Antioxidants on the Risk of Arsenic-Related Skin Lesions in Bangladesh. <i>Environmental Health Perspectives</i> , 2008, 116, 1056-1062.	6.0	69
70	Monitoring 51 community wells in Araihaazar, Bangladesh, for up to 5 years: Implications for arsenic mitigation. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2007, 42, 1729-1740.	1.7	95
71	Can information alone change behavior? Response to arsenic contamination of groundwater in Bangladesh. <i>Journal of Development Economics</i> , 2007, 84, 731-754.	4.5	227
72	A Prospective Study of Blood Selenium Levels and the Risk of Arsenic-Related Premalignant Skin Lesions. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 207-213.	2.5	99

#	ARTICLE	IF	CITATIONS
73	Reduction in Urinary Arsenic Levels in Response to Arsenic Mitigation Efforts in Araihasar, Bangladesh. <i>Environmental Health Perspectives</i> , 2007, 115, 917-923.	6.0	89
74	Association between Manganese Exposure through Drinking Water and Infant Mortality in Bangladesh. <i>Environmental Health Perspectives</i> , 2007, 115, 1107-1112.	6.0	107
75	Determinants of Arsenic Metabolism: Blood Arsenic Metabolites, Plasma Folate, Cobalamin, and Homocysteine Concentrations in Maternal-Newborn Pairs. <i>Environmental Health Perspectives</i> , 2007, 115, 1503-1509.	6.0	158
76	Water Arsenic Exposure and Intellectual Function in 6-Year-Old Children in Araihasar, Bangladesh. <i>Environmental Health Perspectives</i> , 2007, 115, 285-289.	6.0	281
77	Health Effects of Arsenic Longitudinal Study (HEALS): Description of a multidisciplinary epidemiologic investigation. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2006, 16, 191-205.	3.9	251
78	Sediment Cd and Mo accumulation in the oxygen-minimum zone off western Baja California linked to global climate over the past 52 kyr. <i>Paleoceanography</i> , 2006, 21, .	3.0	48
79	Modification of Risk of Arsenic-Induced Skin Lesions by Sunlight Exposure, Smoking, and Occupational Exposures in Bangladesh. <i>Epidemiology</i> , 2006, 17, 459-467.	2.7	90
80	Blood arsenic as a biomarker of arsenic exposure: Results from a prospective study. <i>Toxicology</i> , 2006, 225, 225-233.	4.2	184
81	Water Manganese Exposure and Children's Intellectual Function in Araihasar, Bangladesh. <i>Environmental Health Perspectives</i> , 2006, 114, 124-129.	6.0	652
82	Prevalence of Arsenic Exposure from Drinking Water and Awareness of Its Health Risks in a Bangladeshi Population: Results from a Large Population-Based Study. <i>Environmental Health Perspectives</i> , 2006, 114, 355-359.	6.0	98
83	Arsenic Exposure from Drinking Water and Risk of Premalignant Skin Lesions in Bangladesh: Baseline Results from the Health Effects of Arsenic Longitudinal Study. <i>American Journal of Epidemiology</i> , 2006, 163, 1138-1148.	3.4	255
84	Arsenic Exposure from Drinking Water, Dietary Intakes of B Vitamins and Folate, and Risk of High Blood Pressure in Bangladesh: A Population-based, Cross-sectional Study. <i>American Journal of Epidemiology</i> , 2006, 165, 541-552.	3.4	116
85	Association Between Arsenic Exposure and a Measure of Subclinical Sensory Neuropathy in Bangladesh. <i>Journal of Occupational and Environmental Medicine</i> , 2005, 47, 778-784.	1.7	53
86	Guest Editorial: Reducing Arsenic Exposure from Drinking Water: Different Settings Call for Different Approaches. <i>Environmental Health Perspectives</i> , 2005, 113, A360-1.	6.0	3
87	Direct Data Manipulation for Local Decision Analysis as Applied to the Problem of Arsenic in Drinking Water from Tube Wells in Bangladesh. <i>Risk Analysis</i> , 2004, 24, 1597-1612.	2.7	25
88	Water Arsenic Exposure and Children's Intellectual Function in Araihasar, Bangladesh. <i>Environmental Health Perspectives</i> , 2004, 112, 1329-1333.	6.0	543
89	Comment on "Arsenic Mobility and Groundwater Extraction in Bangladesh" (II). <i>Science</i> , 2003, 300, 584c-584.	12.6	47
90	Community wells to mitigate the arsenic crisis in Bangladesh. <i>Bulletin of the World Health Organization</i> , 2003, 81, 632-8.	3.3	45

#	ARTICLE	IF	CITATIONS
91	Preservation of particulate non-lithogenic uranium in marine sediments. <i>Geochimica Et Cosmochimica Acta</i> , 2002, 66, 3085-3092.	3.9	171
92	Burial of redox-sensitive metals and organic matter in the equatorial Indian Ocean linked to precession. <i>Geochimica Et Cosmochimica Acta</i> , 2002, 66, 849-865.	3.9	46
93	Remobilization of authigenic uranium in marine sediments by bioturbation. <i>Geochimica Et Cosmochimica Acta</i> , 2002, 66, 1759-1772.	3.9	192
94	Promotion of well-switching to mitigate the current arsenic crisis in Bangladesh. <i>Bulletin of the World Health Organization</i> , 2002, 80, 732-7.	3.3	127
95	Associations Between Drinking Water and Urinary Arsenic Levels and Skin Lesions in Bangladesh. <i>Journal of Occupational and Environmental Medicine</i> , 2000, 42, 1195-1201.	1.7	155
96	Authigenic molybdenum formation in marine sediments: a link to pore water sulfide in the Santa Barbara Basin. <i>Geochimica Et Cosmochimica Acta</i> , 2000, 64, 4165-4178.	3.9	422
97	Intensification of the Northeast Pacific oxygen minimum zone during the BÅŕlling-AllerÅŕd Warm Period. <i>Paleoceanography</i> , 2000, 15, 528-536.	3.0	102
98	The impact of human activities on sediments of San Francisco Bay, California: an overview. <i>Marine Chemistry</i> , 1999, 64, 1-6.	2.3	50
99	A record of estuarine water contamination from the Cd content of foraminiferal tests in San Francisco Bay, California. <i>Marine Chemistry</i> , 1999, 64, 57-69.	2.3	23
100	Sedimentary record of anthropogenic and biogenic polycyclic aromatic hydrocarbons in San Francisco Bay, California. <i>Marine Chemistry</i> , 1999, 64, 99-113.	2.3	160
101	Historical trends of metals in the sediments of San Francisco Bay, California. <i>Marine Chemistry</i> , 1999, 64, 39-55.	2.3	224
102	Dissolved sulfide distributions in the water column and sediment pore waters of the Santa Barbara Basin. <i>Geochimica Et Cosmochimica Acta</i> , 1999, 63, 2199-2209.	3.9	52
103	Bright Lines, Risk Beliefs, and Risk Avoidance: Evidence from a Randomized Intervention in Bangladesh. <i>SSRN Electronic Journal</i> , 0, , .	0.4	3
104	Bright Lines, Risk Beliefs, and Risk Avoidance: Evidence from a Randomized Intervention in Bangladesh. <i>SSRN Electronic Journal</i> , 0, , .	0.4	1