

# Carsten Bäckker Pedersen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8175760/publications.pdf>

Version: 2024-02-01

194  
papers

29,877  
citations

15504

65  
h-index

6131

159  
g-index

201  
all docs

201  
docs citations

201  
times ranked

28618  
citing authors

#	ARTICLE	IF	CITATIONS
1	The Danish Civil Registration System. Scandinavian Journal of Public Health, 2011, 39, 22-25.	2.3	3,315
2	Genome-wide association analyses identify 44 risk variants and refine the genetic architecture of major depression. Nature Genetics, 2018, 50, 668-681.	21.4	2,224
3	Discovery of the first genome-wide significant risk loci for attention deficit/hyperactivity disorder. Nature Genetics, 2019, 51, 63-75.	21.4	1,594
4	Identification of common genetic risk variants for autism spectrum disorder. Nature Genetics, 2019, 51, 431-444.	21.4	1,538
5	Large-Scale Exome Sequencing Study Implicates Both Developmental and Functional Changes in the Neurobiology of Autism. Cell, 2020, 180, 568-584.e23.	28.9	1,422
6	Common schizophrenia alleles are enriched in mutation-intolerant genes and in regions under strong background selection. Nature Genetics, 2018, 50, 381-389.	21.4	1,332
7	Genome-wide association study identifies 30 loci associated with bipolar disorder. Nature Genetics, 2019, 51, 793-803.	21.4	1,191
8	Shared molecular neuropathology across major psychiatric disorders parallels polygenic overlap. Science, 2018, 359, 693-697.	12.6	851
9	Effects of Family History and Place and Season of Birth on the Risk of Schizophrenia. New England Journal of Medicine, 1999, 340, 603-608.	27.0	745
10	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. Nature Genetics, 2021, 53, 817-829.	21.4	629
11	New Parents and Mental Disorders. JAMA - Journal of the American Medical Association, 2006, 296, 2582.	7.4	577
12	The Danish Civil Registration System. A cohort of eight million persons. Danish Medical Bulletin, 2006, 53, 441-9.	0.3	564
13	Absolute Risk of Suicide After First Hospital Contact in Mental Disorder. Archives of General Psychiatry, 2011, 68, 1058.	12.3	563
14	Evidence of a Dose-Response Relationship Between Urbanicity During Upbringing and Schizophrenia Risk. Archives of General Psychiatry, 2001, 58, 1039-1046.	12.3	505
15	A Comprehensive Nationwide Study of the Incidence Rate and Lifetime Risk for Treated Mental Disorders. JAMA Psychiatry, 2014, 71, 573.	11.0	434
16	Residential green space in childhood is associated with lower risk of psychiatric disorders from adolescence into adulthood. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 5188-5193.	7.1	388
17	Exploring Comorbidity Within Mental Disorders Among a Danish National Population. JAMA Psychiatry, 2019, 76, 259.	11.0	374
18	Meta-Analysis of the Association of Urbanicity With Schizophrenia. Schizophrenia Bulletin, 2012, 38, 1118-1123.	4.3	349

#	ARTICLE	IF	CITATIONS
19	A comprehensive analysis of mortality-related health metrics associated with mental disorders: a nationwide, register-based cohort study. <i>Lancet, The</i> , 2019, 394, 1827-1835.	13.7	329
20	Long-term risk of epilepsy after traumatic brain injury in children and young adults: a population-based cohort study. <i>Lancet, The</i> , 2009, 373, 1105-1110.	13.7	324
21	Neonatal Vitamin D Status and Risk of Schizophrenia. <i>Archives of General Psychiatry</i> , 2010, 67, 889.	12.3	315
22	Effects of familial risk factors and place of birth on the risk of autism: a nationwide register-based study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2005, 46, 963-971.	5.2	286
23	Individual and Familial Risk Factors for Bipolar Affective Disorders in Denmark. <i>Archives of General Psychiatry</i> , 2003, 60, 1209.	12.3	261
24	Association between Mental Disorders and Subsequent Medical Conditions. <i>New England Journal of Medicine</i> , 2020, 382, 1721-1731.	27.0	258
25	The iPSYCH2012 caseâ€‘cohort sample: new directions for unravelling genetic and environmental architectures of severe mental disorders. <i>Molecular Psychiatry</i> , 2018, 23, 6-14.	7.9	257
26	Risks and Predictors of Readmission for a Mental Disorder During the Postpartum Period. <i>Archives of General Psychiatry</i> , 2009, 66, 189.	12.3	246
27	Polygenic Risk Score, Parental Socioeconomic Status, Family History of Psychiatric Disorders, and the Risk for Schizophrenia. <i>JAMA Psychiatry</i> , 2015, 72, 635.	11.0	242
28	Incidence Rates and Cumulative Incidences of the Full Spectrum of Diagnosed Mental Disorders in Childhood and Adolescence. <i>JAMA Psychiatry</i> , 2020, 77, 155.	11.0	235
29	Full Spectrum of Psychiatric Outcomes Among Offspring With Parental History of Mental Disorder. <i>Archives of General Psychiatry</i> , 2010, 67, 822.	12.3	232
30	Nitrate in drinking water and colorectal cancer risk: A nationwide populationâ€‘based cohort study. <i>International Journal of Cancer</i> , 2018, 143, 73-79.	5.1	211
31	Prevalence and Incidence of Precocious Pubertal Development in Denmark: An Epidemiologic Study Based on National Registries. <i>Pediatrics</i> , 2005, 116, 1323-1328.	2.1	210
32	Thimerosal and the Occurrence of Autism: Negative Ecological Evidence From Danish Population-Based Data. <i>Pediatrics</i> , 2003, 112, 604-606.	2.1	207
33	A Comprehensive Assessment of Parental Age and Psychiatric Disorders. <i>JAMA Psychiatry</i> , 2014, 71, 301.	11.0	198
34	Risk Factors for Parvovirus B19 Infection in Pregnancy. <i>JAMA - Journal of the American Medical Association</i> , 1999, 281, 1099.	7.4	175
35	A genome-wide association study of shared risk across psychiatric disorders implicates gene regulation during fetal neurodevelopment. <i>Nature Neuroscience</i> , 2019, 22, 353-361.	14.8	173
36	CACNA1C (rs1006737) is associated with schizophrenia. <i>Molecular Psychiatry</i> , 2010, 15, 119-121.	7.9	167

#	ARTICLE	IF	CITATIONS
37	Increased Risk of Precocious Puberty in Internationally Adopted Children in Denmark. <i>Pediatrics</i> , 2006, 118, e391-e399.	2.1	164
38	Genome-wide study of association and interaction with maternal cytomegalovirus infection suggests new schizophrenia loci. <i>Molecular Psychiatry</i> , 2014, 19, 325-333.	7.9	163
39	Migration as a risk factor for schizophrenia: A Danish population-based cohort study. <i>British Journal of Psychiatry</i> , 2003, 182, 117-122.	2.8	156
40	Incidence and prevalence of epilepsy in Denmark. <i>Epilepsy Research</i> , 2007, 76, 60-65.	1.6	156
41	Nationwide Prevalence of Groin Hernia Repair. <i>PLoS ONE</i> , 2013, 8, e54367.	2.5	156
42	Family history, place and season of birth as risk factors for schizophrenia in Denmark: A replication and reanalysis. <i>British Journal of Psychiatry</i> , 2001, 179, 46-52.	2.8	152
43	Induced First-Trimester Abortion and Risk of Mental Disorder. <i>New England Journal of Medicine</i> , 2011, 364, 332-339.	27.0	148
44	Confirmation of Synergy Between Urbanicity and Familial Liability in the Causation of Psychosis. <i>American Journal of Psychiatry</i> , 2004, 161, 2312-2314.	7.2	147
45	The Genetics of the Mood Disorder Spectrum: Genome-wide Association Analyses of More Than 185,000 Cases and 439,000 Controls. <i>Biological Psychiatry</i> , 2020, 88, 169-184.	1.3	137
46	Full Spectrum of Psychiatric Disorders Related to Foreign Migration. <i>JAMA Psychiatry</i> , 2013, 70, 427.	11.0	134
47	Exposure to Prenatal and Childhood Infections and the Risk of Schizophrenia. <i>Archives of General Psychiatry</i> , 1999, 56, 993.	12.3	130
48	Paternal and maternal age as risk factors for psychosis: findings from Denmark, Sweden and Australia. <i>Schizophrenia Research</i> , 2004, 67, 227-236.	2.0	129
49	Psychiatric family history and schizophrenia risk in Denmark: which mental disorders are relevant?. <i>Psychological Medicine</i> , 2010, 40, 201-210.	4.5	128
50	Urban-rural differences in incidence rates of psychiatric disorders in Denmark. <i>British Journal of Psychiatry</i> , 2016, 208, 435-440.	2.8	116
51	Paternal Age at Birth of First Child and Risk of Schizophrenia. <i>American Journal of Psychiatry</i> , 2011, 168, 82-88.	7.2	114
52	Environmental pollution is associated with increased risk of psychiatric disorders in the US and Denmark. <i>PLoS Biology</i> , 2019, 17, e3000353.	5.6	108
53	Large-scale study of Toxoplasma and Cytomegalovirus shows an association between infection and serious psychiatric disorders. <i>Brain, Behavior, and Immunity</i> , 2019, 79, 152-158.	4.1	107
54	The Long-Term Risk of Epilepsy after Febrile Seizures in Susceptible Subgroups. <i>American Journal of Epidemiology</i> , 2007, 165, 911-918.	3.4	106

#	ARTICLE	IF	CITATIONS
55	Bipolar Disorder, Schizoaffective Disorder, and Schizophrenia Overlap. <i>Journal of Clinical Psychiatry</i> , 2009, 70, 1432-1438.	2.2	104
56	Young males have a higher risk of developing schizophrenia: a Danish register study. <i>Psychological Medicine</i> , 2007, 37, 479.	4.5	100
57	A Danish National Birth Cohort study of maternal HSV-2 antibodies as a risk factor for schizophrenia in their offspring. <i>Schizophrenia Research</i> , 2010, 122, 257-263.	2.0	98
58	Air pollution from traffic and schizophrenia risk. <i>Schizophrenia Research</i> , 2004, 66, 83-85.	2.0	94
59	Risk of Psychiatric Disorders Among Individuals With the 22q11.2 Deletion or Duplication. <i>JAMA Psychiatry</i> , 2017, 74, 282.	11.0	89
60	Toxoplasma Infection and Later Development of Schizophrenia in Mothers. <i>American Journal of Psychiatry</i> , 2011, 168, 814-821.	7.2	80
61	Association of Mental Disorder in Childhood and Adolescence With Subsequent Educational Achievement. <i>JAMA Psychiatry</i> , 2020, 77, 797.	11.0	79
62	Association of Polygenic Liabilities for Major Depression, Bipolar Disorder, and Schizophrenia With Risk for Depression in the Danish Population. <i>JAMA Psychiatry</i> , 2019, 76, 516.	11.0	78
63	A population-based study of the risk of schizophrenia and bipolar disorder associated with parent-child separation during development. <i>Psychological Medicine</i> , 2015, 45, 2825-2837.	4.5	75
64	The association between neonatal vitamin D status and risk of schizophrenia. <i>Scientific Reports</i> , 2018, 8, 17692.	3.3	73
65	Death in children with febrile seizures: a population-based cohort study. <i>Lancet</i> , 2008, 372, 457-463.	13.7	72
66	Nature and prevalence of combinations of mental disorders and their association with excess mortality in a population-based cohort study. <i>World Psychiatry</i> , 2020, 19, 339-349.	10.4	72
67	The incidence and prevalence of pervasive developmental disorders: a Danish population-based study. <i>Psychological Medicine</i> , 2004, 34, 1339-1346.	4.5	71
68	The association between early-onset schizophrenia with employment, income, education, and cohabitation status: nationwide study with 35 years of follow-up. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019, 54, 1343-1351.	3.1	69
69	Are the Cause(s) Responsible for Urban-Rural Differences in Schizophrenia Risk Rooted in Families or in Individuals?. <i>American Journal of Epidemiology</i> , 2006, 163, 971-978.	3.4	68
70	Comorbidity within mental disorders: a comprehensive analysis based on 145 990 survey respondents from 27 countries. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e153.	3.9	67
71	Apgar Scores and Long-Term Risk of Epilepsy. <i>Epidemiology</i> , 2006, 17, 296-301.	2.7	64
72	Gestational Age, Birth Weight, Intrauterine Growth, and the Risk of Epilepsy. <i>American Journal of Epidemiology</i> , 2007, 167, 262-270.	3.4	64

#	ARTICLE	IF	CITATIONS
73	Risk of Schizophrenia Increases After All Child and Adolescent Psychiatric Disorders: A Nationwide Study. Schizophrenia Bulletin, 2015, 41, 963-970.	4.3	63
74	High loading of polygenic risk in cases with chronic schizophrenia. Molecular Psychiatry, 2016, 21, 969-974.	7.9	62
75	Urbanicity and Autism Spectrum Disorders. Journal of Autism and Developmental Disorders, 2014, 44, 394-404.	2.7	61
76	Association between short birth intervals and schizophrenia in the offspring. Schizophrenia Research, 2004, 70, 49-56.	2.0	58
77	Frequent Change of Residence and Risk of Attempted and Completed Suicide Among Children and Adolescents. Archives of General Psychiatry, 2009, 66, 628.	12.3	58
78	Risk of schizophrenia in second-generation immigrants: a Danish population-based cohort study. Psychological Medicine, 2007, 37, 485.	4.5	57
79	Childhood exposure to green space – A novel risk-decreasing mechanism for schizophrenia?. Schizophrenia Research, 2018, 199, 142-148.	2.0	57
80	Familial Predisposition for Psychiatric Disorder. Archives of General Psychiatry, 2008, 65, 1269.	12.3	56
81	Exposure to air pollution during childhood and risk of developing schizophrenia: a national cohort study. Lancet Planetary Health, The, 2020, 4, e64-e73.	11.4	56
82	Multiple adverse outcomes following first discharge from inpatient psychiatric care: a national cohort study. Lancet Psychiatry, the, 2019, 6, 582-589.	7.4	54
83	Association Between Prepartum Maternal Iron Deficiency and Offspring Risk of Schizophrenia: Population-Based Cohort Study With Linkage of Danish National Registers. Schizophrenia Bulletin, 2011, 37, 982-987.	4.3	53
84	Air pollution and family related determinants of asthma onset and persistent wheezing in children: nationwide case-control study. BMJ, The, 2020, 370, m2791.	6.0	51
85	Risk of Being Subjected to Crime, Including Violent Crime, After Onset of Mental Illness. JAMA Psychiatry, 2018, 75, 689.	11.0	50
86	Parental Psychiatric Disease and Risks of Attempted Suicide and Violent Criminal Offending in Offspring. JAMA Psychiatry, 2016, 73, 1015.	11.0	49
87	Ethnic density, urbanicity and psychosis risk for migrant groups – A population cohort study. Schizophrenia Research, 2017, 190, 82-87.	2.0	49
88	Exposure to Manganese in Drinking Water during Childhood and Association with Attention-Deficit Hyperactivity Disorder: A Nationwide Cohort Study. Environmental Health Perspectives, 2020, 128, 97004.	6.0	49
89	The prevalence of umbilical and epigastric hernia repair: a nationwide epidemiologic study. Hernia: the Journal of Hernias and Abdominal Wall Surgery, 2015, 19, 815-819.	2.0	47
90	Traumatic Stress Disorders and Risk of Subsequent Schizophrenia Spectrum Disorder or Bipolar Disorder: A Nationwide Cohort Study. Schizophrenia Bulletin, 2017, 43, 180-186.	4.3	47

#	ARTICLE	IF	CITATIONS
91	Association of <i>GRIN1</i> and <i>GRIN2A</i> With schizophrenia and genetic interaction with maternal herpes simplex virus-2 infection affecting disease risk. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011, 156, 913-922.	1.7	44
92	The Association between Residential Green Space in Childhood and Development of Attention Deficit Hyperactivity Disorder: A Population-Based Cohort Study. <i>Environmental Health Perspectives</i> , 2020, 128, 127011.	6.0	44
93	Neonatal antibodies to infectious agents and risk of bipolar disorder: a population-based case-control study. <i>Bipolar Disorders</i> , 2011, 13, 624-629.	1.9	43
94	Urbanicity during upbringing and bipolar affective disorders in Denmark. <i>Bipolar Disorders</i> , 2006, 8, 242-247.	1.9	41
95	Childhood Residential Mobility, Schizophrenia, and Bipolar Disorder: A Population-based Study in Denmark. <i>Schizophrenia Bulletin</i> , 2015, 41, 346-354.	4.3	40
96	No evidence of time trends in the urban-rural differences in schizophrenia risk among five million people born in Denmark from 1910 to 1986. <i>Psychological Medicine</i> , 2006, 36, 211-219.	4.5	39
97	Natural surroundings in childhood are associated with lower schizophrenia rates. <i>Schizophrenia Research</i> , 2020, 216, 488-495.	2.0	39
98	Exposure to air pollution in early childhood and the association with Attention-Deficit Hyperactivity Disorder. <i>Environmental Research</i> , 2020, 183, 108930.	7.5	38
99	Associations between growing up in natural environments and subsequent psychiatric disorders in Denmark. <i>Environmental Research</i> , 2020, 188, 109788.	7.5	38
100	Associations between HIV and schizophrenia and their effect on HIV treatment outcomes: a nationwide population-based cohort study in Denmark. <i>Lancet HIV</i> , 2015, 2, e344-e350.	4.7	37
101	Association Between Parental Income During Childhood and Risk of Schizophrenia Later in Life. <i>JAMA Psychiatry</i> , 2020, 77, 17.	11.0	37
102	Somatic Diseases and Conditions Before the First Diagnosis of Schizophrenia: A Nationwide Population-based Cohort Study in More Than 900 000 Individuals. <i>Schizophrenia Bulletin</i> , 2015, 41, 513-521.	4.3	36
103	Gender-age interaction in incidence rates of childhood emotional disorders. <i>Psychological Medicine</i> , 2015, 45, 829-839.	4.5	36
104	Febrile seizures and risk of schizophrenia. <i>Schizophrenia Research</i> , 2005, 73, 343-349.	2.0	35
105	Urbanization and traffic related exposures as risk factors for Schizophrenia. <i>BMC Psychiatry</i> , 2006, 6, 2.	2.6	35
106	Premature Mortality Among Patients Recently Discharged From Their First Inpatient Psychiatric Treatment. <i>JAMA Psychiatry</i> , 2017, 74, 485.	11.0	35
107	Family income inequalities and trajectories through childhood and self-harm and violence in young adults: a population-based, nested case-control study. <i>Lancet Public Health</i> , 2018, 3, e498-e507.	10.0	35
108	Long-term exposure to air pollution and mortality in the Danish population a nationwide study. <i>EClinicalMedicine</i> , 2020, 28, 100605.	7.1	34

#	ARTICLE	IF	CITATIONS
109	First-Time First-Trimester Induced Abortion and Risk of Readmission to a Psychiatric Hospital in Women With a History of Treated Mental Disorder. Archives of General Psychiatry, 2012, 69, 159.	12.3	33
110	Modelling the contribution of family history and variation in single nucleotide polymorphisms to risk of schizophrenia: A Danish national birth cohort-based study. Schizophrenia Research, 2012, 134, 246-252.	2.0	33
111	Long-term mortality in children and young adults with epilepsy – A population-based cohort study. Epilepsy Research, 2015, 114, 81-88.	1.6	33
112	Risk of Early-Onset Depression Associated With Polygenic Liability, Parental Psychiatric History, and Socioeconomic Status. JAMA Psychiatry, 2021, 78, 387.	11.0	33
113	Exposure to nitrate from drinking water and the risk of childhood cancer in Denmark. Environment International, 2021, 155, 106613.	10.0	32
114	Population impact of familial and environmental risk factors for schizophrenia: A nationwide study. Schizophrenia Research, 2014, 153, 214-219.	2.0	31
115	Full spectrum of mental disorders linked with childhood residential mobility. Journal of Psychiatric Research, 2016, 78, 57-64.	3.1	31
116	Childhood seizures and risk of psychiatric disorders in adolescence and early adulthood: a Danish nationwide cohort study. The Lancet Child and Adolescent Health, 2019, 3, 99-108.	5.6	31
117	Identifying the Common Genetic Basis of Antidepressant Response. Biological Psychiatry Global Open Science, 2022, 2, 115-126.	2.2	31
118	Association of Childhood Exposure to Nitrogen Dioxide and Polygenic Risk Score for Schizophrenia With the Risk of Developing Schizophrenia. JAMA Network Open, 2019, 2, e1914401.	5.9	29
119	Register-based metrics of years lived with disability associated with mental and substance use disorders: a register-based cohort study in Denmark. Lancet Psychiatry, 2021, 8, 310-319.	7.4	29
120	Adverse Outcomes to Early Middle Age Linked With Childhood Residential Mobility. American Journal of Preventive Medicine, 2016, 51, 291-300.	3.0	28
121	Association Between Childhood Green Space, Genetic Liability, and the Incidence of Schizophrenia. Schizophrenia Bulletin, 2020, 46, 1629-1637.	4.3	28
122	Fetal Growth and Schizophrenia: A Nested Case-Control and Case-Sibling Study. Schizophrenia Bulletin, 2013, 39, 1337-1342.	4.3	27
123	Prenatal Exposure to Nitrate from Drinking Water and Markers of Fetal Growth Restriction: A Population-Based Study of Nearly One Million Danish-Born Children. Environmental Health Perspectives, 2021, 129, 27002.	6.0	27
124	Family and Partner Psychopathology and the Risk of Postpartum Mental Disorders. Journal of Clinical Psychiatry, 2007, 68, 1947-1953.	2.2	27
125	Persons with schizophrenia migrate towards urban areas due to the development of their disorder or its prodromata. Schizophrenia Research, 2015, 168, 204-208.	2.0	26
126	Self-harm and violent criminality among young people who experienced trauma-related hospital admission during childhood: a Danish national cohort study. Lancet Public Health, 2017, 2, e314-e322.	10.0	26



#	ARTICLE	IF	CITATIONS
127	Otitis media, antibiotics, and risk of autism spectrum disorder. <i>Autism Research</i> , 2018, 11, 1432-1440.	3.8	26
128	Parvovirus B19 Infection in the First Trimester of Pregnancy and Risk of Fetal Loss: A Population-based Case-Control Study. <i>American Journal of Epidemiology</i> , 2012, 176, 803-807.	3.4	24
129	The association between family history of mental disorders and general cognitive ability. <i>Translational Psychiatry</i> , 2014, 4, e412-e412.	4.8	24
130	Self-harm risk between adolescence and midlife in people who experienced separation from one or both parents during childhood. <i>Journal of Affective Disorders</i> , 2017, 208, 582-589.	4.1	23
131	Assessing fetal growth impairments based on family data as a tool for identifying high-risk babies. An example with neonatal mortality. <i>BMC Pregnancy and Childbirth</i> , 2007, 7, 28.	2.4	22
132	The importance of father's age to schizophrenia risk. <i>Molecular Psychiatry</i> , 2014, 19, 530-530.	7.9	22
133	Positive predictive value of a register-based algorithm using the Danish National Registries to identify suicidal events. <i>Pharmacoepidemiology and Drug Safety</i> , 2018, 27, 1131-1138.	1.9	22
134	The new asylums in the community: severely ill psychiatric patients living in psychiatric supported housing facilities. A Danish register-based study of prognostic factors, use of psychiatric services, and mortality. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012, 47, 1251-1261.	3.1	21
135	Neighbourhood ethnic density and psychosis "Is there a difference according to generation?". <i>Schizophrenia Research</i> , 2018, 195, 501-505.	2.0	21
136	Sibship Characteristics during Upbringing and Schizophrenia Risk. <i>American Journal of Epidemiology</i> , 2004, 160, 652-660.	3.4	20
137	Longitudinal association between mental disorders in childhood and subsequent depression "A nationwide prospective cohort study. <i>Journal of Affective Disorders</i> , 2018, 227, 56-64.	4.1	20
138	Temporal trends in incidence of hospital-treated self-harm among adolescents in Denmark: national register-based study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 415-421.	3.1	20
139	Why factors rooted in the family may solely explain the urban-rural differences in schizophrenia risk estimates. <i>Epidemiology and Psychiatric Sciences</i> , 2006, 15, 247-251.	3.9	19
140	National Cohort Study of Suicidality and Violent Criminality among Danish Immigrants. <i>PLoS ONE</i> , 2015, 10, e0131915.	2.5	19
141	Risk factors and confounders in the geographical clustering of schizophrenia. <i>Schizophrenia Research</i> , 2001, 49, 295-299.	2.0	18
142	Risk for schizophrenia in intercountry adoptees: a Danish population-based cohort study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2007, 48, 1053-1060.	5.2	18
143	The impact of nonlinear exposure-risk relationships on seasonal time-series data: modelling Danish neonatal birth anthropometric data. <i>BMC Medical Research Methodology</i> , 2007, 7, 45.	3.1	18
144	Inverse association between urbanicity and treatment resistance in schizophrenia. <i>Schizophrenia Research</i> , 2016, 174, 150-155.	2.0	18

#	ARTICLE	IF	CITATIONS
145	Familial confounding of the association between maternal smoking during pregnancy and internalizing disorders in offspring. <i>Psychological Medicine</i> , 2017, 47, 1417-1426.	4.5	18
146	Urbanicity and Risk of Schizophrenia—New Studies and Old Hypotheses. <i>JAMA Psychiatry</i> , 2018, 75, 687.	11.0	18
147	Cancer risk in a cohort of polio patients. <i>International Journal of Cancer</i> , 2001, 92, 605-608.	5.1	17
148	Risk of eating disorders in immigrant populations. <i>Acta Psychiatrica Scandinavica</i> , 2017, 136, 156-165.	4.5	17
149	Spatial fine-mapping for gene-by-environment effects identifies risk hot spots for schizophrenia. <i>Nature Communications</i> , 2018, 9, 5296.	12.8	17
150	Risk of dying unnaturally among people aged 15–35 years who have harmed themselves and inflicted violence on others: a national nested case-control study. <i>Lancet Public Health</i> , The, 2019, 4, e220-e228.	10.0	17
151	Experience of Child–Parent Separation and Later Risk of Violent Criminality. <i>American Journal of Preventive Medicine</i> , 2018, 55, 178-186.	3.0	16
152	Urban-Rural Differences in Schizophrenia Risk: Multilevel Survival Analyses of Individual- and Neighborhood-Level Indicators, Urbanicity and Population Density in a Danish National Cohort Study. <i>Schizophrenia Bulletin Open</i> , 2022, 3, .	1.7	16
153	Do risk factors for schizophrenia predispose to emigration?. <i>Schizophrenia Research</i> , 2011, 127, 229-234.	2.0	15
154	Age at Migration and Risk of Schizophrenia Among Immigrants in Denmark: A 25-Year Incidence Study. <i>American Journal of Psychiatry</i> , 2012, 169, 1117-1118.	7.2	15
155	Effects of paternal age and offspring cognitive ability in early adulthood on the risk of schizophrenia and related disorders. <i>Schizophrenia Research</i> , 2014, 160, 131-135.	2.0	15
156	A possible association between the genetic predisposition for dizygotic twinning and schizophrenia. <i>Schizophrenia Research</i> , 2002, 58, 31-35.	2.0	14
157	Schizophrenia Spectrum Disorders in a Danish 22q11.2 Deletion Syndrome Cohort Compared to the Total Danish Population—A Nationwide Register Study. <i>Schizophrenia Bulletin</i> , 2016, 42, 824-831.	4.3	14
158	Younger or older parental age and risk of suicidality, premature death, psychiatric illness, and criminality in offspring. <i>Journal of Affective Disorders</i> , 2017, 208, 130-138.	4.1	14
159	Muskoxen in Angujaartorfiup Nunaa, West Greenland: Monitoring, Spatial Distribution, Population Growth, and Sustainable Harvest. <i>Arctic</i> , 2000, 53, .	0.4	14
160	Paternal Age and General Cognitive Ability—A Cross Sectional Study of Danish Male Conscripts. <i>PLoS ONE</i> , 2013, 8, e77444.	2.5	13
161	Risk of schizophrenia in relation to parental origin and genome-wide divergence. <i>Psychological Medicine</i> , 2012, 42, 1515-1521.	4.5	12
162	Lithium in drinking water associated with adverse mental health effects. <i>Schizophrenia Research</i> , 2019, 210, 313-315.	2.0	12

#	ARTICLE	IF	CITATIONS
163	Self-harm and violent criminality linked with parental death during childhood. <i>Psychological Medicine</i> , 2020, 50, 1224-1232.	4.5	12
164	Parental income as a marker for socioeconomic position during childhood and later risk of developing a secondary care-diagnosed mental disorder examined across the full diagnostic spectrum: a national cohort study. <i>BMC Medicine</i> , 2020, 18, 323.	5.5	12
165	Adverse Childhood Experiences and Risk of Subsequently Engaging in Self-Harm and Violence towards Other People – “Dual Harm”. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 9409.	2.6	11
166	Adolescent residential mobility, genetic liability and risk of schizophrenia, bipolar disorder and major depression. <i>British Journal of Psychiatry</i> , 2020, 217, 390-396.	2.8	11
167	Perinatal mental disorders in native Danes and immigrant women. <i>Archives of Women's Mental Health</i> , 2010, 13, 319-326.	2.6	10
168	Herpes Simplex Virus Type 1 infection is associated with suicidal behavior and first registered psychiatric diagnosis in a healthy population. <i>Psychoneuroendocrinology</i> , 2019, 108, 150-154.	2.7	10
169	The importance of distinguishing between the odds ratio and the incidence rate ratio in GWAS. <i>BMC Medical Genetics</i> , 2015, 16, 71.	2.1	9
170	The cost of mental disorders in Denmark: a register-based study. , 2022, 1, .		8
171	Analysis of mortality metrics associated with a comprehensive range of disorders in Denmark, 2000 to 2018: A population-based cohort study. <i>PLoS Medicine</i> , 2022, 19, e1004023.	8.4	8
172	Familial clustering and risk of groin hernia in children. <i>BJS Open</i> , 2017, 1, 46-49.	1.7	7
173	Polygenic liability, stressful life events and risk for secondary-treated depression in early life: a nationwide register-based case-cohort study. <i>Psychological Medicine</i> , 2023, 53, 217-226.	4.5	7
174	National cohort study of absolute risk and age-specific incidence of multiple adverse outcomes between adolescence and early middle age. <i>BMC Public Health</i> , 2015, 15, 920.	2.9	6
175	Premature mortality in persons with epilepsy and schizophrenia: A population-based nationwide cohort study. <i>Epilepsia</i> , 2019, 60, 1200-1208.	5.1	6
176	Exposure to ambient air pollution during childhood and subsequent risk of self-harm: A national cohort study. <i>Preventive Medicine</i> , 2021, 152, 106502.	3.4	6
177	A life course approach to understanding associations between natural environments and mental well-being for the Danish blood donor cohort. <i>Health and Place</i> , 2021, 72, 102678.	3.3	5
178	New Directions: Air pollution from traffic and schizophrenia risk. <i>Atmospheric Environment</i> , 2004, 38, 3733-3734.	4.1	4
179	Attempted suicide and violent criminality among Danish second-generation immigrants according to parental place of origin. <i>International Journal of Social Psychiatry</i> , 2016, 62, 186-197.	3.1	4
180	Parental age and risk of epilepsy: A nationwide register-based study. <i>Epilepsia</i> , 2018, 59, 1334-1343.	5.1	4

#	ARTICLE	IF	CITATIONS
181	Trace elements in drinking water and the incidence of attention-deficit hyperactivity disorder. Journal of Trace Elements in Medicine and Biology, 2021, 68, 126828.	3.0	3
182	Urban Health and Wellbeing. Urban Book Series, 2021, , 259-280.	0.6	2
183	Lack of fit with the neighbourhood social environment as a risk factor for psychosis â€“ a national cohort study. Psychological Medicine, 2023, 53, 866-874.	4.5	2
184	Is the Association Between Parentsâ€™ Mental Illness and Child Psychopathology Mediated via Home Environment and Caregiverâ€™s Psychosocial Functioning? A Mediation Analysis of the Danish High Risk and Resilience Studyâ€™VIA7, a Population-Based Cohort Study. Schizophrenia Bulletin Open, 2021, 2, .	1.7	2
185	Urbanisation and psychosis. British Journal of Psychiatry, 2005, 186, 168-168.	2.8	1
186	The association between childhood rickets and nonaffective psychosis: A Danish record-linkage study. Schizophrenia Research, 2012, 137, 256-257.	2.0	1
187	Urban/rural life as a risk factor?. , 2002, , 123-131.		1
188	Cancer Risk Among Future Schizophrenic Patients? A Biased Inference. Schizophrenia Bulletin, 2013, 39, 504-505.	4.3	0
189	Absolute Risk of Suicide After First Hospital Contact in Mental Disorder. Yearbook of Psychiatry and Applied Mental Health, 2013, 2013, 219-220.	0.1	0
190	Delay in blood sampling for routine newborn screening is associated with increased risk of schizophrenia. Schizophrenia Research, 2015, 162, 90-96.	2.0	0
191	Assessing Factors Associated With Suicide Riskâ€™Reply. JAMA Psychiatry, 2017, 74, 537.	11.0	0
192	P44â€™Self-harm, violence and premature death among young persons who experienced trauma-related hospitalisation during childhood: a national register-based cohort study. , 2017, , .		0
193	Estimated prenatal exposure to nitrate in drinking water and body length and head circumference at birth: A population-based prospective cohort study from Denmark, 1991-2011. ISEE Conference Abstracts, 2020, 2020, .	0.0	0
194	Low-level air pollution and cause-specific mortality in Denmark: the ELAPSE project. ISEE Conference Abstracts, 2020, 2020, .	0.0	0