

Carsten Bäckker Pedersen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8175760/publications.pdf>

Version: 2024-02-01

194
papers

29,877
citations

15495

65
h-index

6128

159
g-index

201
all docs

201
docs citations

201
times ranked

28618
citing authors

#	ARTICLE	IF	CITATIONS
1	Polygenic liability, stressful life events and risk for secondary-treated depression in early life: a nationwide register-based case-cohort study. <i>Psychological Medicine</i> , 2023, 53, 217-226.	2.7	7
2	Lack of fit with the neighbourhood social environment as a risk factor for psychosis – a national cohort study. <i>Psychological Medicine</i> , 2023, 53, 866-874.	2.7	2
3	Identifying the Common Genetic Basis of Antidepressant Response. <i>Biological Psychiatry Global Open Science</i> , 2022, 2, 115-126.	1.0	31
4	Urban-Rural Differences in Schizophrenia Risk: Multilevel Survival Analyses of Individual- and Neighborhood-Level Indicators, Urbanicity and Population Density in a Danish National Cohort Study. <i>Schizophrenia Bulletin Open</i> , 2022, 3, .	0.9	16
5	The cost of mental disorders in Denmark: a register-based study. , 2022, 1, .		8
6	Analysis of mortality metrics associated with a comprehensive range of disorders in Denmark, 2000 to 2018: A population-based cohort study. <i>PLoS Medicine</i> , 2022, 19, e1004023.	3.9	8
7	Urban Health and Wellbeing. <i>Urban Book Series</i> , 2021, , 259-280.	0.3	2
8	Prenatal Exposure to Nitrate from Drinking Water and Markers of Fetal Growth Restriction: A Population-Based Study of Nearly One Million Danish-Born Children. <i>Environmental Health Perspectives</i> , 2021, 129, 27002.	2.8	27
9	Risk of Early-Onset Depression Associated With Polygenic Liability, Parental Psychiatric History, and Socioeconomic Status. <i>JAMA Psychiatry</i> , 2021, 78, 387.	6.0	33
10	Register-based metrics of years lived with disability associated with mental and substance use disorders: a register-based cohort study in Denmark. <i>Lancet Psychiatry</i> , 2021, 8, 310-319.	3.7	29
11	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. <i>Nature Genetics</i> , 2021, 53, 817-829.	9.4	629
12	Is the Association Between Parents' Mental Illness and Child Psychopathology Mediated via Home Environment and Caregiver's Psychosocial Functioning? A Mediation Analysis of the Danish High Risk and Resilience Study – VIA7, a Population-Based Cohort Study. <i>Schizophrenia Bulletin Open</i> , 2021, 2, .	0.9	2
13	Exposure to nitrate from drinking water and the risk of childhood cancer in Denmark. <i>Environment International</i> , 2021, 155, 106613.	4.8	32
14	Exposure to ambient air pollution during childhood and subsequent risk of self-harm: A national cohort study. <i>Preventive Medicine</i> , 2021, 152, 106502.	1.6	6
15	Trace elements in drinking water and the incidence of attention-deficit hyperactivity disorder. <i>Journal of Trace Elements in Medicine and Biology</i> , 2021, 68, 126828.	1.5	3
16	A life course approach to understanding associations between natural environments and mental well-being for the Danish blood donor cohort. <i>Health and Place</i> , 2021, 72, 102678.	1.5	5
17	Self-harm and violent criminality linked with parental death during childhood. <i>Psychological Medicine</i> , 2020, 50, 1224-1232.	2.7	12
18	Association Between Parental Income During Childhood and Risk of Schizophrenia Later in Life. <i>JAMA Psychiatry</i> , 2020, 77, 17.	6.0	37

#	ARTICLE	IF	CITATIONS
19	The Genetics of the Mood Disorder Spectrum: Genome-wide Association Analyses of More Than 185,000 Cases and 439,000 Controls. <i>Biological Psychiatry</i> , 2020, 88, 169-184.	0.7	137
20	Temporal trends in incidence of hospital-treated self-harm among adolescents in Denmark: national register-based study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 415-421.	1.6	20
21	Natural surroundings in childhood are associated with lower schizophrenia rates. <i>Schizophrenia Research</i> , 2020, 216, 488-495.	1.1	39
22	Incidence Rates and Cumulative Incidences of the Full Spectrum of Diagnosed Mental Disorders in Childhood and Adolescence. <i>JAMA Psychiatry</i> , 2020, 77, 155.	6.0	235
23	Exposure to air pollution in early childhood and the association with Attention-Deficit Hyperactivity Disorder. <i>Environmental Research</i> , 2020, 183, 108930.	3.7	38
24	Parental income as a marker for socioeconomic position during childhood and later risk of developing a secondary care-diagnosed mental disorder examined across the full diagnostic spectrum: a national cohort study. <i>BMC Medicine</i> , 2020, 18, 323.	2.3	12
25	Comorbidity within mental disorders: a comprehensive analysis based on 145 990 survey respondents from 27 countries. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e153.	1.8	67
26	Nature and prevalence of combinations of mental disorders and their association with excess mortality in a population-based cohort study. <i>World Psychiatry</i> , 2020, 19, 339-349.	4.8	72
27	Exposure to Manganese in Drinking Water during Childhood and Association with Attention-Deficit Hyperactivity Disorder: A Nationwide Cohort Study. <i>Environmental Health Perspectives</i> , 2020, 128, 97004.	2.8	49
28	Air pollution and family related determinants of asthma onset and persistent wheezing in children: nationwide case-control study. <i>BMJ</i> , The, 2020, 370, m2791.	3.0	51
29	The Association between Residential Green Space in Childhood and Development of Attention Deficit Hyperactivity Disorder: A Population-Based Cohort Study. <i>Environmental Health Perspectives</i> , 2020, 128, 127011.	2.8	44
30	Adverse Childhood Experiences and Risk of Subsequently Engaging in Self-Harm and Violence towards Other People – A Dual Harm Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 9409.	1.2	11
31	Long-term exposure to air pollution and mortality in the Danish population a nationwide study. <i>EClinicalMedicine</i> , 2020, 28, 100605.	3.2	34
32	Associations between growing up in natural environments and subsequent psychiatric disorders in Denmark. <i>Environmental Research</i> , 2020, 188, 109788.	3.7	38
33	Association of Mental Disorder in Childhood and Adolescence With Subsequent Educational Achievement. <i>JAMA Psychiatry</i> , 2020, 77, 797.	6.0	79
34	Exposure to air pollution during childhood and risk of developing schizophrenia: a national cohort study. <i>Lancet Planetary Health</i> , The, 2020, 4, e64-e73.	5.1	56
35	Large-Scale Exome Sequencing Study Implicates Both Developmental and Functional Changes in the Neurobiology of Autism. <i>Cell</i> , 2020, 180, 568-584.e23.	13.5	1,422
36	Adolescent residential mobility, genetic liability and risk of schizophrenia, bipolar disorder and major depression. <i>British Journal of Psychiatry</i> , 2020, 217, 390-396.	1.7	11

#	ARTICLE	IF	CITATIONS
37	Association between Mental Disorders and Subsequent Medical Conditions. <i>New England Journal of Medicine</i> , 2020, 382, 1721-1731.	13.9	258
38	Association Between Childhood Green Space, Genetic Liability, and the Incidence of Schizophrenia. <i>Schizophrenia Bulletin</i> , 2020, 46, 1629-1637.	2.3	28
39	Estimated prenatal exposure to nitrate in drinking water and body length and head circumference at birth: A population-based prospective cohort study from Denmark, 1991-2011. <i>ISEE Conference Abstracts</i> , 2020, 2020, .	0.0	0
40	Low-level air pollution and cause-specific mortality in Denmark: the ELAPSE project. <i>ISEE Conference Abstracts</i> , 2020, 2020, .	0.0	0
41	Environmental pollution is associated with increased risk of psychiatric disorders in the US and Denmark. <i>PLoS Biology</i> , 2019, 17, e3000353.	2.6	108
42	Herpes Simplex Virus Type 1 infection is associated with suicidal behavior and first registered psychiatric diagnosis in a healthy population. <i>Psychoneuroendocrinology</i> , 2019, 108, 150-154.	1.3	10
43	Lithium in drinking water associated with adverse mental health effects. <i>Schizophrenia Research</i> , 2019, 210, 313-315.	1.1	12
44	A comprehensive analysis of mortality-related health metrics associated with mental disorders: a nationwide, register-based cohort study. <i>Lancet, The</i> , 2019, 394, 1827-1835.	6.3	329
45	Association of Childhood Exposure to Nitrogen Dioxide and Polygenic Risk Score for Schizophrenia With the Risk of Developing Schizophrenia. <i>JAMA Network Open</i> , 2019, 2, e1914401.	2.8	29
46	The association between early-onset schizophrenia with employment, income, education, and cohabitation status: nationwide study with 35 years of follow-up. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019, 54, 1343-1351.	1.6	69
47	Large-scale study of Toxoplasma and Cytomegalovirus shows an association between infection and serious psychiatric disorders. <i>Brain, Behavior, and Immunity</i> , 2019, 79, 152-158.	2.0	107
48	A genome-wide association study of shared risk across psychiatric disorders implicates gene regulation during fetal neurodevelopment. <i>Nature Neuroscience</i> , 2019, 22, 353-361.	7.1	173
49	Association of Polygenic Liabilities for Major Depression, Bipolar Disorder, and Schizophrenia With Risk for Depression in the Danish Population. <i>JAMA Psychiatry</i> , 2019, 76, 516.	6.0	78
50	Multiple adverse outcomes following first discharge from inpatient psychiatric care: a national cohort study. <i>Lancet Psychiatry</i> , 2019, 6, 582-589.	3.7	54
51	Premature mortality in persons with epilepsy and schizophrenia: A population-based nationwide cohort study. <i>Epilepsia</i> , 2019, 60, 1200-1208.	2.6	6
52	Genome-wide association study identifies 30 loci associated with bipolar disorder. <i>Nature Genetics</i> , 2019, 51, 793-803.	9.4	1,191
53	Risk of dying unnaturally among people aged 15–35 years who have harmed themselves and inflicted violence on others: a national nested case-control study. <i>Lancet Public Health, The</i> , 2019, 4, e220-e228.	4.7	17
54	Residential green space in childhood is associated with lower risk of psychiatric disorders from adolescence into adulthood. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 5188-5193.	3.3	388

#	ARTICLE	IF	CITATIONS
55	Identification of common genetic risk variants for autism spectrum disorder. <i>Nature Genetics</i> , 2019, 51, 431-444.	9.4	1,538
56	Discovery of the first genome-wide significant risk loci for attention deficit/hyperactivity disorder. <i>Nature Genetics</i> , 2019, 51, 63-75.	9.4	1,594
57	Exploring Comorbidity Within Mental Disorders Among a Danish National Population. <i>JAMA Psychiatry</i> , 2019, 76, 259.	6.0	374
58	Childhood seizures and risk of psychiatric disorders in adolescence and early adulthood: a Danish nationwide cohort study. <i>The Lancet Child and Adolescent Health</i> , 2019, 3, 99-108.	2.7	31
59	Common schizophrenia alleles are enriched in mutation-intolerant genes and in regions under strong background selection. <i>Nature Genetics</i> , 2018, 50, 381-389.	9.4	1,332
60	Positive predictive value of a register-based algorithm using the Danish National Registries to identify suicidal events. <i>Pharmacoepidemiology and Drug Safety</i> , 2018, 27, 1131-1138.	0.9	22
61	Shared molecular neuropathology across major psychiatric disorders parallels polygenic overlap. <i>Science</i> , 2018, 359, 693-697.	6.0	851
62	Nitrate in drinking water and colorectal cancer risk: A nationwide population-based cohort study. <i>International Journal of Cancer</i> , 2018, 143, 73-79.	2.3	211
63	Genome-wide association analyses identify 44 risk variants and refine the genetic architecture of major depression. <i>Nature Genetics</i> , 2018, 50, 668-681.	9.4	2,224
64	Childhood exposure to green space – A novel risk-decreasing mechanism for schizophrenia?. <i>Schizophrenia Research</i> , 2018, 199, 142-148.	1.1	57
65	Longitudinal association between mental disorders in childhood and subsequent depression – A nationwide prospective cohort study. <i>Journal of Affective Disorders</i> , 2018, 227, 56-64.	2.0	20
66	Neighbourhood ethnic density and psychosis – Is there a difference according to generation?. <i>Schizophrenia Research</i> , 2018, 195, 501-505.	1.1	21
67	Spatial fine-mapping for gene-by-environment effects identifies risk hot spots for schizophrenia. <i>Nature Communications</i> , 2018, 9, 5296.	5.8	17
68	The association between neonatal vitamin D status and risk of schizophrenia. <i>Scientific Reports</i> , 2018, 8, 17692.	1.6	73
69	Otitis media, antibiotics, and risk of autism spectrum disorder. <i>Autism Research</i> , 2018, 11, 1432-1440.	2.1	26
70	Family income inequalities and trajectories through childhood and self-harm and violence in young adults: a population-based, nested case-control study. <i>Lancet Public Health</i> , The, 2018, 3, e498-e507.	4.7	35
71	Urbanicity and Risk of Schizophrenia – New Studies and Old Hypotheses. <i>JAMA Psychiatry</i> , 2018, 75, 687.	6.0	18
72	Risk of Being Subjected to Crime, Including Violent Crime, After Onset of Mental Illness. <i>JAMA Psychiatry</i> , 2018, 75, 689.	6.0	50

#	ARTICLE	IF	CITATIONS
73	Experience of Childâ€‘Parent Separation and Later Risk of Violent Criminality. <i>American Journal of Preventive Medicine</i> , 2018, 55, 178-186.	1.6	16
74	Parental age and risk of epilepsy: A nationwide registerâ€‘based study. <i>Epilepsia</i> , 2018, 59, 1334-1343.	2.6	4
75	The iPSYCH2012 caseâ€‘cohort sample: new directions for unravelling genetic and environmental architectures of severe mental disorders. <i>Molecular Psychiatry</i> , 2018, 23, 6-14.	4.1	257
76	Traumatic Stress Disorders and Risk of Subsequent Schizophrenia Spectrum Disorder or Bipolar Disorder: A Nationwide Cohort Study. <i>Schizophrenia Bulletin</i> , 2017, 43, 180-186.	2.3	47
77	Familial confounding of the association between maternal smoking during pregnancy and internalizing disorders in offspring. <i>Psychological Medicine</i> , 2017, 47, 1417-1426.	2.7	18
78	Risk of Psychiatric Disorders Among Individuals With the 22q11.2 Deletion or Duplication. <i>JAMA Psychiatry</i> , 2017, 74, 282.	6.0	89
79	Assessing Factors Associated With Suicide Riskâ€‘Reply. <i>JAMA Psychiatry</i> , 2017, 74, 537.	6.0	0
80	Self-harm and violent criminality among young people who experienced trauma-related hospital admission during childhood: a Danish national cohort study. <i>Lancet Public Health</i> , The, 2017, 2, e314-e322.	4.7	26
81	Risk of eating disorders in immigrant populations. <i>Acta Psychiatrica Scandinavica</i> , 2017, 136, 156-165.	2.2	17
82	Ethnic density, urbanicity and psychosis risk for migrant groups â€‘ A population cohort study. <i>Schizophrenia Research</i> , 2017, 190, 82-87.	1.1	49
83	Premature Mortality Among Patients Recently Discharged From Their First Inpatient Psychiatric Treatment. <i>JAMA Psychiatry</i> , 2017, 74, 485.	6.0	35
84	Familial clustering and risk of groin hernia in children. <i>BJs Open</i> , 2017, 1, 46-49.	0.7	7
85	Self-harm risk between adolescence and midlife in people who experienced separation from one or both parents during childhood. <i>Journal of Affective Disorders</i> , 2017, 208, 582-589.	2.0	23
86	Younger or older parental age and risk of suicidality, premature death, psychiatric illness, and criminality in offspring. <i>Journal of Affective Disorders</i> , 2017, 208, 130-138.	2.0	14
87	P44â€‘..Self-harm, violence and premature death among young persons who experienced trauma-related hospitalisation during childhood: a national register-based cohort study. , 2017, , .		0
88	Full spectrum of mental disorders linked with childhood residential mobility. <i>Journal of Psychiatric Research</i> , 2016, 78, 57-64.	1.5	31
89	Urbanâ€‘rural differences in incidence rates of psychiatric disorders in Denmark. <i>British Journal of Psychiatry</i> , 2016, 208, 435-440.	1.7	116
90	Adverse Outcomes to Early Middle Age Linked With Childhood Residential Mobility. <i>American Journal of Preventive Medicine</i> , 2016, 51, 291-300.	1.6	28

#	ARTICLE	IF	CITATIONS
91	Parental Psychiatric Disease and Risks of Attempted Suicide and Violent Criminal Offending in Offspring. <i>JAMA Psychiatry</i> , 2016, 73, 1015.	6.0	49
92	Inverse association between urbanicity and treatment resistance in schizophrenia. <i>Schizophrenia Research</i> , 2016, 174, 150-155.	1.1	18
93	Attempted suicide and violent criminality among Danish second-generation immigrants according to parental place of origin. <i>International Journal of Social Psychiatry</i> , 2016, 62, 186-197.	1.6	4
94	Schizophrenia Spectrum Disorders in a Danish 22q11.2 Deletion Syndrome Cohort Compared to the Total Danish Population—A Nationwide Register Study. <i>Schizophrenia Bulletin</i> , 2016, 42, 824-831.	2.3	14
95	High loading of polygenic risk in cases with chronic schizophrenia. <i>Molecular Psychiatry</i> , 2016, 21, 969-974.	4.1	62
96	A population-based study of the risk of schizophrenia and bipolar disorder associated with parent-child separation during development. <i>Psychological Medicine</i> , 2015, 45, 2825-2837.	2.7	75
97	The importance of distinguishing between the odds ratio and the incidence rate ratio in GWAS. <i>BMC Medical Genetics</i> , 2015, 16, 71.	2.1	9
98	National cohort study of absolute risk and age-specific incidence of multiple adverse outcomes between adolescence and early middle age. <i>BMC Public Health</i> , 2015, 15, 920.	1.2	6
99	National Cohort Study of Suicidality and Violent Criminality among Danish Immigrants. <i>PLoS ONE</i> , 2015, 10, e0131915.	1.1	19
100	Delay in blood sampling for routine newborn screening is associated with increased risk of schizophrenia. <i>Schizophrenia Research</i> , 2015, 162, 90-96.	1.1	0
101	Somatic Diseases and Conditions Before the First Diagnosis of Schizophrenia: A Nationwide Population-based Cohort Study in More Than 900 000 Individuals. <i>Schizophrenia Bulletin</i> , 2015, 41, 513-521.	2.3	36
102	Long-term mortality in children and young adults with epilepsy—A population-based cohort study. <i>Epilepsy Research</i> , 2015, 114, 81-88.	0.8	33
103	Childhood Residential Mobility, Schizophrenia, and Bipolar Disorder: A Population-based Study in Denmark. <i>Schizophrenia Bulletin</i> , 2015, 41, 346-354.	2.3	40
104	Associations between HIV and schizophrenia and their effect on HIV treatment outcomes: a nationwide population-based cohort study in Denmark. <i>Lancet HIV</i> , 2015, 2, e344-e350.	2.1	37
105	Polygenic Risk Score, Parental Socioeconomic Status, Family History of Psychiatric Disorders, and the Risk for Schizophrenia. <i>JAMA Psychiatry</i> , 2015, 72, 635.	6.0	242
106	Gender-age interaction in incidence rates of childhood emotional disorders. <i>Psychological Medicine</i> , 2015, 45, 829-839.	2.7	36
107	The prevalence of umbilical and epigastric hernia repair: a nationwide epidemiologic study. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2015, 19, 815-819.	0.9	47
108	Persons with schizophrenia migrate towards urban areas due to the development of their disorder or its prodromata. <i>Schizophrenia Research</i> , 2015, 168, 204-208.	1.1	26

#	ARTICLE	IF	CITATIONS
109	Risk of Schizophrenia Increases After All Child and Adolescent Psychiatric Disorders: A Nationwide Study. <i>Schizophrenia Bulletin</i> , 2015, 41, 963-970.	2.3	63
110	Genome-wide study of association and interaction with maternal cytomegalovirus infection suggests new schizophrenia loci. <i>Molecular Psychiatry</i> , 2014, 19, 325-333.	4.1	163
111	The association between family history of mental disorders and general cognitive ability. <i>Translational Psychiatry</i> , 2014, 4, e412-e412.	2.4	24
112	A Comprehensive Nationwide Study of the Incidence Rate and Lifetime Risk for Treated Mental Disorders. <i>JAMA Psychiatry</i> , 2014, 71, 573.	6.0	434
113	Effects of paternal age and offspring cognitive ability in early adulthood on the risk of schizophrenia and related disorders. <i>Schizophrenia Research</i> , 2014, 160, 131-135.	1.1	15
114	A Comprehensive Assessment of Parental Age and Psychiatric Disorders. <i>JAMA Psychiatry</i> , 2014, 71, 301.	6.0	198
115	Urbanicity and Autism Spectrum Disorders. <i>Journal of Autism and Developmental Disorders</i> , 2014, 44, 394-404.	1.7	61
116	Population impact of familial and environmental risk factors for schizophrenia: A nationwide study. <i>Schizophrenia Research</i> , 2014, 153, 214-219.	1.1	31
117	The importance of father's age to schizophrenia risk. <i>Molecular Psychiatry</i> , 2014, 19, 530-530.	4.1	22
118	Full Spectrum of Psychiatric Disorders Related to Foreign Migration. <i>JAMA Psychiatry</i> , 2013, 70, 427.	6.0	134
119	Cancer Risk Among Future Schizophrenic Patients? A Biased Inference. <i>Schizophrenia Bulletin</i> , 2013, 39, 504-505.	2.3	0
120	Fetal Growth and Schizophrenia: A Nested Case-Control and Case-Sibling Study. <i>Schizophrenia Bulletin</i> , 2013, 39, 1337-1342.	2.3	27
121	Absolute Risk of Suicide After First Hospital Contact in Mental Disorder. <i>Yearbook of Psychiatry and Applied Mental Health</i> , 2013, 2013, 219-220.	0.1	0
122	Paternal Age and General Cognitive Ability—A Cross Sectional Study of Danish Male Conscripts. <i>PLoS ONE</i> , 2013, 8, e77444.	1.1	13
123	Nationwide Prevalence of Groin Hernia Repair. <i>PLoS ONE</i> , 2013, 8, e54367.	1.1	156
124	Age at Migration and Risk of Schizophrenia Among Immigrants in Denmark: A 25-Year Incidence Study. <i>American Journal of Psychiatry</i> , 2012, 169, 1117-1118.	4.0	15
125	First-Time First-Trimester Induced Abortion and Risk of Readmission to a Psychiatric Hospital in Women With a History of Treated Mental Disorder. <i>Archives of General Psychiatry</i> , 2012, 69, 159.	13.8	33
126	Risk of schizophrenia in relation to parental origin and genome-wide divergence. <i>Psychological Medicine</i> , 2012, 42, 1515-1521.	2.7	12

#	ARTICLE	IF	CITATIONS
127	Parvovirus B19 Infection in the First Trimester of Pregnancy and Risk of Fetal Loss: A Population-based Case-Control Study. <i>American Journal of Epidemiology</i> , 2012, 176, 803-807.	1.6	24
128	Meta-Analysis of the Association of Urbanicity With Schizophrenia. <i>Schizophrenia Bulletin</i> , 2012, 38, 1118-1123.	2.3	349
129	Modelling the contribution of family history and variation in single nucleotide polymorphisms to risk of schizophrenia: A Danish national birth cohort-based study. <i>Schizophrenia Research</i> , 2012, 134, 246-252.	1.1	33
130	The association between childhood rickets and nonaffective psychosis: A Danish record-linkage study. <i>Schizophrenia Research</i> , 2012, 137, 256-257.	1.1	1
131	The new asylums in the community: severely ill psychiatric patients living in psychiatric supported housing facilities. A Danish register-based study of prognostic factors, use of psychiatric services, and mortality. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012, 47, 1251-1261.	1.6	21
132	Do risk factors for schizophrenia predispose to emigration?. <i>Schizophrenia Research</i> , 2011, 127, 229-234.	1.1	15
133	Neonatal antibodies to infectious agents and risk of bipolar disorder: a population-based case-control study. <i>Bipolar Disorders</i> , 2011, 13, 624-629.	1.1	43
134	Association of <i>GRIN1</i> and <i>GRIN2A</i> With schizophrenia and genetic interaction with maternal herpes simplex virus-2 infection affecting disease risk. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011, 156, 913-922.	1.1	44
135	Paternal Age at Birth of First Child and Risk of Schizophrenia. <i>American Journal of Psychiatry</i> , 2011, 168, 82-88.	4.0	114
136	Induced First-Trimester Abortion and Risk of Mental Disorder. <i>New England Journal of Medicine</i> , 2011, 364, 332-339.	13.9	148
137	<i>Toxoplasma</i> Infection and Later Development of Schizophrenia in Mothers. <i>American Journal of Psychiatry</i> , 2011, 168, 814-821.	4.0	80
138	Absolute Risk of Suicide After First Hospital Contact in Mental Disorder. <i>Archives of General Psychiatry</i> , 2011, 68, 1058.	13.8	563
139	The Danish Civil Registration System. <i>Scandinavian Journal of Public Health</i> , 2011, 39, 22-25.	1.2	3,315
140	Association Between Prepartum Maternal Iron Deficiency and Offspring Risk of Schizophrenia: Population-Based Cohort Study With Linkage of Danish National Registers. <i>Schizophrenia Bulletin</i> , 2011, 37, 982-987.	2.3	53
141	Perinatal mental disorders in native Danes and immigrant women. <i>Archives of Women's Mental Health</i> , 2010, 13, 319-326.	1.2	10
142	CACNA1C (rs1006737) is associated with schizophrenia. <i>Molecular Psychiatry</i> , 2010, 15, 119-121.	4.1	167
143	Psychiatric family history and schizophrenia risk in Denmark: which mental disorders are relevant?. <i>Psychological Medicine</i> , 2010, 40, 201-210.	2.7	128
144	Full Spectrum of Psychiatric Outcomes Among Offspring With Parental History of Mental Disorder. <i>Archives of General Psychiatry</i> , 2010, 67, 822.	13.8	232

#	ARTICLE	IF	CITATIONS
145	Neonatal Vitamin D Status and Risk of Schizophrenia. <i>Archives of General Psychiatry</i> , 2010, 67, 889.	13.8	315
146	A Danish National Birth Cohort study of maternal HSV-2 antibodies as a risk factor for schizophrenia in their offspring. <i>Schizophrenia Research</i> , 2010, 122, 257-263.	1.1	98
147	Frequent Change of Residence and Risk of Attempted and Completed Suicide Among Children and Adolescents. <i>Archives of General Psychiatry</i> , 2009, 66, 628.	13.8	58
148	Risks and Predictors of Readmission for a Mental Disorder During the Postpartum Period. <i>Archives of General Psychiatry</i> , 2009, 66, 189.	13.8	246
149	Long-term risk of epilepsy after traumatic brain injury in children and young adults: a population-based cohort study. <i>Lancet, The</i> , 2009, 373, 1105-1110.	6.3	324
150	Bipolar Disorder, Schizoaffective Disorder, and Schizophrenia Overlap. <i>Journal of Clinical Psychiatry</i> , 2009, 70, 1432-1438.	1.1	104
151	Death in children with febrile seizures: a population-based cohort study. <i>Lancet, The</i> , 2008, 372, 457-463.	6.3	72
152	Familial Predisposition for Psychiatric Disorder. <i>Archives of General Psychiatry</i> , 2008, 65, 1269.	13.8	56
153	The Long-Term Risk of Epilepsy after Febrile Seizures in Susceptible Subgroups. <i>American Journal of Epidemiology</i> , 2007, 165, 911-918.	1.6	106
154	Gestational Age, Birth Weight, Intrauterine Growth, and the Risk of Epilepsy. <i>American Journal of Epidemiology</i> , 2007, 167, 262-270.	1.6	64
155	Risk of schizophrenia in second-generation immigrants: a Danish population-based cohort study. <i>Psychological Medicine</i> , 2007, 37, 485.	2.7	57
156	Young males have a higher risk of developing schizophrenia: a Danish register study. <i>Psychological Medicine</i> , 2007, 37, 479.	2.7	100
157	Incidence and prevalence of epilepsy in Denmark. <i>Epilepsy Research</i> , 2007, 76, 60-65.	0.8	156
158	Risk for schizophrenia in intercountry adoptees: a Danish population-based cohort study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2007, 48, 1053-1060.	3.1	18
159	The impact of nonlinear exposure-risk relationships on seasonal time-series data: modelling Danish neonatal birth anthropometric data. <i>BMC Medical Research Methodology</i> , 2007, 7, 45.	1.4	18
160	Assessing fetal growth impairments based on family data as a tool for identifying high-risk babies. An example with neonatal mortality. <i>BMC Pregnancy and Childbirth</i> , 2007, 7, 28.	0.9	22
161	Family and Partner Psychopathology and the Risk of Postpartum Mental Disorders. <i>Journal of Clinical Psychiatry</i> , 2007, 68, 1947-1953.	1.1	27
162	Are the Cause(s) Responsible for Urban-Rural Differences in Schizophrenia Risk Rooted in Families or in Individuals?. <i>American Journal of Epidemiology</i> , 2006, 163, 971-978.	1.6	68

#	ARTICLE	IF	CITATIONS
163	No evidence of time trends in the urban-rural differences in schizophrenia risk among five million people born in Denmark from 1910 to 1986. <i>Psychological Medicine</i> , 2006, 36, 211-219.	2.7	39
164	Apgar Scores and Long-Term Risk of Epilepsy. <i>Epidemiology</i> , 2006, 17, 296-301.	1.2	64
165	Urbanicity during upbringing and bipolar affective disorders in Denmark. <i>Bipolar Disorders</i> , 2006, 8, 242-247.	1.1	41
166	Urbanization and traffic related exposures as risk factors for Schizophrenia. <i>BMC Psychiatry</i> , 2006, 6, 2.	1.1	35
167	New Parents and Mental Disorders. <i>JAMA - Journal of the American Medical Association</i> , 2006, 296, 2582.	3.8	577
168	Why factors rooted in the family may solely explain the urban-rural differences in schizophrenia risk estimates. <i>Epidemiology and Psychiatric Sciences</i> , 2006, 15, 247-251.	1.8	19
169	Increased Risk of Precocious Puberty in Internationally Adopted Children in Denmark. <i>Pediatrics</i> , 2006, 118, e391-e399.	1.0	164
170	The Danish Civil Registration System. A cohort of eight million persons. <i>Danish Medical Bulletin</i> , 2006, 53, 441-9.	0.3	564
171	Effects of familial risk factors and place of birth on the risk of autism: a nationwide register-based study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2005, 46, 963-971.	3.1	286
172	Urbanisation and psychosis. <i>British Journal of Psychiatry</i> , 2005, 186, 168-168.	1.7	1
173	Prevalence and Incidence of Precocious Pubertal Development in Denmark: An Epidemiologic Study Based on National Registries. <i>Pediatrics</i> , 2005, 116, 1323-1328.	1.0	210
174	Febrile seizures and risk of schizophrenia. <i>Schizophrenia Research</i> , 2005, 73, 343-349.	1.1	35
175	Confirmation of Synergy Between Urbanicity and Familial Liability in the Causation of Psychosis. <i>American Journal of Psychiatry</i> , 2004, 161, 2312-2314.	4.0	147
176	Sibship Characteristics during Upbringing and Schizophrenia Risk. <i>American Journal of Epidemiology</i> , 2004, 160, 652-660.	1.6	20
177	New Directions: Air pollution from traffic and schizophrenia risk. <i>Atmospheric Environment</i> , 2004, 38, 3733-3734.	1.9	4
178	Air pollution from traffic and schizophrenia risk. <i>Schizophrenia Research</i> , 2004, 66, 83-85.	1.1	94
179	Paternal and maternal age as risk factors for psychosis: findings from Denmark, Sweden and Australia. <i>Schizophrenia Research</i> , 2004, 67, 227-236.	1.1	129
180	Association between short birth intervals and schizophrenia in the offspring. <i>Schizophrenia Research</i> , 2004, 70, 49-56.	1.1	58

#	ARTICLE	IF	CITATIONS
181	The incidence and prevalence of pervasive developmental disorders: a Danish population-based study. <i>Psychological Medicine</i> , 2004, 34, 1339-1346.	2.7	71
182	Individual and Familial Risk Factors for Bipolar Affective Disorders in Denmark. <i>Archives of General Psychiatry</i> , 2003, 60, 1209.	13.8	261
183	Migration as a risk factor for schizophrenia: A Danish population-based cohort study. <i>British Journal of Psychiatry</i> , 2003, 182, 117-122.	1.7	156
184	Thimerosal and the Occurrence of Autism: Negative Ecological Evidence From Danish Population-Based Data. <i>Pediatrics</i> , 2003, 112, 604-606.	1.0	207
185	A possible association between the genetic predisposition for dizygotic twinning and schizophrenia. <i>Schizophrenia Research</i> , 2002, 58, 31-35.	1.1	14
186	Urban/rural life as a risk factor?. , 2002, , 123-131.		1
187	Risk factors and confounders in the geographical clustering of schizophrenia. <i>Schizophrenia Research</i> , 2001, 49, 295-299.	1.1	18
188	Family history, place and season of birth as risk factors for schizophrenia in Denmark: A replication and reanalysis. <i>British Journal of Psychiatry</i> , 2001, 179, 46-52.	1.7	152
189	Cancer risk in a cohort of polio patients. <i>International Journal of Cancer</i> , 2001, 92, 605-608.	2.3	17
190	Evidence of a Dose-Response Relationship Between Urbanicity During Upbringing and Schizophrenia Risk. <i>Archives of General Psychiatry</i> , 2001, 58, 1039-1046.	13.8	505
191	Muskoxen in Angujaartorfiup Nunaa, West Greenland: Monitoring, Spatial Distribution, Population Growth, and Sustainable Harvest. <i>Arctic</i> , 2000, 53, .	0.2	14
192	Risk Factors for Parvovirus B19 Infection in Pregnancy. <i>JAMA - Journal of the American Medical Association</i> , 1999, 281, 1099.	3.8	175
193	Effects of Family History and Place and Season of Birth on the Risk of Schizophrenia. <i>New England Journal of Medicine</i> , 1999, 340, 603-608.	13.9	745
194	Exposure to Prenatal and Childhood Infections and the Risk of Schizophrenia. <i>Archives of General Psychiatry</i> , 1999, 56, 993.	13.8	130