
Fabien Pierrel

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8178326/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Cytosolic Monothiol Glutaredoxins Function in Intracellular Iron Sensing and Trafficking via Their Bound Iron-Sulfur Cluster. Cell Metabolism, 2010, 12, 373-385. | 16.2 | 263 |
| 2 | Copper trafficking to the mitochondrion and assembly of copper metalloenzymes. Biochimica Et Biophysica Acta - Molecular Cell Research, 2006, 1763, 759-772. | 4.1 | 249 |
| 3 | MiaB Protein Is a Bifunctional Radical-S-Adenosylmethionine Enzyme Involved in Thiolation and Methylation of tRNA. Journal of Biological Chemistry, 2004, 279, 47555-47563. | 3.4 | 149 |
| 4 | Biosynthesis and physiology of coenzyme Q in bacteria. Biochimica Et Biophysica Acta - Bioenergetics, 2014, 1837, 1004-1011. | 1.0 | 123 |
| 5 | Mitochondrial Matrix Copper Complex Used in Metallation of Cytochrome Oxidase and Superoxide Dismutase. Journal of Biological Chemistry, 2006, 281, 36552-36559. | 3.4 | 121 |
| 6 | Coa1 links the Mss51 post-translational function to Cox1 cofactor insertion in cytochrome c oxidase assembly. EMBO Journal, 2007, 26, 4335-4346. | 7.8 | 119 |
| 7 | MiaB, a Bifunctional Radical-S-Adenosylmethionine Enzyme Involved in the Thiolation and Methylation of tRNA, Contains Two Essential [4Fe-4S] Clusters. Biochemistry, 2007, 46, 5140-5147. | 2.5 | 111 |
| 8 | Cerebellar Ataxia and Coenzyme Q Deficiency through Loss of Unorthodox Kinase Activity. Molecular Cell, 2016, 63, 608-620. | 9.7 | 101 |
| 9 | Involvement of Mitochondrial Ferredoxin and Para-Aminobenzoic Acid in Yeast Coenzyme Q Biosynthesis. Chemistry and Biology, 2010, 17, 449-459. | 6.0 | 100 |
| 10 | Enzymatic Modification of tRNAs. Journal of Biological Chemistry, 2002, 277, 13367-13370. | 3.4 | 98 |
| 11 | Metal Ion availability in mitochondria. BioMetals, 2007, 20, 675-682. | 4.1 | 95 |
| 12 | Coenzyme Q Biosynthesis: Coq6 Is Required for the C5-Hydroxylation Reaction and Substrate Analogs Rescue Coq6 Deficiency. Chemistry and Biology, 2011, 18, 1134-1142. | 6.0 | 92 |
| 13 | Overexpression of the Coq8 Kinase in Saccharomyces cerevisiae coq Null Mutants Allows for Accumulation of Diagnostic Intermediates of the Coenzyme Q6 Biosynthetic Pathway. Journal of Biological Chemistry, 2012, 287, 23571-23581. | 3.4 | 84 |
| 14 | Mechanistic Details of Early Steps in Coenzyme Q Biosynthesis Pathway in Yeast. Cell Chemical Biology, 2016, 23, 1241-1250. | 5.2 | 70 |
| 15 | Effect of vanillic acid on COQ6 mutants identified in patients with coenzyme Q10 deficiency. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2014, 1842, 1-6. | 3.8 | 64 |
| 16 | MiaB Protein from Thermotoga maritima. Journal of Biological Chemistry, 2003, 278, 29515-29524. | 3.4 | 59 |
| 17 | Coa2 Is an Assembly Factor for Yeast Cytochrome <i>c</i> Oxidase Biogenesis That Facilitates the Maturation of Cox1. Molecular and Cellular Biology, 2008, 28, 4927-4939. | 2.3 | 55 |
| 18 | The <i>COQ2</i> genotype predicts the severity of coenzyme Q ₁₀ deficiency. Human Molecular Genetics, 2016, 25, 4256-4265. | 2.9 | 53 |

FABIEN PIERREL

| # | Article | lF | CITATIONS |
|----|--|-----|-----------|
| 19 | A Soluble Metabolon Synthesizes the Isoprenoid Lipid Ubiquinone. Cell Chemical Biology, 2019, 26, 482-492.e7. | 5.2 | 46 |
| 20 | ubil, a New Gene in Escherichia coli Coenzyme Q Biosynthesis, Is Involved in Aerobic C5-hydroxylation. Journal of Biological Chemistry, 2013, 288, 20085-20092. | 3.4 | 45 |
| 21 | tRNA-modifying MiaE protein from <i>Salmonella typhimurium</i> is a nonheme diiron monooxygenase. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 13295-13300. | 7.1 | 44 |
| 22 | Evolution of Ubiquinone Biosynthesis: Multiple Proteobacterial Enzymes with Various Regioselectivities To Catalyze Three Contiguous Aromatic Hydroxylation Reactions. MSystems, 2016, 1, . | 3.8 | 44 |
| 23 | Isolated Cytochrome c Oxidase Deficiency in G93A SOD1 Mice Overexpressing CCS Protein. Journal of Biological Chemistry, 2008, 283, 12267-12275. | 3.4 | 41 |
| 24 | The Role of Coa2 in Hemylation of Yeast Cox1 Revealed by Its Genetic Interaction with Cox10. Molecular and Cellular Biology, 2010, 30, 172-185. | 2.3 | 41 |
| 25 | Advances in bacterial pathways for the biosynthesis of ubiquinone. Biochimica Et Biophysica Acta - Bioenergetics, 2020, 1861, 148259. | 1.0 | 40 |
| 26 | Impact of Chemical Analogs of 4-Hydroxybenzoic Acid on Coenzyme Q Biosynthesis: From Inhibition to Bypass of Coenzyme Q Deficiency. Frontiers in Physiology, 2017, 8, 436. | 2.8 | 39 |
| 27 | ubij, a New Gene Required for Aerobic Growth and Proliferation in Macrophage, Is Involved in Coenzyme Q Biosynthesis in Escherichia coli and Salmonella enterica Serovar Typhimurium. Journal of Bacteriology, 2014, 196, 70-79. | 2.2 | 38 |
| 28 | Coq6 Is Responsible for the C4-deamination Reaction in Coenzyme Q Biosynthesis in Saccharomyces cerevisiae. Journal of Biological Chemistry, 2015, 290, 24140-24151. | 3.4 | 37 |
| 29 | The UbiK protein is an accessory factor necessary for bacterial ubiquinone (UQ) biosynthesis and forms a complex with the UQ biogenesis factor UbiJ. Journal of Biological Chemistry, 2017, 292, 11937-11950. | 3.4 | 35 |
| 30 | Vanillic Acid Restores Coenzyme Q Biosynthesis and ATP Production in Human Cells Lacking <i>COQ6</i> . Oxidative Medicine and Cellular Longevity, 2019, 2019, 1-11. | 4.0 | 35 |
| 31 | The P174L Mutation in Human Sco1 Severely Compromises Cox17-dependent Metallation but Does Not Impair Copper Binding. Journal of Biological Chemistry, 2006, 281, 12270-12276. | 3.4 | 34 |
| 32 | Ubiquinone Biosynthesis over the Entire O ₂ Range: Characterization of a Conserved O ₂ -Independent Pathway. MBio, 2019, 10, . | 4.1 | 34 |
| 33 | Pet191 Is a Cytochrome <i>c</i> Oxidase Assembly Factor in <i>Saccharomyces cerevisiae</i> . Eukaryotic Cell, 2008, 7, 1427-1431. | 3.4 | 26 |
| 34 | The O2-independent pathway of ubiquinone biosynthesis is essential for denitrification in Pseudomonas aeruginosa. Journal of Biological Chemistry, 2020, 295, 9021-9032. | 3.4 | 25 |
| 35 | Three conserved histidine residues contribute to mitochondrial iron transport through mitoferrins. Biochemical Journal, 2014, 460, 79-92. | 3.7 | 22 |
| 36 | Vitamin K2 cannot substitute Coenzyme Q10 as electron carrier in the mitochondrial respiratory chain of mammalian cells. Scientific Reports, 2019, 9, 6553. | 3.3 | 18 |

FABIEN PIERREL

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Toxoplasma LIPIN is essential in channeling host lipid fluxes through membrane biogenesis and lipid storage. Nature Communications, 2021, 12, 2813. | 12.8 | 17 |
| 38 | Recent advances in the metabolic pathways and microbial production of coenzyme Q. World Journal of Microbiology and Biotechnology, 2022, 38, 58. | 3.6 | 15 |
| 39 | PasT of <i>Escherichia coli</i> sustains antibiotic tolerance and aerobic respiration as a bacterial homolog of mitochondrial Coq10. MicrobiologyOpen, 2020, 9, e1064. | 3.0 | 13 |
| 40 | Identification and characterization of a noncanonical menaquinone-linked formate dehydrogenase. Journal of Biological Chemistry, 2022, 298, 101384. | 3.4 | 11 |
| 41 | Coenzyme Q Biosynthesis: Evidence for a Substrate Access Channel in the FAD-Dependent Monooxygenase Coq6. PLoS Computational Biology, 2016, 12, e1004690. | 3.2 | 10 |
| 42 | Demethylmenaquinol is a substrate of Escherichia coli nitrate reductase A (NarGHI) and forms a stable semiquinone intermediate at the NarGHI quinol oxidation site. Biochimica Et Biophysica Acta - Bioenergetics, 2015, 1847, 739-747. | 1.0 | 9 |
| 43 | The Biosynthetic Pathway of Ubiquinone Contributes to Pathogenicity of Francisella novicida. Journal of Bacteriology, 2021, 203, e0040021. | 2.2 | 8 |
| 44 | The controversy on the ancestral arsenite oxidizing enzyme; deducing evolutionary histories with phylogeny and thermodynamics. Biochimica Et Biophysica Acta - Bioenergetics, 2020, 1861, 148252. | 1.0 | 4 |
| 45 | Rational Engineering of Non-Ubiquinone Containing Corynebacterium glutamicum for Enhanced Coenzyme Q10 Production. Metabolites, 2022, 12, 428. | 2.9 | 4 |
| 46 | A Soluble Metabolon Synthesizes the Isoprenoid Lipid Ubiquinone. SSRN Electronic Journal, 0, , . | 0.4 | 0 |