

# Rodolphe Fischmeister

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8180112/publications.pdf>

Version: 2024-02-01

180  
papers

10,724  
citations

20817

60  
h-index

34986

98  
g-index

190  
all docs

190  
docs citations

190  
times ranked

7475  
citing authors

#	ARTICLE	IF	CITATIONS
1	Cyclic GMP modulating drugs in cardiovascular diseases: mechanism-based network pharmacology. <i>Cardiovascular Research</i> , 2022, 118, 2085-2102.	3.8	23
2	Selective changes in cytosolic $\text{I}^2$ -adrenergic cAMP signals and L-type Calcium Channel regulation by Phosphodiesterases during cardiac hypertrophy. <i>Journal of Molecular and Cellular Cardiology</i> , 2021, 150, 109-121.	1.9	6
3	Response by Vandecasteele et al to Letter Regarding Article, "Cardiac Overexpression of PDE4B Blunts $\text{I}^2$ -Adrenergic Response and Maladaptive Remodeling in Heart Failure". <i>Circulation</i> , 2021, 143, e26-e27.	1.6	0
4	Mapping genetic changes in the cAMP-signaling cascade in human atria. <i>Journal of Molecular and Cellular Cardiology</i> , 2021, 155, 10-20.	1.9	9
5	Cyclic nucleotide signaling and pacemaker activity. <i>Progress in Biophysics and Molecular Biology</i> , 2021, 166, 29-38.	2.9	6
6	Fibroblast growth factor 23 decreases PDE4 expression in heart increasing the risk of cardiac arrhythmia; Klotho opposes these effects. <i>Basic Research in Cardiology</i> , 2020, 115, 51.	5.9	23
7	Ion channels as effectors of cyclic nucleotide pathways: Functional relevance for arterial tone regulation. , 2020, 209, 107499.		25
8	Cardiac Overexpression of PDE4B Blunts $\text{I}^2$ -Adrenergic Response and Maladaptive Remodeling in Heart Failure. <i>Circulation</i> , 2020, 142, 161-174.	1.6	47
9	Contribution of BKCa channels to vascular tone regulation by PDE3 and PDE4 is lost in heart failure. <i>Cardiovascular Research</i> , 2019, 115, 130-144.	3.8	7
10	Real-Time Monitoring of Cyclic Nucleotide Changes in Living Cells. , 2019, , 1-17.		3
11	Imipramine as an alternative to formamide to detubulate rat ventricular cardiomyocytes. <i>Experimental Physiology</i> , 2019, 104, 1237-1249.	2.0	6
12	Synergic PDE3 and PDE4 control intracellular cAMP and cardiac excitation-contraction coupling in a porcine model. <i>Journal of Molecular and Cellular Cardiology</i> , 2019, 133, 57-66.	1.9	16
13	PDE2 regulates membrane potential, respiration and permeability transition of rodent subsarcolemmal cardiac mitochondria. <i>Mitochondrion</i> , 2019, 47, 64-75.	3.4	15
14	Cyclic nucleotide signalling compartmentation by PDEs in cultured vascular smooth muscle cells. <i>British Journal of Pharmacology</i> , 2019, 176, 1780-1792.	5.4	20
15	Metabolic Inhibition Induces Transient Increase of L-type $\text{Ca}^{2+}$ Current in Human and Rat Cardiac Myocytes. <i>International Journal of Molecular Sciences</i> , 2019, 20, 1501.	4.1	5
16	Late onset heart failure after childhood chemotherapy. <i>European Heart Journal</i> , 2019, 40, 798-800.	2.2	18
17	Cardiac adenylyl cyclase overexpression precipitates and aggravates age-related myocardial dysfunction. <i>Cardiovascular Research</i> , 2019, 115, 1778-1790.	3.8	30
18	CSRP3 mediates polyphenols-induced cardioprotection in hypertension. <i>Journal of Nutritional Biochemistry</i> , 2019, 66, 29-42.	4.2	12

#	ARTICLE	IF	CITATIONS
19	Progression of excitation-contraction coupling defects in doxorubicin cardiotoxicity. <i>Journal of Molecular and Cellular Cardiology</i> , 2019, 126, 129-139.	1.9	30
20	Treatments targeting inotropy. <i>European Heart Journal</i> , 2019, 40, 3626-3644.	2.2	123
21	Cyclic AMP signaling in cardiac myocytes. <i>Current Opinion in Physiology</i> , 2018, 1, 161-171.	1.8	12
22	PDE4 and mAKAP <sup>2</sup> are nodal organizers of $\beta$ 2-ARs nuclear PKA signalling in cardiac myocytes. <i>Cardiovascular Research</i> , 2018, 114, 1499-1511.	3.8	16
23	Identification of optimal reference genes for transcriptomic analyses in normal and diseased human heart. <i>Cardiovascular Research</i> , 2018, 114, 247-258.	3.8	46
24	Inhibit a Phosphodiesterase to Treat Heart Failure?. <i>Circulation</i> , 2018, 138, 2003-2006.	1.6	10
25	Influence of cell confluence on the cAMP signalling pathway in vascular smooth muscle cells. <i>Cellular Signalling</i> , 2017, 35, 118-128.	3.6	7
26	Antihypertensive and vasodilator effects of methanolic extract of <i>Inula viscosa</i> : Biological evaluation and POM analysis of cynarin, chlorogenic acid as potential hypertensive. <i>Biomedicine and Pharmacotherapy</i> , 2017, 93, 62-69.	5.6	49
27	Regulation of Cardiac Pacemaker Activity by PDE4 Isoforms. <i>Biophysical Journal</i> , 2017, 112, 96a-97a.	0.5	0
28	Carboxy-terminal fragment of fibroblast growth factor 23 induces heart hypertrophy in sickle cell disease. <i>Haematologica</i> , 2017, 102, e33-e35.	3.5	14
29	Phosphodiesterase 2 Protects Against Catecholamine-Induced Arrhythmia and Preserves Contractile Function After Myocardial Infarction. <i>Circulation Research</i> , 2017, 120, 120-132.	4.5	55
30	Cyclic Nucleotide Phosphodiesterases and Compartmentation in Normal and Diseased Heart. <i>Cardiac and Vascular Biology</i> , 2017, , 97-116.	0.2	1
31	Metabolic inhibition reduces cardiac L-type Ca <sup>2+</sup> channel current due to acidification caused by ATP hydrolysis. <i>PLoS ONE</i> , 2017, 12, e0184246.	2.5	7
32	Phosphodiesterase 2: anti-adrenergic friend or hypertrophic foe in heart disease?. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2016, 389, 1139-1141.	3.0	13
33	Cyclic nucleotide phosphodiesterases in heart and vessels: A therapeutic perspective. <i>Archives of Cardiovascular Diseases</i> , 2016, 109, 431-443.	1.6	93
34	Cardiac-Specific Overexpression of Phosphodiesterase 2 (PDE2) in Mouse is Cardioprotective. <i>Biophysical Journal</i> , 2016, 110, 599a.	0.5	0
35	A cardiac mitochondrial cAMP signaling pathway regulates calcium accumulation, permeability transition and cell death. <i>Cell Death and Disease</i> , 2016, 7, e2198-e2198.	6.3	85
36	RNA-binding protein CUGBP1 regulates insulin secretion via activation of phosphodiesterase 3B in mice. <i>Diabetologia</i> , 2016, 59, 1959-1967.	6.3	14

#	ARTICLE	IF	CITATIONS
37	Differential Regulation of Cytoplasmic and Nuclear PKA Activities by $\hat{1}^2$ - and $\hat{1}^2$ -Adrenoceptors in Adult Cardiac Myocytes. <i>Biophysical Journal</i> , 2016, 110, 591a.	0.5	0
38	Calmodulin kinase II inhibition limits the pro-arrhythmic Ca <sup>2+</sup> waves induced by cAMP-phosphodiesterase inhibitors. <i>Cardiovascular Research</i> , 2016, 110, 151-161.	3.8	30
39	Loss of PI3K-Gamma Scaffold Function causes Severe Electrical Remodeling in Mice Ventricular Myocytes. <i>Biophysical Journal</i> , 2015, 108, 272a-273a.	0.5	0
40	Abnormal sodium current properties contribute to cardiac electrical and contractile dysfunction in a mouse model of myotonic dystrophy type 1. <i>Neuromuscular Disorders</i> , 2015, 25, 308-320.	0.6	26
41	Dominant negative Ras attenuates pathological ventricular remodeling in pressure overload cardiac hypertrophy. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2015, 1853, 2870-2884.	4.1	20
42	Enzymatic Assays for Probing Mitochondrial Apoptosis. <i>Methods in Molecular Biology</i> , 2015, 1265, 407-414.	0.9	5
43	Alteration of vascular reactivity in heart failure: role of phosphodiesterases 3 and 4. <i>British Journal of Pharmacology</i> , 2014, 171, 5361-5375.	5.4	19
44	Interventricular Differences in $\hat{1}^2$ -Adrenergic Responses in the Canine Heart: Role of Phosphodiesterases. <i>Journal of the American Heart Association</i> , 2014, 3, e000858.	3.7	32
45	Phosphodiesterase types 3 and 4 regulate the phasic contraction of neonatal rat bladder smooth myocytes via distinct mechanisms. <i>Cellular Signalling</i> , 2014, 26, 1001-1010.	3.6	10
46	Cyclic AMP synthesis and hydrolysis in the normal and failing heart. <i>Pflugers Archiv European Journal of Physiology</i> , 2014, 466, 1163-1175.	2.8	55
47	Control of cytoplasmic and nuclear protein kinase A by phosphodiesterases and phosphatases in cardiac myocytes. <i>Cardiovascular Research</i> , 2014, 102, 97-106.	3.8	28
48	Pro-Arrhythmic Calcium Waves Induced by Phosphodiesterase Type 4 Inhibition upon Beta-Adrenergic Stimulation Involve Both PKA and CamkII. <i>Biophysical Journal</i> , 2014, 106, 323a.	0.5	0
49	$\hat{1}^2$ -Adrenergic Regulation of Cyclic AMP and Ca Current at the T-Tubules and Surface Membrane in Rat Cardiomyocytes. <i>Biophysical Journal</i> , 2014, 106, 304a.	0.5	0
50	P334Identification of suitable reference genes for gene expression studies in normal and pathological human heart tissues. <i>Cardiovascular Research</i> , 2014, 103, S61.1-S61.	3.8	0
51	CaV1.2 and $\hat{1}^2$ -Adrenergic Regulation of Cardiac Function. , 2014, , 371-381.		0
52	The (R)-enantiomer of CE3F4 is a preferential inhibitor of human exchange protein directly activated by cyclic AMP isoform 1 (Epac1). <i>Biochemical and Biophysical Research Communications</i> , 2013, 440, 443-448.	2.1	56
53	Phosphodiesterase-2 Is Up-Regulated in Human Failing Hearts and Blunts $\hat{1}^2$ -Adrenergic Responses in Cardiomyocytes. <i>Journal of the American College of Cardiology</i> , 2013, 62, 1596-1606.	2.8	115
54	Differential regulation of cardiac excitation-contraction coupling by cAMP phosphodiesterase subtypes. <i>Cardiovascular Research</i> , 2013, 100, 336-346.	3.8	45

#	ARTICLE	IF	CITATIONS
55	Phosphoinositide 3-Kinase $\hat{I}^3$ Protects Against Catecholamine-Induced Ventricular Arrhythmia Through Protein Kinase A-Mediated Regulation of Distinct Phosphodiesterases. <i>Circulation</i> , 2012, 126, 2073-2083.	1.6	74
56	Spatiotemporal Regulation of cAMP-Dependent Protein Kinase (PKA) in Cardiac Myocytes. <i>Biophysical Journal</i> , 2012, 102, 668a.	0.5	0
57	Identification of a Tetrahydroquinoline Analog as a Pharmacological Inhibitor of the cAMP-binding Protein Epac. <i>Journal of Biological Chemistry</i> , 2012, 287, 44192-44202.	3.4	93
58	PDEs create local domains of cAMP signaling. <i>Journal of Molecular and Cellular Cardiology</i> , 2012, 52, 323-329.	1.9	123
59	Cyclic Adenosine Monophosphate Phosphodiesterase Type 4 Protects Against Atrial Arrhythmias. <i>Journal of the American College of Cardiology</i> , 2012, 59, 2182-2190.	2.8	105
60	$\hat{I}^2$ -Adrenergic cAMP Signals Are Predominantly Regulated by Phosphodiesterase Type 4 in Cultured Adult Rat Aortic Smooth Muscle Cells. <i>PLoS ONE</i> , 2012, 7, e47826.	2.5	17
61	Real-Time Assessment of Myocardial Contractility Using Shear Wave Imaging. <i>Journal of the American College of Cardiology</i> , 2011, 58, 65-72.	2.8	127
62	Decreased sarcolipin protein expression and enhanced sarco(endo)plasmic reticulum $Ca^{2+}$ uptake in human atrial fibrillation. <i>Biochemical and Biophysical Research Communications</i> , 2011, 410, 97-101.	2.1	53
63	Minimum Information about a Cardiac Electrophysiology Experiment (MICEE): Standardised reporting for model reproducibility, interoperability, and data sharing. <i>Progress in Biophysics and Molecular Biology</i> , 2011, 107, 4-10.	2.9	75
64	Response to Letter by Hamilton et al. <i>Circulation Research</i> , 2011, 108, .	4.5	0
65	Phosphodiesterase 4B in the cardiac L-type $Ca^{2+}$ channel complex regulates $Ca^{2+}$ current and protects against ventricular arrhythmias in mice. <i>Journal of Clinical Investigation</i> , 2011, 121, 2651-2661.	8.2	105
66	A new regulation of IL-6 production in adult cardiomyocytes by $\hat{I}^2$ -adrenergic and IL-1 $\hat{I}^2$ receptors and induction of cellular hypertrophy by IL-6 trans-signalling. <i>Cellular Signalling</i> , 2010, 22, 1143-1152.	3.6	47
67	Feedback Control Through cGMP-Dependent Protein Kinase Contributes to Differential Regulation and Compartmentation of cGMP in Rat Cardiac Myocytes. <i>Circulation Research</i> , 2010, 107, 1232-1240.	4.5	86
68	Dynamic and quantitative assessment of myocardial stiffness using Shear Wave Imaging. , 2010, , .		0
69	Acute cardiac effects of neuregulin-1/ErbB signalling. <i>Cardiovascular Research</i> , 2010, 88, 393-394.	3.8	5
70	Compartmentation of cAMP in Cardiomyocytes. , 2010, , 1581-1587.		0
71	Decreased Expression and Activity of cAMP Phosphodiesterases in Cardiac Hypertrophy and Its Impact on $\hat{I}^2$ -Adrenergic cAMP Signals. <i>Circulation Research</i> , 2009, 105, 784-792.	4.5	106
72	Antihypertensive and endothelium-dependent vasodilator effects of aqueous extract of <i>Cistus ladaniferus</i> . <i>Biochemical and Biophysical Research Communications</i> , 2009, 389, 145-149.	2.1	28

#	ARTICLE	IF	CITATIONS
73	Simultaneous Recordings of Cell Shortening and cAMP or Calcium Transients Reveal Differential Regulation of Cardiac Contractility by Specific Phosphodiesterases. <i>Biophysical Journal</i> , 2009, 96, 12a.	0.5	0
74	cAMP increases autocrine IL-1-induced IL-6 production in cardiomyocytes leading to hypertrophic signal transduction pathways. <i>Journal of Molecular and Cellular Cardiology</i> , 2008, 44, 781-782.	1.9	0
75	PDE4B is the predominant PDE4 isoform regulating the L-type Ca <sup>2+</sup> current in mouse ventricular myocytes. <i>Journal of Molecular and Cellular Cardiology</i> , 2008, 44, 803.	1.9	0
76	Spatiotemporal Dynamics of $\beta^2$ -Adrenergic cAMP Signals and L-Type Ca <sup>2+</sup> Channel Regulation in Adult Rat Ventricular Myocytes. <i>Circulation Research</i> , 2008, 102, 1091-1100.	4.5	143
77	$\beta^3$ -adrenergic receptor activation increases human atrial tissue contractility and stimulates the L-type Ca <sup>2+</sup> current. <i>Journal of Clinical Investigation</i> , 2008, 118, 3219-27.	8.2	83
78	Role of PDE3 and PDE4 for $\beta^2$ -adrenergic control of cAMP and I <sub>Ca,L</sub> in adult rat ventricular myocytes. <i>Journal of Molecular and Cellular Cardiology</i> , 2007, 42, S49.	1.9	0
79	Identification of PDE1 and PDE5 in adult rat left ventricular cardiomyocytes. <i>Journal of Molecular and Cellular Cardiology</i> , 2007, 42, S49-S50.	1.9	5
80	Decreased phosphodiesterase activities in cardiac hypertrophy: Consequences for $\beta^2$ -aR regulation of cAMP and I <sub>Ca,L</sub> . <i>Journal of Molecular and Cellular Cardiology</i> , 2007, 42, S129.	1.9	0
81	Two transmembrane Cys residues are involved in 5-HT <sub>4</sub> receptor dimerization. <i>Biochemical and Biophysical Research Communications</i> , 2007, 356, 642-647.	2.1	51
82	Quantitative mRNA analysis of serotonin 5-HT <sub>4</sub> receptor isoforms, calcium handling proteins and ion channels in human atrial fibrillation. <i>Biochemical and Biophysical Research Communications</i> , 2007, 357, 218-224.	2.1	32
83	Immunomodulation by maternal autoantibodies of the fetal serotonergic 5-HT <sub>4</sub> receptor and its consequences in early BALB/c mouse embryonic development. <i>BMC Developmental Biology</i> , 2007, 7, 34.	2.1	14
84	The cAMP binding protein Epac modulates Ca <sup>2+</sup> sparks by a Ca <sup>2+</sup> /calmodulin kinase signalling pathway in rat cardiac myocytes. <i>Journal of Physiology</i> , 2007, 583, 685-694.	2.9	179
85	Functional localization of cAMP signalling in cardiac myocytes. <i>Biochemical Society Transactions</i> , 2006, 34, 484-488.	3.4	39
86	A Specific Pattern of Phosphodiesterases Controls the cAMP Signals Generated by Different G <sub>s</sub> -Coupled Receptors in Adult Rat Ventricular Myocytes. <i>Circulation Research</i> , 2006, 98, 1081-1088.	4.5	160
87	Cyclic Guanosine Monophosphate Compartmentation in Rat Cardiac Myocytes. <i>Circulation</i> , 2006, 113, 2221-2228.	1.6	247
88	Compartmentation of Cyclic Nucleotide Signaling in the Heart. <i>Circulation Research</i> , 2006, 99, 816-828.	4.5	334
89	Is cAMP Good or Bad?. <i>Circulation Research</i> , 2006, 98, 582-584.	4.5	34
90	New VMD2 gene mutations identified in patients affected by Best vitelliform macular dystrophy. <i>Journal of Medical Genetics</i> , 2006, 44, e70-e70.	3.2	41

#	ARTICLE	IF	CITATIONS
91	Role of Phosphodiesterases in Cyclic Nucleotide Compartmentation in Cardiac Myocytes. , 2006, , .		0
92	Functional studies of the 5'UTR-untranslated region of human 5-HT <sub>4</sub> receptor mRNA. Biochemical Journal, 2005, 387, 463-471.	3.7	9
93	Volume sensitivity of the bestrophin family of chloride channels. Journal of Physiology, 2005, 562, 477-491.	2.9	106
94	Species- and tissue-dependent effects of NO and cyclic GMP on cardiac ion channels. Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology, 2005, 142, 136-143.	1.8	117
95	Design and Synthesis of Specific Probes for Human 5-HT <sub>4</sub> Receptor Dimerization Studies. Journal of Medicinal Chemistry, 2005, 48, 6220-6228.	6.4	48
96	Regulation of the amyloid precursor protein ectodomain shedding by the 5-HT <sub>4</sub> receptor and Epac. FEBS Letters, 2005, 579, 1136-1142.	2.8	44
97	Constitutive dimerization of human serotonin 5-HT <sub>4</sub> receptors in living cells. FEBS Letters, 2005, 579, 2973-2980.	2.8	60
98	Differential functional effects of two 5-HT receptor isoforms in adult cardiomyocytes. Journal of Molecular and Cellular Cardiology, 2005, 39, 335-344.	1.9	24
99	Mouse Bestrophin-2 Is a Bona fide Cl <sup>-</sup> Channel. Journal of General Physiology, 2004, 123, 327-340.	1.9	125
100	Cardiac Specific Increase in Aldosterone Production Induces Coronary Dysfunction in Aldosterone Synthase <sup>-/-</sup> Transgenic Mice. Circulation, 2004, 110, 1819-1825.	1.6	102
101	New insights into the human 5-HT <sub>4</sub> receptor binding site: exploration of a hydrophobic pocket. British Journal of Pharmacology, 2004, 143, 361-370.	5.4	37
102	Post-translational modifications of tubulin and microtubule stability in adult rat ventricular myocytes and immortalized HL-1 cardiomyocytes. Molecular and Cellular Biochemistry, 2004, 258, 35-48.	3.1	36
103	Tannins and catechin gallate mediate the vasorelaxant effect of Arbutus unedo on the rat isolated aorta. Phytotherapy Research, 2004, 18, 889-894.	5.8	36
104	Negative Feedback Exerted by cAMP-dependent Protein Kinase and cAMP Phosphodiesterase on Subsarcolemmal cAMP Signals in Intact Cardiac Myocytes. Journal of Biological Chemistry, 2004, 279, 52095-52105.	3.4	128
105	5-HT <sub>4</sub> Receptor Ligands: Applications and New Prospects. ChemInform, 2003, 34, no.	0.0	2
106	Characterization of human 5-HT <sub>4(d)</sub> receptor desensitization in CHO cells. British Journal of Pharmacology, 2003, 138, 445-452.	5.4	32
107	Crosstalk between Rap1 and Rac regulates secretion of sAPP $\beta$ . Nature Cell Biology, 2003, 5, 633-639.	10.3	174
108	5-HT <sub>4</sub> Receptor Ligands: Applications and New Prospects. Journal of Medicinal Chemistry, 2003, 46, 319-344.	6.4	105

#	ARTICLE	IF	CITATIONS
109	Cyclic AMP compartmentation due to increased cAMPâ€phosphodiesterase activity in transgenic mice with a cardiacâ€directed expression of the human adenylyl cyclase type 8 (AC8). <i>FASEB Journal</i> , 2003, 17, 1380-1391.	0.5	65
110	Role of cyclic nucleotide phosphodiesterase isoforms in cAMP compartmentation following Å2-adrenergic stimulation of ICa,L in frog ventricular myocytes. <i>Journal of Physiology</i> , 2003, 551, 239-252.	2.9	62
111	Augmentation of cardiac contractility with no change in Lâ€type Ca <sup>2+</sup> current in transgenic mice with a cardiacâ€directed expression of the human adenylyl cyclase type 8 (AC8). <i>FASEB Journal</i> , 2002, 16, 1636-1638.	0.5	46
112	SL65.0155, A Novel 5-Hydroxytryptamine <sub>4</sub> Receptor Partial Agonist with Potent Cognition-Enhancing Properties. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2002, 302, 731-741.	2.5	106
113	Cardiovascular effects of <i>Urtica dioica</i> L. in isolated rat heart and aorta. <i>Phytotherapy Research</i> , 2002, 16, 503-507.	5.8	55
114	<i>Arbutus unedo</i> induces endothelium-dependent relaxation of the isolated rat aorta. <i>Phytotherapy Research</i> , 2002, 16, 572-575.	5.8	37
115	NO donors potentiate the Î²â€adrenergic stimulation of ICa,L and the muscarinic activation of IK <sub>ACh</sub> in rat cardiac myocytes. <i>Journal of Physiology</i> , 2002, 540, 411-424.	2.9	28
116	Functional expression of the hyperpolarizationâ€activated, nonâ€selective cation current I <sub>f</sub> in immortalized HLâ€1 cardiomyocytes. <i>Journal of Physiology</i> , 2002, 545, 81-92.	2.9	76
117	Post-translational modifications of cardiac tubulin during chronic heart failure in the rat. <i>Molecular and Cellular Biochemistry</i> , 2002, 237, 39-46.	3.1	42
118	Characterization of Serotonin <sub>4</sub> Receptors in Adrenocortical Aldosterone-Producing Adenomas: In Vivo and in Vitro Studies. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002, 87, 1211-1216.	3.6	7
119	Quantitative mRNA analysis of five C-terminal splice variants of the human 5-HT <sub>4</sub> receptor in the central nervous system by TaqMan real time RT-PCR. <i>Molecular Brain Research</i> , 2001, 90, 125-134.	2.3	91
120	Induction of neonatal lupus in pups of mice immunized with synthetic peptides derived from amino acid sequences of the serotoninergic 5-HT <sub>4</sub> receptor. <i>European Journal of Immunology</i> , 2001, 31, 573-579.	2.9	51
121	Local response of Lâ€type Ca <sup>2+</sup> current to nitric oxide in frog ventricular myocytes. <i>Journal of Physiology</i> , 2001, 534, 109-121.	2.9	63
122	Simultaneous measurements of intracellular cAMP and Lâ€type Ca <sup>2+</sup> current in single frog ventricular myocytes. <i>Journal of Physiology</i> , 2001, 530, 79-91.	2.9	62
123	G proteinâ€mediated inhibitory effect of a nitric oxide donor on the Lâ€type Ca <sup>2+</sup> current in rat ventricular myocytes. <i>Journal of Physiology</i> , 2001, 531, 117-130.	2.9	72
124	Cyclic GMP regulation of the Lâ€type Ca <sup>2+</sup> channel current in human atrial myocytes. <i>Journal of Physiology</i> , 2001, 533, 329-340.	2.9	135
125	The Human Serotonin 5-HT <sub>4</sub> Receptor Regulates Secretion of Non-amyloidogenic Precursor Protein. <i>Journal of Biological Chemistry</i> , 2001, 276, 44881-44888.	3.4	100
126	Anti-SSA/Ro52 autoantibodies blocking the cardiac 5-HT <sub>4</sub> serotoninergic receptor could explain neonatal lupus congenital heart block. <i>European Journal of Immunology</i> , 2000, 30, 2782-2790.	2.9	119



#	ARTICLE	IF	CITATIONS
127	Isolation of the serotonergic 5-HT <sub>4(e)</sub> receptor from human heart and comparative analysis of its pharmacological profile in C6 gliial and CHO cell lines. <i>British Journal of Pharmacology</i> , 2000, 129, 771-781.	5.4	65
128	Exploration of the ligand binding site of the human 5-HT <sub>4</sub> receptor by site-directed mutagenesis and molecular modeling. <i>British Journal of Pharmacology</i> , 2000, 130, 527-538.	5.4	49
129	Pharmacological characterization of the human 5-HT <sub>4(d)</sub> receptor splice variant stably expressed in Chinese hamster ovary cells. <i>British Journal of Pharmacology</i> , 2000, 131, 827-835.	5.4	48
130	Functional expression and regulation of the hyperpolarization activated non-selective cation current in embryonic stem cell-derived cardiomyocytes. <i>Journal of Physiology</i> , 2000, 523, 377-389.	2.9	67
131	Effect of Serotonin <sub>4</sub> (5-HT <sub>4</sub> ) Receptor Agonists on Aldosterone Secretion in Idiopathic Hyperaldosteronism. <i>Endocrine Research</i> , 2000, 26, 583-587.	1.2	14
132	New Arylpiperazine Derivatives as Antagonists of the Human Cloned 5-HT <sub>4</sub> Receptor Isoforms. <i>Journal of Medicinal Chemistry</i> , 2000, 43, 3761-3769.	6.4	14
133	Sequential Changes in Autonomic Regulation of Cardiac Myocytes after <i>In Vivo</i> Endotoxin Injection in Rat. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1999, 160, 1196-1204.	5.6	55
134	Peroxyntirite is a positive inotropic agent in atrial and ventricular fibres of the frog heart. <i>Journal of Physiology</i> , 1999, 521, 375-388.	2.9	16
135	Positive and negative inotropic effects of NO donors in atrial and ventricular fibres of the frog heart. <i>Journal of Physiology</i> , 1999, 518, 449-461.	2.9	36
136	Muscarinic and $\beta_2$ -adrenergic regulation of heart rate, force of contraction and calcium current is preserved in mice lacking endothelial nitric oxide synthase. <i>Nature Medicine</i> , 1999, 5, 331-334.	30.7	164
137	Characterization of the cyclic nucleotide phosphodiesterase subtypes involved in the regulation of the L-type Ca <sup>2+</sup> current in rat ventricular myocytes. <i>British Journal of Pharmacology</i> , 1999, 127, 65-74.	5.4	163
138	Role of the NO-cGMP pathway in the muscarinic regulation of the L-type Ca <sup>2+</sup> current in human atrial myocytes. <i>Journal of Physiology</i> , 1998, 506, 653-663.	2.9	48
139	The 5-HT <sub>4</sub> receptor antagonist ML10375 inhibits the constitutive activity of human 5-HT <sub>4(c)</sub> receptor. <i>British Journal of Pharmacology</i> , 1998, 125, 595-597.	5.4	29
140	Cloning, Expression, and Pharmacology of Four Human 5-Hydroxytryptamine <sub>4</sub> Receptor Isoforms Produced by Alternative Splicing in the Carboxyl Terminus. <i>Journal of Neurochemistry</i> , 1998, 70, 2252-2261.	3.9	136
141	Sympathetic Modulation of the Effect of Nifedipine on Myocardial Contraction and Ca Current in the Rat. <i>Journal of Molecular and Cellular Cardiology</i> , 1997, 29, 579-591.	1.9	11
142	Molecular and functional characterization of a 5-HT <sub>4</sub> receptor cloned from human atrium. <i>FEBS Letters</i> , 1997, 412, 465-474.	2.8	87
143	Muscarinic regulation of the L-type calcium current in isolated cardiac myocytes. <i>Life Sciences</i> , 1997, 60, 1113-1120.	4.3	60
144	Methylene Blue Is a Muscarinic Antagonist in Cardiac Myocytes. <i>Molecular Pharmacology</i> , 1997, 52, 482-490.	2.3	34

#	ARTICLE	IF	CITATIONS
145	Longitudinal distribution of Na <sup>+</sup> and Ca <sup>2+</sup> channels and $\beta^2$ -adrenoceptors on the sarcolemmal membrane of frog cardiomyocytes. <i>Journal of Physiology</i> , 1997, 503, 471-477.	2.9	8
146	A comparative study of the effects of three guanylyl cyclase inhibitors on the L-type Ca <sup>2+</sup> and muscarinic K <sup>+</sup> currents in frog cardiac myocytes. <i>British Journal of Pharmacology</i> , 1997, 121, 1369-1377.	5.4	35
147	Pharmacological characterization of the receptors involved in the $\beta^2$ -adrenoceptor-mediated stimulation of the L-type Ca <sup>2+</sup> current in frog ventricular myocytes. <i>British Journal of Pharmacology</i> , 1997, 121, 1277-1286.	5.4	27
148	cGMP-stimulated cyclic nucleotide phosphodiesterase regulates the basal calcium current in human atrial myocytes. <i>Journal of Clinical Investigation</i> , 1997, 99, 2710-2718.	8.2	110
149	cAMP compartmentation is responsible for a local activation of cardiac Ca <sup>2+</sup> channels by beta-adrenergic agonists. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996, 93, 295-299.	7.1	360
150	Binding constants determined from Ca <sup>2+</sup> current responses to rapid applications and washouts of nifedipine in frog cardiac myocytes. <i>Journal of Physiology</i> , 1996, 494, 105-120.	2.9	21
151	Acetylcholine inhibits Ca <sup>2+</sup> current by acting exclusively at a site proximal to adenylyl cyclase in frog cardiac myocytes. <i>Journal of Physiology</i> , 1996, 491, 669-675.	2.9	25
152	Regulation of myocardial calcium channels by cyclic AMP metabolism. <i>Basic Research in Cardiology</i> , 1996, 91, 1-8.	5.9	125
153	Regulation of cardiac Ca <sup>2+</sup> channels by cGMP and NO. <i>Developments in Cardiovascular Medicine</i> , 1996, , 93-105.	0.1	6
154	EHNA as an Inhibitor of PDE2: A Pharmacological and Biochemical Study in Cardiac Myocytes. , 1996, , 81-88.		0
155	Nitric oxide regulates the calcium current in isolated human atrial myocytes. <i>Journal of Clinical Investigation</i> , 1995, 95, 794-802.	8.2	171
156	Differential effects of pertussis toxin on the muscarinic regulation of Ca <sup>2+</sup> and K <sup>+</sup> currents in frog cardiac myocytes. <i>Journal of General Physiology</i> , 1994, 104, 941-959.	1.9	15
157	A comparative analysis of the time course of cardiac Ca <sup>2+</sup> current response to rapid applications of $\beta$ -adrenergic and dihydropyridine agonists. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1993, 348, 197-206.	3.0	9
158	Rate-limiting steps in the beta-adrenergic stimulation of cardiac calcium current. <i>Journal of General Physiology</i> , 1993, 101, 337-353.	1.9	60
159	Agonist-independent effects of muscarinic antagonists on Ca <sup>2+</sup> and K <sup>+</sup> currents in frog and rat cardiac cells. <i>Journal of Physiology</i> , 1993, 461, 743-765.	2.9	54
160	Direct regulation of cardiac Ca <sup>2+</sup> channels by G proteins: neither proven nor necessary?. <i>Trends in Pharmacological Sciences</i> , 1992, 13, 380-385.	8.7	68
161	A loudspeaker-driven system for rapid and multiple solution exchanges in patch-clamp experiments. <i>Pflügers Archiv European Journal of Physiology</i> , 1992, 420, 529-535.	2.8	9
162	Cyclic AMP phosphodiesterases and Ca <sup>2+</sup> current regulation in cardiac cells. <i>Life Sciences</i> , 1991, 48, 2365-2376.	4.3	62

#	ARTICLE	IF	CITATIONS
163	Sympathetic regulation of cardiac calcium current is due exclusively to cAMP-dependent phosphorylation. <i>Nature</i> , 1991, 351, 573-576.	27.8	229
164	Signal transduction by cGMP in heart. <i>Basic Research in Cardiology</i> , 1991, 86, 503-514.	5.9	168
165	Ca <sup>2+</sup> current is regulated by cyclic GMP-dependent protein kinase in mammalian cardiac myocytes.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1991, 88, 1197-1201.	7.1	452
166	Glucagon stimulates the cardiac Ca <sup>2+</sup> current by activation of adenylyl cyclase and inhibition of phosphodiesterase. <i>Nature</i> , 1990, 345, 158-161.	27.8	108
167	Cyclic GMP regulates the Ca-channel current in guinea pig ventricular myocytes. <i>Pflugers Archiv European Journal of Physiology</i> , 1989, 413, 685-687.	2.8	136
168	Interactive effects of isoprenaline, forskolin and acetylcholine on Ca <sup>2+</sup> current in frog ventricular myocytes.. <i>Journal of Physiology</i> , 1989, 417, 213-239.	2.9	52
169	Atrial natriuretic factor regulates the calcium current in frog isolated cardiac cells.. <i>Circulation Research</i> , 1988, 62, 660-667.	4.5	77
170	Inactivation, reactivation and pacing dependence of calcium current in frog cardiocytes: correlation with current density.. <i>Journal of Physiology</i> , 1988, 401, 201-226.	2.9	91
171	Cyclic guanosine 3',5'-monophosphate regulates the calcium current in single cells from frog ventricle.. <i>Journal of Physiology</i> , 1987, 387, 453-472.	2.9	185
172	Mechanism of action of acetylcholine on calcium current in single cells from frog ventricle.. <i>Journal of Physiology</i> , 1986, 376, 183-202.	2.9	194
173	Some limitations of the cell-attached patch clamp technique: a two-electrode analysis. <i>Pflugers Archiv European Journal of Physiology</i> , 1986, 406, 73-82.	2.8	53
174	A dual effect of cardiac glycosides on Ca current in single cells of frog heart. <i>Pflugers Archiv European Journal of Physiology</i> , 1986, 406, 340-342.	2.8	12
175	Opposite effects of cyclic GMP and cyclic AMP on Ca <sup>2+</sup> current in single heart cells. <i>Nature</i> , 1986, 323, 273-275.	27.8	327
176	Calcium-mediated inactivation of the calcium conductance in cesium-loaded frog heart cells.. <i>Journal of General Physiology</i> , 1984, 83, 105-131.	1.9	145
177	Changes in external Na induce a membrane current related to the Na-Ca exchange in cesium-loaded frog heart cells.. <i>Journal of General Physiology</i> , 1984, 84, 201-220.	1.9	38
178	Channel currents during spontaneous action potentials in embryonic chick heart cells. The action potential patch clamp. <i>Biophysical Journal</i> , 1984, 46, 267-271.	0.5	50
179	Variation of intracellular Ca <sup>2+</sup> following Ca <sup>2+</sup> current in heart. A theoretical study of ionic diffusion inside a cylindrical cell. <i>Biophysical Journal</i> , 1983, 41, 341-348.	0.5	36
180	Slow inward Ca current in frog heart: theoretical evidence against a voltage-dependent inactivation. <i>Canadian Journal of Physiology and Pharmacology</i> , 1982, 60, 1185-1192.	1.4	5