

# Katerina Hilari

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8182239/publications.pdf>

Version: 2024-02-01

71  
papers

3,272  
citations

201575

27  
h-index

161767

54  
g-index

77  
all docs

77  
docs citations

77  
times ranked

2129  
citing authors

#	ARTICLE	IF	CITATIONS
1	Stroke and Aphasia Quality of Life Scale-39 (SAQOL-39). <i>Stroke</i> , 2003, 34, 1944-1950.	1.0	380
2	What Are the Important Factors in Health-Related Quality of Life for People With Aphasia? A Systematic Review. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012, 93, S86-S95.e4.	0.5	218
3	The impact of stroke: are people with aphasia different to those without?. <i>Disability and Rehabilitation</i> , 2011, 33, 211-218.	0.9	210
4	Psychological distress after stroke and aphasia: the first six months. <i>Clinical Rehabilitation</i> , 2010, 24, 181-190.	1.0	201
5	A systematic review of the impact of stroke on social support and social networks: associated factors and patterns of change. <i>Clinical Rehabilitation</i> , 2016, 30, 811-831.	1.0	160
6	Social support in people with chronic aphasia. <i>Aphasiology</i> , 2006, 20, 17-36.	1.4	141
7	Predictors of health-related quality of life (HRQL) in people with chronic aphasia. <i>Aphasiology</i> , 2003, 17, 365-381.	1.4	129
8	A core outcome set for aphasia treatment research: The ROMA consensus statement. <i>International Journal of Stroke</i> , 2019, 14, 180-185.	2.9	127
9	Proxy and self-report agreement on the Stroke and Aphasia Quality of Life Scale-39. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2007, 78, 1072-1075.	0.9	114
10	Why do people lose their friends after a stroke?. <i>International Journal of Language and Communication Disorders</i> , 2011, 46, 524-534.	0.7	107
11	MEASURING QUALITY OF LIFE IN PEOPLE WITH APHASIA THE STROKE SPECIFIC QUALITY OF LIFE SCALE. <i>International Journal of Language and Communication Disorders</i> , 2001, 36, 86-91.	0.7	97
12	Psychometric properties of the Stroke and Aphasia Quality of Life Scale (SAQOL-39) in a generic stroke population. <i>Clinical Rehabilitation</i> , 2009, 23, 544-557.	1.0	97
13	Health-related quality of life in people with severe aphasia. <i>International Journal of Language and Communication Disorders</i> , 2009, 44, 193-205.	0.7	97
14	Evaluating the Benefits of Aphasia Intervention Delivered in Virtual Reality: Results of a Quasi-Randomised Study. <i>PLoS ONE</i> , 2016, 11, e0160381.	1.1	73
15	Reviewing the quality of discourse information measures in aphasia. <i>International Journal of Language and Communication Disorders</i> , 2017, 52, 689-732.	0.7	70
16	A Systematic Review of Semantic Feature Analysis Therapy Studies for Aphasia. <i>Journal of Speech, Language, and Hearing Research</i> , 2018, 61, 1261-1278.	0.7	61
17	Aphasia blog talk: How does stroke and aphasia affect a person's social relationships?. <i>Aphasiology</i> , 2014, 28, 1281-1300.	1.4	57
18	What Factors Predict Who Will Have a Strong Social Network Following a Stroke?. <i>Journal of Speech, Language, and Hearing Research</i> , 2016, 59, 772-783.	0.7	56

#	ARTICLE	IF	CITATIONS
19	How do speech-and-language therapists address the psychosocial well-being of people with aphasia? Results of a UK online survey. <i>International Journal of Language and Communication Disorders</i> , 2017, 52, 356-373.	0.7	54
20	“Struggling to stay connected” comparing the social relationships of healthy older people and people with stroke and aphasia. <i>Aphasiology</i> , 2017, 31, 674-687.	1.4	48
21	Predictors of Poststroke Aphasia Recovery. <i>Stroke</i> , 2021, 52, 1778-1787.	1.0	46
22	Dosage, Intensity, and Frequency of Language Therapy for Aphasia: A Systematic Review“Based, Individual Participant Data Network Meta-Analysis. <i>Stroke</i> , 2022, 53, 956-967.	1.0	44
23	Supporting people with aphasia to “settle into a new way to be”: speech and language therapists’ views on providing psychosocial support. <i>International Journal of Language and Communication Disorders</i> , 2018, 53, 16-29.	0.7	41
24	Psychometric properties of discourse measures in aphasia: acceptability, reliability, and validity. <i>International Journal of Language and Communication Disorders</i> , 2018, 53, 1078-1093.	0.7	38
25	Gender differences in health-related quality of life following total laryngectomy. <i>International Journal of Language and Communication Disorders</i> , 2010, 45, 287-294.	0.7	37
26	Quality of Life in Aphasia: State of the Art. <i>Folia Phoniatica Et Logopaedica</i> , 2015, 67, 114-118.	0.5	36
27	How does non-nutritive sucking support infant feeding?. , 2014, 37, 457-464.		35
28	“Living with Aphasia the Best Way I Can’: A Feasibility Study Exploring Solution-Focused Brief Therapy for People with Aphasia. <i>Folia Phoniatica Et Logopaedica</i> , 2015, 67, 156-167.	0.5	33
29	Quality of Life after Stroke: Evaluation of the Greek SAQOL-39g. <i>Folia Phoniatica Et Logopaedica</i> , 2012, 64, 179-186.	0.5	29
30	A randomised trial of social support group intervention for people with aphasia: A Novel application of virtual reality. <i>PLoS ONE</i> , 2020, 15, e0239715.	1.1	29
31	Aphasia blog talk: How does stroke and aphasia affect the carer and their relationship with the person with aphasia?. <i>Aphasiology</i> , 2014, 28, 1301-1319.	1.4	28
32	Supporting wellbeing through peer-befriending (SUPERB) for people with aphasia: A feasibility randomised controlled trial. <i>Clinical Rehabilitation</i> , 2021, 35, 1151-1163.	1.0	27
33	Information needs after stroke: What to include and how to structure it on a website. A qualitative study using focus groups and card sorting. <i>Aphasiology</i> , 2010, 24, 1170-1196.	1.4	22
34	An International Perspective on Quality of Life in Aphasia: A Survey of Clinician Views and Practices from Sixteen Countries. <i>Folia Phoniatica Et Logopaedica</i> , 2015, 67, 119-130.	0.5	21
35	Adjustment with aphasia after stroke: study protocol for a pilot feasibility randomised controlled trial for SUpporting wellbeing through PEer Befriending (SUPERB). <i>Pilot and Feasibility Studies</i> , 2019, 5, 14.	0.5	21
36	Stroke Social Network Scale: development and psychometric evaluation of a new patient-reported measure. <i>Clinical Rehabilitation</i> , 2013, 27, 823-833.	1.0	19

#	ARTICLE	IF	CITATIONS
37	Measuring quality of life in Dutch people with aphasia: development and psychometric evaluation of the SAQOL-39NL. <i>Aphasiology</i> , 2017, 31, 189-200.	1.4	14
38	Quality of life in aphasia: Greek adaptation of the stroke and aphasia quality of life scale - 39 item (SAQOL-39). <i>Europa Medicophysica</i> , 2007, 43, 27-35.	0.5	14
39	The effect of social media promotion on academic article uptake. <i>Journal of the Association for Information Science and Technology</i> , 2017, 68, 795-800.	1.5	13
40	“We’ve got somebody there, someone cares” – what support is most valued following a stroke?. <i>Disability and Rehabilitation</i> , 2018, 40, 2439-2448.	0.9	13
41	The effects of a dialogue-based intervention to promote psychosocial well-being after stroke: a randomized controlled trial. <i>Clinical Rehabilitation</i> , 2020, 34, 1056-1071.	1.0	13
42	A Typology to Explain Changing Social Networks Post Stroke. <i>Gerontologist</i> , The, 2018, 58, 500-511.	2.3	12
43	Precision rehabilitation for aphasia by patient age, sex, aphasia severity, and time since stroke? A prespecified, systematic review-based, individual participant data, network, subgroup meta-analysis. <i>International Journal of Stroke</i> , 2022, 17, 1067-1077.	2.9	12
44	Agreement between People with Aphasia and Their Proxies on Health-Related Quality of Life after Stroke, Using the Greek SAQOL-39g. <i>Psychology</i> , 2012, 03, 686-690.	0.3	11
45	Visual analogue scales in stroke: what can they tell us about health-related quality of life?. <i>BMJ Open</i> , 2013, 3, e003309.	0.8	11
46	Cultural adaptation and psychometric testing of The Scenario Test UK for people with aphasia. <i>International Journal of Language and Communication Disorders</i> , 2018, 53, 748-760.	0.7	11
47	“Now I Am Myself” Exploring How People With Poststroke Aphasia Experienced Solution-Focused Brief Therapy Within the SOFIA Trial. <i>Qualitative Health Research</i> , 2021, 31, 2041-2055.	1.0	11
48	Does mode of administration affect health-related quality-of-life outcomes after stroke?. <i>International Journal of Speech-Language Pathology</i> , 2012, 14, 329-337.	0.6	10
49	Psychometric evaluation of the Swallowing Outcomes After Laryngectomy (SOAL) patient-reported outcome measure. <i>Head and Neck</i> , 2016, 38, E1639-45.	0.9	10
50	Efficacy of elaborated semantic features analysis in Aphasia: a quasi-randomised controlled trial. <i>Aphasiology</i> , 2019, 33, 1482-1503.	1.4	10
51	“Emotion is of the essence. “Number one priority”: A nested qualitative study exploring psychosocial adjustment to stroke and aphasia. <i>International Journal of Language and Communication Disorders</i> , 2021, 56, 594-608.	0.7	9
52	Solution Focused Brief Therapy in Post-Stroke Aphasia (SOFIA): feasibility and acceptability results of a feasibility randomised wait-list controlled trial. <i>BMJ Open</i> , 2021, 11, e050308.	0.8	9
53	Operationalising treatment success in aphasia rehabilitation. <i>Aphasiology</i> , 2023, 37, 1693-1732.	1.4	9
54	Communication partner training in traumatic brain injury: a UK survey of Speech and Language Therapists’ clinical practice. <i>Brain Injury</i> , 2020, 34, 934-944.	0.6	8

#	ARTICLE	IF	CITATIONS
55	Treatment integrity of elaborated semantic feature analysis aphasia therapy delivered in individual and group settings. <i>International Journal of Language and Communication Disorders</i> , 2017, 52, 733-749.	0.7	7
56	Volume based feeding versus rate based feeding in the critically ill: A UK study. <i>Journal of the Intensive Care Society</i> , 2019, 20, 299-308.	1.1	6
57	Interventions that support adults with brain injuries, learning disabilities and autistic spectrum disorders in dating or romantic relationships: a systematic review. <i>Disability and Rehabilitation</i> , 2022, 44, 2567-2580.	0.9	6
58	“For them and for me” a qualitative exploration of peer befrienders’ experiences supporting people with aphasia in the SUPERB feasibility trial. <i>Disability and Rehabilitation</i> , 2022, 44, 5025-5037.	0.9	6
59	“Loneliness can also kill” a qualitative exploration of outcomes and experiences of the SUPERB peer-befriending scheme for people with aphasia and their significant others. <i>Disability and Rehabilitation</i> , 2022, 44, 5015-5024.	0.9	6
60	SUpporting wellbeing through PEeR-Befriending (SUPERB) feasibility trial: fidelity of peer-befriending for people with aphasia. <i>BMJ Open</i> , 2021, 11, e047994.	0.8	5
61	Solution Focused brief therapy In post-stroke Aphasia (SOFIA Trial): protocol for a feasibility randomised controlled trial. <i>AMRC Open Research</i> , 0, 1, 11.	1.7	5
62	Measuring Well-Being in Aphasia: The GHQ-28 Versus the NHP. <i>International Journal of Speech-Language Pathology</i> , 2001, 3, 129-137.	0.5	4
63	Factors affecting swallowing outcomes after total laryngectomy: Participant self-report using the swallowing outcomes after laryngectomy questionnaire. <i>Head and Neck</i> , 2020, 42, 1963-1969.	0.9	4
64	An aphasia research agenda “ a consensus statement from the collaboration of aphasia trialists. <i>Aphasiology</i> , 2022, 36, 555-574.	1.4	3
65	Utilising a systematic review-based approach to create a database of individual participant data for meta- and network meta-analyses: the RELEASE database of aphasia after stroke. <i>Aphasiology</i> , 2022, 36, 513-533.	1.4	3
66	Developing, monitoring, and reporting of fidelity in aphasia trials: core recommendations from the collaboration of aphasia trialists (CATs) trials for aphasia panel. <i>Aphasiology</i> , 2023, 37, 1733-1755.	1.4	3
67	SOLution Focused brief therapy In post-stroke Aphasia (SOFIA Trial): protocol for a feasibility randomised controlled trial. <i>AMRC Open Research</i> , 0, 1, 11.	1.7	2
68	Current practices and beliefs regarding supporting dating skills in rehabilitation for traumatic brain injury: a survey study. <i>Brain Injury</i> , 2021, 35, 1358-1370.	0.6	1
69	A letter of thanks to Professor Barbara Dodd. <i>International Journal of Language and Communication Disorders</i> , 2017, 52, 391-391.	0.7	0
70	Letter to the Editor re: Ahmadi, A., Tohidast, S. A., Mansuri, B., Kamali, M., & Krishnan, G. Acceptability, reliability, and validity of the Stroke and Aphasia Quality of Life Scale-39 (SAQOL-39) across languages: a systematic review. <i>Clinical Rehabilitation</i> , 2017;31:1201-1214.. <i>Clinical Rehabilitation</i> , 2020, 34, 1420-1421.	1.0	0
71	A pilot economic evaluation of a feasibility trial for SUpporting wellbeing through PEeR-Befriending (SUPERB) for post-stroke aphasia. <i>Clinical Rehabilitation</i> , 2022, 36, 683-692.	1.0	0