

Katerina Hilari

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8182239/publications.pdf>

Version: 2024-02-01

71
papers

3,272
citations

201575

27
h-index

161767

54
g-index

77
all docs

77
docs citations

77
times ranked

2129
citing authors

#	ARTICLE	IF	CITATIONS
1	Developing, monitoring, and reporting of fidelity in aphasia trials: core recommendations from the collaboration of aphasia trialists (CATs) trials for aphasia panel. <i>Aphasiology</i> , 2023, 37, 1733-1755.	1.4	3
2	Operationalising treatment success in aphasia rehabilitation. <i>Aphasiology</i> , 2023, 37, 1693-1732.	1.4	9
3	Interventions that support adults with brain injuries, learning disabilities and autistic spectrum disorders in dating or romantic relationships: a systematic review. <i>Disability and Rehabilitation</i> , 2022, 44, 2567-2580.	0.9	6
4	“For them and for me”: a qualitative exploration of peer befrienders’ experiences supporting people with aphasia in the SUPERB feasibility trial. <i>Disability and Rehabilitation</i> , 2022, 44, 5025-5037.	0.9	6
5	“Loneliness can also kill”: a qualitative exploration of outcomes and experiences of the SUPERB peer-befriending scheme for people with aphasia and their significant others. <i>Disability and Rehabilitation</i> , 2022, 44, 5015-5024.	0.9	6
6	An aphasia research agenda – a consensus statement from the collaboration of aphasia trialists. <i>Aphasiology</i> , 2022, 36, 555-574.	1.4	3
7	Utilising a systematic review-based approach to create a database of individual participant data for meta- and network meta-analyses: the RELEASE database of aphasia after stroke. <i>Aphasiology</i> , 2022, 36, 513-533.	1.4	3
8	Dosage, Intensity, and Frequency of Language Therapy for Aphasia: A Systematic Review-Based, Individual Participant Data Network Meta-Analysis. <i>Stroke</i> , 2022, 53, 956-967.	1.0	44
9	A pilot economic evaluation of a feasibility trial for Supporting wellbeing through PEER-Befriending (SUPERB) for post-stroke aphasia. <i>Clinical Rehabilitation</i> , 2022, 36, 683-692.	1.0	0
10	Precision rehabilitation for aphasia by patient age, sex, aphasia severity, and time since stroke? A prespecified, systematic review-based, individual participant data, network, subgroup meta-analysis. <i>International Journal of Stroke</i> , 2022, 17, 1067-1077.	2.9	12
11	Supporting wellbeing through peer-befriending (SUPERB) for people with aphasia: A feasibility randomised controlled trial. <i>Clinical Rehabilitation</i> , 2021, 35, 1151-1163.	1.0	27
12	“Emotion is of the essence. Number one priority”: A nested qualitative study exploring psychosocial adjustment to stroke and aphasia. <i>International Journal of Language and Communication Disorders</i> , 2021, 56, 594-608.	0.7	9
13	Predictors of Poststroke Aphasia Recovery. <i>Stroke</i> , 2021, 52, 1778-1787.	1.0	46
14	“Now I Am Myself”: Exploring How People With Poststroke Aphasia Experienced Solution-Focused Brief Therapy Within the SOFIA Trial. <i>Qualitative Health Research</i> , 2021, 31, 2041-2055.	1.0	11
15	Solution Focused Brief Therapy in Post-Stroke Aphasia (SOFIA): feasibility and acceptability results of a feasibility randomised wait-list controlled trial. <i>BMJ Open</i> , 2021, 11, e050308.	0.8	9
16	Supporting wellbeing through PEER-Befriending (SUPERB) feasibility trial: fidelity of peer-befriending for people with aphasia. <i>BMJ Open</i> , 2021, 11, e047994.	0.8	5
17	Current practices and beliefs regarding supporting dating skills in rehabilitation for traumatic brain injury: a survey study. <i>Brain Injury</i> , 2021, 35, 1358-1370.	0.6	1
18	A randomised trial of social support group intervention for people with aphasia: A Novel application of virtual reality. <i>PLoS ONE</i> , 2020, 15, e0239715.	1.1	29

#	ARTICLE	IF	CITATIONS
19	Letter to the Editor re: Ahmadi, A., Tohidast, S. A., Mansuri, B., Kamali, M., & Krishnan, G. Acceptability, reliability, and validity of the Stroke and Aphasia Quality of Life Scale-39 (SAQOL-39) across languages: a systematic review. <i>Clinical Rehabilitation</i> , 2017;31:1201-1214.. <i>Clinical Rehabilitation</i> , 2020, 34, 1420-1421.	1.0	0
20	The effects of a dialogue-based intervention to promote psychosocial well-being after stroke: a randomized controlled trial. <i>Clinical Rehabilitation</i> , 2020, 34, 1056-1071.	1.0	13
21	Communication partner training in traumatic brain injury: a UK survey of Speech and Language Therapists' clinical practice. <i>Brain Injury</i> , 2020, 34, 934-944.	0.6	8
22	Factors affecting swallowing outcomes after total laryngectomy: Participant self-report using the swallowing outcomes after laryngectomy questionnaire. <i>Head and Neck</i> , 2020, 42, 1963-1969.	0.9	4
23	Adjustment with aphasia after stroke: study protocol for a pilot feasibility randomised controlled trial for Supporting wellbeing through PEer Befriending (SUPERB). <i>Pilot and Feasibility Studies</i> , 2019, 5, 14.	0.5	21
24	Volume based feeding versus rate based feeding in the critically ill: A UK study. <i>Journal of the Intensive Care Society</i> , 2019, 20, 299-308.	1.1	6
25	Efficacy of elaborated semantic features analysis in Aphasia: a quasi-randomised controlled trial. <i>Aphasiology</i> , 2019, 33, 1482-1503.	1.4	10
26	A core outcome set for aphasia treatment research: The ROMA consensus statement. <i>International Journal of Stroke</i> , 2019, 14, 180-185.	2.9	127
27	Cultural adaptation and psychometric testing of The Scenario Test UK for people with aphasia. <i>International Journal of Language and Communication Disorders</i> , 2018, 53, 748-760.	0.7	11
28	A Systematic Review of Semantic Feature Analysis Therapy Studies for Aphasia. <i>Journal of Speech, Language, and Hearing Research</i> , 2018, 61, 1261-1278.	0.7	61
29	A Typology to Explain Changing Social Networks Post Stroke. <i>Gerontologist</i> , The, 2018, 58, 500-511.	2.3	12
30	“œœ™ve got somebody there, someone cares” what support is most valued following a stroke?. <i>Disability and Rehabilitation</i> , 2018, 40, 2439-2448.	0.9	13
31	Supporting people with aphasia to “settle into a new way to be”: speech and language therapists' views on providing psychosocial support. <i>International Journal of Language and Communication Disorders</i> , 2018, 53, 16-29.	0.7	41
32	Psychometric properties of discourse measures in aphasia: acceptability, reliability, and validity. <i>International Journal of Language and Communication Disorders</i> , 2018, 53, 1078-1093.	0.7	38
33	Measuring quality of life in Dutch people with aphasia: development and psychometric evaluation of the SAQOL-39NL. <i>Aphasiology</i> , 2017, 31, 189-200.	1.4	14
34	The effect of social media promotion on academic article uptake. <i>Journal of the Association for Information Science and Technology</i> , 2017, 68, 795-800.	1.5	13
35	A letter of thanks to Professor Barbara Dodd. <i>International Journal of Language and Communication Disorders</i> , 2017, 52, 391-391.	0.7	0
36	How do speech-and-language therapists address the psychosocial well-being of people with aphasia? Results of a UK online survey. <i>International Journal of Language and Communication Disorders</i> , 2017, 52, 356-373.	0.7	54

#	ARTICLE	IF	CITATIONS
37	Treatment integrity of elaborated semantic feature analysis aphasia therapy delivered in individual and group settings. <i>International Journal of Language and Communication Disorders</i> , 2017, 52, 733-749.	0.7	7
38	Reviewing the quality of discourse information measures in aphasia. <i>International Journal of Language and Communication Disorders</i> , 2017, 52, 689-732.	0.7	70
39	“Struggling to stay connected” comparing the social relationships of healthy older people and people with stroke and aphasia. <i>Aphasiology</i> , 2017, 31, 674-687.	1.4	48
40	What Factors Predict Who Will Have a Strong Social Network Following a Stroke?. <i>Journal of Speech, Language, and Hearing Research</i> , 2016, 59, 772-783.	0.7	56
41	Psychometric evaluation of the Swallowing Outcomes After Laryngectomy (SOAL) patient-reported outcome measure. <i>Head and Neck</i> , 2016, 38, E1639-45.	0.9	10
42	A systematic review of the impact of stroke on social support and social networks: associated factors and patterns of change. <i>Clinical Rehabilitation</i> , 2016, 30, 811-831.	1.0	160
43	Evaluating the Benefits of Aphasia Intervention Delivered in Virtual Reality: Results of a Quasi-Randomised Study. <i>PLoS ONE</i> , 2016, 11, e0160381.	1.1	73
44	An International Perspective on Quality of Life in Aphasia: A Survey of Clinician Views and Practices from Sixteen Countries. <i>Folia Phoniatrica Et Logopaedica</i> , 2015, 67, 119-130.	0.5	21
45	Quality of Life in Aphasia: State of the Art. <i>Folia Phoniatrica Et Logopaedica</i> , 2015, 67, 114-118.	0.5	36
46	“Living with Aphasia the Best Way I Can”: A Feasibility Study Exploring Solution-Focused Brief Therapy for People with Aphasia. <i>Folia Phoniatrica Et Logopaedica</i> , 2015, 67, 156-167.	0.5	33
47	Aphasia blog talk: How does stroke and aphasia affect the carer and their relationship with the person with aphasia?. <i>Aphasiology</i> , 2014, 28, 1301-1319.	1.4	28
48	Aphasia blog talk: How does stroke and aphasia affect a person’s social relationships?. <i>Aphasiology</i> , 2014, 28, 1281-1300.	1.4	57
49	How does non-nutritive sucking support infant feeding?. , 2014, 37, 457-464.		35
50	Stroke Social Network Scale: development and psychometric evaluation of a new patient-reported measure. <i>Clinical Rehabilitation</i> , 2013, 27, 823-833.	1.0	19
51	Visual analogue scales in stroke: what can they tell us about health-related quality of life?. <i>BMJ Open</i> , 2013, 3, e003309.	0.8	11
52	Does mode of administration affect health-related quality-of-life outcomes after stroke?. <i>International Journal of Speech-Language Pathology</i> , 2012, 14, 329-337.	0.6	10
53	Quality of Life after Stroke: Evaluation of the Greek SAQOL-39g. <i>Folia Phoniatrica Et Logopaedica</i> , 2012, 64, 179-186.	0.5	29
54	What Are the Important Factors in Health-Related Quality of Life for People With Aphasia? A Systematic Review. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012, 93, S86-S95.e4.	0.5	218

#	ARTICLE	IF	CITATIONS
55	Agreement between People with Aphasia and Their Proxies on Health-Related Quality of Life after Stroke, Using the Greek SAQOL-39g. <i>Psychology</i> , 2012, 03, 686-690.	0.3	11
56	The impact of stroke: are people with aphasia different to those without?. <i>Disability and Rehabilitation</i> , 2011, 33, 211-218.	0.9	210
57	Why do people lose their friends after a stroke?. <i>International Journal of Language and Communication Disorders</i> , 2011, 46, 524-534.	0.7	107
58	Gender differences in health-related quality of life following total laryngectomy. <i>International Journal of Language and Communication Disorders</i> , 2010, 45, 287-294.	0.7	37
59	Information needs after stroke: What to include and how to structure it on a website. A qualitative study using focus groups and card sorting. <i>Aphasiology</i> , 2010, 24, 1170-1196.	1.4	22
60	Psychological distress after stroke and aphasia: the first six months. <i>Clinical Rehabilitation</i> , 2010, 24, 181-190.	1.0	201
61	Psychometric properties of the Stroke and Aphasia Quality of Life Scale (SAQOL-39) in a generic stroke population. <i>Clinical Rehabilitation</i> , 2009, 23, 544-557.	1.0	97
62	Health-related quality of life in people with severe aphasia. <i>International Journal of Language and Communication Disorders</i> , 2009, 44, 193-205.	0.7	97
63	Proxy and self-report agreement on the Stroke and Aphasia Quality of Life Scale-39. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2007, 78, 1072-1075.	0.9	114
64	Quality of life in aphasia: Greek adaptation of the stroke and aphasia quality of life scale - 39 item (SAQOL-39). <i>Europa Medicophysica</i> , 2007, 43, 27-35.	0.5	14
65	Social support in people with chronic aphasia. <i>Aphasiology</i> , 2006, 20, 17-36.	1.4	141
66	Predictors of health-related quality of life (HRQL) in people with chronic aphasia. <i>Aphasiology</i> , 2003, 17, 365-381.	1.4	129
67	Stroke and Aphasia Quality of Life Scale-39 (SAQOL-39). <i>Stroke</i> , 2003, 34, 1944-1950.	1.0	380
68	MEASURING QUALITY OF LIFE IN PEOPLE WITH APHASIA THE STROKE SPECIFIC QUALITY OF LIFE SCALE. <i>International Journal of Language and Communication Disorders</i> , 2001, 36, 86-91.	0.7	97
69	Measuring Well-Being in Aphasia: The GHQ-28 Versus the NHP. <i>International Journal of Speech-Language Pathology</i> , 2001, 3, 129-137.	0.5	4
70	Solution Focused brief therapy In post-stroke Aphasia (SOFIA Trial): protocol for a feasibility randomised controlled trial. <i>AMRC Open Research</i> , 0, 1, 11.	1.7	5
71	SOLution Focused brief therapy In post-stroke Aphasia (SOFIA Trial): protocol for a feasibility randomised controlled trial. <i>AMRC Open Research</i> , 0, 1, 11.	1.7	2