
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8183588/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	SARS-CoV-2 RNA in urban wastewater samples to monitor the COVID-19 pandemic in Lombardy, Italy (March–June 2020). Science of the Total Environment, 2022, 806, 150816.	8.0	17
2	A Taste for New Psychoactive Substances: Wastewater Analysis Study of 10 Countries. Environmental Science and Technology Letters, 2022, 9, 57-63.	8.7	27
3	Nationwide investigation on the use of new psychoactive substances in Italy through urban wastewater analysis. Science of the Total Environment, 2022, 843, 156982.	8.0	11
4	International snapshot of new psychoactive substance use: Case study of eight countries over the 2019/2020 new year period. Water Research, 2021, 193, 116891.	11.3	34
5	New psychoactive substances in several European populations assessed by wastewater-based epidemiology. Water Research, 2021, 195, 116983.	11.3	40
6	First comprehensive study of alcohol consumption in Italy using wastewater-based epidemiology. Science of the Total Environment, 2021, 776, 145863.	8.0	9
7	Changes in drug use in European cities during early COVID-19 lockdowns – A snapshot from wastewater analysis. Environment International, 2021, 153, 106540.	10.0	47
8	Carbamazepine Levels Related to the Demographic Indicators in Groundwater of Densely Populated Area. Water (Switzerland), 2021, 13, 2539.	2.7	9
9	Wastewater-based epidemiology as a novel tool to evaluate human exposure to pesticides: Triazines and organophosphates as case studies. Science of the Total Environment, 2021, 793, 148618.	8.0	18
10	A multi-residue analytical method for extraction and analysis of pharmaceuticals and other selected emerging contaminants in sewage sludge. Analytical Methods, 2021, 13, 526-535.	2.7	11
11	Use of legal and illegal substances in Malé (Republic of Maldives) assessed by wastewater analysis. Science of the Total Environment, 2020, 698, 134207.	8.0	32
12	Wastewater-based epidemiology for tracking human exposure to mycotoxins. Journal of Hazardous Materials, 2020, 382, 121108.	12.4	36
13	Micropollutants in Lake Como water in the context of circular economy: A snapshot of water cycle contamination in a changing pollution scenario. Journal of Hazardous Materials, 2020, 384, 121441.	12.4	39
14	Spatioâ€ŧemporal assessment of illicit drug use at large scale: evidence from 7 years of international wastewater monitoring. Addiction, 2020, 115, 109-120.	3.3	154
15	Monitoring caffeine and nicotine use in a nationwide study in Italy using wastewater-based epidemiology. Science of the Total Environment, 2020, 747, 141331.	8.0	23
16	Pharmaceuticals and other contaminants in waters and sediments from Augusta Bay (southern Italy). Science of the Total Environment, 2020, 739, 139827.	8.0	39
17	Testing urban wastewater to assess compliance with prescription data through wastewater-based epidemiology: First case study in Italy. Science of the Total Environment, 2020, 739, 139741.	8.0	26
18	Enantiomeric profiling of quinolones and quinolones resistance gene qnrS in European wastewaters. Water Research, 2020, 175, 115653.	11.3	36

#	Article	IF	CITATIONS
19	Assessment of human exposure to selected pesticides in Norway by wastewater analysis. Science of the Total Environment, 2020, 723, 138132.	8.0	32
20	Wastewater-based epidemiology to assess the occurrence of new psychoactive substances and alcohol consumption in Slovakia. Ecotoxicology and Environmental Safety, 2020, 200, 110762.	6.0	31
21	Risk assessment of a mixture of emerging contaminants in surface water in a highly urbanized area in Italy. Journal of Hazardous Materials, 2019, 361, 103-110.	12.4	129
22	Drug Use by Music Festival Attendees: A Novel Triangulation Approach Using Self-Reported Data and Test Results of Oral Fluid and Pooled Urine Samples. Substance Use and Misuse, 2019, 54, 2317-2327.	1.4	8
23	Flexible high resolution-mass spectrometry approach for screening new psychoactive substances in urban wastewater. Science of the Total Environment, 2019, 689, 679-690.	8.0	35
24	Simultaneous determination of new psychoactive substances and illicit drugs in sewage: Potential of micro-liquid chromatography tandem mass spectrometry in wastewater-based epidemiology. Journal of Chromatography A, 2019, 1602, 300-309.	3.7	41
25	Illicit drugs in drinking water. Current Opinion in Environmental Science and Health, 2019, 7, 92-97.	4.1	20
26	Data on occurrence and fate of emerging contaminants in a urbanised area. Data in Brief, 2018, 17, 533-543.	1.0	26
27	Monitoring emerging contaminants in the drinking water of Milan and assessment of the human risk. International Journal of Hygiene and Environmental Health, 2018, 221, 451-457.	4.3	101
28	Mass balance of emerging contaminants in the water cycle of a highly urbanized and industrialized area of Italy. Water Research, 2018, 131, 287-298.	11.3	89
29	Illicit drugs and pharmaceuticals in swimming pool waters. Science of the Total Environment, 2018, 635, 956-963.	8.0	20
30	Recent advances in analytical methods for the determination of 4-alkylphenols and bisphenol A in solid environmental matrices: AÂcritical review. Analytica Chimica Acta, 2018, 1024, 39-51.	5.4	41
31	Personal care products in surface, ground and wastewater of a complex aquifer system, a potential planning tool for contemporary urban settings. Journal of Environmental Management, 2018, 214, 76-85.	7.8	21
32	Mass spectrometric strategies for the investigation of biomarkers of illicit drug use in wastewater. Mass Spectrometry Reviews, 2018, 37, 258-280.	5.4	95
33	Enantiomeric profiling of chiral illicit drugs in a pan-European study. Water Research, 2018, 130, 151-160.	11.3	83
34	Quasi-SMILES as a tool to predict removal rates of pharmaceuticals and dyes in sewage. Chemical Engineering Research and Design, 2018, 118, 227-233.	5.6	11
35	Exposure of an urban population to pesticides assessed by wastewater-based epidemiology in a Caribbean island. Science of the Total Environment, 2018, 644, 129-136.	8.0	27
36	Wastewater-Based Epidemiology as a Novel Biomonitoring Tool to Evaluate Human Exposure To Pollutants. Environmental Science & Technology, 2018, 52, 10224-10226.	10.0	49

#	Article	IF	CITATIONS
37	Monitoring MDMA metabolites in urban wastewater as novel biomarkers of consumption. Water Research, 2017, 115, 1-8.	11.3	18
38	Wastewater-based epidemiology to assess human exposure to pyrethroid pesticides. Environment International, 2017, 99, 213-220.	10.0	65
39	Wastewater-based epidemiology to assess pan-European pesticide exposure. Water Research, 2017, 121, 270-279.	11.3	110
40	Monitoring a large number of pesticides and transformation products in water samples from Spain and Italy. Environmental Research, 2017, 156, 31-38.	7.5	66
41	Measuring biomarkers in wastewater as a new source of epidemiological information: Current state and future perspectives. Environment International, 2017, 99, 131-150.	10.0	209
42	Estimation of caffeine intake from analysis of caffeine metabolites in wastewater. Science of the Total Environment, 2017, 609, 1582-1588.	8.0	87
43	Illicit drug consumption in school populations measured by wastewater analysis. Drug and Alcohol Dependence, 2017, 178, 285-290.	3.2	22
44	Liquid chromatography-tandem mass spectrometry determination of synthetic cathinones and phenethylamines in influent wastewater of eight European cities. Chemosphere, 2017, 168, 1032-1041.	8.2	82
45	Source discrimination of drug residues in wastewater: The case of salbutamol. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2016, 1023-1024, 62-67.	2.3	19
46	Screening new psychoactive substances in urban wastewater using high resolution mass spectrometry. Analytical and Bioanalytical Chemistry, 2016, 408, 4297-4309.	3.7	52
47	Refining correction factors for back-calculation of illicit drug use. Science of the Total Environment, 2016, 573, 1648-1659.	8.0	107
48	Wastewater-Based Epidemiology To Monitor Synthetic Cathinones Use in Different European Countries. Environmental Science & Technology, 2016, 50, 10089-10096.	10.0	83
49	Monitoring population exposure to pesticides based on liquid chromatography-tandem mass spectrometry measurement of their urinary metabolites in urban wastewater: A novel biomonitoring approach. Science of the Total Environment, 2016, 571, 1349-1357.	8.0	66
50	Wastewater-based epidemiological evaluation of the effect of air pollution on short-acting beta-agonist consumption for acute asthma treatment. Environmental Research, 2016, 150, 106-111.	7.5	27
51	Illicit drug consumption estimated by wastewater analysis in different districts of <scp>M</scp> ilan: A case study. Drug and Alcohol Review, 2016, 35, 128-132.	2.1	12
52	Population surveys compared with wastewater analysis for monitoring illicit drug consumption in Italy in 2010–2014. Drug and Alcohol Dependence, 2016, 161, 178-188.	3.2	53
53	A nuanced picture of illicit drug use in 17 Italian cities through functional principal component analysis of temporal wastewater data. Zeitschrift Fur Gesundheitswissenschaften, 2016, 24, 165-174.	1.6	1
54	High resolution mass spectrometry to investigate omeprazole and venlafaxine metabolites in wastewater. Journal of Hazardous Materials, 2016, 302, 332-340.	12.4	34

ETTORE ZUCCATO

#	Article	IF	CITATIONS
55	Wastewater analysis to monitor use of caffeine and nicotine and evaluation of their metabolites as biomarkers for population size assessment. Water Research, 2015, 74, 23-33.	11.3	163
56	Realistic mixture of illicit drugs impaired the oxidative status of the zebra mussel (Dreissena) Tj ETQq0 0 0 rgBT	/Overlock	10 Jf 50 702
57	Alcohol and cocaine co-consumption in two European cities assessed by wastewater analysis. Science of the Total Environment, 2015, 536, 91-98.	8.0	78
58	Wastewater Analysis to Monitor Spatial and Temporal Patterns of Use of Two Synthetic Recreational Drugs, Ketamine and Mephedrone, in Italy. Environmental Science & Technology, 2015, 49, 5563-5570.	10.0	63
59	Prioritization and analysis of pharmaceuticals for human use contaminating the aquatic ecosystem in Italy. Journal of Pharmaceutical and Biomedical Analysis, 2015, 106, 71-78.	2.8	43
60	A novel approach for monitoring tobacco use in local communities by wastewater analysis. Tobacco Control, 2015, 24, 38-42.	3.2	135
61	Sources and fate of perfluorinated compounds in the aqueous environment and in drinking water of a highly urbanized and industrialized area in Italy. Journal of Hazardous Materials, 2015, 282, 51-60.	12.4	142
62	Presence of Illicit Drugs in the Sarno River (Campania Region, Italy). Pharmacology & Pharmacy, 2014, 05, 755-761.	0.7	1
63	The biofiltration process by the bivalve D. polymorpha for the removal of some pharmaceuticals and drugs of abuse from civil wastewaters. Ecological Engineering, 2014, 71, 710-721.	3.6	41
64	Sewage epidemiology and illicit drug research: The development of ethical research guidelines. Science of the Total Environment, 2014, 472, 550-555.	8.0	62
65	Evaluation of Uncertainties Associated with the Determination of Community Drug Use through the Measurement of Sewage Drug Biomarkers. Environmental Science & Technology, 2013, 47, 1452-1460.	10.0	320
66	Changes in illicit drug consumption patterns in 2009 detected by wastewater analysis. Drug and Alcohol Dependence, 2011, 118, 464-469.	3.2	88
67	Identification of cocaine and its metabolites in urban wastewater and comparison with the human excretion profile in urine. Water Research, 2011, 45, 5141-5150.	11.3	95
68	Illicit drug consumption estimations derived from wastewater analysis: A critical review. Science of the Total Environment, 2011, 409, 3564-3577.	8.0	335
69	The effect of waste combustion on the occurrence of polychlorinated dibenzo-p-dioxins (PCDDs), polychlorinated dibenzofurans (PCDFs) and polychlorinated biphenyls (PCBs) in breast milk in Italy. Chemosphere, 2011, 82, 1-8.	8.2	44
70	PCDD/Fs and dioxin-like PCBs in human milk and estimation of infants' daily intake: A review. Chemosphere, 2011, 83, 774-782.	8.2	81
71	Illicit Drugs as Emerging Contaminants. ACS Symposium Series, 2010, , 119-136.	0.5	4
72	Illicit drugs in the environment: Emerging contaminants and indicators of drug abuse. Integrated Environmental Assessment and Management, 2010, 6, 186-187.	2.9	8

#	Article	IF	CITATIONS
73	Source, occurrence and fate of antibiotics in the Italian aquatic environment. Journal of Hazardous Materials, 2010, 179, 1042-1048.	12.4	419
74	Polychlorobiphenyls (PCBs), polychlorinated dibenzo-p-dioxins (PCDDs) and dibenzofurans (PCDFs) in fruit and vegetables from an industrial area in northern Italy. Chemosphere, 2010, 79, 292-298.	8.2	48
75	Illicit drugs in the environment. Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences, 2009, 367, 3965-3978.	3.4	96
76	Mass spectrometric analysis of illicit drugs in wastewater and surface water. Mass Spectrometry Reviews, 2008, 27, 378-394.	5.4	127
77	Illicit drugs, a novel group of environmental contaminants. Water Research, 2008, 42, 961-968.	11.3	257
78	Novel homologs of the multiple resistance regulator marA in antibiotic-contaminated environments. Water Research, 2008, 42, 4271-4280.	11.3	50
79	First interlaboratory exercise on non-steroidal anti-inflammatory drugs analysis in environmental samples. Talanta, 2008, 76, 580-590.	5.5	56
80	PCB concentrations in some foods from four European countries. Food and Chemical Toxicology, 2008, 46, 1062-1067.	3.6	22
81	Effects and Interactions in an Environmentally Relevant Mixture of Pharmaceuticals. Toxicological Sciences, 2008, 102, 129-137.	3.1	180
82	Estimating Community Drug Abuse by Wastewater Analysis. Environmental Health Perspectives, 2008, 116, 1027-1032.	6.0	514
83	Gene expression profiles in zebrafish (Danio rerio) liver cells exposed to a mixture of pharmaceuticals at environmentally relevant concentrations. Chemosphere, 2007, 70, 65-73.	8.2	53
84	Direct analysis of isopropylthioxanthone (ITX) in milk by high-performance liquid chromatography/tandem mass spectrometry. Rapid Communications in Mass Spectrometry, 2007, 21, 1998-2002.	1.5	31
85	Removal of Pharmaceuticals in Sewage Treatment Plants in Italy. Environmental Science & Technology, 2006, 40, 357-363.	10.0	706
86	Effects of a Complex Mixture of Therapeutic Drugs at Environmental Levels on Human Embryonic Cells. Environmental Science & Technology, 2006, 40, 2442-2447.	10.0	417
87	Identification and Measurement of Illicit Drugs and Their Metabolites in Urban Wastewater by Liquid Chromatographyâ°'Tandem Mass Spectrometry. Analytical Chemistry, 2006, 78, 8421-8429.	6.5	392
88	Pharmaceuticals in the Environment in Italy: Causes, Occurrence, Effects and Control. Environmental Science and Pollution Research, 2006, 13, 15-21.	5.3	216
89	Identification of the pharmaceuticals for human use contaminating the Italian aquatic environment. Journal of Hazardous Materials, 2005, 122, 205-209.	12.4	337
90	A multiresidue analytical method using solid-phase extraction and high-pressure liquid chromatography tandem mass spectrometry to measure pharmaceuticals of different therapeutic classes in urban wastewaters. Journal of Chromatography A, 2005, 1092, 206-215.	3.7	340

#	Article	IF	CITATIONS
91	Cocaine in surface waters: a new evidence-based tool to monitor community drug abuse. Environmental Health, 2005, 4, 14.	4.0	445
92	Antibiotics in the Environment:Â Occurrence in Italian STPs, Fate, and Preliminary Assessment on Algal Toxicity of Amoxicillin. Environmental Science & Technology, 2004, 38, 6832-6838.	10.0	270
93	Methodological approaches for studying pharmaceuticals in the environment by comparing predicted and measured concentrations in River Po, Italy. Regulatory Toxicology and Pharmacology, 2004, 39, 25-32.	2.7	90
94	Strategic Survey of Therapeutic Drugs in the Rivers Po and Lambro in Northern Italy. Environmental Science & Technology, 2003, 37, 1241-1248.	10.0	557
95	Presence of therapeutic drugs in the environment. Lancet, The, 2000, 355, 1789-1790.	13.7	582
96	Identification and Measurement of Endogenous β-Oxidation Metabolites of 8-epi-Prostaglandin F2α. Journal of Biological Chemistry, 1999, 274, 1313-1319.	3.4	88
97	Level, sources and toxicity of polychlorinated biphenyls in the Italian diet. Chemosphere, 1999, 38, 2753-2765.	8.2	60
98	Reduction of urinary 8-epi-prostaglandin F2α during cyclo-oxygenase inhibition in rats but not in man. British Journal of Pharmacology, 1997, 121, 1770-1774.	5.4	42
99	Measurement of urinary 8-epi-prostaglandin f2α, a novel index of lipid peroxidation in vivo, by immunoaffinity extraction/gas chromatography-mass spectrometry. Basal levels in smokers and nonsmokers. Free Radical Biology and Medicine, 1996, 20, 619-624.	2.9	112
100	Utility of Hydrogen and Methane Breath Tests in Combination with X-Ray Examination after a Barium Meal in the Diagnosis of Small Bowel Bacterial Overgrowth after Jejuno-Ileal Bypass for Morbid Obesity. Obesity Surgery, 1994, 4, 144-148.	2.1	6
101	Role of bile acids and metabolic activity of colonic bacteria in increased risk of colon cancer after cholecystectomy. Digestive Diseases and Sciences, 1993, 38, 514-519.	2.3	85
102	The effects of S(â^) and R(+) sulpiride, metoclopramide, cisapride and domperidone on the small intestine suggest DA2-receptors are involved in the control of small intestinal transit time in rats. Pharmacological Research, 1992, 26, 179-185.	7.1	14
103	Indomethacin-induced enteropathy: Effect of the drug regimen on intestinal permeability in rats. Agents and Actions, 1992, 36, C18-C21.	0.7	4
104	High-performance liquid chromatographic determination of desmosine and isodesmosine after phenylisothiocyanate derivatization. Biomedical Applications, 1991, 572, 312-316.	1.7	9
105	Effect of Bile Salts on Carbonic Anhydrase from Rat and Human Gastric Mucosa. Scandinavian Journal of Gastroenterology, 1989, 24, 28-32.	1.5	12
106	Lactose Malabsorption and Recurrent Abdominal Pain in Italian Children. Journal of Pediatric Gastroenterology and Nutrition, 1988, 7, 852-857.	1.8	19
107	Investigation on the fate of orally administered deae-dextran in rats. Pharmacological Research Communications, 1987, 19, 405-413.	0.2	3
108	Evidence of a lack of enteric side-effects induced by DEAE-dextran in man. Pharmacological Research Communications, 1987, 19, 547-553.	0.2	2

#	Article	IF	CITATIONS
109	Long term â€~marine diet' in Eskimos is not associated with altered urinary excretion of total tetranor prostaglandin metabolites. Prostaglandins, 1985, 30, 465-477.	1.2	15
110	Respiratory excretion of hydrogen and methane in Italian subjects after ingestion of lactose and milk. European Journal of Clinical Investigation, 1983, 13, 261-266.	3.4	27
111	Small-Bowel Involvement in Dermatitis Herperiformis and in Linear-IgA Bullous Dermatosis. Journal of Clinical Gastroenterology, 1983, 5, 429-436.	2.2	14
112	Gas chromatographic determination of two fluorinated benzodiazepines in rats and mice. Journal of Chromatography A, 1980, 198, 180-184.	3.7	1
113	Glc Determination Of Ethylene Dichloride (Edc) In Biological Samples. Analytical Letters, 1980, 13, 363-370.	1.8	6
114	The role of respiration in vinyl chloride monomer excretion in rats. Toxicology Letters, 1980, 5, 213-217.	0.8	0
115	Effects of chronic treatment with DI-(2-ethylhexyl) phthalate on rat liver microsomal activities. Toxicology Letters, 1980, 6, 51-58.	0.8	5
116	Head-space Gas-chromatographic Analysis of Vinyl Chloride Monomer in Rat Blood and Tissues. Xenobiotica, 1979, 9, 27-31.	1.1	3
117	Determination of papaverine in human blood by electron capture-gas liquid chromatography. Journal of Pharmacological Methods, 1978, 1, 9-12.	0.7	3