

Martin R Bryce

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8185279/publications.pdf>

Version: 2024-02-01

556
papers

27,883
citations

6606

79
h-index

10724

138
g-index

597
all docs

597
docs citations

597
times ranked

16274
citing authors

#	ARTICLE	IF	CITATIONS
1	All-organic thermally activated delayed fluorescence materials for organic light-emitting diodes. <i>Nature Reviews Materials</i> , 2018, 3, .	23.3	1,097
2	Recent Advances in White Organic Light-Emitting Materials and Devices (WOLEDs). <i>Advanced Materials</i> , 2010, 22, 572-582.	11.1	1,017
3	Triplet Harvesting with 100% Efficiency by Way of Thermally Activated Delayed Fluorescence in Charge Transfer OLED Emitters. <i>Advanced Materials</i> , 2013, 25, 3707-3714.	11.1	861
4	Electron-transporting materials for organic electroluminescent and electrophosphorescent devices. <i>Journal of Materials Chemistry</i> , 2005, 15, 94.	6.7	595
5	Intermolecular Electronic Coupling of Organic Units for Efficient Persistent Room-Temperature Phosphorescence. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 2181-2185.	7.2	548
6	Recent progress on conducting organic charge-transfer salts. <i>Chemical Society Reviews</i> , 1991, 20, 355.	18.7	483
7	The Role of Local Triplet Excited States and D π A Relative Orientation in Thermally Activated Delayed Fluorescence: Photophysics and Devices. <i>Advanced Science</i> , 2016, 3, 1600080.	5.6	403
8	Single Molecular Conductance of Tolanes: Experimental and Theoretical Study on the Junction Evolution Dependent on the Anchoring Group. <i>Journal of the American Chemical Society</i> , 2012, 134, 2292-2304.	6.6	381
9	Functionalised tetrathiafulvalenes: new applications as versatile π -electron systems in materials chemistry. <i>Journal of Materials Chemistry</i> , 2000, 10, 589-598.	6.7	348
10	Tetrathiafulvalenes as π -Electron Donors for Intramolecular Charge-Transfer Materials. <i>Advanced Materials</i> , 1999, 11, 11-23.	11.1	327
11	Precision control of single-molecule electrical junctions. <i>Nature Materials</i> , 2006, 5, 995-1002.	13.3	294
12	Single-Molecule Conductance of Functionalized Oligoynes: Length Dependence and Junction Evolution. <i>Journal of the American Chemical Society</i> , 2013, 135, 12228-12240.	6.6	277
13	Highly Efficient TADF OLEDs: How the Emitter-Host Interaction Controls Both the Excited State Species and Electrical Properties of the Devices to Achieve Near 100% Triplet Harvesting and High Efficiency. <i>Advanced Functional Materials</i> , 2014, 24, 6178-6186.	7.8	273
14	Current trends in tetrathiafulvalene chemistry: towards increased dimensionality. <i>Journal of Materials Chemistry</i> , 1995, 5, 1481.	6.7	249
15	Rational Design of TADF Polymers Using a Donor-Acceptor Monomer with Enhanced TADF Efficiency Induced by the Energy Alignment of Charge Transfer and Local Triplet Excited States. <i>Advanced Optical Materials</i> , 2016, 4, 597-607.	3.6	235
16	Regio- and conformational isomerization critical to design of efficient thermally-activated delayed fluorescence emitters. <i>Nature Communications</i> , 2017, 8, 14987.	5.8	235
17	Intramolecular Charge Transfer Controls Switching Between Room Temperature Phosphorescence and Thermally Activated Delayed Fluorescence. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 16407-16411.	7.2	230
18	Using Guest-Host Interactions To Optimize the Efficiency of TADF OLEDs. <i>Journal of Physical Chemistry Letters</i> , 2016, 7, 3341-3346.	2.1	227

#	ARTICLE	IF	CITATIONS
19	Planar chiral 2-ferrocenyloxazolines and 1,1-bis(oxazolyl)ferrocenes' syntheses and applications in asymmetric catalysis. <i>Tetrahedron: Asymmetry</i> , 2003, 14, 2297-2325.	1.8	220
20	The interplay of thermally activated delayed fluorescence (TADF) and room temperature organic phosphorescence in sterically-constrained donor-acceptor charge-transfer molecules. <i>Chemical Communications</i> , 2016, 52, 2612-2615.	2.2	217
21	Achieving remarkable mechanochromism and white-light emission with thermally activated delayed fluorescence through the molecular heredity principle. <i>Chemical Science</i> , 2016, 7, 2201-2206.	3.7	210
22	Oligoyne Single Molecule Wires. <i>Journal of the American Chemical Society</i> , 2009, 131, 15647-15654.	6.6	206
23	Organic metals. <i>Nature</i> , 1984, 309, 119-126.	13.7	191
24	Experimental Evidence for Quantum Interference and Vibrationally Induced Decoherence in Single-Molecule Junctions. <i>Physical Review Letters</i> , 2012, 109, 056801.	2.9	185
25	Electrical Conductance of Conjugated Oligomers at the Single Molecule Level. <i>Journal of the American Chemical Society</i> , 2008, 130, 1080-1084.	6.6	180
26	Molecules with Exceptionally Small HOMO-LUMO Gaps. <i>Angewandte Chemie - International Edition</i> , 2005, 44, 5370-5373.	7.2	175
27	Engineering the singlet-triplet energy splitting in a TADF molecule. <i>Journal of Materials Chemistry C</i> , 2016, 4, 3815-3824.	2.7	175
28	A quantum circuit rule for interference effects in single-molecule electrical junctions. <i>Nature Communications</i> , 2015, 6, 6389.	5.8	164
29	Electrical and Magnetic Properties and X-Ray Structure of a Highly Conductive 4:1 Complex of Tetracyanoquinodimethane and a Tetrathiafulvalene Derivative. <i>Angewandte Chemie International Edition in English</i> , 1990, 29, 1450-1452.	4.4	157
30	Intermolecular Electronic Coupling of Organic Units for Efficient Persistent Room-Temperature Phosphorescence. <i>Angewandte Chemie</i> , 2016, 128, 2221-2225.	1.6	156
31	An Efficient Pyridine- and Oxadiazole-Containing Hole-Blocking Material for Organic Light-Emitting Diodes: Synthesis, Crystal Structure, and Device Performance. <i>Chemistry of Materials</i> , 2001, 13, 1167-1173.	3.2	149
32	Dinuclear metal complexes: multifunctional properties and applications. <i>Chemical Society Reviews</i> , 2020, 49, 765-838.	18.7	148
33	Electrically conductive Langmuir-Blodgett films of charge-transfer materials. <i>Nature</i> , 1995, 374, 771-776.	13.7	147
34	Pendant Homopolymer and Copolymers as Solution-Processable Thermally Activated Delayed Fluorescence Materials for Organic Light-Emitting Diodes. <i>Macromolecules</i> , 2016, 49, 5452-5460.	2.2	145
35	Triazatruxene: A Rigid Central Donor Unit for a Thermally Activated Delayed Fluorescence Material Exhibiting Sub-Microsecond Reverse Intersystem Crossing and Unity Quantum Yield via Multiple Singlet-Triplet State Pairs. <i>Advanced Science</i> , 2018, 5, 1700989.	5.6	145
36	Protonation and Subsequent Intramolecular Hydrogen Bonding as a Method to Control Chain Structure and Tune Luminescence in Heteroatomic Conjugated Polymers. <i>Journal of the American Chemical Society</i> , 2002, 124, 6049-6055.	6.6	137

#	ARTICLE	IF	CITATIONS
37	Ionic Iridium(III) Complexes with Bulky Side Groups for Use in Light Emitting Cells: Reduction of Concentration Quenching. <i>Advanced Functional Materials</i> , 2009, 19, 2038-2044.	7.8	136
38	White polymeric light-emitting diode based on a fluorene polymer- Ir complex blend system. <i>Applied Physics Letters</i> , 2005, 86, 121101.	1.5	134
39	Intramolecular Charge Transfer Assisted by Conformational Changes in the Excited State of Fluorene-dibenzothiophene-S,S-dioxide Co-oligomers. <i>Journal of Physical Chemistry B</i> , 2006, 110, 19329-19339.	1.2	130
40	Dual emission in purely organic materials for optoelectronic applications. <i>Materials Horizons</i> , 2021, 8, 33-55.	6.4	129
41	Chemosensor devices: voltammetric molecular recognition at solid interfaces. <i>Journal of Materials Chemistry</i> , 1999, 9, 1957-1974.	6.7	127
42	Achieving very bright mechanoluminescence from purely organic luminophores with aggregation-induced emission by crystal design. <i>Chemical Science</i> , 2016, 7, 5307-5312.	3.7	125
43	Identifying Diversity in Nanoscale Electrical Break Junctions. <i>Journal of the American Chemical Society</i> , 2010, 132, 9157-9164.	6.6	124
44	New electroluminescent bipolar compounds for balanced charge-transport and tuneable colour in organic light emitting diodes: triphenylamine-oxadiazole-fluorene triad molecules. <i>Journal of Materials Chemistry</i> , 2006, 16, 3823-3835.	6.7	122
45	Functionalized Pyridylboronic Acids and Their Suzuki Cross-Coupling Reactions To Yield Novel Heteroarylpyridines. <i>Journal of Organic Chemistry</i> , 2002, 67, 7541-7543.	1.7	121
46	Electrochemical Control of Single-Molecule Conductance by Fermi-Level Tuning and Conjugation Switching. <i>Journal of the American Chemical Society</i> , 2014, 136, 17922-17925.	6.6	119
47	Dibenzothiophene-S,S-dioxide-fluorene co-oligomers. Stable, highly-efficient blue emitters with improved electron affinity. <i>Chemical Communications</i> , 2005, , 3397.	2.2	118
48	New electron-transporting materials for light emitting diodes: 1,3,4-oxadiazole-pyridine and 1,3,4-oxadiazole-pyrimidine hybrids. <i>Journal of Materials Chemistry</i> , 2002, 12, 173-180.	6.7	116
49	Tuning the Intramolecular Charge Transfer Emission from Deep Blue to Green in Ambipolar Systems Based on Dibenzothiophene-S,S-Dioxide by Manipulation of Conjugation and Strength of the Electron Donor Units. <i>Journal of Organic Chemistry</i> , 2010, 75, 6771-6781.	1.7	114
50	Soluble, conducting polymers from 3-substituted thiophenes and pyrroles. <i>Journal of the Chemical Society Chemical Communications</i> , 1987, , 466.	2.0	113
51	A Redox-Active Tetrathiafulvalene [2]Pseudorotaxane: A Spectroelectrochemical and Cyclic Voltammetric Studies of the Highly-Reversible Complexation/Decomplexation Process. <i>Journal of Organic Chemistry</i> , 1997, 62, 885-887.	1.7	113
52	Synthesis of Novel Phthalocyanine-Tetrathiafulvalene Hybrids; Intramolecular Fluorescence Quenching Related to Molecular Geometry. <i>Journal of Organic Chemistry</i> , 2002, 67, 9130-9139.	1.7	112
53	Efficient Deep-Blue Electroluminescence from an Ambipolar Fluorescent Emitter in a Single-Active-Layer Device. <i>Chemistry of Materials</i> , 2011, 23, 1640-1642.	3.2	112
54	Improved Syntheses of Carboxytetrathiafulvalene, Formyltetrathiafulvalene and (Hydroxymethyl)tetrathiafulvalene 1: Versatile Building Blocks for New Functionalised Tetrathiafulvalene Derivatives. <i>Synthesis</i> , 1994, 1994, 489-493.	1.2	111

#	ARTICLE	IF	CITATIONS
55	Oligo(aryleneethynylene)s with Terminal Pyridyl Groups: Synthesis and Length Dependence of the Tunneling-to-Hopping Transition of Single-Molecule Conductances. <i>Chemistry of Materials</i> , 2013, 25, 4340-4347.	3.2	110
56	The HOF structures of nitrotetraphenylethene derivatives provide new insights into the nature of AIE and a way to design mechanoluminescent materials. <i>Chemical Science</i> , 2017, 8, 1163-1168.	3.7	110
57	Tris-Cyclometalated Iridium(III) Complexes of Carbazole(flourenyl)pyridine Ligands: Synthesis, Redox and Photophysical Properties, and Electrophosphorescent Light-Emitting Diodes. <i>Chemistry - A European Journal</i> , 2007, 13, 1423-1431.	1.7	109
58	Exploiting a Dual Fluorescence Process in Fluorene-Dibenzothiophene-Diiodide Copolymers to Give Efficient Single Polymer LEDs with Broadened Emission. <i>Advanced Functional Materials</i> , 2009, 19, 586-591.	7.8	108
59	Cyclometalated Ir(III) Complexes for High-Efficiency Solution-Processable Blue PhOLEDs. <i>Chemistry of Materials</i> , 2013, 25, 2352-2358.	3.2	108
60	Palladium-Catalyzed Cross-Coupling Reactions of Pyridylboronic Acids with Heteroaryl Halides Bearing a Primary Amine Group: A Synthesis of Highly Substituted Bipyridines and Pyrazinopyridines. <i>Journal of Organic Chemistry</i> , 2005, 70, 388-390.	1.7	106
61	The First Studies of a Tetrathiafulvalene- π -Acceptor Molecular Rectifier. <i>Chemistry - A European Journal</i> , 2005, 11, 2914-2922.	1.7	106
62	Cationic Bis-cyclometalated Iridium(III) Phenanthroline Complexes with Pendant Fluorenyl Substituents: Synthesis, Redox, Photophysical Properties and Light-Emitting Cells. <i>Chemistry - A European Journal</i> , 2008, 14, 933-943.	1.7	105
63	A Covalent Tetrathiafulvalene-Tetracyanoquinodimethane Diad: Extremely Low HOMO-LUMO Gap, Thermoexcited Electron Transfer, and High-Quality Langmuir-Blodgett Films. <i>Angewandte Chemie - International Edition</i> , 2003, 42, 4636-4639.	7.2	104
64	Molecular Wires Comprising π -Extended Ethynyl- and Butadiynyl-2,5-Diphenyl-1,3,4-Oxadiazole Derivatives: A Synthesis, Redox, Structural, and Optoelectronic Properties. <i>Journal of the American Chemical Society</i> , 2006, 128, 3789-3799.	6.6	104
65	Highly conjugated π -electron donors for organic metals: synthesis and redox chemistry of new 1,3-dithiole and 1,3-selenathiole derivatives. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1991, , 157-168.	0.9	103
66	Very High Efficiency Orange-Red Light-Emitting Devices with Low Roll-Off at High Luminance Based on an Ideal Host-Guest System Consisting of Two Novel Phosphorescent Iridium Complexes with Bipolar Transport. <i>Advanced Functional Materials</i> , 2014, 24, 7420-7426.	7.8	100
67	Solution-Processable Thermally Activated Delayed Fluorescence White OLEDs Based on Dual-Emission Polymers with Tunable Emission Colors and Aggregation-Enhanced Emission Properties. <i>Advanced Optical Materials</i> , 2017, 5, 1700435.	3.6	99
68	Intramolecular Charge Transfer Controls Switching Between Room Temperature Phosphorescence and Thermally Activated Delayed Fluorescence. <i>Angewandte Chemie</i> , 2018, 130, 16645-16649.	1.6	98
69	Molecular Design Strategies for Color Tuning of Blue TADF Emitters. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 27125-27133.	4.0	97
70	Colour tuning from green to red by substituent effects in phosphorescent tris-cyclometalated iridium(III) complexes of carbazole-based ligands: synthetic, photophysical, computational and high efficiency OLED studies. <i>Journal of Materials Chemistry</i> , 2012, 22, 6419.	6.7	96
71	Combined aggregation induced emission (AIE), photochromism and photoresponsive wettability in simple dichloro-substituted triphenylethylene derivatives. <i>Chemical Science</i> , 2016, 7, 5302-5306.	3.7	95
72	Novel Emitting System Based on a Multifunctional Bipolar Phosphor: An Effective Approach for Highly Efficient Warm-White Light-Emitting Devices with High Color-Rendering Index at High Luminance. <i>Advanced Materials</i> , 2016, 28, 5963-5968.	11.1	92

#	ARTICLE	IF	CITATIONS
73	Langmuir-Blodgett alignment of zwitterionic optically non-linear D π A materials. Journal of the Chemical Society, Faraday Transactions, 1990, 86, 1117-1121.	1.7	91
74	Cation Recognition by Self-Assembled Layers of Novel Crown-Annulated Tetrathiafulvalenes. Advanced Materials, 1998, 10, 395-398.	11.1	87
75	AIE Multinuclear Ir(III) Complexes for Biocompatible Organic Nanoparticles with Highly Enhanced Photodynamic Performance. Advanced Science, 2019, 6, 1802050.	5.6	87
76	Selective sensing of 2,4,6-trinitrophenol (TNP) in aqueous media with aggregation-induced emission enhancement-(AIEE)-active iridium complexes. Chemical Communications, 2018, 54, 1730-1733.	2.2	85
77	A biosensor for monitoring formaldehyde using a new lipophilic tetrathiafulvalene-tetracyanoquinodimethane salt and a polyurethane membrane. Talanta, 2002, 56, 451-458.	2.9	83
78	The contributions of molecular vibrations and higher triplet levels to the intersystem crossing mechanism in metal-free organic emitters. Journal of Materials Chemistry C, 2017, 5, 6269-6280.	2.7	83
79	Unambiguous <i>One</i> -Molecule Conductance Measurements under Ambient Conditions. Nano Letters, 2011, 11, 2236-2241.	4.5	81
80	Arylsilanes and siloxanes as optoelectronic materials for organic light-emitting diodes (OLEDs). Journal of Materials Chemistry C, 2015, 3, 9496-9508.	2.7	80
81	Colour tuning of blue electroluminescence using bipolar carbazole-oxadiazole molecules in single-active-layer organic light emitting devices (OLEDs). Journal of Materials Chemistry, 2012, 22, 11816.	6.7	79
82	Persistent Dimer Emission in Thermally Activated Delayed Fluorescence Materials. Journal of Physical Chemistry C, 2019, 123, 11109-11117.	1.5	79
83	Dendritic Macromolecules Incorporating Tetrathiafulvalene Units. Angewandte Chemie International Edition in English, 1994, 33, 1761-1763.	4.4	74
84	The Boronic Mannich Reaction in a Solid-Phase Approach. Tetrahedron, 2000, 56, 10023-10030.	1.0	74
85	New 2,5-diaryl-1,3,4-oxadiazole-fluorene hybrids as electron transporting materials for blended-layer organic light emitting diodes. Journal of Materials Chemistry, 2005, 15, 194-203.	6.7	74
86	Macromolecular tetrathiafulvalene chemistry. Chemical Communications, 1998, , 945-952.	2.2	73
87	Thermally Induced Defluorination during a <i>mer</i> to <i>fac</i> Transformation of a Blue-Green Phosphorescent Cyclometalated Iridium(III) Complex. Inorganic Chemistry, 2012, 51, 290-297.	1.9	73
88	Langmuir-Blodgett films of C60. Thin Solid Films, 1992, 209, 150-152.	0.8	72
89	Towards highly oriented polythiophenes incorporating mesogenic or tetrathiafulvalene substituents. Synthetic Metals, 1991, 39, 397-400.	2.1	69
90	New vinyllogous tetrathiafulvalene (TTF) π -electron donors. Tetrahedron Letters, 1992, 33, 1373-1376.	0.7	69

#	ARTICLE	IF	CITATIONS
91	Synthesis, spectroscopy and electrochemistry of phthalocyanine derivatives functionalised with four and eight peripheral tetrathiafulvalene units. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1997, , 1671-1678.	0.9	69
92	A neutral dinuclear Ir(III) complex for anti-counterfeiting and data encryption. <i>Chemical Communications</i> , 2017, 53, 3022-3025.	2.2	68
93	Photochemistry of the "Extended 9,10-Bis(1,3-dithiol-2-ylidene)-9,10-dihydroanthracene System: Generation and Characterisation of the Radical Cation, Dication, and Derived Products. <i>Chemistry - A European Journal</i> , 2001, 7, 973-978.	1.7	67
94	Dipolar Stabilization of Emissive Singlet Charge Transfer Excited States in Polyfluorene Copolymers. <i>Journal of Physical Chemistry B</i> , 2008, 112, 6557-6566.	1.2	67
95	Solvent Dependence of the Single Molecule Conductance of Oligoynes-Based Molecular Wires. <i>Journal of Physical Chemistry C</i> , 2016, 120, 15666-15674.	1.5	67
96	Highly Efficient, Solution-Processed, Single-Layer, Electrophosphorescent Diodes and the Effect of Molecular Dipole Moment. <i>Advanced Functional Materials</i> , 2011, 21, 2376-2382.	7.8	66
97	Radical-Enhanced Charge Transport in Single-Molecule Phenothiazine Electrical Junctions. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 13061-13065.	7.2	66
98	Apparatus for two-probe conductivity measurements on compressed powders. <i>Journal of Chemical Education</i> , 1990, 67, 717.	1.1	65
99	Bimetallic Cyclometalated Iridium(III) Diastereomers with Non-Innocent Bridging Ligands for High-Efficiency Phosphorescent OLEDs. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 11616-11619.	7.2	65
100	Synthesis and Spectroscopy of Poly(9,9-dioctylfluorene-2,7-diyl-co-2,8-dihexyldibenzothiophene-5,5'-dioxide-3,7-diyl)s: Solution-Processable, Deep-Blue Emitters with a High Triplet Energy. <i>Macromolecules</i> , 2010, 43, 4481-4488.	2.2	64
101	Bis- and tris(tetrathiafulvalenes) (TTFs) derived from reactions of the TTF-thiolate anion. <i>Journal of Organic Chemistry</i> , 1992, 57, 4859-4862.	1.7	63
102	Synthesis of Pyrazinoporphyrazine Derivatives Functionalised with Tetrathiafulvalene (TTF) Units: X-Ray Crystal Structures of Two Related ttf Cyclophanes and Two Bis(1,3-dithiole-2-thione) Intermediates. <i>Chemistry - A European Journal</i> , 1997, 3, 1679-1690.	1.7	63
103	Bipolar Molecules with High Triplet Energies: Synthesis, Photophysical, and Structural Properties. <i>Journal of Organic Chemistry</i> , 2011, 76, 8300-8310.	1.7	63
104	New AIE-active dinuclear Ir(III) complexes with reversible piezochromic phosphorescence behaviour. <i>Chemical Communications</i> , 2015, 51, 13036-13039.	2.2	63
105	A review of functional linear carbon chains (oligoynes, polyynes, cumulenes) and their applications as molecular wires in molecular electronics and optoelectronics. <i>Journal of Materials Chemistry C</i> , 2021, 9, 10524-10546.	2.7	63
106	New pyrimidine- and fluorene-containing oligo(arylene)s: synthesis, crystal structures, optoelectronic properties and a theoretical study. <i>Organic and Biomolecular Chemistry</i> , 2003, 1, 3069-3077.	1.5	62
107	Bridged diiridium complexes for electrophosphorescent OLEDs: synthesis, X-ray crystal structures, photophysics, and devices. <i>Journal of Materials Chemistry</i> , 2006, 16, 1046.	6.7	61
108	Porphyrim, Phthalocyanine and Porphyrazine Derivatives with Multifluorenyl Substituents as Efficient Deep-Red Emitters. <i>Chemistry - A European Journal</i> , 2007, 13, 6710-6717.	1.7	61

#	ARTICLE	IF	CITATIONS
109	New ionic dinuclear Ir(III) Schiff base complexes with aggregation-induced phosphorescent emission (AIPE). <i>Chemical Communications</i> , 2014, 50, 6977-6980.	2.2	61
110	Bond Rotations and Heteroatom Effects in Donor-Acceptor-Donor Molecules: Implications for Thermally Activated Delayed Fluorescence and Room Temperature Phosphorescence. <i>Journal of Organic Chemistry</i> , 2018, 83, 14431-14442.	1.7	61
111	A (Î€-Extended Tetrathiafulvalene)-Fluorene Conjugate. Unusual Electrochemistry and Charge Transfer Properties: A The First Observation of a Covalent D ₂ +Î¶f-Redox State. <i>Journal of the American Chemical Society</i> , 2002, 124, 14227-14238.	6.6	60
112	Quantum interference and heteroaromaticity of para- and meta-linked bridged biphenyl units in single molecular conductance measurements. <i>Scientific Reports</i> , 2017, 7, 1794.	1.6	59
113	The influence of molecular conformation on the photophysics of organic room temperature phosphorescent luminophores. <i>Journal of Materials Chemistry C</i> , 2018, 6, 9238-9247.	2.7	59
114	Generation and Trapping of Phosphorus Stabilized 4,5-Ethylenedithio-1,3-dithiol-2-ide Carbanions: Synthesis of Ethylenedithio-1,3-dithiafulvalenes. <i>Synthesis</i> , 1991, 1991, 26-28.	1.2	58
115	Chiral ferrocenyl-oxazolines incorporating thioether units: effective ligands for palladium-catalysed allylic substitution. <i>Tetrahedron: Asymmetry</i> , 1997, 8, 2337-2346.	1.8	58
116	(N-Methylthiocarbamoyl)tetrathiafulvalene derivatives and their radical cations: synthetic and X-ray structural studies. <i>Journal of Materials Chemistry</i> , 1998, 8, 1541-1550.	6.7	58
117	Electron Acceptors of the Fluorene Series. 10.1 Novel Acceptors Containing Butylsulfanyl, Butylsulfinyl, and Butylsulfonyl Substituents: A Synthesis, Cyclic Voltammetry, Charge-Transfer Complexation with Anthracene in Solution, and X-ray Crystal Structures of Two Tetrathiafulvalene Complexes. <i>Journal of Organic Chemistry</i> , 2000, 65, 3053-3063.	1.7	58
118	Synthesis and crystal engineering of new halogenated tetrathiafulvalene (TTF) derivatives and their charge transfer complexes and radical ion salts. <i>Journal of Materials Chemistry</i> , 2001, 11, 2181-2191.	6.7	58
119	New Crown Annelated Tetrathiafulvalenes: A Synthesis, Electrochemistry, Self-Assembly of Thiol Derivatives, and Metal Cation Recognition. <i>Journal of Organic Chemistry</i> , 2000, 65, 8269-8276.	1.7	57
120	Determination of the attenuation factor in fluorene-based molecular wires. <i>Chemical Communications</i> , 2007, , 5164.	2.2	57
121	Donor-Acceptor Species Derived from Functionalised 1,3-Dithiol-2-ylidene Anthracene Donor Units Exhibiting Photoinduced Electron Transfer Properties: Spectroscopic, Electrochemical, X-Ray Crystallographic and Theoretical Studies. <i>Chemistry - A European Journal</i> , 1998, 4, 2580-2592.	1.7	56
122	Single-molecule electrical studies on a 7 nm long molecular wire. <i>Chemical Communications</i> , 2006, , 4706.	2.2	56
123	Transition from Tunneling Leakage Current to Molecular Tunneling in Single-Molecule Junctions. <i>CheM</i> , 2019, 5, 390-401.	5.8	56
124	A highly conducting tetrathiafulvalene Langmuir-Blodgett film. <i>Thin Solid Films</i> , 1988, 165, L97-L100.	0.8	55
125	Synthesis and aggregation of a phthalocyanine symmetrically-functionalized with eight tetrathiafulvalene units. <i>Advanced Materials</i> , 1996, 8, 63-65.	11.1	55
126	Synthesis of new axially-disubstituted silicon-phthalocyanine derivatives: optical and structural characterisation. <i>Tetrahedron</i> , 2006, 62, 9433-9439.	1.0	54

#	ARTICLE	IF	CITATIONS
127	Bis(tetrathiofulvalenyl)sulphide [(TTF)2S] : synthesis and x-ray crystal structure. Tetrahedron Letters, 1992, 33, 1783-1786.	0.7	53
128	New 1,3-dithiol-2-ylidene donor-acceptor chromophores with intramolecular charge-transfer properties, and related donor-acceptor molecules: synthesis, electrochemistry, X-ray crystal structures, non-linear optical properties and theoretical calculations. Journal of Materials Chemistry, 1998, 8, 1173-1184.	6.7	53
129	Efficient Light-Emitting Electrochemical Cells (LECs) Based on Ionic Iridium(III) Complexes with 1,3,4-Oxadiazole Ligands. Advanced Functional Materials, 2013, 23, 4667-4677.	7.8	53
130	The influence of molecular geometry on the efficiency of thermally activated delayed fluorescence. Journal of Materials Chemistry C, 2019, 7, 6672-6684.	2.7	53
131	Rational design of iridium-porphyrin conjugates for novel synergistic photodynamic and photothermal therapy anticancer agents. Chemical Science, 2021, 12, 5918-5925.	3.7	53
132	Synthesis, x-ray crystal structure and multistage redox properties of a severely-distorted tetrathiafulvalene donor. Tetrahedron Letters, 1991, 32, 6029-6032.	0.7	52
133	New functionalized tetrathiafulvalenes: X-ray crystal structures and physico-chemical properties of TTF-C(O)NMe ₂ and TTF-C(O)-C ₄ H ₉ : a joint experimental and theoretical study. Journal of Materials Chemistry, 1995, 5, 1689-1696.	6.7	52
134	Electron Acceptors of the Fluorene Series. 9.1 Derivatives of 9-(1,2-Dithiol-3-ylidene)-, 9-(1,3-Dithiol-2-ylidene)-, and 9-(1,3-Selenathiol-2-ylidene)fluorenes: Synthesis, Intramolecular Charge Transfer, and Redox Properties. Journal of Organic Chemistry, 1999, 64, 6937-6950.	1.7	52
135	Photophysics of an Asymmetric Donor-Acceptor Donor ² TADF Molecule and Reinterpretation of Aggregation-Induced TADF Emission in These Materials. Journal of Physical Chemistry C, 2017, 121, 17764-17772.	1.5	52
136	Balancing charge-transfer strength and triplet states for deep-blue thermally activated delayed fluorescence with an unconventional electron rich dibenzothiophene acceptor. Journal of Materials Chemistry C, 2019, 7, 13224-13234.	2.7	52
137	New bis(ethylenedithio)tetrathiafulvalene derivatives with low oxidation potentials. Journal of the Chemical Society Chemical Communications, 1991, , 320.	2.0	51
138	Covalently attached ferrocene and tetrathiafulvalene redox systems. Journal of the Chemical Society Chemical Communications, 1993, , 417.	2.0	51
139	Electron Acceptors of the Fluorene Series. 7.12,7-Dicyano-4,5-dinitro-9-X-fluorenes: Synthesis, Cyclic Voltammetry, Charge Transfer Complexation with N-Propylcarbazole in Solution, and X-ray Crystal Structures of Two Tetrathiafulvalene Complexes. Journal of Organic Chemistry, 1998, 63, 6484-6493.	1.7	51
140	Functionalised Oligoenes with Unusual Topologies: Synthesis, Electrochemistry and Structural Studies on Redox-Active [3]- and [4]-Dendralenes. Chemistry - A European Journal, 2000, 6, 1955-1962.	1.7	51
141	Recent advances in oligomers/polymers with unconventional chromophores. Materials Chemistry Frontiers, 2021, 5, 60-75.	3.2	51
142	Synthesis of Monofunctionalized Tetrathiafulvalene (TTF) Derivatives by Reactions of Tetrathiafulvalenyllithium with Electrophiles: X-ray Crystal Structures of Four TTF Derivatives Bearing Amide, Thioamide, and Thioester Substituents. Chemistry of Materials, 1994, 6, 1419-1425.	3.2	49
143	Optical and Electrochemical Properties of Metallophthalocyanine Derivative Langmuir-Blodgett Films. Langmuir, 1996, 12, 472-476.	1.6	49
144	Probing Charge Separation in Structurally Different C ₆₀ /exTTF Ensembles. Journal of Organic Chemistry, 2003, 68, 7711-7721.	1.7	49

#	ARTICLE	IF	CITATIONS
145	Variable contact gap single-molecule conductance determination for a series of conjugated molecular bridges. <i>Journal of Physics Condensed Matter</i> , 2008, 20, 374119.	0.7	49
146	Efficient Intramolecular Charge Transfer in Oligoynes-Linked Donor-Acceptor Molecules. <i>Chemistry - A European Journal</i> , 2010, 16, 1470-1479.	1.7	49
147	Experimental and Computational Studies of the Single-Molecule Conductance of Ru(II) and Pt(II) <i>trans</i> -Bis(acetylide) Complexes. <i>Organometallics</i> , 2016, 35, 2944-2954.	1.1	49
148	Synthesis and electrochemistry of a tetrathiafulvalene (TTF)-glycol dendrimer: intradendrimer aggregation of TTF cation radicals. <i>Chemical Communications</i> , 1998, , 509-510.	2.2	48
149	Nanoscale Aryleneethynylene Molecular Wires with Reversible Fluorenone Electrochemistry for Self-Assembly onto Metal Surfaces. <i>Organic Letters</i> , 2004, 6, 2181-2184.	2.4	48
150	The interplay of conformation and photophysical properties in deep-blue fluorescent oligomers. <i>Chemical Communications</i> , 2010, 46, 4812.	2.2	48
151	Correlation of breaking forces, conductances and geometries of molecular junctions. <i>Scientific Reports</i> , 2015, 5, 9002.	1.6	48
152	Rational design and characterization of heteroleptic phosphorescent iridium(III) complexes for highly efficient deep-blue OLEDs. <i>Journal of Materials Chemistry C</i> , 2016, 4, 10246-10252.	2.7	48
153	Fluorescent phthalocyanine dimers: a steady state and flash photolysis study. <i>Photochemical and Photobiological Sciences</i> , 2002, 1, 581-587.	1.6	47
154	Vibrational Damping Reveals Vibronic Coupling in Thermally Activated Delayed Fluorescence Materials. <i>Chemistry of Materials</i> , 2021, 33, 3066-3080.	3.2	47
155	Selective electrochemical magnesium and calcium sensors based on non-macrocyclic nitrogen-containing ferrocene ligands. <i>Chemical Communications</i> , 1998, , 677-678.	2.2	46
156	Engineering a Remarkably Low HOMO-LUMO Gap by Covalent Linkage of a Strong -Donor and a -Acceptor-Tetrathiafulvalene-Polynitrofluorene Diads: Their Amphoteric Redox Behavior, Electron Transfer and Spectroscopic Properties. <i>Chemistry - A European Journal</i> , 2002, 8, 4656-4669.	1.7	46
157	Surface confined pseudorotaxanes with electrochemically controllable complexation properties Electronic supplementary information (ESI) available: further experimental and theoretical data. See http://www.rsc.org/suppdata/jm/b3/b306274r/ . <i>Journal of Materials Chemistry</i> , 2003, 13, 2111.	6.7	46
158	Trifluoromethyl-substituted pyridyl- and pyrazolylboronic acids and esters: synthesis and Suzuki-Miyaura cross-coupling reactions. <i>Organic and Biomolecular Chemistry</i> , 2009, 7, 2155.	1.5	46
159	Heteroatom-Induced Molecular Asymmetry Tunes Quantum Interference in Charge Transport through Single-Molecule Junctions. <i>Journal of Physical Chemistry C</i> , 2018, 122, 14965-14970.	1.5	46
160	The synthesis of 4,4'-(5'-diformyltetrathiafulvalene. <i>Tetrahedron Letters</i> , 1994, 35, 9243-9246.	0.7	45
161	1,4-Dithiafulvene-substituted ferrocenes and their conversion into extended tetrathiafulvalene electron donors: synthetic, electrochemical and X-ray structural studies. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1997, , 3443-3450.	0.9	45
162	Thermally Activated Delayed Fluorescence in Cu(I) Complexes Originating from Restricted Molecular Vibrations. <i>Chemistry - A European Journal</i> , 2017, 23, 11761-11766.	1.7	45

#	ARTICLE	IF	CITATIONS
163	Synthesis and cyclic voltammetric behaviour of some 3-substituted thiophenes and pyrroles: Precursors for the preparation of conducting polymers. <i>Synthetic Metals</i> , 1988, 26, 153-168.	2.1	44
164	Trialkyltetrathiafulvalene- π -Tetracyanoanthraquinodimethane (R ₃ TTF- π -TCNAQ) Diads: Synthesis, Intramolecular Charge-Transfer Properties, and X-ray Crystal Structure. <i>Journal of Organic Chemistry</i> , 2001, 66, 4517-4524.	1.7	44
165	5-Pyrimidylboronic acid and 2-methoxy-5-pyrimidylboronic acid: new heteroarylpyrimidine derivatives via Suzuki cross-coupling reactions. <i>Organic and Biomolecular Chemistry</i> , 2004, 2, 852.	1.5	44
166	The Synthesis of Functionalised Diaryltetraynes and Their Transport Properties in Single-Molecule Junctions. <i>Chemistry - A European Journal</i> , 2014, 20, 4653-4660.	1.7	44
167	Solution-Processed Blue/Deep Blue and White Phosphorescent Organic Light-Emitting Diodes (PhOLEDs) Hosted by a Polysiloxane Derivative with Pendant mCP (1,3-bis(9-carbazolyl)benzene). <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 27989-27998.	4.0	44
168	An AIE-active phosphorescent Ir(III) complex with piezochromic luminescence (PCL) and its application for monitoring volatile organic compounds (VOCs). <i>Journal of Materials Chemistry C</i> , 2017, 5, 12189-12193.	2.7	44
169	Thiolated π -Extended Tetrathiafulvalenes: Versatile Multifunctional π -Systems. <i>Journal of Organic Chemistry</i> , 2007, 72, 1301-1308.	1.7	43
170	Anion-specific aggregation induced phosphorescence emission (AIPE) in an ionic iridium complex in aqueous media. <i>Chemical Communications</i> , 2015, 51, 16924-16927.	2.2	43
171	Impact of Methoxy Substituents on Thermally Activated Delayed Fluorescence and Room-Temperature Phosphorescence in All-Organic Donor-Acceptor Systems. <i>Journal of Organic Chemistry</i> , 2019, 84, 3801-3816.	1.7	43
172	New vinylogous tetrathiafulvalene π -electron donors with peripheral alkylseleno substitution. <i>Journal of Organic Chemistry</i> , 1992, 57, 1696-1699.	1.7	42
173	Heterocyclic aldehydes as novel components in the boronic Mannich reaction. <i>Tetrahedron Letters</i> , 2000, 41, 1303-1305.	0.7	42
174	Oligo(fluorenyl)pyridine ligands and their tris-cyclometalated iridium(III) complexes: synthesis, photophysical properties and electrophosphorescent devices. <i>Journal of Materials Chemistry</i> , 2005, 15, 4963.	6.7	42
175	Blue organic light emitting devices with improved colour purity and efficiency through blending of poly(9,9-dioctyl-2,7-fluorene) with an electron transporting material. <i>Journal of Materials Chemistry</i> , 2007, 17, 2996.	6.7	42
176	Structural versus Electrical Functionalization of Oligo(phenylene ethynylene) Diamine Molecular Junctions. <i>Journal of Physical Chemistry C</i> , 2014, 118, 21655-21662.	1.5	42
177	Recent advances in luminescent dinuclear iridium(III) complexes and their application in organic electroluminescent devices. <i>Polyhedron</i> , 2018, 140, 146-157.	1.0	42
178	Energy Transfer in Oligofluorene-C ₆₀ and C ₆₀ -Oligofluorene-C ₆₀ Donor-Acceptor Conjugates. <i>Journal of Organic Chemistry</i> , 2007, 72, 6662-6671.	1.7	41
179	Synthesis and Crystal Structures of Isolable Terminal Aryl Hexatriyne and Octatetrayne Derivatives: Ar- π -C _n H ($n = 3, 4$). <i>Organic Letters</i> , 2008, 10, 3069-3072.	2.4	41
180	Dinuclear iridium(III) complexes of cyclometalated fluorenylpyridine ligands as phosphorescent dopants for efficient solution-processed OLEDs. <i>Journal of Materials Chemistry</i> , 2012, 22, 13529.	6.7	41

#	ARTICLE	IF	CITATIONS
181	Polyurethane derivatives for highly sensitive and selective fluorescence detection of 2,4,6-trinitrophenol (TNP). <i>Journal of Materials Chemistry C</i> , 2018, 6, 11287-11291.	2.7	41
182	A new highly-conjugated TTF analogue: Synthesis, electrochemistry and a conducting TCNQ complex of 9,10-anthracenediylidene-2,2'-bis(4,5-dimethyl-1,3-dithiole). <i>Synthetic Metals</i> , 1988, 25, 203-205.	2.1	40
183	2,5-Di(aryleneethynyl)pyrazine derivatives: synthesis, structural and optoelectronic properties, and light-emitting device. <i>New Journal of Chemistry</i> , 2004, 28, 912-918.	1.4	40
184	Organic light-emitting diodes based on a blend of poly[2-(2-ethylhexyloxy)-5-methoxy-1,4-phenylenevinylene] and an electron transporting material. <i>Applied Physics Letters</i> , 2004, 85, 1283-1285.	1.5	40
185	Convergent Synthesis of 10 nm Aryleneethynylene Molecular Wires by an Iterative Regioselective Deprotection/Sonogashira Coupling Protocol. <i>Journal of Organic Chemistry</i> , 2006, 71, 108-116.	1.7	40
186	Electronic memory device based on a single-layer fluorene-containing organic thin film. <i>Applied Physics Letters</i> , 2007, 91, 123506.	1.5	40
187	Optical and Polarity Control of Donor-Acceptor Conformation and Their Charge-Transfer States in Thermally Activated Delayed-Fluorescence Molecules. <i>Journal of Physical Chemistry C</i> , 2017, 121, 16462-16469.	1.5	40
188	Bright red aggregation-induced emission nanoparticles for multifunctional applications in cancer therapy. <i>Chemical Science</i> , 2020, 11, 2369-2374.	3.7	40
189	Unusual Dinuclear and Mononuclear Cyclometalated Iridium Complexes of 2,5-Diaryl-1,3,4-oxadiazole Derivatives. <i>Inorganic Chemistry</i> , 2011, 50, 3354-3362.	1.9	39
190	Syntheses and X-ray Crystal Structures of Functionalised 9,10-Bis(1,3-dithiol-2-ylidene)-9,10-dihydroanthracene Derivatives. <i>European Journal of Organic Chemistry</i> , 2000, 2000, 51-60.	1.2	38
191	The First Tetrathiafulvalene- π -Polynitrofluorene Diads: Low HOMO-LUMO Gap, Amphoteric Redox Behavior, and Charge Transfer Properties. <i>Organic Letters</i> , 2001, 3, 1431-1434.	2.4	38
192	Nucleophilic Substitution of Fluorine Atoms in 2,6-Difluoro-3-(pyridin-2-yl)benzotrile Leading to Soluble Blue-Emitting Cyclometalated Ir(III) Complexes. <i>Journal of Organic Chemistry</i> , 2011, 76, 5143-5148.	1.7	38
193	Efficient deep blue fluorescent polymer light-emitting diodes (PLEDs). <i>Journal of Materials Chemistry C</i> , 2014, 2, 5587-5592.	2.7	38
194	An optical and electrical study of full thermally activated delayed fluorescent white organic light-emitting diodes. <i>Scientific Reports</i> , 2017, 7, 6234.	1.6	38
195	Cephalotaxine analogs: stereospecific synthesis of spiro-fused 3-benzazepine and 1,3-benzodiazepine derivatives. <i>Journal of Organic Chemistry</i> , 1990, 55, 1261-1266.	1.7	37
196	Langmuir-Blodgett films of 1- <i>t</i> -butyl-9-hydrofullerene-60. <i>Thin Solid Films</i> , 1993, 230, 73-77.	0.8	37
197	Synthesis and Multistage Redox Properties of 9,10-Bis(1,3-dithiol-2-ylidene)-9,10-dihydroanthracene Derivatives Functionalized with Ferrocenyl and Tetrathiafulvalenyl Units. <i>Journal of Organic Chemistry</i> , 1994, 59, 6847-6849.	1.7	37
198	Chiral oxazolines linked to tetrathiafulvalene (TTF): Redox-active ligands for asymmetric synthesis. <i>Tetrahedron: Asymmetry</i> , 1996, 7, 3247-3254.	1.8	37

#	ARTICLE	IF	CITATIONS
199	Aryl ester dendrimers incorporating tetrathiafulvalene units: convergent synthesis, electrochemistry and charge-transfer properties. <i>Journal of Materials Chemistry</i> , 1998, 8, 1361-1372.	6.7	37
200	Crown-annulated 9,10-bis(1,3-dithiol-2-ylidene)-9,10-dihydroanthracene derivatives: a new efficient transducer in the electrochemical and spectroscopic monitoring of metal complexation. <i>Chemical Communications</i> , 2000, , 295-296.	2.2	37
201	The first genuine observation of fluorescent mononuclear phthalocyanine aggregates. <i>Chemical Communications</i> , 2002, , 572-573.	2.2	37
202	Functionalized Heteroarylpyridazines and Pyridazin-3(2 <i>H</i>)-one Derivatives via Palladium-Catalyzed Cross-Coupling Methodology. <i>Journal of Organic Chemistry</i> , 2008, 73, 2176-2181.	1.7	37
203	N-Arylation of nitrogen heterocycles with 2,4-difluoriodobenzene. <i>Tetrahedron</i> , 2009, 65, 855-861.	1.0	37
204	Molecular Bridging of Silicon Nanogaps. <i>ACS Nano</i> , 2010, 4, 7401-7406.	7.3	37
205	A study of planar anchor groups for graphene-based single-molecule electronics. <i>Journal of Chemical Physics</i> , 2014, 140, 054708.	1.2	37
206	Electroactive langmuir-blodgett films of N-octadecylpyridinium-TCNQ charge-transfer salt. <i>Synthetic Metals</i> , 1987, 22, 185-189.	2.1	36
207	Functionalised Trimethyltetrathiafulvalene (TriMe-TTF) Derivatives via Reactions of Trimethyltetrathiafulvalenyllithium with Electrophiles: X-ray Crystal Structures of Benzoyl-TriMe-TTF and Benzoylthio-TriMe-TTF. <i>Synthesis</i> , 1995, 1995, 675-682.	1.2	36
208	Preparation and X-ray crystal structures of the first radical cation salts of 4-iodotetrathiafulvalene: [ITTF. ⁺] ₂ [Pd[S ₂ C ₂ (CN) ₂] ₂] ²⁻ and ITTF. ⁺ .HSO ₄ ⁻ . <i>Journal of Materials Chemistry</i> , 1997, 7, 387-389.	6.7	36
209	Synthesis and intramolecular charge-transfer properties of new tetrathiafulvalene- <i>l</i> -tetracyanoanthraquinodimethane diad (TTF- <i>l</i> -TCNAQ) and triad (TTF- <i>l</i> -TCNAQ- <i>l</i> -TTF) molecules. <i>Journal of Materials Chemistry</i> , 1998, 8, 71-76.		36
210	Asymmetrical- ϵ -Dendronized TADF Emitters for Efficient Non- ϵ -Doped Solution- ϵ -Processed OLEDs by Eliminating Degenerate Excited States and Creating Solely Thermal Equilibrium Routes. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	7.2	36
211	Electronic, structural and spectroscopic properties of Langmuir-Blodgett films of (o-hexadecylthiocarboxy)tetrathiafulvalene (HDTTTF). <i>Chemistry of Materials</i> , 1992, 4, 724-728.	3.2	35
212	Synthesis and electrochemistry of new tetrathiafulvalene (TTF) dendrimers: X-ray crystal structure of a tetrafunctionalised TTF core unit. <i>Journal of Materials Chemistry</i> , 1997, 7, 1189-1197.	6.7	35
213	Molecular Saddles. 4.1 Redox-Active Cyclophanes by Bridging the 9,10-Bis(1,3-dithiol-2-ylidene)-9,10-dihydroanthracene System: A Synthesis, Electrochemistry, and X-ray Crystal Structures of Neutral Species and a Dication Salt. <i>Journal of Organic Chemistry</i> , 2001, 66, 713-719.	1.7	35
214	Sequential Metal- ϵ -Catalyzed <i>N</i> -Heteroarylation and C-C Cross-Coupling Reactions: An Expedient Route to Tris(hetero)aryl Systems. <i>European Journal of Organic Chemistry</i> , 2008, 2008, 2746-2750.	1.2	35
215	Exciton Diffusion in Polyfluorene Copolymer Thin Films: Kinetics, Energy Disorder and Thermally Assisted Hopping. <i>ChemPhysChem</i> , 2009, 10, 2096-2104.	1.0	35
216	Importance of Chromophore Rigidity on the Efficiency of Blue Thermally Activated Delayed Fluorescence Emitters. <i>Journal of Physical Chemistry C</i> , 2018, 122, 28564-28575.	1.5	35

#	ARTICLE	IF	CITATIONS
217	Exploiting trifluoromethyl substituents for tuning orbital character of singlet and triplet states to increase the rate of thermally activated delayed fluorescence. <i>Materials Chemistry Frontiers</i> , 2020, 4, 3602-3615.	3.2	35
218	Unsymmetrical and highly-conjugated tetrathiafulvalene and selenatrithiafulvalene derivatives: synthesis and reactions of novel heterocyclic Wittig-Horner reagents. <i>Journal of the Chemical Society Chemical Communications</i> , 1990, , 470-472.	2.0	34
219	Halogenation of Tetrathiafulvalene. <i>Synthesis</i> , 1991, 1991, 263-265.	1.2	34
220	Tetrathiafulvalene: A Convenient Large-Scale (20Âg) Synthesis. <i>Synthesis</i> , 1997, 1997, 407-409.	1.2	34
221	Synthesis of piperazinones and their application in constrained mimetics of the growth hormone secretagogue NN703. <i>Tetrahedron Letters</i> , 1999, 40, 3651-3654.	0.7	33
222	Electrochromic tetrathiafulvalene derivatives functionalised with 2,5-diaryl-1,3,4-oxadiazole chromophores Electronic Supplementary Information (ESI) available: spectroelectrochemistry of 3 and 4; 1H-NMR spectra and cyclic voltammograms for 3, 4 and 5; crystallographic information for 5. See http://www.rsc.org/suppdata/cc/b3/b316243p/ . <i>Chemical Communications</i> , 2004, , 578.	2.2	33
223	Electronic Interactions in a New Î-Extended Tetrathiafulvalene Dimer. <i>Chemistry - A European Journal</i> , 2006, 12, 2709-2721.	1.7	33
224	The Interplay of Inverted Redox Potentials and Aromaticity in the Oxidized States of New Î-Electron Donors: 9-(1,3-Dithiol-2-ylidene)fluorene and 9-(1,3-Dithiol-2-ylidene)thioxanthene Derivatives. <i>Chemistry - A European Journal</i> , 2006, 12, 3389-3400.	1.7	33
225	Oligo(<i>p</i> -phenyleneethynylene) (OPE) Molecular Wires: Synthesis and Length Dependence of Photoinduced Charge Transfer in OPEs with Triarylamine and Diaryloxadiazole End Groups. <i>Chemistry - A European Journal</i> , 2015, 21, 3997-4007.	1.7	33
226	Thermoelectric Properties of 2,7-Dipyridylfluorene Derivatives in Single-Molecule Junctions. <i>Journal of Physical Chemistry C</i> , 2018, 122, 27198-27204.	1.5	33
227	Aggregation-Induced Long-Lived Phosphorescence in Nonconjugated Polyurethane Derivatives at 77 K. <i>Macromolecules</i> , 2018, 51, 4178-4184.	2.2	33
228	Delayed Blue Fluorescence via Upper-Triplet State Crossing from C-C Bonded Donor-Acceptor Charge Transfer Molecules with Azatriangulene Cores. <i>Chemistry of Materials</i> , 2019, 31, 6684-6695.	3.2	33
229	A field effect transistor based on Langmuir-Blodgett films of an Ni(dmit) ₂ charge transfer complex. <i>Thin Solid Films</i> , 1994, 244, 932-935.	0.8	32
230	Synthesis of novel chiral bis(ferrocenyl) ligands and their use as voltammetric metal cation sensors. <i>Journal of Organometallic Chemistry</i> , 2002, 656, 211-216.	0.8	32
231	Are Terminal Aryl Butadiynes Stable? Synthesis and X-ray Crystal Structures of a Series of Aryl- and Heteroaryl-butadiynes (Ar-C≡C-C≡C-H). <i>Journal of Organic Chemistry</i> , 2006, 71, 8541-8544.	1.7	32
232	Control over Charge Transfer through Molecular Wires by Temperature and Chemical Structure Modifications. <i>ACS Nano</i> , 2010, 4, 6449-6462.	7.3	32
233	Anisotropic highly-conductive films of poly(3-methylthiophene) from epitaxial electropolymerization on oriented poly(vinylidene fluoride). <i>Chemical Science</i> , 2014, 5, 3240-3245.	3.7	32
234	A versatile hybrid polyphenylsilane host for highly efficient solution-processed blue and deep blue electrophosphorescence. <i>Journal of Materials Chemistry C</i> , 2014, 2, 8277-8284.	2.7	32

#	ARTICLE	IF	CITATIONS
235	Sulfonyl-Substituted Heteroleptic Cyclometalated Iridium(III) Complexes as Blue Emitters for Solution-Processable Phosphorescent Organic Light-Emitting Diodes. <i>Inorganic Chemistry</i> , 2016, 55, 8612-8627.	1.9	32
236	Fast Data Sorting with Modified Principal Component Analysis to Distinguish Unique Single Molecular Break Junction Trajectories. <i>Physical Review Letters</i> , 2018, 120, 016601.	2.9	32
237	Polyhalogenoheterocyclic compounds. Part 38. Reactions of fluorinated-alkenes and -cycloalkenes with difunctional nucleophiles. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1987, , 763.	0.9	31
238	Functionalised tetrathiafulvalene (TTF) systems derived from 4,5-(propylenedithio)-1,3-dithiole units. <i>Tetrahedron</i> , 1993, 49, 6849-6862.	1.0	31
239	Acid mediated intramolecular cyclization of β -donors bearing two vicinal α -branched, 1,4-dithiafulven-6-yl substituents on a $C\equiv C$ bond. <i>Tetrahedron Letters</i> , 1993, 34, 2131-2134.	0.7	31
240	Highly Conducting Langmuir-Blodgett films of an amphiphilic Bis(ethylenedithio)tetrathiafulvalene (BEDT-TTF) derivative: BEDT-TTF-C18H37. <i>Chemistry of Materials</i> , 1994, 6, 1426-1431.	3.2	31
241	Synthesis of Ferrocenyloxazolines Incorporating Secondary Functionalities. <i>Synthesis</i> , 1998, 1998, 413-416.	1.2	31
242	Preparation and magnetic properties of a range of metal and organic cation salts of 2,3-dicyano-1,4-naphthoquinone (DCNQ). X-Ray crystal structure of (methyltriphenylphosphonium)1(DCNQ)1(H ₂ O)1 and 2-dicyanomethylene-indan-1,3-dione (DCID). The rearrangement of DCID to DCNQ. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1989, , 1285.	0.9	30
243	Semiconducting Langmuir-Blodgett films of non-amphiphilic ethylenedithio-tetrathiafulvalene derivatives bearing pyridine and pyridinium substituents. <i>Journal of the Chemical Society Chemical Communications</i> , 1995, , 475-476.	2.0	30
244	The synthesis, redox properties and X-ray crystal structures of two new tetrathiafulvalene-thiophene donors. <i>Journal of Materials Chemistry</i> , 1998, 8, 1719-1724.	6.7	30
245	Molecular Saddles. 7.1 New 9,10-Bis(1,3-dithiol-2-ylidene)-9,10-dihydroanthracene Cyclophanes: Δ Synthesis, Redox Properties, and X-ray Crystal Structures of Neutral Species and a Dication Salt. <i>Journal of Organic Chemistry</i> , 2001, 66, 3313-3320.	1.7	30
246	Photophysics of a fluorene co-polymer in solution and films. <i>Chemical Physics</i> , 2002, 279, 229-237.	0.9	30
247	Electrical behavior of memory devices based on fluorene-containing organic thin films. <i>Journal of Applied Physics</i> , 2008, 104, 044510.	1.1	30
248	Insulated molecular wires: inhibiting orthogonal contacts in metal complex based molecular junctions. <i>Nanoscale</i> , 2017, 9, 9902-9912.	2.8	30
249	Bright green PhOLEDs using cyclometalated diiridium(III) complexes with bridging oxamidato ligands as phosphorescent dopants. <i>Journal of Materials Chemistry C</i> , 2017, 5, 6777-6789.	2.7	30
250	Use of piperidine-1-sulphenyl chloride as a sulphur-transfer reagent in reactions with diamines: the preparation of sulphur-nitrogen heterocycles. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1984, , 2591-2593.	0.9	29
251	Synthesis of amphiphilic, mono-functionalised tetrathiafulvalenes; X-ray crystal structure of 4-(6-sromohexanoyl)tetrathiafulvalene. <i>Journal of the Chemical Society Chemical Communications</i> , 1990, , 816.	2.0	29
252	Redox-active, functionalised [3]- and [4]-dendralenes. <i>Journal of the Chemical Society Chemical Communications</i> , 1993, , 552.	2.0	29

#	ARTICLE	IF	CITATIONS
253	2-(Triphenylphosphonio)-4,5-bis(thiobenzoyl)-1,3-dithiole Tetrafluoroborate: A Versatile Wittig Reagent for the Synthesis of Unsymmetrical Tetrathiafulvalenes and 1,3-Dithiol-2-ylidene Derivatives. <i>Journal of Organic Chemistry</i> , 1994, 59, 5324-5327.	1.7	29
254	New bi(tetrathiafulvalenyl) derivatives and their radical cations: synthetic and X-ray structural studies. <i>Journal of Materials Chemistry</i> , 2000, 10, 1273-1279.	6.7	29
255	Extreme Conformational Constraints in π -Extended Tetrathiafulvalenes: Unusual Topologies and Redox Behavior of Doubly and Triply Bridged Cyclophanes. <i>Journal of the American Chemical Society</i> , 2006, 128, 10484-10490.	6.6	29
256	High brightness deep blue/violet fluorescent polymer light-emitting diodes (PLEDs). <i>Journal of Materials Chemistry C</i> , 2015, 3, 9664-9669.	2.7	29
257	Conformational Dependence of Triplet Energies in Rotationally Hindered N - and S -Heterocyclic Dimers: New Design and Measurement Rules for High Triplet Energy OLED Host Materials. <i>Chemistry - A European Journal</i> , 2021, 27, 6545-6556.	1.7	29
258	New electron donors for organic metals: the synthesis of highly conjugated bis-(1,3-dithiole) derivatives. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1985, , 1675.	0.9	28
259	Electrophilic fluorination of aryltrialkyltin derivatives with caesium fluoroxysulphate. <i>Journal of the Chemical Society Chemical Communications</i> , 1986, , 1623.	2.0	28
260	Alternate-layer Langmuir-Blodgett films of long-chain TCNQ and TTF derivatives. <i>Synthetic Metals</i> , 1989, 31, 275-279.	2.1	28
261	Semiconducting Langmuir-Blodgett films of ethylenedithiotetrathiafulvalene (EDT-TTF) derivatives bearing charged and uncharged aromatic substituents. <i>Journal of Materials Chemistry</i> , 1997, 7, 901-907.	6.7	28
262	New Multi(tetrathiafulvalene) Dendrimers. <i>Synthesis</i> , 2000, 2000, 1695-1704.	1.2	28
263	Thermal annealing of blended-layer organic light-emitting diodes. <i>Journal of Applied Physics</i> , 2005, 98, 054508.	1.1	28
264	White organic light-emitting devices incorporating nanoparticles of $II-VI$ semiconductors. <i>Nanotechnology</i> , 2007, 18, 335202.	1.3	28
265	Carbon-rich molecules: synthesis and isolation of aryl/heteroaryl terminal bis(butadiynes) ($H-C\equiv C-C\equiv C-Ar-C\equiv C-C\equiv C-CH$) and their applications in the synthesis of oligo(arylenebutadiynylene) molecular wires. <i>Organic and Biomolecular Chemistry</i> , 2008, 6, 1934.	1.5	28
266	A carbazole-oxadiazole diad molecule for single-emitting-component white organic light-emitting devices (WOLEDs). <i>Tetrahedron</i> , 2014, 70, 2015-2019.	1.0	28
267	Thermoelectric Enhancement in Single Organic Radical Molecules. <i>Nano Letters</i> , 2022, 22, 948-953.	4.5	28
268	The preparation of new bis(1,3-dithiole) derivatives: Extended π -donors for organic metals. <i>Tetrahedron Letters</i> , 1988, 29, 1075-1078.	0.7	27
269	Structural properties of Langmuir-Blodgett films of a long-chain tetrathiafulvalene derivative. <i>Synthetic Metals</i> , 1990, 35, 307-318.	2.1	27
270	Highly-functionalised tetrathiafulvalene (TTF) derivatives. <i>Journal of the Chemical Society Chemical Communications</i> , 1991, , 1638.	2.0	27

#	ARTICLE	IF	CITATIONS
271	Synthesis of new multi-sulphur π -electron donors containing ketone functionality. <i>Tetrahedron Letters</i> , 1991, 32, 6033-6036.	0.7	27
272	Combining High Electron Affinity and Intramolecular Charge Transfer in 1,3-dithiole π -Nitrofluorene Push π -Pull Diads. <i>Chemistry - A European Journal</i> , 2008, 14, 2757-2770.	1.7	27
273	Synthesis and Properties of Functionalized 4 nm Scale Molecular Wires with Thiolated Termini for Self-Assembly onto Metal Surfaces. <i>Journal of Organic Chemistry</i> , 2008, 73, 4810-4818.	1.7	27
274	Iterative and regioselective cross-couplings of 2-chloro-3,4-diiodopyridine leading to 2,3,4-triheteroarylpyridines. <i>Tetrahedron</i> , 2010, 66, 668-675.	1.0	27
275	New oxazoline- and thiazoline-containing heteroleptic iridium(III) complexes for highly-efficient phosphorescent organic light-emitting devices (PhOLEDs): colour tuning by varying the electroluminescence bandwidth. <i>Journal of Materials Chemistry C</i> , 2013, 1, 6800.	2.7	27
276	Sky-blue emitting bridged diiridium complexes: beneficial effects of intramolecular π - π stacking. <i>Dalton Transactions</i> , 2018, 47, 2086-2098.	1.6	27
277	Stacked supramolecular structures involving hydrogen-bonded networks in highly functionalised tetrathiafulvalene derivatives. <i>Journal of the Chemical Society Chemical Communications</i> , 1995, , 1201.	2.0	26
278	Electron acceptors of the fluorene series. Part 5. Intramolecular charge transfer in nitro-substituted 9-(aminomethylene)fluorenes. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1996, , 2453.	0.9	26
279	Synthesis and characterization of functionalized ethylenediselenotetrathiafulvalenes: A comparative study with their all-sulfur analogues. <i>Tetrahedron</i> , 1996, 52, 11063-11074.	1.0	26
280	Redox-switchable polyester dendrimers incorporating both π -donor (tetrathiafulvalene) and π -acceptor (anthraquinone) groups. <i>Chemical Communications</i> , 1998, , 2565-2566.	2.2	26
281	Ionophores based on 1,3-dithiole-2-thione-4,5-dithiolate (DMIT) as potentiometric silver sensors. <i>Analyst</i> , 2000, 125, 861-866.	1.7	26
282	A novel hexakis(tetrathiafulvalene) derivative: synthesis, structure and electrochemical properties. <i>Chemical Communications</i> , 2000, , 331-332.	2.2	26
283	Voltammetric metal cation sensors based on ferrocene derivatives with oxazoline and imine substituents. <i>Journal of Organometallic Chemistry</i> , 2001, 637-639, 134-138.	0.8	26
284	An investigation of the complexation behaviour of structurally modified tetrathiafulvalene derivatives with the electron deficient cyclophane cyclobis(paraquat- <i>p</i> -phenylene). <i>Tetrahedron Letters</i> , 2001, 42, 1143-1145.	0.7	26
285	Arborol-Functionalised Tetrathiafulvalene Derivatives: Synthesis and Thin-Film Formation. <i>European Journal of Organic Chemistry</i> , 2003, 2003, 3562-3568.	1.2	26
286	Phenylene π -2,5-dimethylpyrazine co-oligomers: synthesis by Suzuki couplings, X-ray structures of neutral and diprotonated teraryl species and efficient blue emission. <i>Journal of Materials Chemistry</i> , 2003, 13, 1554-1557.	6.7	26
287	Enhanced electron injection and efficiency in blended-layer organic light emitting diodes with aluminium cathodes: new 2,5-diaryl-1,3,4-oxadiazole π -fluorene hybrids incorporating pyridine units. <i>Journal of Materials Chemistry</i> , 2005, 15, 5164.	6.7	26
288	Exploring antiaromaticity in single-molecule junctions formed from biphenylene derivatives. <i>Nanoscale</i> , 2019, 11, 20659-20666.	2.8	26

#	ARTICLE	IF	CITATIONS
289	TADF dendronized polymer with vibrationally enhanced direct spin-flip between charge-transfer states for efficient non-doped solution-processed OLEDs. <i>Chemical Engineering Journal</i> , 2022, 435, 134924.	6.6	26
290	New, extensively-conjugated π -electron donors combining both tetrathiafulvalene (TTF) and 2,2'-ethanedithiolene-bis-(1,3-dithiole) units: Synthesis and solution electrochemistry. <i>Tetrahedron Letters</i> , 1993, 34, 7475-7478.	0.7	25
291	4-(N-Methylthioamido)tetrathiafulvalene: a new kappa-phase structure. <i>Journal of the Chemical Society Chemical Communications</i> , 1993, , 1701.	2.0	25
292	Field-effect transistor based on organometallic Langmuir-Blodgett film. <i>Electronics Letters</i> , 1993, 29, 1377.	0.5	25
293	Crown-annulated tetrathiafulvalenes: synthesis of new functionalised derivatives and spectroscopic and electrochemical studies of metal complexation. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1996, , 1587-1593.	0.9	25
294	A Tris-Cyclometalated Iridium(III) Complex of 2-(5,5-Dioxido-dibenzothiophen-3-yl)pyridine: Synthesis, Structural, Redox and Photophysical Properties. <i>European Journal of Inorganic Chemistry</i> , 2007, 2007, 4808-4814.	1.0	25
295	(Dimethoxy- and Dihalopyridyl)boronic Acids and Highly Functionalized Heteroarylpyridines by Suzuki Cross-Coupling Reactions. <i>European Journal of Organic Chemistry</i> , 2008, 2008, 1458-1463.	1.2	25
296	Luminescent Platinum(II) Complexes Containing Cyclometallated Diaryl Ketimine Ligands: Synthesis, Photophysical and Computational Properties. <i>European Journal of Inorganic Chemistry</i> , 2010, 2010, 1963-1972.	1.0	25
297	Synthesis, Diastereomer Separation, and Optoelectronic and Structural Properties of Dinuclear Cyclometalated Iridium(III) Complexes with Bridging Diarylhydrazide Ligands. <i>Organometallics</i> , 2017, 36, 981-993.	1.1	25
298	Supramolecular oligourethane gel as a highly selective fluorescent "on-off" sensor for ions. <i>Journal of Materials Chemistry C</i> , 2020, 8, 11540-11545.	2.7	25
299	Redox-active dendrimers, related building blocks, and oligomers. <i>Advances in Dendritic Macromolecules</i> , 1996, , 115-149.	0.6	25
300	Novel fulleropyrrolidinium-based materials. <i>Journal of Materials Chemistry</i> , 2000, 10, 269-273.	6.7	24
301	New Pyrimidylboronic Acids and Functionalized Heteroarylpyrimidines by Suzuki Cross-Coupling Reactions. <i>European Journal of Organic Chemistry</i> , 2007, 2007, 5712-5716.	1.2	24
302	A review of oligo(arylene ethynylene) derivatives in molecular junctions. <i>Nanoscale</i> , 2021, 13, 10668-10711.	2.8	24
303	Electrochemical studies on Langmuir-Blodgett films of 1-tert-butyl-1,9-dihydrofullerene-60. <i>Journal of the Chemical Society Chemical Communications</i> , 1993, .	2.0	23
304	Chalcogenation of tetrathiafulvalene (TTF): synthesis of alkylthio-TTF and alkylseleno-TTF derivatives and X-ray crystal structure of ethylenediseleno TTF (EDS-TTF). <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1993, , 1403.	0.9	23
305	Electron acceptors of the fluorene series. <i>Journal of Organometallic Chemistry</i> , 2001, 637-639, 445-462.	0.8	23
306	Contrasting Photodynamics between C ₆₀ -Dithiapyrene and C ₆₀ -Pyrene Dyads. <i>Chemistry - A European Journal</i> , 2008, 14, 250-258.	1.7	23

#	ARTICLE	IF	CITATIONS
307	Fluorene co-polymers with high efficiency deep-blue electroluminescence. <i>Journal of Materials Chemistry C</i> , 2015, 3, 2479-2483.	2.7	23
308	Generation of thionitrosoarenes (ArN=S) from N-(arylaminothio)phthalimides and in situ trapping with alkenes and conjugated dienes. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1990, , 3225-3235.	0.9	22
309	Synthesis and Downstream Reactions of 2-(Triphenylphosphino)-4,5-dicarbomethoxy-1,3-diselenole Tetrafluoroborate: X-ray Crystal Structure of a Nitroso Derivative of a 2-Ylidene-1,3-diselenole Stabilized by an Intramolecular O...Se Interaction. <i>Journal of Organic Chemistry</i> , 1996, 61, 2877-2881.	1.7	22
310	The first Diels-Alder reaction of a 9,10-bis(1,3-dithiol-2-ylidene)-9,10-dihydroanthracene derivative: synthesis and crystal structure of a novel donor-acceptor anthraquinone diad. <i>Chemical Communications</i> , 1999, , 2433-2434.	2.2	22
311	A tetrathiafulvalene derivative with an acyclic S4 domain as a voltammetric silver sensor. <i>Perkin Transactions II RSC</i> , 2000, , 189-190.	1.1	22
312	Intramolecular π Stacking in Cationic Iridium(III) Complexes with Phenyl-Functionalized Cyclometalated Ligands: Synthesis, Structure, Photophysical Properties, and Theoretical Studies. <i>European Journal of Inorganic Chemistry</i> , 2014, 2014, 2376-2382.	1.0	22
313	New Mixed-C ⁺ N ⁻ Ligand Tris-Cyclometalated Ir ^{III} Complexes for Highly Efficient Green Organic Light-Emitting Diodes with Low Efficiency Roll-Off. <i>European Journal of Inorganic Chemistry</i> , 2018, 2018, 4614-4621.	1.0	22
314	Carbazole-Based Tetrapodal Anchor Groups for Gold Surfaces: Synthesis and Conductance Properties. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 882-889.	7.2	22
315	Polyhalogenoheterocyclic compounds. Part 36. Additions of diazomethane to perfluoropolyalkylethenes. A frontier orbital rationalisation of reactions of fluorinated alkenes with 1,3-dipoles and nucleophiles. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1984, , 509.	0.9	21
316	Electroactive Langmuir-Blodgett films of O-hexadecylthiocarboxytetrathiafulvalene (HDTTTF). <i>Journal of the Chemical Society Chemical Communications</i> , 1990, , 970-972.	2.0	21
317	Focused ion beam and field-emission microscopy of metallic filaments in memory devices based on thin films of an ambipolar organic compound consisting of oxadiazole, carbazole, and fluorene units. <i>Applied Physics Letters</i> , 2013, 102, .	1.5	21
318	Modification of Electrode Surfaces by Self-Assembled Monolayers of Thiol-Terminated Oligo(Phenyleneethynylene)s. <i>ChemPhysChem</i> , 2013, 14, 431-440.	1.0	21
319	Precise Control of Intramolecular Charge Transport: The Interplay of Distance and Conformational Effects. <i>Chemistry - A European Journal</i> , 2013, 19, 7575-7586.	1.7	21
320	The role of exciplex states in phosphorescent OLEDs with poly(vinylcarbazole) (PVK) host. <i>Organic Electronics</i> , 2015, 20, 97-102.	1.4	21
321	Achieving Conformational Control in Room-Temperature Phosphorescence and Thermally Activated Delayed Fluorescence Emitters by Functionalization of the Central Core. <i>Journal of Physical Chemistry C</i> , 2019, 123, 26536-26546.	1.5	21
322	Synthesis and redox behaviour of highly conjugated bis(benzo-1,3-dithiole) and bis(benzothiazole) systems containing aromatic linking groups: model systems for organic metals. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1990, , 1777-1783.	0.9	20
323	Highly-conducting Langmuir-Blodgett films based on Ni(dmit) ₂ anions. <i>Journal of the Chemical Society Chemical Communications</i> , 1991, , 322.	2.0	20
324	2-Ethoxy-3-pyridylboronic acid: a versatile reagent for the synthesis of highly-functionalised 3-aryl/heteroaryl-pyridines via Suzuki cross-coupling reactions. <i>Tetrahedron</i> , 2005, 61, 5131-5135.	1.0	20

#	ARTICLE	IF	CITATIONS
325	A versatile synthesis of pyrazolo[3,4-c]isoquinoline derivatives by reaction of 4-aryl-5-aminopyrazoles with aryl/heteroaryl aldehydes: the effect of the heterocycle on the reaction pathways. <i>Organic and Biomolecular Chemistry</i> , 2005, 3, 932.	1.5	20
326	Divergent synthesis of arylated pyridin-2(1H)-one derivatives via metal-catalysed cross-coupling processes. <i>Tetrahedron</i> , 2010, 66, 6138-6149.	1.0	20
327	Solution-processable ambipolar host oligomers with high triplet energies for phosphorescent green emitters. <i>Journal of Materials Chemistry</i> , 2011, 21, 18439.	6.7	20
328	Synthesis, Characterization, and OFET and OLED Properties of π -Extended Ladder-Type Heteroacenes Based on Indolodibenzothiophene. <i>Bulletin of the Chemical Society of Japan</i> , 2012, 85, 136-143.	2.0	20
329	Reversible tricolour luminescence switching based on a piezochromic iridium(III) complex. <i>Chemical Communications</i> , 2019, 55, 14582-14585.	2.2	20
330	Supramolecular Oligourethane Gel with Multicolor Luminescence Controlled by Mechanically Sensitive Hydrogen-Bonding. <i>Chemistry of Materials</i> , 2020, 32, 5776-5784.	3.2	20
331	Fluorene acceptors with intramolecular charge-transfer from 1,3-dithiole donor moieties: novel electron transport materials. <i>Chemical Communications</i> , 1998, , 819-820.	2.2	19
332	Immobilization of glyoxylic acid on Wang resin. <i>Tetrahedron Letters</i> , 2000, 41, 5147-5150. <i>New strategies and building blocks for functionalised</i>	0.7	19
333	9,10-bis(1,3-dithiol-2-ylidene)-9,10-dihydroanthracene derivatives, including pyrrolo-annelated derivatives and π -extended systems with intramolecular charge-transfer This paper is Molecular Saddles Part 10. For Part 9 see reference 5c. Electronic supplementary information (ESI) available: NOE spectra for compound 23. See http://www.rsc.org/suppdata/ob/b2/b211153p/ . <i>Organic and Biomolecular Chemistry</i> , 2003, 1, 511-522.	1.5	19
334	Synthesis and characterization of fluorene-based oligomers and polymers incorporating N -arylphenothiazine- S,S' -dioxide units. <i>Journal of Polymer Science Part A</i> , 2011, 49, 1129-1137.	2.5	19
335	A simple oxazoline as fluorescent sensor for Zn^{2+} in aqueous media. <i>Inorganic Chemistry Communication</i> , 2016, 69, 89-93.	1.8	19
336	Charge-Gating Dibenzo[S,S']-dioxide Bridges in Electron Donor-Bridge-Acceptor Conjugates. <i>Journal of Physical Chemistry C</i> , 2017, 121, 13557-13569.	1.5	19
337	Unusual dual-emissive heteroleptic iridium complexes incorporating TADF cyclometalating ligands. <i>Dalton Transactions</i> , 2020, 49, 2190-2208.	1.6	19
338	A highly stereoselective synthesis of an azaspirolactam related to cephalotaxus alkaloids. <i>Tetrahedron Letters</i> , 1987, 28, 577-580.	0.7	18
339	Infrared spectroscopic studies on the structure and ordering of hexadecanoyltetrathiafulvalene conducting Langmuir-Blodgett multilayers. <i>Langmuir</i> , 1990, 6, 1680-1682.	1.6	18
340	New electron acceptors: synthesis, electrochemistry, and radical anions of $N,7,7$ -tricyanoquinomethanimines and x-ray crystal structures of the trimethyl and tetramethyl derivatives. <i>Journal of Organic Chemistry</i> , 1992, 57, 1690-1696.	1.7	18
341	Electrical properties of Langmuir-Blodgett films of a $Ni(dmit)_2$ charge-transfer complex. <i>Thin Solid Films</i> , 1992, 210-211, 257-260.	0.8	18
342	New oligomeric hyper-branched esters incorporating tetrathiafulvalene: synthesis, electrochemistry and charge-transfer complexes. <i>Synthetic Metals</i> , 1996, 76, 305-307.	2.1	18

#	ARTICLE	IF	CITATIONS
343	New π -electron donor systems based on acenaphtho[1,2-b][1,4]dithiine. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1996, , 2451-2459.	0.9	18
344	Thermal fragmentation reactions of 1,4,2-dithiazines and 1,4,2,5-dithiadiazines in the presence of dienophiles: synthesis of 1,4-dithiine derivatives. X-Ray crystal structures of a 1,4,2-dithiazine 1,1-dioxide and a 1,4,2,5-dithiadiazine derivative. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1997, , 1157-1162.	0.9	18
345	Bis(trimethyltetrathiafulvalenyl) (TriMTTF-TriMTTF). <i>Synthesis</i> , 1998, 1998, 826-828.	1.2	18
346	Electrochemically controlled interactions between TTF-based dendrimers and an electron-rich oligomer Electronic supplementary information (ESI) available: CV data for dendrimers 1 and 2. See http://www.rsc.org/suppdata/cc/b2/b209765f/ . <i>Chemical Communications</i> , 2002, , 2950-2951.	2.2	18
347	Ethynyl π -extended 2,5-diphenyl-1,3,4-oxadiazoles and 2-phenyl 5-(2-thienyl)-1,3,4-oxadiazoles: synthesis, X-ray crystal structures and optical properties. <i>Organic and Biomolecular Chemistry</i> , 2004, 2, 3363-3367.	1.5	18
348	Nanoscale aryleneethynylene oligomers incorporating fluorenone units as electron-dopable molecular wires. <i>Faraday Discussions</i> , 2006, 131, 221-234.	1.6	18
349	An approach to measure electromechanical properties of atomic and molecular junctions. <i>Journal of Physics Condensed Matter</i> , 2012, 24, 164210.	0.7	18
350	Radical-Enhanced Charge Transport in Single-Molecule Phenothiazine Electrical Junctions. <i>Angewandte Chemie</i> , 2017, 129, 13241-13245.	1.6	18
351	Stereospecific synthesis of the cyclopenta [e] phenanthridine ring system: tetracyclic and pentacyclic analogues of alkaloids. <i>Tetrahedron</i> , 1988, 44, 599-612.	1.0	17
352	Facile isomerization of 2-(dicyanomethylene)-1,3-indandione to 2,3-dicyano-1,4-naphthoquinone. <i>Journal of Organic Chemistry</i> , 1988, 53, 4585-4587.	1.7	17
353	Heterocyclic Synthesis Using New Heterodienophiles. <i>Advances in Heterocyclic Chemistry</i> , 1992, 55, 1-29.	0.9	17
354	Synthesis of new mono-functionalised tetrathiafulvalene derivatives by reactions of tetrathiafulvalenyllithium with aldehydes and ketones: X-ray crystal structures of TTF-CMe(OH)Fc, TTF-CMe(OMe)Fc and TTF-CH(OMe)TTF (Fc = ferrocenyl). <i>Tetrahedron</i> , 1997, 53, 17781-17794.	1.0	17
355	5-Formyl-2-furylboronic acid as a versatile bifunctional reagent for the synthesis of π -extended heteroarylfuran systems Electronic supplementary information (ESI) available: synthesis and characterisation data for 3a-17. See http://www.rsc.org/suppdata/ob/b3/b302767h/ . <i>Organic and Biomolecular Chemistry</i> , 2003, 1, 1447-1449.	1.5	17
356	Synthesis and Properties of Functionalized Oligo(arylene) Molecular Wires with Thiolated Termini: Competing Thiol-Au and Nitro-Au Assembly. <i>Journal of Organic Chemistry</i> , 2010, 75, 130-136.	1.7	17
357	The role of vibrations in single-molecule charge transport: A case study of oligoynes with pyridine anchor groups. <i>Physica Status Solidi (B): Basic Research</i> , 2013, 250, 2452-2457.	0.7	17
358	Oligosiloxane Functionalized with Pendant (1,3-Bis(9-carbazolyl)benzene) (mCP) for Solution-Processed Organic Electronics. <i>Chemistry - A European Journal</i> , 2014, 20, 16233-16241.	1.7	17
359	Pyridylpyrazole N ^N ligands combined with sulfonyl-functionalised cyclometalating ligands for blue-emitting iridium(^{III}) complexes and solution-processable PhOLEDs. <i>Dalton Transactions</i> , 2017, 46, 10996-11007.	1.6	17
360	Extended curly arrow rules to rationalise and predict structural effects on quantum interference in molecular junctions. <i>Nanoscale</i> , 2021, 13, 1103-1123.	2.8	17

#	ARTICLE	IF	CITATIONS
361	The stereochemical outcome of diene additions to thionitrosoarenes (ArN=S). <i>Tetrahedron Letters</i> , 1989, 30, 3835-3836.	0.7	16
362	A Novel Bis(tetrathiafulvalene) Cyclophane: Synthesis, Electrochemical Properties, and X-ray Crystal Structures of the Neutral and Radical Cation Species. <i>Advanced Materials</i> , 1998, 10, 1360-1363.	11.1	16
363	The radical ions of acenaphtho[1,2-b][1,4]dithiine derivatives and acenaphtho[1,2-b][1,4]oxathiine: Solution EPR and ENDOR studies. The X-ray crystal structures of 8,9-bis(methylsulfanyl)acenaphtho[1,2-b][1,4]dithiine and its complexes with 7,7,8,8-tetracyano-p-quinodimethane (TCNQ), 2,5-dibromo-TCNQ and iodine. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1999, , 755-764.	0.9	16
364	Î-Extended nitrofluorene-1,3-dithiole chromophore: enhancing the photoresponse of holographic materials through the balance of intramolecular charge transfer and electron affinity. <i>Journal of Materials Chemistry</i> , 2001, 11, 1772-1774.	6.7	16
365	Syntheses and Structures of Buta-1,3-Diynyl Complexes from η^6 Complex-Cross-Coupling Reactions. <i>Organometallics</i> , 2015, 34, 2395-2405.	1.1	16
366	Color Tuning of Efficient Electroluminescence in the Blue and Green Regions Using Heteroleptic Iridium Complexes with 2-Phenoxyoxazole Ancillary Ligands. <i>Organometallics</i> , 2017, 36, 1810-1821.	1.1	16
367	Strategic modification of ligands for remarkable piezochromic luminescence (PCL) based on a neutral Ir(π -phosphor) phosphor. <i>Journal of Materials Chemistry C</i> , 2019, 7, 10876-10880.	2.7	16
368	The preparation of derivatives of 2,2'-(2,6-naphthalenediylidene)bis(1,3-dithiole) (nbdtd): New donors for organic metals. <i>Tetrahedron Letters</i> , 1984, 25, 2403-2406.	0.7	15
369	Direct observation of simple fluorinated carbanions. <i>Journal of the Chemical Society Chemical Communications</i> , 1985, , 1018.	2.0	15
370	Efficient generation of thionitrosoranes (ArNi π S) by fragmentation of N-(arylaminothio)phthalimides. <i>Journal of the Chemical Society Chemical Communications</i> , 1988, , 950-951.	2.0	15
371	Dendritische MakromolekÃ¼le mit TetrathiafulvalenÃ©inheiten. <i>Angewandte Chemie</i> , 1994, 106, 1862-1864.	1.6	15
372	Preparation and characterisation of conductive Langmuir-Blodgett films of amphiphilic pyridinium- π (dmit) ₂ salts. <i>Journal of Materials Chemistry</i> , 1995, 5, 1601-1608.	6.7	15
373	Push-pull fluorene acceptors with ferrocene donor moiety. <i>Synthetic Metals</i> , 1999, 102, 1558-1559.	2.1	15
374	Synthesis of 2-heteroaryl-3-hydroxypyridines by ring expansion reactions of 2-acylfurans with ammonia. <i>Journal of the Chemical Society, Perkin Transactions 1</i> , 2001, , 1853-1854.	1.3	15
375	A stopperless tetrathiafulvalene based [2]pseudorotaxane molecular shuttle. <i>Tetrahedron Letters</i> , 2001, 42, 4223-4226.	0.7	15
376	Comparative electrochemical and impedance studies of self-assembled rigid-rod molecular wires and alkanethiols on gold substrates. <i>Physical Chemistry Chemical Physics</i> , 2010, 12, 14804.	1.3	15
377	Electronic conductance and thermopower of single-molecule junctions of oligo(phenyleneethynylene) derivatives. <i>Nanoscale</i> , 2020, 12, 18908-18917.	2.8	15
378	Organic metals: synthesis and solid state properties of new extended tetrathiafulvalene and selenatrithiafulvalene derivatives. <i>Pure and Applied Chemistry</i> , 1990, 62, 473-476.	0.9	14

#	ARTICLE	IF	CITATIONS
379	2,4,6-Tris(4,5-diisopropyl-1,3-dithiol-2-ylidene)cyclohexane-1,3,5-trione: synthesis, X-ray crystal structure and amphoteric redox properties of a highly delocalised heterocyclic π -system. <i>Journal of the Chemical Society Chemical Communications</i> , 1992, , 401-402.	2.0	14
380	Studies on π -acceptor molecules containing the dicyanomethylene group. X-Ray crystal structure of the charge-transfer complex of tetramethyltetrathiafulvalene and 2,3-dicyano-1,4-naphthoquinone: (TMTTF) π -(DCNQ)2. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1993, , 313-319.	0.9	14
381	Phenylsulfinylselenenyl chloride (PhSO ₂ SeCl): a new reagent for the formation of C=Se and N=Se bonds. Generation and in situ Diels-Alder trapping of selenonitrosoarene intermediates (Ar=N=Se). <i>Journal of the Chemical Society Chemical Communications</i> , 1995, , 195-196.	2.0	14
382	Conducting Langmuir-Blodgett films of an amphiphilic unsymmetrical ethylenedithiotetrathiafulvalene derivative: EDT-TTF-CH ₂ OC(O)C ₁₇ H ₃₅ . <i>Journal of Materials Chemistry</i> , 1995, 5, 1593-1599.	6.7	14
383	1,4-Diselenine synthesis by Diels-Alder reaction of a novel exocyclic 1,2-diselone: X-ray crystal structure of (5,6-dimethoxycarbonyl-1,4-diselenine-2,3-dithiolate)Ni(dppe) [dppe = 1,2-(Ph ₂ P) ₂ C ₂ H ₄]. <i>Chemical Communications</i> , 1997, , 2293-2294.	2.2	14
384	Synthesis and nitrosation reactions of π -extended 1,3-dithiol-2-ylidene systems. <i>Tetrahedron</i> , 1998, 54, 3919-3928.	1.0	14
385	Organic rectifying junctions from an electron-accepting molecular wire and an electron-donating phthalocyanine. <i>Chemical Communications</i> , 2006, , 1640.	2.2	14
386	Synthesis, Structures and Reactions of Isolable Terminal Aryl/Biarylbutadiynes (Ar-C \equiv C-C \equiv CH). <i>European Journal of Organic Chemistry</i> , 2008, 2008, 5093-5098.	1.2	14
387	Formation of Two-Dimensional Micelles on Graphene: Multi-Scale Theoretical and Experimental Study. <i>ACS Nano</i> , 2017, 11, 3404-3412.	7.3	14
388	Exploring the thermoelectric properties of oligo(phenylene-ethynylene) derivatives. <i>Nanoscale</i> , 2020, 12, 15150-15156.	2.8	14
389	Electrophilic fluorination of aryl tin and aryl mercury derivatives. <i>Journal of Fluorine Chemistry</i> , 1984, 26, 533-534.	0.9	13
390	Synthesis and X-ray crystal structures of 2,3-dihydro-2-mercapto-2,1,3-benzophosphadiazine-4(1H)-thione 2-sulphide derivatives. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1985, , 1913.	0.9	13
391	Synthetic, structural and electrochemical studies on the 1,2-dithiole-3-thione system: Preparation and reactions of the 5,6-dihydro-1,2-dithio[4,5-b][1,4]dithiin-3-ium cation. <i>Tetrahedron</i> , 1992, 48, 8143-8152.	1.0	13
392	Highly functionalised analogues of tetrathiafulvalene: new 9,10-bis(1,3-dithiol-2-ylidene)-9,10-dihydroanthracene donors. <i>Journal of the Chemical Society Perkin Transactions I</i> , 1993, , 537.	0.9	13
393	Versatile syntheses of functionalised 9,10-bis(1,3-dithiol-2-ylidene)-9,10-dihydroanthracene derivatives. <i>Tetrahedron Letters</i> , 1999, 40, 3271-3274.	0.7	13
394	Highly charged organic nanoparticles: redox-active dendrimers incorporating 9,10-bis(1,3-dithiol-2-ylidene)-9,10-dihydroanthracene units Molecular Saddles Part 8: For part 7 of this series see: C. A. Christensen, A. S. Batsanov, M. R. Bryce and J. A. K. Howard, <i>J. Org. Chem.</i> , 2001, 66, 3313. Electronic supplementary information (ESI) available: molecular models of 10 and 1012+ viewed along the plane of the benzene core (Fig. S1) and 18 and 1824+ viewed perpendicular to the plane of the benzene core (Fig. S2).. <i>Journal of Materials Chemistry</i> , 2002, 12, 27-36.	6.7	13
395	Electrical characterization of 7 nm long conjugated molecular wires: experimental and theoretical studies. <i>Nanotechnology</i> , 2007, 18, 044005.	1.3	13
396	π -conjugation and charge polarization in fluorene-dibenzothiophene-S,S-dioxide co-oligomers by Raman spectroscopy and quantum chemistry. <i>Journal of Chemical Physics</i> , 2011, 134, 044520.	1.2	13

#	ARTICLE	IF	CITATIONS
397	Harvesting UV photons for solar energy conversion applications. <i>Physical Chemistry Chemical Physics</i> , 2014, 16, 2090-2099.	1.3	13
398	Reversible Thermal Switching of Aqueous Dispersibility of Multiwalled Carbon Nanotubes. <i>Chemistry - A European Journal</i> , 2015, 21, 3891-3894.	1.7	13
399	Blue-emitting thermoreversible oligourethane gelators with aggregation-induced emission properties. <i>Journal of Materials Chemistry C</i> , 2020, 8, 5137-5142.	2.7	13
400	Connectivity dependent thermopower of bridged biphenyl molecules in single-molecule junctions. <i>Nanoscale</i> , 2020, 12, 14682-14688.	2.8	13
401	Cyclophane Molecules Exhibiting Thermally Activated Delayed Fluorescence: Linking Donor Units to Influence Molecular Conformation. <i>Journal of Organic Chemistry</i> , 2021, 86, 429-445.	1.7	13
402	Novel benzyne additions to the 1,2,5-thiadiazole and 1,2,5-selenadiazole ring systems. <i>Journal of the Chemical Society Chemical Communications</i> , 1982, , 299.	2.0	12
403	Highly-Conjugated Bis(1,3-Dithiole) Donors. <i>Molecular Crystals and Liquid Crystals</i> , 1985, 120, 305-308.	0.9	12
404	Synthesis of tetrathiafulvalene (TTF) derivatives bearing long alkyl chains. <i>Journal of the Chemical Society Chemical Communications</i> , 1988, , 1391.	2.0	12
405	Conducting Langmuir-Blodgett films of 1-tetrathiafulvalenyl-octadecan-1-ol-TCNQ complex. <i>Journal Physics D: Applied Physics</i> , 1989, 22, 1586-1590.	1.3	12
406	Generation and trapping of ortho-substituted thionitrosobenzenes: competitive diels-alder and ene reactions with dimethylbutadiene. <i>Tetrahedron Letters</i> , 1991, 32, 7459-7462.	0.7	12
407	Fluorene derivatives with intramolecular charge-transfer: exceptionally easy rotation around the double C(9)-C(1±) bond in nitro-substituted 9-aminomethylenefluorenes. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1995, , 3-5.	0.9	12
408	Preparation and characterisation of conductive Langmuir-Blodgett films of a tetrabutylammonium-Ni(dmit) ₂ complex. <i>Journal of Materials Chemistry</i> , 1996, 6, 699-704.	6.7	12
409	Selenium-nitrogen bond formation by ring expansion: synthesis of the 1,4,2-diselenazine ring system, fragmentation to a 1,2-diselenete and reactions to yield 1,4-diselenin derivatives. <i>Chemical Communications</i> , 1996, , 2375-2376.	2.2	12
410	Evaporated thin films of tetrathiafulvalene derivatives and their charge-transfer complexes. <i>Thin Solid Films</i> , 1998, 335, 209-213.	0.8	12
411	The first bridged 9,10-bis(1,3-dithiol-2-ylidene)-9,10-dihydroanthracene derivatives: strained redox-active cyclophanes. <i>Chemical Communications</i> , 1999, , 1835-1836.	2.2	12
412	Synthesis and optical properties of new tricyano-p-quinodimethane dyes: molecular and polymeric systems. <i>Tetrahedron Letters</i> , 2000, 41, 4645-4649.	0.7	12
413	New Bis(tetrathiafulvalene) Cyclophanes. <i>Synthesis</i> , 2000, 2000, 824-830.	1.2	12
414	Functionalized 8 nm Long Aryleneethynylene Molecular Wire with Alkyne Termini. <i>European Journal of Organic Chemistry</i> , 2007, 2007, 5244-5249.	1.2	12

#	ARTICLE	IF	CITATIONS
415	The $\hat{\Gamma}^2$ Phase Formation Limit in Two Poly(9,9-diä€n</i>ä€octylfluorene) based Copolymers. Macromolecular Rapid Communications, 2011, 32, 983-987.	2.0	12
416	Resonance-Enhanced Charge Delocalization in Carbazoleä€“Oligoyneä€“Oxadiazole Conjugates. Journal of the American Chemical Society, 2020, 142, 18769-18781.	6.6	12
417	Substituted 1,4,2-dithiazines: synthesis by ring expansion of 1,3-dithiolium cations, solution redox properties and X-ray crystal structures of a monocyclic and a bicyclic derivative. Journal of the Chemical Society Perkin Transactions 1, 1992, , 2295.	0.9	11
418	Langmuir-Blodgett films of the fullerenes C70 and C60. Synthetic Metals, 1993, 56, 2955-2960.	2.1	11
419	Conducting langmuir-blodgett films of new amphiphilic tetrathiafulvalene derivatives. Synthetic Metals, 1993, 57, 3871-3878.	2.1	11
420	Alkylthionitroso and arylthionitroso compounds generated from N-trimethylsilyl-N-chlorothioalkylamine precursors. Tetrahedron Letters, 1994, 35, 5275-5278.	0.7	11
421	Electrochemical properties of hexadecanoyltetrathiafulvalene Langmuir-Blodgett films. Thin Solid Films, 1994, 238, 280-284.	0.8	11
422	Calix[6]arene Derivatives Selectively Functionalized at Alternate Sites on the Smaller Rim with 2-Phenylpyridine and 2-Fluorenylpyridine Substituents to Provide Deep Cavities. Journal of Organic Chemistry, 2006, 71, 9589-9594.	1.7	11
423	Aggregation-induced delayed fluorescence (AIDF) materials: a new break-through for nondoped OLEDs. Science China Chemistry, 2017, 60, 1561-1562.	4.2	11
424	Reactions involving fluoride ion. Part 31. Remarkable reactivity of perfluoro-bicyclobutylidene. Journal of the Chemical Society Perkin Transactions 1, 1985, , 1191.	0.9	10
425	Synthetic and NMR spectroscopic studies on the 2,1,3-benzophosphadiazine ring system. Journal of Organometallic Chemistry, 1987, 325, 153-157.	0.8	10
426	Novel synthesis and regiospecific cycloaddition reactions of perfluoro-3-methylbut-1-yne. Journal of the Chemical Society Chemical Communications, 1989, , 1657.	2.0	10
427	Semiconducting Langmuir-Blodgett films of new long-chain tetrathiafulvalene derivatives. Chemistry of Materials, 1992, 4, 720-723.	3.2	10
428	Synthesis and Properties of New Functionalised Tetrathiafulvalene (TTF)ä€“Electron Donors. Phosphorus, Sulfur and Silicon and the Related Elements, 1993, 74, 279-294.	0.8	10
429	Novel [4+2]Cycloadditions of Vinyltetrathiafulvalene Derivatives. Journal of Organic Chemistry, 1995, 60, 4644-4646.	1.7	10
430	Metal-assisted fragmentation of N-aryl- and -alkyl-N-trimethyl-silylamino-sulfur chlorides and N-aryl- and -alkyl-aminosulfur chlorides in the presence of conjugated dienes: synthesis and reactivity of 2-substituted-3,6-dihydro-1,2-thiazines. Journal of the Chemical Society Perkin Transactions 1, 1996, , 1825.	0.9	10
431	Nitroso derivatives of 1,3-dithiol-2-ylidene stabilised by intramolecular oxygen ? sulfur interactions: synthesis and X-ray crystal structures.. Journal of the Chemical Society Perkin Transactions II, 1996, , 2367.	0.9	10
432	Tetrathiafulvalene (TTF) fused to acenaphthylene[1,2b][1,4]dithiine: synthesis and X-ray crystal structure of a new Iä€electron donor system. Tetrahedron Letters, 1999, 40, 801-804.	0.7	10

#	ARTICLE	IF	CITATIONS
433	Conformationally-restricted bicarbazoles with phenylene bridges displaying deep-blue emission and high triplet energies: systematic structure-property relationships. <i>Physical Chemistry Chemical Physics</i> , 2018, 20, 11867-11875.	1.3	10
434	Highly luminescent 2-phenylpyridine-free diiridium complexes with bulky 1,2-diarylimidazole cyclometalating ligands. <i>Dalton Transactions</i> , 2018, 47, 16524-16533.	1.6	10
435	Heteroatom Effects on Quantum Interference in Molecular Junctions: Modulating Antiresonances by Molecular Design. <i>Journal of Physical Chemistry C</i> , 2021, 125, 17385-17391.	1.5	10
436	Synthesis and Trapping of Transient 1,2-Diselenones To Yield 1,4-Diselenin Derivatives: Calculated Structures of 1,2-Diselenones, 1,2-Diselenetes and Their Sulfur Analogues. <i>Chemistry - A European Journal</i> , 2000, 6, 1153-1159.	1.7	10
437	Organic metals: synthesis and properties of bis-(1,3-benzodithiole-2-ylidene)ethane [bi-(benzo-1,3-dithiafulven-6-yl)]. <i>Journal of the Chemical Society Chemical Communications</i> , 1983, , 4.	2.0	9
438	Reactions involving fluoride ion. Part 29. Reactions of perfluoro-2,3-dimethylbuta-1,3-diene. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1983, , 2451.	0.9	9
439	Reactions involving fluoride ion. Part 30. Preparation and reactions of epoxides derived from perfluoroalkyl substituted alkenes. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1984, , 1391.	0.9	9
440	Synthesis of tetrathiafulvalene (TTF) derivatives substituted with two and four hydrophobic alkyl chains. <i>Synthetic Metals</i> , 1989, 31, 379-387.	2.1	9
441	Functionalised ($\Delta\pm$)-cephalotaxine analogues. <i>Journal of the Chemical Society Chemical Communications</i> , 1989, , 1162-1164.	2.0	9
442	Synthesis and X-ray crystal structure of a vinylogue of tetramethyltetraselenafulvalene. <i>Journal of Materials Chemistry</i> , 1997, 7, 381-385.	6.7	9
443	New tetrathiafulvalene derivatives bearing thioamide substituents. <i>Synthetic Metals</i> , 1997, 86, 1901-1902.	2.1	9
444	4-Ethoxycarbonyl-4,5,5-trimethyltetrathiafulvalene and its radical cation: Langmuir-Blodgett film studies, EPR spectra and the X-ray crystal structure of (Me ₃ TTF-CO ₂ Et) ²⁺ TCNQ complex. <i>Journal of Materials Chemistry</i> , 1999, 9, 2973-2978.	6.7	9
445	Synthesis, crystal structure and electrochemistry of a new bimetallic nickel dithiolene complex (NBu ₄) ₂ {C ₂ S ₄ [NiS ₂ C ₂ S ₂ (CO)] ₂ } ²⁺ . A precursor for molecular conductors. <i>Polyhedron</i> , 2001, 20, 537-540.	1.0	9
446	A blended layer MEH-PPV electroluminescent device incorporating a new electron transport material. <i>Materials Science and Engineering C</i> , 2002, 22, 87-89.	3.8	9
447	Determination of standard redox rate constants of OLED active compounds by electrochemical impedance spectroscopy. <i>Electrochimica Acta</i> , 2017, 258, 1160-1172.	2.6	9
448	Preparation, properties, and X-ray crystal structure of a 1:1 complex of tetrathiafulvalene and p-dinitrobenzene. <i>Canadian Journal of Chemistry</i> , 1982, 60, 2057-2061.	0.6	8
449	A new route to 1,4-disubstituted cyclohexa-1,3-diene derivatives: the synthesis of a highly conjugated bisbenzothiazoline derivative. <i>Journal of Organic Chemistry</i> , 1984, 49, 3399-3401.	1.7	8
450	A Modified Synthesis of 1,3-Benzoselenazole. <i>Synthetic Communications</i> , 1988, 18, 181-184.	1.1	8

#	ARTICLE	IF	CITATIONS
451	Preparation, solid-state characterisation and X-ray crystal structure of a 1:1 complex of tetrathiafulvalene and m-dinitrobenzene (TTF-mDNB). <i>Journal of the Chemical Society Perkin Transactions II</i> , 1988, , 1713.	0.9	8
452	Synthesis and redox properties of substituted 1,4,2-dithiazines: X-ray crystal structure of 3-(4-methoxyphenyl)-5,6-dimethyl-1,4,2-dithiazine. <i>Journal of the Chemical Society Chemical Communications</i> , 1992, , 478.	2.0	8
453	Diels-Alder and ene reactions of new transient thionitrosoarenes (Ar-Ni(S)) and thionitrosoheteroarenes (Het-Ni(S)) generated from N-(arylamino)sulfanyl and N-(heteroarylamino)sulfanyl-phthalimides: synthesis of cyclic and acyclic sulfenamides. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1994, , 1935-1944.	0.9	8
454	Langmuir-Blodgett films of a tetrathiafulvalene derivative substituted with an azobenzene group. <i>Journal of Materials Chemistry</i> , 1997, 7, 2033-2037.	6.7	8
455	Convenient one pot synthesis of 5-unsubstituted pyrazolo [3,4-c]isoquinolines. <i>Journal of Heterocyclic Chemistry</i> , 2001, 38, 523-525.	1.4	8
456	Remarkable Interplay of Redox States and Conformational Changes in a Sterically Crowded, Cross-Conjugated Tetrathiafulvalene Vinylog. <i>Chemistry - A European Journal</i> , 2006, 12, 5481-5494.	1.7	8
457	An unusual synthesis of a spirothioxanthene derivative. <i>Tetrahedron Letters</i> , 2010, 51, 6605-6607.	0.7	8
458	Intramolecular H ⁺ Interactions with a Chiral Auxiliary Ligand Control Diastereoselectivity in a Cyclometalated Ir(III) Complex. <i>Inorganic Chemistry</i> , 2018, 57, 12836-12849.	1.9	8
459	The structure and reactivity of dipyrido[1,2-a : 1 ^a ,2 ^d]pyrazinium cations. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1985, , 433-436.	0.9	7
460	A Tetrathiotrimethylenemethane Derivative. <i>Angewandte Chemie International Edition in English</i> , 1991, 30, 871-873.	4.4	7
461	Conductivity and electroluminescence in an organometallic Langmuir-Blodgett film/antracene structure. <i>Thin Solid Films</i> , 1994, 244, 936-938.	0.8	7
462	Synthesis and reactions of 1,4,2-dithiazines, bis(1,4,2-dithiazines) and 1,2,3-dithiazines by ring expansion of 1,3- or 1,2-dithiolium cations. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1994, , 2571.	0.9	7
463	1,3-Dithiol-2-ylidene derivatives of 1,3-indanedione. <i>Tetrahedron</i> , 1999, 55, 9915-9922.	1.0	7
464	Synthesis and X-ray structure of a novel 1,2,4-trithiolane. <i>Journal of Heterocyclic Chemistry</i> , 1999, 36, 823-825.	1.4	7
465	Determination of silver in photographic emulsion: comparison of traditional solid-state electrodes and a new ion-selective membrane electrode. <i>Analyst</i> , 2000, 125, 1447-1451.	1.7	7
466	Functionalisation reactions of 2,5-diphenyl-1,3,4-oxadiazoles bearing a terminal ethynyl or butadiynyl substituent: X-ray crystal structures of the products. <i>Organic and Biomolecular Chemistry</i> , 2004, 2, 858.	1.5	7
467	Themed issue on small molecules and monodisperse oligomers for organic electronics. <i>Journal of Materials Chemistry C</i> , 2016, 4, 3675-3676.	2.7	7
468	Supramolecular oligourethane gels as light-harvesting antennae: achieving multicolour luminescence and white-light emission through FRET. <i>Journal of Materials Chemistry C</i> , 2021, 9, 13331-13337.	2.7	7

#	ARTICLE	IF	CITATIONS
469	Preparation and properties of a 1:1 complex of tetrathiafulvalene and 1,3,5-trinitrobenzene (TTF-TNB). <i>Synthetic Metals</i> , 1987, 20, 373-374.	2.1	6
470	Conducting and insulating salts of phosphiniminium cations with 7,7,8,8-tetracyano-p-quinodimethane (TCNQ). <i>Tetrahedron Letters</i> , 1987, 28, 4465-4468.	0.7	6
471	Preparation and solid-state characterization of the 7,7,8,8-tetracyano-p-quinodimethanide salt of the bis(triphenylphosphoranylidinium) cation: (PPN) ₂ (TCNQ) ₃ (MeCN) ₂ . <i>Journal of the Chemical Society Perkin Transactions II</i> , 1988, , 1151.	0.9	6
472	Polyhalogenoheterocyclic compounds. Part 39. Reactions of 4,5,6-tris(perfluoroisopropyl)-1,2,3-triazine involving nucleophilic attack at heterocyclic nitrogen. X-Ray crystal structure of a spiro triazinium zwitterion. <i>Journal of the Chemical Society Perkin Transactions I</i> , 1990, , 2379.	0.9	6
473	An X-ray photoelectron investigation of conducting N-octadecylpyridinium-tetracyanoquinodimethane Langmuir-Blodgett films. <i>Thin Solid Films</i> , 1991, 198, 363-367.	0.8	6
474	An electrical investigation into multilayer assemblies of charge-transfer materials. <i>Journal Physics D: Applied Physics</i> , 1991, 24, 1422-1429.	1.3	6
475	Semi-conducting Langmuir-Blodgett films of a novel amphiphilic bis(tetrathiafulvalene) derivative. <i>Journal of Materials Chemistry</i> , 1995, 5, 191-192.	6.7	6
476	A new approach to one-way electron transfer using multiredox centres organised in Langmuir-Blodgett films. <i>Journal of Electroanalytical Chemistry</i> , 1996, 408, 173-179.	1.9	6
477	Synthesis of mixed p-quinodimethane analogues of tetrathiafulvalene (TTF) and Tetracyano-p-Quinodimethane (TCNQ) exhibiting photoinduced electron transfer properties. <i>Synthetic Metals</i> , 1997, 86, 1857-1858.	2.1	6
478	Novel conjugated donor-acceptor molecules based on 1,3-diselenol-2-ylidene units. <i>Tetrahedron</i> , 1998, 54, 13257-13266.	1.0	6
479	The preparation and characterisation of Langmuir-Blodgett films of the metal dithiolate charge-transfer complex N-octadecylpyridinium-Pd(dmit) ₂ . <i>Journal of Materials Chemistry</i> , 1998, 8, 387-396.	6.7	6
480	Key role of the linker in pyrene-linker-carboxylate surfactants for the efficient aqueous dispersion of multiwalled carbon nanotubes. <i>RSC Advances</i> , 2015, 5, 95360-95368.	1.7	6
481	Synthesis of Tetracyclic 2,3-Dihydro-1,3-diazepines from a Dinitrodibenzothiophene Derivative. <i>Journal of Organic Chemistry</i> , 2018, 83, 12320-12326.	1.7	6
482	Carbazole-Based Tetrapodal Anchor Groups for Gold Surfaces: Synthesis and Conductance Properties. <i>Angewandte Chemie</i> , 2020, 132, 892-899.	1.6	6
483	Reactions of 2,1-Benzisothiazoles with Acetylenic Esters. <i>Heterocycles</i> , 1983, 20, 489.	0.4	6
484	Thermoelectric properties of organic thin films enhanced by π - π stacking. <i>J Phys Energy</i> , 2022, 4, 024002.	2.3	6
485	Complexes of 4,4-diethylmorpholinium with 2,5-dibromo-7,7,8,8-tetracyano-quinodimethane : (DEM) _x (TCNQBr ₂) _y . <i>Tetrahedron Letters</i> , 1983, 24, 1205-1208.	0.7	5
486	Synthesis of substituted TCNQ derivatives using electrophilic cyanide derived from thiocyanate and selenocyanate reagents. <i>Journal of the Chemical Society Chemical Communications</i> , 1989, , 529.	2.0	5

#	ARTICLE	IF	CITATIONS
487	Electron acceptor molecules: new, expedient synthesis of substituted 7,7,8,8-tetracyano-p-quinodimethane (TCNQ) derivatives and the X-ray crystal structure of 2,5-dibromo-TCNQ. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1992, , 611.	0.9	5
488	Electrical Properties of Multilayer Films Containing a Carotene Derivative. <i>Molecular Crystals and Liquid Crystals</i> , 1993, 229, 83-90.	0.3	5
489	A comparison of tetrathiafulvalene thin films prepared by thermal evaporation and the Langmuir-Blodgett technique. <i>Thin Solid Films</i> , 1996, 284-285, 516-519.	0.8	5
490	A novel π -donor π -acceptor system: 1-(4,5-dimethyl-1,3-dithiol-2-ylidene)-1-ferrocenyl-3,3-dicyanopropene. <i>Journal of Organometallic Chemistry</i> , 1999, 590, 180-183.	0.8	5
491	Electron acceptors of the fluorene series. Part 13. 9-(5-Nitrofuranyl-2-ylidene)- and 9-(5-nitro-2-thienylidene)-2,4,5,7-tetranitrofluorenes: novel π -extended electron acceptors. Synthesis, cyclic voltammetry and X-ray crystal structures for the acceptor and its 4,5-dimethyltetrathiafulvalene complex, and a theoretical study. <i>Perkin Transactions II RSC</i> , 2001, , 1546-1551.	1.1	5
492	Asymmetrical π -Dendronized TADF Emitters for Efficient Non π -Doped Solution π -Processed OLEDs by Eliminating Degenerate Excited States and Creating Solely Thermal Equilibrium Routes. <i>Angewandte Chemie</i> , 2022, 134, .	1.6	5
493	Quantum interference dependence on molecular configurations for cross-conjugated systems in single-molecule junctions. <i>Molecular Systems Design and Engineering</i> , 2022, 7, 1287-1293.	1.7	5
494	Preparation, properties and X-ray crystal structures of complexes of 4,4-diethylmorpholinium with 2,5-dibromo- and 2,5-dichloro-7,7,8,8-tetracyano-quinodimethane : DEM(TCNQBr) ₂ and DEM-TCNQCl ₂ . <i>Tetrahedron Letters</i> , 1982, 23, 4273-4276.	0.7	4
495	Photochemically-induced 1,3-fluorine shifts. The synthesis of novel fluorinated spiro compounds. <i>Journal of the Chemical Society Chemical Communications</i> , 1983, , 1457.	2.0	4
496	Studies in the Protection and Selective Deprotection of 5-Amino-1- β -D-Ribofuranosylimidazole-4-Carboxamide (Aica-Riboside). <i>Nucleosides & Nucleotides</i> , 1988, 7, 339-346.	0.5	4
497	Second harmonic generation from LB films of C16H33-BT3CNQ. <i>Synthetic Metals</i> , 1991, 43, 3173-3176.	2.1	4
498	N-Methylthiocarbamoyltetrathiafulvalene at 150 K. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1994, 50, 1956-1958.	0.4	4
499	Electrical properties of evaporated TTF thin films. <i>Synthetic Metals</i> , 1995, 70, 1247-1248.	2.1	4
500	An electrical impedance study of Langmuir - Blodgett films containing a tetrabutylammonium Ni(dmit) complex. <i>Journal Physics D: Applied Physics</i> , 1997, 30, 2928-2931.	1.3	4
501	Synthesis, structure and optical characterisation of silicon phthalocyanine bis-esters. <i>Perkin Transactions II RSC</i> , 2002, , 59-66.	1.1	4
502	Self-Assembly and Multistage Redox Chemistry of Strong Electron Acceptors on Metal Surfaces: π -Polynitrofluorenes on Gold and Platinum. <i>Langmuir</i> , 2005, 21, 8824-8831.	1.6	4
503	Synthetic metals: Polyacetylene and organic superconductors lead the field. <i>Nature</i> , 1984, 311, 301-302.	13.7	3
504	Structure of the twofold addition product tetramethyl 6-diethylamino-3,7a,10,11b-tetrahydro-7H-dipyridazino[4,5-b:4',5'-d]azepine-1,4,8,11-tetracarboxylate, C22H28N6O8. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1984, 40, 1934-1937.	0.4	3

#	ARTICLE	IF	CITATIONS
505	Preparation, properties and x-ray crystal structure of a complex of bis(triphenylphosphoranylidene)ammonium iodide with 7,7,8,8-tetracyano-quinodimethane: (PPN) ₂ (TCNQ) ₃ (CH ₃ CN) ₂ . <i>Tetrahedron Letters</i> , 1984, 25, 4275-4278.	0.7	3
506	Solid state characterization and x-ray crystal structure of a 1:1 complex of tetrathiafulvalene and meta-dinitrobenzene (TTF-mDNB). <i>Synthetic Metals</i> , 1988, 25, 25-28.	2.1	3
507	N, ₇ -tricyanoquinomethaneimines: new electron acceptors for organic metals. <i>Journal of the Chemical Society Chemical Communications</i> , 1989, , 328.	2.0	3
508	A novel modification of trans-p,p'-dibromoazobenzene. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1994, 50, 1818-1819.	0.4	3
509	Application of electrochemical techniques to the study of Langmuir-Blodgett films of N-octadecylpyridinium-Ni(dmit) ₂ . <i>Thin Solid Films</i> , 1996, 284-285, 512-515.	0.8	3
510	New redox materials based on functionalized 9,10-anthracenediylidenes. <i>Pure and Applied Chemistry</i> , 1999, 71, 2137-2144.	0.9	3
511	Fluorene co-polymer luminescence: implications for molecular interactions. <i>Synthetic Metals</i> , 2001, 119, 627-628.	2.1	3
512	Seeing through synthetic metals. <i>Nature</i> , 1988, 335, 12-13.	13.7	2
513	FTIR studies of conducting Langmuir-Blodgett films of o-hexadecylthiocarboxytetrathiafulvalene. <i>Thin Solid Films</i> , 1992, 210-211, 589-591.	0.8	2
514	X-Ray crystal structure and solid-state properties of a 1:1 complex of tetrathiafulvalene (TTF) and 1-oxo-2,6-dimethyl-4-dicyanomethylenecyclohexa-2,5-diene. <i>Journal of Materials Chemistry</i> , 1994, 4, 1719.	6.7	2
515	Percolation conductivity in Langmuir-Blodgett multilayer films containing a long-chain TTF derivative. <i>Supramolecular Science</i> , 1997, 4, 443-447.	0.7	2
516	Structural and electrical studies on nickel(dmit) ₂ complexes. <i>Synthetic Metals</i> , 1997, 86, 1839-1840.	2.1	2
517	Synthesis and Trapping of Transient 1, 2-Diselones To Yield 1, 4-Diselenin Derivatives: Calculated Structures of 1, 2-Diselones, 1, 2-Diselenetes and Their Sulfur Analogues. <i>Chemistry - A European Journal</i> , 2000, 6, 1153-1159.	1.7	2
518	Cocrystals of 2-(2,4,5,7-tetranitrofluoren-9-ylidene)propanedinitrile and 2,4,5,7-tetranitrofluoren-9-one with chlorobenzene. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2001, 57, 1299-1302.	0.4	2
519	An unexpected TFAQ donor-fluorene acceptor reaction resulting in a novel salt: 2,6-dihexyloxy-9,10-bis(4,5-dimethyl-1,3-dithiol-2-ylidene)-anthracene bis(2,5,7-trinitro-4-bromo-9-cyanofluorene) dioxane trisolvate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2002, 58, o1106-o1110.	0.2	2
520	An Improved Synthesis and Structural Characterisation of 2-(4-Acetylthiophenylethynyl)-4-nitro-5-phenylethynylaniline: The Molecule Showing High Negative Differential Resistance (NDR). <i>Synthesis</i> , 2003, 2003, 2089-2095.	1.2	2
521	Practical Syntheses of N-Hexylcarbazol-2-yl- and -3-yl-boronic Acids, Their Cross-Coupled Products and a Derived Tris-cyclometalated (Pyridin-2-yl)carbazole Iridium(III) Complex. <i>Synthesis</i> , 2005, 2005, 1619-1624.	1.2	2
522	Functionalised 9-(1,3-dithiol-2-ylidene)thioxanthene derivatives: a C60 conjugate as an ambipolar organic field effect transistor (OFET). <i>Journal of Materials Chemistry</i> , 2005, , .	6.7	2

#	ARTICLE	IF	CITATIONS
523	Allocation of Ambipolar Charges on an Organic Diradical with a Vinylene-Phenylenediyne Bridge. <i>Journal of Physical Chemistry Letters</i> , 2021, 12, 6159-6164.	2.1	2
524	A Novel Bis(tetrathiafulvalene) Cyclophane: Synthesis, Electrochemical Properties, and X-ray Crystal Structures of the Neutral and Radical Cation Species. , 1998, 10, 1360.		2
525	A novel rearrangement of a strained pyrazoline. <i>Journal of the Chemical Society Chemical Communications</i> , 1983, , 76.	2.0	1
526	2,3-Dimethyl-TCNQ: A new electron acceptor for organic metals. <i>Synthetic Metals</i> , 1985, 11, 305-306.	2.1	1
527	Solid-state chemistry: Novel molecular metals. <i>Nature</i> , 1986, 324, 510-510.	13.7	1
528	Electrophilic fluorinations. <i>Journal of Fluorine Chemistry</i> , 1987, 35, 64.	0.9	1
529	Observable fluorocarbanions. <i>Journal of Fluorine Chemistry</i> , 1987, 35, 65.	0.9	1
530	Properties of (TMS) (TCNQ) I133; a ternary TCNQ salt. <i>Solid State Communications</i> , 1990, 76, 1153-1157.	0.9	1
531	Synthesis and Characterisation of Polypyridine Derivatives: Towards Regioregular PPY. <i>Materials Research Society Symposia Proceedings</i> , 2001, 665, 1.	0.1	1
532	New π -Electron Rich Donors and Cavities and their Supramolecular Assemblies: Synthesis, Electrochemistry and Crystal Structures. <i>Molecular Crystals and Liquid Crystals</i> , 2002, 379, 1-8.	0.4	1
533	Electrochromic Tetrathiafulvalene Derivatives Functionalized with 2,5-Diaryl-1,3,4-oxadiazole Chromophores.. <i>ChemInform</i> , 2004, 35, no.	0.1	1
534	Characterization of the porous nature of a phthalocyanine derivative with axial ligation designed to prevent aggregation. <i>Journal of Porphyrins and Phthalocyanines</i> , 2010, 14, 389-396.	0.4	1
535	A Complex of Bis(Triphenylphosphoranylidene)Cations with TCNQ: (PPN) ₂ (TCNQ) ₃ (CH ₃) ₂ CN. <i>Molecular Crystals and Liquid Crystals</i> , 1985, 120, 361-363.	0.9	0
536	Conducting salts of cyclic sulphonium cations with 7,7,8,8-tetracyano-p-quinodimethane (TCNQ): X-ray crystal structure of 1-methyl-1,4-dithianium TCNQ salt, (MDT) ₁ + (TCNQ) ₂ ?. <i>Journal of the Chemical Society Chemical Communications</i> , 1988, , 1441.	2.0	0
537	Stretched TTF and selenatrithiafulvalene derivatives: Synthesis and solid state characterisation. <i>Synthetic Metals</i> , 1991, 42, 1689.	2.1	0
538	Electroactive Langmuir blodgett films of tetrathiafulvalene derivatives. <i>Synthetic Metals</i> , 1991, 42, 1441.	2.1	0
539	Laying down organic metals. <i>Nature</i> , 1991, 352, 760-761.	13.7	0
540	New materials in old niches. <i>Nature</i> , 1993, 365, 583-583.	13.7	0

#	ARTICLE	IF	CITATIONS
541	Functionalized Tetrathiafulvalene Derivatives and their Radical Cation Salts: Synthesis and X-Ray Crystal Structures. <i>Materials Research Society Symposia Proceedings</i> , 1997, 488, 483.	0.1	0
542	Langmuir-Blodgett deposition and non-linear optical properties of a two-legged dye. <i>Supramolecular Science</i> , 1997, 4, 219-222.	0.7	0
543	Electroluminescent devices incorporating a new oxadiazole derivative. , 2001, 4105, 307.		0
544	Functionalized Pyridylboronic Acids and Their Suzuki Cross-Coupling Reactions to Yield Novel Heteroarylpyridines.. <i>ChemInform</i> , 2003, 34, no.	0.1	0
545	New π -Electron-Rich Donors and Cavities and Their Supramolecular Assemblies: Synthesis, Electrochemistry and Crystal Structures. <i>ChemInform</i> , 2003, 34, no.	0.1	0
546	5-Formyl-2-furylboronic Acid as a Versatile Bifunctional Reagent for the Synthesis of π -Extended Heteroarylfuran Systems.. <i>ChemInform</i> , 2003, 34, no.	0.1	0
547	Planar Chiral 2-Ferrocenyloxazolines and 1,1'-Bis(oxazolanyl)ferrocenes " Syntheses and Applications in Asymmetric Catalysis. <i>ChemInform</i> , 2003, 34, no.	0.1	0
548	5-Pyrimidylboronic Acid and 2-Methoxy-5-pyrimidylboronic Acid: New Heteroarylpyrimidine Derivatives via Suzuki Cross-Coupling Reactions.. <i>ChemInform</i> , 2004, 35, no.	0.1	0
549	Palladium-Catalyzed Cross-Coupling Reactions of Pyridylboronic Acids with Heteroaryl Halides Bearing a Primary Amine Group: Synthesis of Highly Substituted Bipyridines and Pyrazinopyridines.. <i>ChemInform</i> , 2005, 36, no.	0.1	0
550	A Versatile Synthesis of Pyrazolo[3,4-c]isoquinoline Derivatives by Reaction of 4-Aryl-5-aminopyrazoles with Aryl/Heteroaryl Aldehydes: The Effect of the Heterocycle on the Reaction Pathways.. <i>ChemInform</i> , 2005, 36, no.	0.1	0
551	2-Ethoxy-3-pyridylboronic Acid (I): A Versatile Reagent for the Synthesis of Highly-Functionalized 3-Aryl/heteroaryl-pyridines via Suzuki Cross-Coupling Reactions.. <i>ChemInform</i> , 2005, 36, no.	0.1	0
552	Molecules with Exceptionally Small HOMO-LUMO Gaps. <i>ChemInform</i> , 2005, 36, no.	0.1	0
553	Raman Spectra and Quantum Chemistry Calculations of Fluorene-Dibenzothiophene-S,S- dioxide Oligomers. , 2010, , .		0
554	Electrophosphorescence: Very High Efficiency Orange-Red Light-Emitting Devices with Low Roll-Off at High Luminance Based on an Ideal Host-Guest System Consisting of Two Novel Phosphorescent Iridium		