

# Qidan Ling

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8190237/publications.pdf>

Version: 2024-02-01

80  
papers

3,463  
citations

186265

28  
h-index

144013

57  
g-index

80  
all docs

80  
docs citations

80  
times ranked

3870  
citing authors

#	ARTICLE	IF	CITATIONS
1	Modifying polymer PM6 by incorporating a third component for an enhanced short-circuit current density. <i>Journal of Materials Chemistry C</i> , 2022, 10, 2026-2033.	5.5	11
2	Donor-Acceptor Type Polymer Bearing Carbazole Side Chain for Efficient Dopant-Free Perovskite Solar Cells. <i>Advanced Energy Materials</i> , 2022, 12, 2102697.	19.5	51
3	Light/Force-Sensitive OD Lead-Free Perovskites: From Highly Efficient Blue Afterglow to White Phosphorescence with Near-Unity Quantum Efficiency. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	13.8	85
4	Enhancing performance and stability of perovskite solar cells through defect passivation with a polyamide derivative obtained from benzoxazine-isocyanide chemistry. <i>Chemical Engineering Journal</i> , 2022, 431, 133951.	12.7	27
5	Synthesis and Electrical Memory Properties of Eu-containing Polyimide with Bipyridyl Units. <i>Chemistry Letters</i> , 2022, 51, 364-367.	1.3	0
6	Light/Force-Sensitive OD Lead-Free Perovskites: From Highly Efficient Blue Afterglow to White Phosphorescence with Near-Unity Quantum Efficiency. <i>Angewandte Chemie</i> , 2022, 134, .	2.0	15
7	Boosting the overall stability of organic solar cells by crosslinking vinyl-functionalized polymer derived from PM6. <i>Materials Chemistry Frontiers</i> , 2022, 6, 1150-1160.	5.9	8
8	Greatness in Simplicity: Efficient Red Room-Temperature Phosphorescence from Simple Halogenated Maleimides with a 2D Layered Structure. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 14703-14711.	8.0	15
9	Multimode stimuli responsive dual-state organic room temperature phosphorescence from a phenanthrene derivative. <i>Chemical Engineering Journal</i> , 2022, 444, 136629.	12.7	32
10	Cluster-luminescent polysiloxane nanomaterials: adjustable full-color ultralong room temperature phosphorescence and a highly sensitive response to silver ions. <i>Inorganic Chemistry Frontiers</i> , 2022, 9, 3619-3626.	6.0	12
11	Nearly Unity Quantum Yield Persistent Room-Temperature Phosphorescence from Heavy Atom-Free Rigid Inorganic/Organic Hybrid Frameworks. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	13.8	41
12	Highly efficient white emission from UV-driven hybrid LEDs through down-conversion of arylmaleimide-based branched polymers. <i>Journal of Luminescence</i> , 2021, 230, 117742.	3.1	7
13	Multicolor Output from 2D Hybrid Perovskites with Wide Band Gap: Highly Efficient White Emission, Dual-Color Afterglow, and Switch between Fluorescence and Phosphorescence. <i>Journal of Physical Chemistry Letters</i> , 2021, 12, 1040-1045.	4.6	31
14	Highly emissive fused diarylmaleimides synthesized by a cascade reaction of selective bromination and visible-light-driven cyclization. <i>Dyes and Pigments</i> , 2021, 187, 109113.	3.7	10
15	Brominated Small-Molecule Acceptors with a Simple Non-fused Framework for Efficient Organic Solar Cells. <i>ACS Applied Energy Materials</i> , 2021, 4, 4805-4814.	5.1	6
16	Space conjugation induced white light and room-temperature phosphorescence from simple organic small molecules: single-component WLED driven by both UV and blue chips. <i>Materials Chemistry Frontiers</i> , 2021, 5, 6960-6968.	5.9	20
17	A metal-free 2D layered organic ammonium halide framework realizing full-color persistent room-temperature phosphorescence. <i>Chemical Science</i> , 2021, 12, 14451-14458.	7.4	29
18	Highly efficient solid-state emission of diphenylfumaronitriles with full-color AIE, and application in explosive sensing, data storage and WLEDs. <i>Dyes and Pigments</i> , 2020, 172, 107829.	3.7	35

#	ARTICLE	IF	CITATIONS
19	Solution-processed, top-emitting, microcavity polymer light-emitting diodes for the pure red, green, blue and near white emission. <i>Nanotechnology</i> , 2020, 31, 085201.	2.6	9
20	Dopant-Free, Donor-Acceptor Type Polymeric Hole-Transporting Materials for the Perovskite Solar Cells with Power Conversion Efficiencies over 20%. <i>Advanced Energy Materials</i> , 2020, 10, 1903146.	19.5	74
21	Highly Efficient Organic Afterglow from a 2D Layered Lead-Free Metal Halide in Both Crystals and Thin Films under an Air Atmosphere. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 1419-1426.	8.0	48
22	Dynamic dual spectral response on different cations by regulating PET and LMCT process of a simple luminescent sensor. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2020, 401, 112775.	3.9	7
23	Donor-Acceptor Type Polymers Containing Fused-Ring Units as Dopant-Free, Hole-Transporting Materials for High-Performance Perovskite Solar Cells. <i>ACS Applied Energy Materials</i> , 2020, 3, 12475-12483.	5.1	15
24	Highly-efficient and stable warm white emission from perovskite/silica composites with photoactivated luminescence enhancement. <i>Journal of Materials Chemistry C</i> , 2020, 8, 12623-12631.	5.5	10
25	Highly thermally stable all-polymer solar cells enabled by photo-crosslinkable bromine-functionalized polymer donors. <i>Solar Energy</i> , 2020, 201, 489-498.	6.1	10
26	Regulation of clusterization-triggered phosphorescence from a non-conjugated amorphous polymer: a platform for colorful afterglow. <i>Materials Chemistry Frontiers</i> , 2020, 4, 1198-1205.	5.9	68
27	Metallic nickel-cobalt phosphide/multilayer graphene composite for high-performance supercapacitors. <i>New Journal of Chemistry</i> , 2020, 44, 8796-8804.	2.8	23
28	Ultrastable and colorful afterglow from organic luminophores in amorphous nanocomposites: advanced anti-counterfeiting and in vivo imaging application. <i>Nano Research</i> , 2020, 13, 1035-1043.	10.4	42
29	Enhanced Performance and Stability of TiO <sub>2</sub> Nanoparticles-Based Perovskite Solar Cells Employing a Cheap Polymeric Surface Modifier. <i>ChemSusChem</i> , 2019, 12, 4824-4831.	6.8	11
30	Bicomponent Random Approach for the Synthesis of Donor Polymers for Efficient All-Polymer Solar Cells Processed from A Green Solvent. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 43441-43451.	8.0	13
31	Photo-induced phosphorescence and mechanoluminescence switching in a simple purely organic molecule. <i>Journal of Materials Chemistry C</i> , 2019, 7, 2530-2534.	5.5	63
32	Photoactive layer crosslinking in all-polymer solar cells: Stabilized morphology and enhanced thermal-stability. <i>Solar Energy Materials and Solar Cells</i> , 2019, 200, 109982.	6.2	16
33	Metal ion-induced coordination and cyclization of crown ether-based bisindolyImaleimides: different fluorescence responses and applications in complex logical operations. <i>Journal of Materials Chemistry C</i> , 2019, 7, 13904-13911.	5.5	8
34	Perylene Diimide-Based Electron-Transporting Material for Perovskite Solar Cells with Undoped Poly(3-hexylthiophene) as Hole-Transporting Material. <i>ChemSusChem</i> , 2019, 12, 1155-1161.	6.8	31
35	High Color Rendering Index White-Light Emission from UV-Driven LEDs Based on Single Luminescent Materials: Two-Dimensional Perovskites (C <sub>6</sub> H <sub>5</sub> C <sub>2</sub> H <sub>4</sub> NH <sub>3</sub> ) <sub>2</sub> PbBr <sub>4</sub> Cl <sub>4</sub> . <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 15980-15987.	8.0	75
36	Highly efficient white electroluminescence from dual-core star-shaped single polymer: performance improved by changing the non-emissive core. <i>Journal of Materials Chemistry C</i> , 2018, 6, 4318-4324.	5.5	8

#	ARTICLE	IF	CITATIONS
37	Diarylmaleimide-based branched oligomers: strong full-color emission in both solution and solid films. <i>Organic and Biomolecular Chemistry</i> , 2018, 16, 130-139.	2.8	13
38	Preparation of MgAl-EDTA-LDH based electrospun nanofiber membrane and its adsorption properties of copper(II) from wastewater. <i>Journal of Hazardous Materials</i> , 2018, 345, 1-9.	12.4	120
39	Large Changes in Fluorescent Color and Intensity of Symmetrically Substituted Arylmaleimides Caused by Subtle Structure Modifications. <i>Chemistry - A European Journal</i> , 2018, 24, 322-326.	3.3	41
40	Highly efficient room-temperature phosphorescence and afterglow luminescence from common organic fluorophores in 2D hybrid perovskites. <i>Chemical Science</i> , 2018, 9, 8975-8981.	7.4	119
41	Transparent red $\epsilon$ -emitting silicone resin for color conversion and encapsulation of NUV light-emitting diodes. <i>Journal of the American Ceramic Society</i> , 2018, 102, 2718.	3.8	3
42	A synergetic effect of an alkyl-thiophene $\pi$ -bridge and side chain modification on device performances for stable all-polymer solar cells with high PCE. <i>Journal of Materials Chemistry C</i> , 2018, 6, 8418-8428.	5.5	10
43	Theoretical Studies of the Spin-Dependent Electronic Transport Properties in Ethynyl-Terminated Ferrocene Molecular Junctions. <i>Micromachines</i> , 2018, 9, 95.	2.9	5
44	Fused Nonacyclic Electron Acceptors for Efficient Polymer Solar Cells. <i>Journal of the American Chemical Society</i> , 2017, 139, 1336-1343.	13.7	813
45	Effect of molecular structure on spin-dependent electron transport in biferrocene-based molecular junctions: a first-principles study. <i>Journal of Computational Electronics</i> , 2017, 16, 340-346.	2.5	11
46	Single-junction Binary Blend Nonfullerene Polymer Solar Cells with 12.1% Efficiency. <i>Advanced Materials</i> , 2017, 29, 1700144.	21.0	629
47	Solvent-dependent and highly selective anion sensing and molecular logic application of bisindolylmaleimide derivatives. <i>RSC Advances</i> , 2017, 7, 12161-12169.	3.6	15
48	Diarylmaleic anhydrides: unusual organic luminescence, multi-stimuli response and photochromism. <i>Journal of Materials Chemistry C</i> , 2017, 5, 2135-2141.	5.5	65
49	A facile one-pot synthesis of hyper-branched carbazole-based polymer as a hole-transporting material for perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2017, 5, 6613-6621.	10.3	42
50	Dual-core star-shaped single white polymers: the effect of host structure on luminescence properties. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 12642-12646.	2.8	7
51	Single white polymers based on simple diarylmaleimides: Polymeric structure and electroluminescent properties. <i>Synthetic Metals</i> , 2017, 230, 18-26.	3.9	7
52	Synthesis of new conjugated polymers with coordinated praseodymium complexes for polymer memory devices. <i>RSC Advances</i> , 2017, 7, 18384-18391.	3.6	13
53	Water-borne foldable polymer solar cells: one-step transferring free-standing polymer films onto woven fabric electrodes. <i>Journal of Materials Chemistry A</i> , 2017, 5, 782-788.	10.3	30
54	Influence of polyhedral oligomeric silsesquioxanes (POSS) on the luminescence properties of non-conjugated copolymers based on iridium complex and carbazole units. <i>RSC Advances</i> , 2017, 7, 39512-39522.	3.6	4

#	ARTICLE	IF	CITATIONS
55	Synthesis and characterization of two-component acidic ion intercalated layered double hydroxide and its use as a nanoflame-retardant in ethylene vinyl acetate copolymer (EVA). <i>RSC Advances</i> , 2017, 7, 53064-53075.	3.6	13
56	Naphthalene diimide-based random terpolymer for efficient all-polymer solar cells with high open circuit voltage. <i>Dyes and Pigments</i> , 2017, 146, 169-177.	3.7	19
57	Perylene and naphthalene diimide copolymers for all-polymer solar cells: Effect of perylene/naphthalene ratio. <i>Journal of Polymer Science Part A</i> , 2017, 55, 682-689.	2.3	19
58	Synthesis of A low-bandgap polymer-based thieno[3,4-b]pyrazine and benzo[1,2-b:4,5-b']dithiophene for polymer solar cells. <i>Polymer Bulletin</i> , 2017, 74, 603-614.	3.3	11
59	Full-solution processed, flexible, top-emitting polymer light-emitting diodes based on printed Ag electrodes. <i>Journal of Materials Chemistry C</i> , 2017, 5, 6400-6405.	5.5	13
60	Simple synthesis of novel terthiophene-based A <sub>1</sub> -A <sub>2</sub> polymers for polymer solar cells. <i>RSC Advances</i> , 2016, 6, 86276-86284.	3.6	6
61	Poly(ethylene glycol)- and glucopyranoside-substituted N-heterocyclic carbene precursors for the synthesis of arylfluorene derivatives using efficient palladium-catalyzed aqueous Suzuki reaction. <i>Applied Organometallic Chemistry</i> , 2016, 30, 924-931.	3.5	18
62	Diarylmaleimide fluorophores: intensely emissive low-band-gap guest for single white polymers with highly efficient electroluminescence. <i>Journal of Materials Chemistry C</i> , 2016, 4, 9804-9812.	5.5	15
63	Highly reproducible and photocurrent hysteresis-less planar perovskite solar cells with a modified solvent annealing method. <i>Solar Energy</i> , 2016, 136, 210-216.	6.1	16
64	Carbazole-based diphenyl maleimides: Multi-functional smart fluorescent materials for data process and sensing for pressure, explosive and pH. <i>Dyes and Pigments</i> , 2016, 133, 345-353.	3.7	34
65	White light-emitting devices based on star-shape like polymers with diarylmaleimide fluorophores on the side chain of polyfluorene arms. <i>Organic Electronics</i> , 2016, 31, 183-190.	2.6	21
66	Synthesis and optical properties of white phosphorescent carbazole - iridium copolymers. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2016, 53, 222-226.	2.2	7
67	Perylene and naphthalene diimide polymers for all-polymer solar cells: a comparative study of chemical copolymerization and physical blend. <i>Polymer Chemistry</i> , 2015, 6, 5254-5263.	3.9	47
68	A $\beta$ -shaped donor-acceptor-donor molecule with AIEE and CIEE activity and sequential logic gate behaviour. <i>Journal of Materials Chemistry C</i> , 2015, 3, 7267-7271.	5.5	65
69	Enhanced thermo-stability and luminescent property of D-A copolymer based on fluorene and thieno[3,4-c]pyrrole-4,6-dione by incorporation of pentafluorobenzene group. <i>Macromolecular Research</i> , 2015, 23, 30-37.	2.4	4
70	New n-Type Copolymers Based on Pentafluorobenzene-Substituted Thieno [3,4-c] Pyrrole-4,6-dione for All-Polymer Solar Cells. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2015, 52, 892-900.	2.2	7
71	Strong CIE activity, multi-stimuli-responsive fluorescence and data storage application of new diphenyl maleimide derivatives. <i>Journal of Materials Chemistry C</i> , 2015, 3, 10242-10248.	5.5	58
72	Ion exchange bipolar membrane: poly(ether ether ketone) grafting poly(2-(N,N-dimethylaminoethyl)) Tj ETQqO O O r g B T / O v e r l o c k 1 0 T f	2.4	4

#	ARTICLE	IF	CITATIONS
73	Amide-based diarylmaleimide derivatives and polymers: Highly selective and ratiometric fluorescence sensing for anions. <i>Dyes and Pigments</i> , 2015, 113, 129-137.	3.7	32
74	Synthesis of Chiral Imidazolium Salts from a Carbohydrate and Their Application in Pd-Catalyzed Suzuki-Miyaura Reaction. <i>Catalysis Letters</i> , 2014, 144, 1911-1918.	2.6	24
75	Polymorphism-dependent fluorescence of bithienylmaleimide with different responses to mechanical crushing and grinding pressure. <i>CrystEngComm</i> , 2014, 16, 11018-11026.	2.6	52
76	A new kind of porous hybridized nanocomposite: 100%-sulfonic-perfluoroalkylated polyalkoxysilane/silica. <i>Journal of Porous Materials</i> , 2013, 20, 851-858.	2.6	1
77	Catalysis Studies of Macroreticular Polystyrene Cation-Exchange Resin with Terminal Perfluoroalkanesulfonic Acids. <i>Journal of the Chinese Chemical Society</i> , 2013, 60, 261-266.	1.4	3
78	A novel high photoluminescence efficiency polymer incorporated with pendant europium complexes. <i>Polymer</i> , 2001, 42, 4605-4610.	3.8	60
79	Praseodymium-Containing Polyfluorene: Synthesis, Photoluminescence, and Electroluminescence. <i>Journal of Electronic Materials</i> , 0, , 1.	2.2	1
80	Nearly Unity Quantum Yield Persistent Room Temperature Phosphorescence from Heavy Atom-Free Rigid Inorganic/Organic Hybrid Frameworks. <i>Angewandte Chemie</i> , 0, , .	2.0	0