

Karel Dvořák

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8191768/publications.pdf>

Version: 2024-02-01

57
papers

334
citations

1040056

9
h-index

996975

15
g-index

58
all docs

58
docs citations

58
times ranked

354
citing authors

#	ARTICLE	IF	CITATIONS
1	Rotary swaged laminated Cu-Al composites: Effect of structure on residual stress and mechanical and electric properties. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019, 742, 743-750.	5.6	45
2	Heat treatment induced phase transformations in zirconia and yttria-stabilized zirconia monolithic aerogels. <i>Journal of Supercritical Fluids</i> , 2019, 149, 54-63.	3.2	24
3	Design of tailored biodegradable implants: The effect of voltage on electrodeposited calcium phosphate coatings on pure magnesium. <i>Journal of the American Ceramic Society</i> , 2019, 102, 123-135.	3.8	23
4	Isothermal oxidation behavior of experimental Ti ²⁺ Al ²⁺ Si alloys at 700°C in air. <i>Journal of Alloys and Compounds</i> , 2017, 694, 1098-1108.	5.5	20
5	Metal matrix to ceramic matrix transition via feedstock processing of SPS titanium composites alloyed with high silicon content. <i>Journal of Alloys and Compounds</i> , 2018, 764, 776-788.	5.5	20
6	Thermodynamic Stability of Ettringite Formed by Hydration of Ye [™] elite Clinker. <i>Advances in Materials Science and Engineering</i> , 2016, 2016, 1-7.	1.8	19
7	The Improvement of the Pozzolanic Properties of Recycled Glass during the Production of Blended Portland Cements. <i>Procedia Engineering</i> , 2017, 180, 1229-1236.	1.2	14
8	Thermal Behavior of an Intumescent Alkaline Aluminosilicate Composite Material for Fire Protection of Structural Elements. <i>Journal of Materials in Civil Engineering</i> , 2019, 31, .	2.9	13
9	Strength and fracture mechanism of iron reinforced tricalcium phosphate cermet fabricated by spark plasma sintering. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2018, 81, 16-25.	3.1	11
10	A method to prepare a high-strength building material from press-formed phosphogypsum purified with waste zeolite. <i>Journal of Building Engineering</i> , 2021, 34, 101919.	3.4	11
11	Development and Properties of New Mullite Based Refractory Grog. <i>Materials</i> , 2021, 14, 779.	2.9	10
12	Study of Gypsum Dehydration Time in CaCl ₂ Solution. <i>Advanced Materials Research</i> , 0, 818, 64-67.	0.3	8
13	Spark Plasma Sintering of Load-Bearing Iron-Carbon Nanotube-Tricalcium Phosphate CerMets for Orthopaedic Applications. <i>Jom</i> , 2016, 68, 1134-1142.	1.9	8
14	Wetting Behavior of Wear-Resistant WC-Co-Cr Cermet Coatings Produced by HVOF: The Role of Chemical Composition and Surface Roughness. <i>Journal of Thermal Spray Technology</i> , 2021, 30, 285-303.	3.1	8
15	The effect of high-speed grinding technology on the properties of fly ash. <i>Materiali in Tehnologije</i> , 2016, 50, 683-687.	0.5	7
16	Microwave pyrolysis full-scale application on sewage sludge. , 2018, 112, 161-170.		7
17	Commercially Used Sulphate Binders Based on Anhydrite. <i>Advanced Materials Research</i> , 0, 598, 314-317.	0.3	6
18	Gypsum Dehydration to Alpha-Gypsum in Mixed Chloride Solutions. <i>Advanced Materials Research</i> , 0, 457-458, 391-394.	0.3	6

#	ARTICLE	IF	CITATIONS
19	Characterization of inner structure of limestone by X-ray computed sub-micron tomography. Construction and Building Materials, 2018, 174, 693-700.	7.2	6
20	Evaluation of the grindability of recycled glass in the production of blended cements. Materiáli in Tehnologije, 2016, 50, 729-734.	0.5	6
21	Synthetic Preparation of Ettringite. Advanced Materials Research, 0, 1000, 55-58.	0.3	5
22	Wear of grinding rotors with thermally-sprayed coatings in a high-speed mill. Wear, 2018, 412-413, 49-59.	3.1	5
23	Composite Binder Containing Industrial By-Products (FCCCw and PSw) and Nano SiO ₂ . Materials, 2021, 14, 1604.	2.9	5
24	Utilisation of Fluidised Fly Ash for Reduction of CO ₂ Emissions at Portland Cement Production. Advanced Materials Research, 0, 1054, 168-172.	0.3	4
25	Methodology of Sample Selection for Study of Limestone Decarbonation. Procedia Engineering, 2017, 172, 157-164.	1.2	4
26	Development of Crystallinity of Triclinic Polymorph of Tricalcium Silicate. Materials, 2020, 13, 3734.	2.9	4
27	Effect of Imposed Shear Strain on Steel Ring Surfaces during Milling in High-Speed Disintegrator. Materials, 2020, 13, 2234.	2.9	4
28	The influence of firing parameters on the crystallinity of ternesite. Journal of Crystal Growth, 2020, 542, 125691.	1.5	4
29	Optimizing the reactivity of a raw-material mixture for Portland clinker firing. Materiáli in Tehnologije, 2017, 51, 219-223.	0.5	4
30	Possibilities of Alpha Gypsum Preparation in Chloride Salt Solutions. Advanced Materials Research, 2012, 598, 310-313.	0.3	3
31	Fired Hydraulic Binder Based on Fluidized Combustion Fly Ash. Procedia Engineering, 2017, 172, 319-324.	1.2	3
32	The Effect of the Wear of Rotor Pins on Grinding Efficiency in a High-speed Disintegrator. Medziagotyra, 2018, 24, .	0.2	3
33	Comparison of Separate and Co-grinding of the Blended Cements with the Pozzolan Component. Procedia Engineering, 2016, 151, 66-72.	1.2	2
34	Method for the Accelerated Testing of the Durability of a Construction Binder using the Arrhenius Approach. Slovak Journal of Civil Engineering, 2016, 24, 24-33.	0.5	2
35	The FBC Ash as a Hydraulic Ingredient of Hydraulic Lime. Procedia Engineering, 2017, 172, 264-269.	1.2	2
36	Optimization of Molybdenum Powder Milling Parameters. Metal Working and Material Science, 2018, 20, 109-122.	0.3	2

#	ARTICLE	IF	CITATIONS
37	Monitoring the Influence of Dehydrating Solutions for the Production of Alpha Gypsum. Advanced Materials Research, 0, 1000, 51-54.	0.3	1
38	Pozzolanic Activity Increase of Recycled Glass. Advanced Materials Research, 2014, 897, 125-128.	0.3	1
39	Influence of Different Grinding Types on Granulometry of Cement Grains. Advanced Materials Research, 2014, 897, 34-38.	0.3	1
40	Influence of Grinding \pm -Gypsum on its Final Property. Advanced Materials Research, 2014, 897, 61-64.	0.3	1
41	Effect of Limestone Origin on the CaCO_3 Decomposition Process and Subsequent Crystallization Process of CaO. Solid State Phenomena, 0, 321, 45-50.	0.3	1
42	Determining Johnson-Cook Constitutive Equation for Low-Carbon Steel via Taylor Anvil Test. Materials, 2021, 14, 4821.	2.9	1
43	Alternative Preparation of Sulphated Binders from Secondary Raw-Material Resources. Advanced Materials Research, 2013, 838-841, 2338-2341.	0.3	0
44	Proposal and Testing Masonry Cement. Advanced Materials Research, 2014, 897, 13-16.	0.3	0
45	Efficiency of Sulphate Paste Liquefaction. Advanced Materials Research, 2014, 897, 57-60.	0.3	0
46	Influence of Dehydrating Solution Types on Technological Properties of Alpha-Hemihydrate. Advanced Materials Research, 0, 1065-1069, 1907-1910.	0.3	0
47	Influence of Grinding Processes on Gypsum Microstructure. Advanced Materials Research, 2015, 1124, 151-155.	0.3	0
48	Production of Alpha Plaster Modification by Pressureless Method. Advanced Materials Research, 2015, 1100, 64-67.	0.3	0
49	Dependence of Residual CO_2 of Limestones on Apparent Density. Procedia Engineering, 2017, 172, 232-238.	1.2	0
50	Effect of the Firing Process to the Lime Crystallinity. Solid State Phenomena, 2018, 276, 89-94.	0.3	0
51	Changes in Crystallite Size of Tricalcium Silicate during the Laboratory Grinding. Solid State Phenomena, 0, 321, 23-27.	0.3	0
52	Properties Affecting the Reactivity of Lime. Solid State Phenomena, 0, 325, 92-97.	0.3	0
53	Decomposition of Crystalline Limestones during the Burning Process. Solid State Phenomena, 0, 325, 98-103.	0.3	0
54	Monitoring of the Effect of Grinding Raw Material Mixture and Soaking on the Formation of Monoclinic Phases of Alite. Solid State Phenomena, 0, 325, 71-76.	0.3	0

#	ARTICLE	IF	CITATIONS
55	the role of different high energy ball milling conditions of molybdenum powder on the resulting particles size and morphology. , 2019, , .		0
56	The influence of milling technology on the crystallite size and granulometry of tricalcium aluminate. , 0, , .		0
57	Microstructure of Mo-La ₂ O ₃ Composite Powder Prepared Using Two Different High Energy Ball Milling Systems. Solid State Phenomena, 0, 334, 109-114.	0.3	0