

Karel G M Moons

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8194991/publications.pdf>

Version: 2024-02-01

257
papers

45,045
citations

5126

86
h-index

2634

200
g-index

264
all docs

264
docs citations

264
times ranked

56016
citing authors

#	ARTICLE	IF	CITATIONS
1	Prognostic factors for adverse outcomes in patients with COVID-19: a field-wide systematic review and meta-analysis. <i>European Respiratory Journal</i> , 2022, 59, 2002964.	3.1	42
2	Guidelines and quality criteria for artificial intelligence-based prediction models in healthcare: a scoping review. <i>Npj Digital Medicine</i> , 2022, 5, 2.	5.7	147
3	Performance of binary prediction models in high-correlation low-dimensional settings: a comparison of methods. <i>Diagnostic and Prognostic Research</i> , 2022, 6, 1.	0.8	11
4	Completeness of reporting of clinical prediction models developed using supervised machine learning: a systematic review. <i>BMC Medical Research Methodology</i> , 2022, 22, 12.	1.4	45
5	Ruling out pulmonary embolism across different healthcare settings: A systematic review and individual patient data meta-analysis. <i>PLoS Medicine</i> , 2022, 19, e1003905.	3.9	19
6	Safety and Efficiency of Diagnostic Strategies for Ruling Out Pulmonary Embolism in Clinically Relevant Patient Subgroups. <i>Annals of Internal Medicine</i> , 2022, 175, 244-255.	2.0	27
7	Detection of SARS-CoV-2 infection in the general population by three prevailing rapid antigen tests: cross-sectional diagnostic accuracy study. <i>BMC Medicine</i> , 2022, 20, 97.	2.3	11
8	Methodological conduct of prognostic prediction models developed using machine learning in oncology: a systematic review. <i>BMC Medical Research Methodology</i> , 2022, 22, 101.	1.4	36
9	Critical appraisal of artificial intelligence-based prediction models for cardiovascular disease. <i>European Heart Journal</i> , 2022, 43, 2921-2930.	1.0	50
10	Alcohol and Brain Development in Adolescents and Young Adults: A Systematic Review of the Literature and Advisory Report of the Health Council of the Netherlands. <i>Advances in Nutrition</i> , 2021, 12, 1379-1410.	2.9	15
11	Individual participant data meta-analysis for external validation, recalibration, and updating of a flexible parametric prognostic model. <i>Statistics in Medicine</i> , 2021, 40, 3066-3084.	0.8	10
12	Clinical prediction models: diagnosis versus prognosis. <i>Journal of Clinical Epidemiology</i> , 2021, 132, 142-145.	2.4	60
13	What influences the outcome of active disinvestment processes in healthcare? A qualitative interview study on five recent cases of active disinvestment. <i>BMC Health Services Research</i> , 2021, 21, 298.	0.9	6
14	Prognostic models for predicting the risk of foot ulcer or amputation in people with type 2 diabetes: a systematic review and external validation study. <i>Diabetologia</i> , 2021, 64, 1550-1562.	2.9	10
15	Developing more generalizable prediction models from pooled studies and large clustered data sets. <i>Statistics in Medicine</i> , 2021, 40, 3533-3559.	0.8	20
16	Effectiveness of contact tracing apps for SARS-CoV-2: a rapid systematic review. <i>BMJ Open</i> , 2021, 11, e050519.	0.8	32
17	Diagnostic accuracy of rapid antigen tests in asymptomatic and presymptomatic close contacts of individuals with confirmed SARS-CoV-2 infection: cross sectional study. <i>BMJ</i> , The, 2021, 374, n1676.	3.0	73
18	Protocol for development of a reporting guideline (TRIPOD-AI) and risk of bias tool (PROBAST-AI) for diagnostic and prognostic prediction model studies based on artificial intelligence. <i>BMJ Open</i> , 2021, 11, e048008.	0.8	313

#	ARTICLE	IF	CITATIONS
19	A tutorial on individualized treatment effect prediction from randomized trials with a binary endpoint. <i>Statistics in Medicine</i> , 2021, 40, 5961-5981.	0.8	22
20	Performance of prediction models for nephropathy in people with type 2 diabetes: systematic review and external validation study. <i>BMJ, The</i> , 2021, 374, n2134.	3.0	24
21	Real-time imputation of missing predictor values in clinical practice. <i>European Heart Journal Digital Health</i> , 2021, 2, 154-164.	0.7	8
22	Accuracy of approximations to recover incompletely reported logistic regression models depended on other available information. <i>Journal of Clinical Epidemiology</i> , 2021, , .	2.4	5
23	Risk of bias in studies on prediction models developed using supervised machine learning techniques: systematic review. <i>BMJ, The</i> , 2021, 375, n2281.	3.0	116
24	The comparative and added prognostic value of biomarkers to the Revised Cardiac Risk Index for preoperative prediction of major adverse cardiac events and all-cause mortality in patients who undergo noncardiac surgery. <i>The Cochrane Library</i> , 2021, 2021, CD013139.	1.5	17
25	Accounting for time-dependent treatment use when developing a prognostic model from observational data: A review of methods. <i>Statistica Neerlandica</i> , 2020, 74, 38-51.	0.9	6
26	Clinical research study implementation of case-finding strategies for heart failure and chronic obstructive pulmonary disease in the elderly with reduced exercise tolerance or dyspnea: A cluster randomized trial. <i>American Heart Journal</i> , 2020, 220, 73-81.	1.2	2
27	Added value of inflammatory markers to vital signs to predict mortality in patients suspected of severe infection. <i>American Journal of Emergency Medicine</i> , 2020, 38, 1389-1395.	0.7	10
28	Individual participant data meta-analysis of intervention studies with time-to-event outcomes: A review of the methodology and an applied example. <i>Research Synthesis Methods</i> , 2020, 11, 148-168.	4.2	46
29	TRIPOD statement: a preliminary pre-post analysis of reporting and methods of prediction models. <i>BMJ Open</i> , 2020, 10, e041537.	0.8	47
30	Transparent Reporting of Multivariable Prediction Models in Journal and Conference Abstracts: TRIPOD for Abstracts. <i>Annals of Internal Medicine</i> , 2020, 173, 42-47.	2.0	40
31	Protocol for a systematic review on the methodological and reporting quality of prediction model studies using machine learning techniques. <i>BMJ Open</i> , 2020, 10, e038832.	0.8	60
32	Prognostic models for newly-diagnosed chronic lymphocytic leukaemia in adults: a systematic review and meta-analysis. <i>The Cochrane Library</i> , 2020, 2020, CD012022.	1.5	23
33	UMBRELLA protocol: systematic reviews of multivariable biomarker prognostic models developed to predict clinical outcomes in patients with heart failure. <i>Diagnostic and Prognostic Research</i> , 2020, 4, 13.	0.8	4
34	External validation of prognostic models predicting pre-eclampsia: individual participant data meta-analysis. <i>BMC Medicine</i> , 2020, 18, 302.	2.3	12
35	Prediction models for development of retinopathy in people with type 2 diabetes: systematic review and external validation in a Dutch primary care setting. <i>Diabetologia</i> , 2020, 63, 1110-1119.	2.9	27
36	Diagnosing deep vein thrombosis in cancer patients with suspected symptoms: An individual participant data meta-analysis. <i>Journal of Thrombosis and Haemostasis</i> , 2020, 18, 2245-2252.	1.9	6

#	ARTICLE	IF	CITATIONS
37	A cautionary note on the use of the missing indicator method for handling missing data in prediction research. <i>Journal of Clinical Epidemiology</i> , 2020, 125, 188-190.	2.4	20
38	Valuing Healthcare Goods and Services: A Systematic Review and Meta-Analysis on the WTA-WTP Disparity. <i>Pharmacoeconomics</i> , 2020, 38, 443-458.	1.7	20
39	Calculating the sample size required for developing a clinical prediction model. <i>BMJ, The</i> , 2020, 368, m441.	3.0	804
40	Machine learning and artificial intelligence research for patient benefit: 20 critical questions on transparency, replicability, ethics, and effectiveness. <i>BMJ, The</i> , 2020, 368, l6927.	3.0	219
41	Effect of tailoring anticoagulant treatment duration by applying a recurrence risk prediction model in patients with venous thromboembolism compared to usual care: A randomized controlled trial. <i>PLoS Medicine</i> , 2020, 17, e1003142.	3.9	11
42	Interim PET-results for prognosis in adults with Hodgkin lymphoma: a systematic review and meta-analysis of prognostic factor studies. <i>The Cochrane Library</i> , 2020, 2020, CD012643.	1.5	18
43	On the aggregation of published prognostic scores for causal inference in observational studies. <i>Statistics in Medicine</i> , 2020, 39, 1440-1457.	0.8	4
44	Individual participant data meta-analysis to examine interactions between treatment effect and participant-level covariates: Statistical recommendations for conduct and planning. <i>Statistics in Medicine</i> , 2020, 39, 2115-2137.	0.8	90
45	Prediction models for diagnosis and prognosis of covid-19: systematic review and critical appraisal. <i>BMJ, The</i> , 2020, 369, m1328.	3.0	2,134
46	Key challenges in normal tissue complication probability model development and validation: towards a comprehensive strategy. <i>Radiotherapy and Oncology</i> , 2020, 148, 151-156.	0.3	24
47	Predictive Accuracy of a Polygenic Risk Score-Enhanced Prediction Model vs a Clinical Risk Score for Coronary Artery Disease. <i>JAMA - Journal of the American Medical Association</i> , 2020, 323, 636.	3.8	290
48	Validation and development of models using clinical, biochemical and ultrasound markers for predicting pre-eclampsia: an individual participant data meta-analysis. <i>Health Technology Assessment</i> , 2020, 24, 1-252.	1.3	17
49	Title is missing!. , 2020, 17, e1003142.		0
50	Title is missing!. , 2020, 17, e1003142.		0
51	Title is missing!. , 2020, 17, e1003142.		0
52	Title is missing!. , 2020, 17, e1003142.		0
53	A framework for meta-analysis of prediction model studies with binary and time-to-event outcomes. <i>Statistical Methods in Medical Research</i> , 2019, 28, 2768-2786.	0.7	115
54	Sample size for binary logistic prediction models: Beyond events per variable criteria. <i>Statistical Methods in Medical Research</i> , 2019, 28, 2455-2474.	0.7	296

#	ARTICLE	IF	CITATIONS
55	Evidence synthesis in prognosis research. <i>Diagnostic and Prognostic Research</i> , 2019, 3, 13.	0.8	19
56	Decision analytic modeling was useful to assess the impact of a prediction model on health outcomes before a randomized trial. <i>Journal of Clinical Epidemiology</i> , 2019, 115, 106-115.	2.4	4
57	A guide to systematic review and meta-analysis of prognostic factor studies. <i>BMJ: British Medical Journal</i> , 2019, 364, k4597.	2.4	389
58	When and how to use data from randomised trials to develop or validate prognostic models. <i>BMJ: British Medical Journal</i> , 2019, 365, l2154.	2.4	21
59	Performance of the Framingham risk models and pooled cohort equations for predicting 10-year risk of cardiovascular disease: a systematic review and meta-analysis. <i>BMC Medicine</i> , 2019, 17, 109.	2.3	126
60	Uniformity in measuring adherence to reporting guidelines: the example of TRIPOD for assessing completeness of reporting of prediction model studies. <i>BMJ Open</i> , 2019, 9, e025611.	0.8	68
61	Reporting of artificial intelligence prediction models. <i>Lancet, The</i> , 2019, 393, 1577-1579.	6.3	459
62	External validation of prognostic models for preeclampsia in a Dutch multicenter prospective cohort. <i>Hypertension in Pregnancy</i> , 2019, 38, 78-88.	0.5	16
63	Association of menopausal characteristics and risk of coronary heart disease: a pan-European case-cohort analysis. <i>International Journal of Epidemiology</i> , 2019, 48, 1275-1285.	0.9	47
64	Validation and impact of a simplified clinical decision rule for diagnosing pulmonary embolism in primary care: design of the PECAN prospective diagnostic cohort management study. <i>BMJ Open</i> , 2019, 9, e031639.	0.8	8
65	Empirical evidence of the impact of study characteristics on the performance of prediction models: a meta-epidemiological study. <i>BMJ Open</i> , 2019, 9, e026160.	0.8	19
66	Interim PET-results for prognosis in adults with Hodgkin lymphoma: a systematic review and meta-analysis of prognostic factor studies. <i>The Cochrane Library</i> , 2019, 9, CD012643.	1.5	12
67	PROBAST: A Tool to Assess the Risk of Bias and Applicability of Prediction Model Studies. <i>Annals of Internal Medicine</i> , 2019, 170, 51.	2.0	1,066
68	PROBAST: A Tool to Assess Risk of Bias and Applicability of Prediction Model Studies: Explanation and Elaboration. <i>Annals of Internal Medicine</i> , 2019, 170, W1.	2.0	696
69	Equalization of four cardiovascular risk algorithms after systematic recalibration: individual-participant meta-analysis of 86 prospective studies. <i>European Heart Journal</i> , 2019, 40, 621-631.	1.0	97
70	Sample size considerations and predictive performance of multinomial logistic prediction models. <i>Statistics in Medicine</i> , 2019, 38, 1601-1619.	0.8	70
71	Cardiovascular risk prediction models for women in the general population: A systematic review. <i>PLoS ONE</i> , 2019, 14, e0210329.	1.1	35
72	Cardiovascular risk model performance in women with and without hypertensive disorders of pregnancy. <i>Heart</i> , 2019, 105, 330-336.	1.2	8

#	ARTICLE	IF	CITATIONS
73	Minimum sample size for developing a multivariable prediction model: Part I—Continuous outcomes. <i>Statistics in Medicine</i> , 2019, 38, 1262-1275.	0.8	143
74	Minimum sample size for developing a multivariable prediction model: PART II—binary and time-to-event outcomes. <i>Statistics in Medicine</i> , 2019, 38, 1276-1296.	0.8	480
75	Comparison of prognostic models to predict the occurrence of colorectal cancer in asymptomatic individuals: a systematic literature review and external validation in the EPIC and UK Biobank prospective cohort studies. <i>Gut</i> , 2019, 68, 672-683.	6.1	31
76	A new selection method to increase the health benefits of CVD prevention strategies. <i>European Journal of Preventive Cardiology</i> , 2018, 25, 642-650.	0.8	15
77	Contemporary cardiovascular risk prediction. <i>Lancet</i> , The, 2018, 391, 1867-1868.	6.3	9
78	Prognosis for patients with amyotrophic lateral sclerosis: development and validation of a personalised prediction model. <i>Lancet Neurology</i> , The, 2018, 17, 423-433.	4.9	342
79	Opportunistic screening for heart failure with natriuretic peptides in patients with atrial fibrillation: a meta-analysis of individual participant data of four screening studies. <i>Heart</i> , 2018, 104, 1236.1-1237.	1.2	11
80	An overview of methods for network meta-analysis using individual participant data: when do benefits arise?. <i>Statistical Methods in Medical Research</i> , 2018, 27, 1351-1364.	0.7	67
81	Meta-analysis of prediction model performance across multiple studies: Which scale helps ensure between-study normality for the C/I -statistic and calibration measures?. <i>Statistical Methods in Medical Research</i> , 2018, 27, 3505-3522.	0.7	70
82	Detecting small-study effects and funnel plot asymmetry in meta-analysis of survival data: A comparison of new and existing tests. <i>Research Synthesis Methods</i> , 2018, 9, 41-50.	4.2	135
83	Separate and combined associations of obesity and metabolic health with coronary heart disease: a pan-European case-cohort analysis. <i>European Heart Journal</i> , 2018, 39, 397-406.	1.0	209
84	Implementing systematic reviews of prognosis studies in Cochrane. <i>The Cochrane Library</i> , 2018, 10, ED000129.	1.5	25
85	Risk of cardiac and non-cardiac adverse events in community-dwelling older patients with atrial fibrillation: a prospective cohort study in the Netherlands. <i>BMJ Open</i> , 2018, 8, e021681.	0.8	9
86	Overinterpretation and misreporting of prognostic factor studies in oncology: a systematic review. <i>British Journal of Cancer</i> , 2018, 119, 1288-1296.	2.9	25
87	Investigating Risk Adjustment Methods for Health Care Provider Profiling When Observations are Scarce or Events Rare. <i>Health Services Insights</i> , 2018, 11, 117863291878513.	0.6	3
88	Evaluating the impact of prediction models: lessons learned, challenges, and recommendations. <i>Diagnostic and Prognostic Research</i> , 2018, 2, 11.	0.8	112
89	Poor reporting of multivariable prediction model studies: towards a targeted implementation strategy of the TRIPOD statement. <i>BMC Medicine</i> , 2018, 16, 120.	2.3	99
90	Doug Altman's legacy to Cochrane and evidence synthesis. <i>The Cochrane Library</i> , 2018, 8, ED000127.	1.5	3

#	ARTICLE	IF	CITATIONS
91	Published diagnostic models safely excluded colorectal cancer in an independent primary care validation study. <i>Journal of Clinical Epidemiology</i> , 2017, 82, 149-157.e8.	2.4	6
92	A new community for those involved and interested in diagnosis and prognosis. <i>Diagnostic and Prognostic Research</i> , 2017, 1, 5.	0.8	1
93	Clinical characteristics associated with diagnostic delay of pulmonary embolism in primary care: a retrospective observational study. <i>BMJ Open</i> , 2017, 7, e012789.	0.8	26
94	Effect of Fibrinogen Concentrate on Intraoperative Blood Loss Among Patients With Intraoperative Bleeding During High-Risk Cardiac Surgery. <i>JAMA - Journal of the American Medical Association</i> , 2017, 317, 738.	3.8	76
95	A closed testing procedure to select an appropriate method for updating prediction models. <i>Statistics in Medicine</i> , 2017, 36, 4529-4539.	0.8	102
96	Event rate net reclassification index and the integrated discrimination improvement for studying incremental value of risk markers. <i>Statistics in Medicine</i> , 2017, 36, 4495-4497.	0.8	10
97	Prediction models for the risk of gestational diabetes: a systematic review. <i>Diagnostic and Prognostic Research</i> , 2017, 1, 3.	0.8	40
98	A generic nomogram for multinomial prediction models: theory and guidance for construction. <i>Diagnostic and Prognostic Research</i> , 2017, 1, 8.	0.8	2
99	THE AUTHORS REPLY. <i>American Journal of Epidemiology</i> , 2017, 185, 406-406.	1.6	0
100	Overdiagnosis across medical disciplines: a scoping review. <i>BMJ Open</i> , 2017, 7, e018448.	0.8	48
101	A guide to systematic review and meta-analysis of prediction model performance. <i>BMJ</i> , The, 2017, 356, i6460.	3.0	315
102	Accounting for treatment use when validating a prognostic model: a simulation study. <i>BMC Medical Research Methodology</i> , 2017, 17, 103.	1.4	27
103	Treatment use in prognostic model research: a systematic review of cardiovascular prognostic studies. <i>Diagnostic and Prognostic Research</i> , 2017, 1, 15.	0.8	16
104	External validation, update and development of prediction models for pre-eclampsia using an Individual Participant Data (IPD) meta-analysis: the International Prediction of Pregnancy Complication Network (IPPIC pre-eclampsia) protocol. <i>Diagnostic and Prognostic Research</i> , 2017, 1, 16.	0.8	14
105	GetReal in network meta-analysis: a review of the methodology. <i>Research Synthesis Methods</i> , 2016, 7, 236-263.	4.2	237
106	Parity, breastfeeding and risk of coronary heart disease: A pan-European case-cohort study. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 1755-1765.	0.8	58
107	No rationale for 1 variable per 10 events criterion for binary logistic regression analysis. <i>BMC Medical Research Methodology</i> , 2016, 16, 163.	1.4	281
108	Value of systematic detection of physical child abuse at emergency rooms: a cross-sectional diagnostic accuracy study. <i>BMJ Open</i> , 2016, 6, e010788.	0.8	30

#	ARTICLE	IF	CITATIONS
109	Multi-faceted implementation strategy to increase use of a clinical guideline for the diagnosis of deep venous thrombosis in primary care. <i>Family Practice</i> , 2016, 34, cmw066.	0.8	8
110	Barriers and facilitators perceived by physicians when using prediction models in practice. <i>Journal of Clinical Epidemiology</i> , 2016, 70, 136-145.	2.4	46
111	Ruling Out Pulmonary Embolism in Primary Care: Comparison of the Diagnostic Performance of "Gestalt" and the Wells Rule. <i>Annals of Family Medicine</i> , 2016, 14, 227-234.	0.9	30
112	Explicit inclusion of treatment in prognostic modeling was recommended in observational and randomized settings. <i>Journal of Clinical Epidemiology</i> , 2016, 78, 90-100.	2.4	53
113	Is there an added value of faecal calprotectin and haemoglobin in the diagnostic work-up for primary care patients suspected of significant colorectal disease? A cross-sectional diagnostic study. <i>BMC Medicine</i> , 2016, 14, 141.	2.3	29
114	Evaluation of a Prediction Model for the Development of Atrial Fibrillation in a Repository of Electronic Medical Records. <i>JAMA Cardiology</i> , 2016, 1, 1007.	3.0	48
115	GetReal: from efficacy in clinical trials to relative effectiveness in the real world. <i>Research Synthesis Methods</i> , 2016, 7, 278-281.	4.2	24
116	Prediction models for cardiovascular disease risk in the general population: systematic review. <i>BMJ, The</i> , 2016, 353, i2416.	3.0	543
117	Anticipating missing reference standard data when planning diagnostic accuracy studies. <i>BMJ, The</i> , 2016, 352, i402.	3.0	35
118	External validation of prognostic models to predict risk of gestational diabetes mellitus in one Dutch cohort: prospective multicentre cohort study. <i>BMJ, The</i> , 2016, 354, i4338.	3.0	77
119	External validation of clinical prediction models using big datasets from e-health records or IPD meta-analysis: opportunities and challenges. <i>BMJ, The</i> , 2016, 353, i3140.	3.0	327
120	Reporting studies on time to diagnosis: proposal of a guideline by an international panel (REST). <i>BMC Medicine</i> , 2016, 14, 146.	2.3	13
121	Survival and quality of life after surgical aortic valve replacement in octogenarians. <i>Journal of Cardiothoracic Surgery</i> , 2016, 11, 38.	0.4	22
122	Expected number of asbestos-related lung cancers in the Netherlands in the next two decades: a comparison of methods. <i>Occupational and Environmental Medicine</i> , 2016, 73, 342-349.	1.3	4
123	Multivariate meta-analysis of individual participant data helped externally validate the performance and implementation of a prediction model. <i>Journal of Clinical Epidemiology</i> , 2016, 69, 40-50.	2.4	56
124	Prognostic models in obstetrics: available, but far from applicable. <i>American Journal of Obstetrics and Gynecology</i> , 2016, 214, 79-90.e36.	0.7	138
125	Diet Quality Scores and Prediction of All-Cause, Cardiovascular and Cancer Mortality in a Pan-European Cohort Study. <i>PLoS ONE</i> , 2016, 11, e0159025.	1.1	75
126	Severity of Disease Estimation and Risk-Adjustment for Comparison of Outcomes in Mechanically Ventilated Patients Using Electronic Routine Care Data. <i>Infection Control and Hospital Epidemiology</i> , 2015, 36, 807-815.	1.0	6

#	ARTICLE	IF	CITATIONS
127	Get real in individual participant data (IPD) meta-analysis: a review of the methodology. <i>Research Synthesis Methods</i> , 2015, 6, 293-309.	4.2	241
128	Transparent Reporting of a multivariable prediction model for Individual Prognosis Or Diagnosis (TRIPOD): The TRIPOD Statement. <i>Annals of Internal Medicine</i> , 2015, 162, 55-63.	2.0	1,807
129	Transparent Reporting of a multivariable prediction model for Individual Prognosis Or Diagnosis (TRIPOD). <i>Annals of Internal Medicine</i> , 2015, 162, 735-736.	2.0	302
130	The need to balance merits and limitations from different disciplines when considering the stepped wedge cluster randomized trial design. <i>BMC Medical Research Methodology</i> , 2015, 15, 93.	1.4	27
131	Meta-analyses triggered by previous (false-)significant findings: problems and solutions. <i>Systematic Reviews</i> , 2015, 4, 57.	2.5	17
132	Small-study effects and time trends in diagnostic test accuracy meta-analyses: a meta-epidemiological study. <i>Systematic Reviews</i> , 2015, 4, 66.	2.5	16
133	Transparent reporting of a multivariable prediction model for individual prognosis or diagnosis (TRIPOD): the TRIPOD statement. <i>BMJ</i> , The, 2015, 350, g7594-g7594.	3.0	1,842
134	Imputation of systematically missing predictors in an individual participant data meta-analysis: a generalized approach using MICE. <i>Statistics in Medicine</i> , 2015, 34, 1841-1863.	0.8	135
135	Development and validation of a prediction model for diagnosing blood stream infections in febrile, non-neutropenic children with cancer. <i>Pediatric Blood and Cancer</i> , 2015, 62, 262-268.	0.8	26
136	New Guideline for the Reporting of Studies Developing, Validating, or Updating a Multivariable Clinical Prediction Model. <i>Advances in Anatomic Pathology</i> , 2015, 22, 303-305.	2.4	106
137	Validation of the Oudega diagnostic decision rule for diagnosing deep vein thrombosis in frail older out-of-hospital patients. <i>Family Practice</i> , 2015, 32, 120-125.	0.8	5
138	Accuracy of administrative data for surveillance of healthcare-associated infections: a systematic review. <i>BMJ Open</i> , 2015, 5, e008424.	0.8	100
139	Validation of an Automated Surveillance Approach for Drain-Related Meningitis: A Multicenter Study. <i>Infection Control and Hospital Epidemiology</i> , 2015, 36, 65-75.	1.0	11
140	Risk indicators for referral during labor from community midwife to gynecologist: a prospective cohort study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015, 29, 1-8.	0.7	4
141	Transparent Reporting of a Multivariable Prediction Model for Individual Prognosis Or Diagnosis (TRIPOD): the TRIPOD statement. <i>Journal of Clinical Epidemiology</i> , 2015, 68, 112-121.	2.4	283
142	A new framework to enhance the interpretation of external validation studies of clinical prediction models. <i>Journal of Clinical Epidemiology</i> , 2015, 68, 279-289.	2.4	395
143	Transparent Reporting of a Multivariable Prediction Model for Individual Prognosis or Diagnosis (TRIPOD). <i>Circulation</i> , 2015, 131, 211-219.	1.6	432
144	Transparent reporting of a multivariable prediction model for individual prognosis or diagnosis (TRIPOD): the TRIPOD Statement. <i>BMC Medicine</i> , 2015, 13, 1.	2.3	1,273

#	ARTICLE	IF	CITATIONS
145	Transparent Reporting of a Multivariable Prediction Model for Individual Prognosis or Diagnosis (TRIPOD): The TRIPOD Statement. <i>European Urology</i> , 2015, 67, 1142-1151.	0.9	299
146	The cost-effectiveness of point-of-care D-dimer tests compared with a laboratory test to rule out deep venous thrombosis in primary care. <i>Expert Review of Molecular Diagnostics</i> , 2015, 15, 125-136.	1.5	21
147	Prediction of cardiovascular disease worldwide. <i>Lancet Diabetes and Endocrinology</i> , 2015, 3, 309-310.	5.5	3
148	Transparent Reporting of a multivariable prediction model for Individual Prognosis Or Diagnosis (TRIPOD): Explanation and Elaboration. <i>Annals of Internal Medicine</i> , 2015, 162, W1-W73.	2.0	3,068
149	Transparent reporting of a multivariable prediction model for individual prognosis or diagnosis (<scp>TRIPOD</scp>): the <scp>TRIPOD S</scp>tatement. <i>European Journal of Clinical Investigation</i> , 2015, 45, 204-214.	1.7	38
150	Diagnostic prediction models for suspected pulmonary embolism: systematic review and independent external validation in primary care. <i>BMJ</i> , 2015, 351, h4438.	3.0	63
151	The ethics of cluster-randomized trials requires further evaluation: a refinement of the Ottawa Statement. <i>Journal of Clinical Epidemiology</i> , 2015, 68, 1108-1114.	2.4	13
152	Childhood asthma prediction models: a systematic review. <i>Lancet Respiratory Medicine</i> , 2015, 3, 973-984.	5.2	79
153	Individual Participant Data (IPD) Meta-analyses of Diagnostic and Prognostic Modeling Studies: Guidance on Their Use. <i>PLoS Medicine</i> , 2015, 12, e1001886.	3.9	93
154	Decisions to Withhold Diagnostic Investigations in Nursing Home Patients with a Clinical Suspicion of Venous Thromboembolism. <i>PLoS ONE</i> , 2014, 9, e90395.	1.1	6
155	Added value of modified transoesophageal echocardiography in the diagnosis of atherosclerosis of the distal ascending aorta in cardiac surgery patients. <i>European Heart Journal Cardiovascular Imaging</i> , 2014, 15, 623-630.	0.5	6
156	Improving the Transparency of Prognosis Research: The Role of Reporting, Data Sharing, Registration, and Protocols. <i>PLoS Medicine</i> , 2014, 11, e1001671.	3.9	112
157	Critical Appraisal and Data Extraction for Systematic Reviews of Prediction Modelling Studies: The CHARMS Checklist. <i>PLoS Medicine</i> , 2014, 11, e1001744.	3.9	1,036
158	Using Evidence to Combat Overdiagnosis and Overtreatment: Evaluating Treatments, Tests, and Disease Definitions in the Time of Too Much. <i>PLoS Medicine</i> , 2014, 11, e1001655.	3.9	75
159	How to interpret a small increase in AUC with an additional risk prediction marker: decision analysis comes through. <i>Statistics in Medicine</i> , 2014, 33, 3946-3959.	0.8	53
160	Effectiveness of a cardiac surgery-specific transfusion protocol. <i>Transfusion</i> , 2014, 54, 708-716.	0.8	6
161	Prediction of hemoglobin levels in whole blood donors: how to model donation history. <i>Transfusion</i> , 2014, 54, 925-932.	0.8	3
162	Meta-analysis and aggregation of multiple published prediction models. <i>Statistics in Medicine</i> , 2014, 33, 2341-2362.	0.8	55

#	ARTICLE	IF	CITATIONS
163	Glycated Hemoglobin Measurement and Prediction of Cardiovascular Disease. JAMA - Journal of the American Medical Association, 2014, 311, 1225.	3.8	179
164	Alternative diagnoses in patients in whom the GP considered the diagnosis of pulmonary embolism. Family Practice, 2014, 31, 670-677.	0.8	9
165	Unrecognized Heart Failure and Chronic Obstructive Pulmonary Disease (COPD) in Frail Elderly Detected Through a Near-Home Targeted Screening Strategy. Journal of the American Board of Family Medicine, 2014, 27, 811-821.	0.8	37
166	Accuracy of the Wells Clinical Prediction Rule for Pulmonary Embolism in Older Ambulatory Adults. Journal of the American Geriatrics Society, 2014, 62, 2136-2141.	1.3	27
167	Developing and validating risk prediction models in an individual participant data meta-analysis. BMC Medical Research Methodology, 2014, 14, 3.	1.4	75
168	Added value of hybrid myocardial perfusion SPECT and CT coronary angiography in the diagnosis of coronary artery disease. European Heart Journal Cardiovascular Imaging, 2014, 15, 1281-1288.	0.5	31
169	External validation of multivariable prediction models: a systematic review of methodological conduct and reporting. BMC Medical Research Methodology, 2014, 14, 40.	1.4	483
170	External validation and updating of a Dutch prediction model for low hemoglobin deferral in Irish whole blood donors. Transfusion, 2014, 54, 762-769.	0.8	16
171	Impact of Risk Assessments on Prophylactic Antiemetic Prescription and the Incidence of Postoperative Nausea and Vomiting. Anesthesiology, 2014, 120, 343-354.	1.3	58
172	From accuracy to patient outcome and cost-effectiveness evaluations of diagnostic tests and biomarkers: an exemplary modelling study. BMC Medical Research Methodology, 2013, 13, 12.	1.4	19
173	High prevalence of subclinical iron deficiency in whole blood donors not deferred for low hemoglobin. Transfusion, 2013, 53, 1670-1677.	0.8	65
174	Incidence and predictors of pacemaker reprogramming: potential consequences for remote follow-up. Europace, 2013, 15, 978-983.	0.7	12
175	Clinical prediction models for bronchopulmonary dysplasia: a systematic review and external validation study. BMC Pediatrics, 2013, 13, 207.	0.7	99
176	Prognostic factors for medically intractable epilepsy: A systematic review. Epilepsy Research, 2013, 106, 301-310.	0.8	52
177	Diagnostic accuracy of conventional or age adjusted D-dimer cut-off values in older patients with suspected venous thromboembolism: systematic review and meta-analysis. BMJ, The, 2013, 346, f2492-f2492.	3.0	243
178	Prognosis research strategy (PROGRESS) 4: Stratified medicine research. BMJ, The, 2013, 346, e5793-e5793.	3.0	367
179	Need for tailored strategies to diagnose venous thrombo-embolism in older primary care patients. Extension of a keynote presentation at the 2012 Wonca Europe conference. European Journal of General Practice, 2013, 19, 123-127.	0.9	2
180	Prognosis Research Strategy (PROGRESS) 3: Prognostic Model Research. PLoS Medicine, 2013, 10, e1001381.	3.9	1,006

#	ARTICLE	IF	CITATIONS
181	Prognosis Research Strategy (PROGRESS) 2: Prognostic Factor Research. <i>PLoS Medicine</i> , 2013, 10, e1001380.	3.9	561
182	Unexpected predictorâ€™outcome associations in clinical prediction research: causes and solutions. <i>Cmaj</i> , 2013, 185, E499-E505.	0.9	33
183	Use of Multiple Imputation Method to Improve Estimation of Missing Baseline Serum Creatinine in Acute Kidney Injury Research. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2013, 8, 10-18.	2.2	75
184	Zinc protoporphyrin levels have added value in the prediction of low hemoglobin deferral in whole blood donors. <i>Transfusion</i> , 2013, 53, 1661-1669.	0.8	17
185	A framework for developing, implementing, and evaluating clinical prediction models in an individual participant data metaâ€™analysis. <i>Statistics in Medicine</i> , 2013, 32, 3158-3180.	0.8	153
186	Prognosis research strategy (PROGRESS) 1: A framework for researching clinical outcomes. <i>BMJ, The</i> , 2013, 346, e5595-e5595.	3.0	450
187	Application of the Rome III criteria is not likely to reduce the number of unnecessary referrals for colonoscopy in primary care. <i>European Journal of Gastroenterology and Hepatology</i> , 2013, 25, 568-574.	0.8	3
188	Evaluating Diagnostic Accuracy in the Face of Multiple Reference Standards. <i>Annals of Internal Medicine</i> , 2013, 159, 195.	2.0	32
189	Translation: Beyond Diagnostic Accuracy: The Clinical Utility of Diagnostic Tests. <i>Laboratory Medicine Online</i> , 2013, 3, 269.	0.0	7
190	Individual Participant Data Meta-Analysis for a Binary Outcome: One-Stage or Two-Stage?. <i>PLoS ONE</i> , 2013, 8, e60650.	1.1	157
191	Reporting and Methods in Clinical Prediction Research: A Systematic Review. <i>PLoS Medicine</i> , 2012, 9, e1001221.	3.9	423
192	Safe exclusion of pulmonary embolism using the Wells rule and qualitative D-dimer testing in primary care: prospective cohort study. <i>BMJ, The</i> , 2012, 345, e6564-e6564.	3.0	121
193	Prediction of Neonatal Metabolic Acidosis in Women with a Singleton Term Pregnancy in Cephalic Presentation: An External Validation Study. <i>American Journal of Perinatology</i> , 2012, 29, 681-686.	0.6	5
194	Adaptation of Clinical Prediction Models for Application in Local Settings. <i>Medical Decision Making</i> , 2012, 32, E1-E10.	1.2	53
195	Systematic Reviews of Studies Quantifying the Accuracy of Diagnostic Tests and Markers. <i>Clinical Chemistry</i> , 2012, 58, 1534-1545.	1.5	43
196	Managing pulmonary embolism using prognostic models: future concepts for primary care. <i>Cmaj</i> , 2012, 184, 305-310.	0.9	2
197	Validation of two age dependent D-dimer cut-off values for exclusion of deep vein thrombosis in suspected elderly patients in primary care: retrospective, cross sectional, diagnostic analysis. <i>BMJ, The</i> , 2012, 344, e2985-e2985.	3.0	69
198	Prediction models for risk of developing type 2 diabetes: systematic literature search and independent external validation study. <i>BMJ, The</i> , 2012, 345, e5900-e5900.	3.0	237

#	ARTICLE	IF	CITATIONS
199	Prediction of Neonatal Metabolic Acidosis in Women with a Singleton Term Pregnancy in Cephalic Presentation. <i>American Journal of Perinatology</i> , 2012, 29, 167-174.	0.6	16
200	Added Value of a Serum Proteomic Signature in the Diagnostic Evaluation of Lung Nodules. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 786-792.	1.1	55
201	Common Carotid Intima-Media Thickness Measurements in Cardiovascular Risk Prediction. <i>JAMA - Journal of the American Medical Association</i> , 2012, 308, 796.	3.8	622
202	Missing covariate data in clinical research: when and when not to use the missing-indicator method for analysis. <i>Cmaj</i> , 2012, 184, 1265-1269.	0.9	283
203	Large-scale international validation of the ADO index in subjects with COPD: an individual subject data analysis of 10 cohorts. <i>BMJ Open</i> , 2012, 2, e002152.	0.8	78
204	Comparing risk prediction models. <i>BMJ, The</i> , 2012, 344, e3186-e3186.	3.0	90
205	Beyond Diagnostic Accuracy: The Clinical Utility of Diagnostic Tests. <i>Clinical Chemistry</i> , 2012, 58, 1636-1643.	1.5	241
206	Risk prediction models: I. Development, internal validation, and assessing the incremental value of a new (bio)marker. <i>Heart</i> , 2012, 98, 683-690.	1.2	666
207	Improvements in risk stratification for the occurrence of cardiovascular disease by imaging subclinical atherosclerosis: a systematic review. <i>Heart</i> , 2012, 98, 177-184.	1.2	327
208	Risk prediction models: II. External validation, model updating, and impact assessment. <i>Heart</i> , 2012, 98, 691-698.	1.2	845
209	Dealing With Missing Outcome Data in Randomized Trials and Observational Studies. <i>American Journal of Epidemiology</i> , 2012, 175, 210-217.	1.6	309
210	Quantifying the Added Value of a Diagnostic Test or Marker. <i>Clinical Chemistry</i> , 2012, 58, 1408-1417.	1.5	115
211	Multiple imputation of missing repeated outcome measurements did not add to linear mixed-effects models. <i>Journal of Clinical Epidemiology</i> , 2012, 65, 686-695.	2.4	121
212	A simple adaptation method improved the interpretability of prediction models for composite end points. <i>Journal of Clinical Epidemiology</i> , 2012, 65, 946-953.	2.4	5
213	Incorporating published univariable associations in diagnostic and prognostic modeling. <i>BMC Medical Research Methodology</i> , 2012, 12, 121.	1.4	14
214	Search Filters for Finding Prognostic and Diagnostic Prediction Studies in Medline to Enhance Systematic Reviews. <i>PLoS ONE</i> , 2012, 7, e32844.	1.1	235
215	Automated Detection of Healthcare Associated Infections: External Validation and Updating of a Model for Surveillance of Drain-Related Meningitis. <i>PLoS ONE</i> , 2012, 7, e51509.	1.1	17
216	Aggregating published prediction models with individual participant data: a comparison of different approaches. <i>Statistics in Medicine</i> , 2012, 31, 2697-2712.	0.8	47

#	ARTICLE	IF	CITATIONS
217	Development and validation of a prediction model for low hemoglobin deferral in a large cohort of whole blood donors. <i>Transfusion</i> , 2012, 52, 2559-2569.	0.8	38
218	Predictive value of the baseline Tâ€œQRS ratio of the fetal electrocardiogram in intrapartum fetal monitoring: a prospective cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2012, 91, 189-197.	1.3	8
219	Identification of cases with adverse neonatal outcome monitored by cardiotocography versus ST analysis: secondary analysis of a randomized trial. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2012, 91, 830-837.	1.3	14
220	Correcting for Partial Verification Bias: A Comparison of Methods. <i>Annals of Epidemiology</i> , 2011, 21, 139-148.	0.9	43
221	Adjusting for Differential-verification Bias in Diagnostic-accuracy Studies. <i>Epidemiology</i> , 2011, 22, 234-241.	1.2	30
222	Predicting prolonged intensive care unit stays in older cardiac surgery patients: a validation study. <i>Intensive Care Medicine</i> , 2011, 37, 1480-1487.	3.9	12
223	Verification problems in diagnostic accuracy studies: consequences and solutions. <i>BMJ: British Medical Journal</i> , 2011, 343, d4770-d4770.	2.4	72
224	Diagnostic Accuracy and User-Friendliness of 5 Point-of-Care D-Dimer Tests for the Exclusion of Deep Vein Thrombosis. <i>Clinical Chemistry</i> , 2010, 56, 1758-1766.	1.5	39
225	Criteria for Scientific Evaluation of Novel Markers: A Perspective. <i>Clinical Chemistry</i> , 2010, 56, 537-541.	1.5	59
226	Prediction Models for Prolonged Intensive Care Unit Stay After Cardiac Surgery. <i>Circulation</i> , 2010, 122, 682-689.	1.6	114
227	Development and validation of a prediction model with missing predictor data: a practical approach. <i>Journal of Clinical Epidemiology</i> , 2010, 63, 205-214.	2.4	222
228	Unpredictable bias when using the missing indicator method or complete case analysis for missing confounder values: an empirical example. <i>Journal of Clinical Epidemiology</i> , 2010, 63, 728-736.	2.4	146
229	Missing covariate data in medical research: To impute is better than to ignore. <i>Journal of Clinical Epidemiology</i> , 2010, 63, 721-727.	2.4	458
230	Dealing with Missing Predictor Values When Applying Clinical Prediction Models. <i>Clinical Chemistry</i> , 2009, 55, 994-1001.	1.5	112
231	Prognosis and prognostic research: application and impact of prognostic models in clinical practice. <i>BMJ: British Medical Journal</i> , 2009, 338, b606-b606.	2.4	714
232	Prognosis and prognostic research: Developing a prognostic model. <i>BMJ: British Medical Journal</i> , 2009, 338, b604-b604.	2.4	906
233	The diagnostic value of history and physical examination for COPD in suspected or known cases: a systematic review. <i>Family Practice</i> , 2009, 26, 260-268.	0.8	18
234	A simple method to adjust clinical prediction models to local circumstances. <i>Canadian Journal of Anaesthesia</i> , 2009, 56, 194-201.	0.7	92

#	ARTICLE	IF	CITATIONS
235	Prognosis and prognostic research: validating a prognostic model. <i>BMJ: British Medical Journal</i> , 2009, 338, b605-b605.	2.4	1,090
236	Expansion of the prognostic assessment of patients with chronic obstructive pulmonary disease: the updated BODE index and the ADO index. <i>Lancet, The</i> , 2009, 374, 704-711.	6.3	436
237	Fast-Track Anesthesia and Cardiac Surgery: A Retrospective Cohort Study of 7989 Patients. <i>Anesthesia and Analgesia</i> , 2009, 108, 727-733.	1.1	83
238	Prognosis and prognostic research: what, why, and how?. <i>BMJ: British Medical Journal</i> , 2009, 338, b375-b375.	2.4	952
239	Prognosis after temporal lobe epilepsy surgery: The value of combining predictors. <i>Epilepsia</i> , 2008, 49, 1317-1323.	2.6	58
240	Advantages of the nested case-control design in diagnostic research. <i>BMC Medical Research Methodology</i> , 2008, 8, 48.	1.4	104
241	A randomised clinical trial on cardiotocography plus fetal blood sampling versus cardiotocography plus ST-analysis of the fetal electrocardiogram (STANÂ®) for intrapartum monitoring. <i>BMC Pregnancy and Childbirth</i> , 2007, 7, 13.	0.9	32
242	Validating and updating a prediction rule for neurological sequelae after childhood bacterial meningitis. <i>Scandinavian Journal of Infectious Diseases</i> , 2006, 38, 19-26.	1.5	8
243	Using the outcome for imputation of missing predictor values was preferred. <i>Journal of Clinical Epidemiology</i> , 2006, 59, 1092-1101.	2.4	775
244	Review: A gentle introduction to imputation of missing values. <i>Journal of Clinical Epidemiology</i> , 2006, 59, 1087-1091.	2.4	1,900
245	Imputation of missing values is superior to complete case analysis and the missing-indicator method in multivariable diagnostic research: A clinical example. <i>Journal of Clinical Epidemiology</i> , 2006, 59, 1102-1109.	2.4	491
246	Does Measurement of Preoperative Anxiety Have Added Value for Predicting Postoperative Nausea and Vomiting?. <i>Anesthesia and Analgesia</i> , 2005, 100, 1525-1532.	1.1	116
247	The Wells Rule Does Not Adequately Rule Out Deep Venous Thrombosis in Primary Care Patients. <i>Annals of Internal Medicine</i> , 2005, 143, 100.	2.0	120
248	Ruling out deep venous thrombosis in primary care. <i>Thrombosis and Haemostasis</i> , 2005, 94, 200-205.	1.8	129
249	Test Research versus Diagnostic Research. <i>Clinical Chemistry</i> , 2004, 50, 473-476.	1.5	118
250	Internal and external validation of predictive models: A simulation study of bias and precision in small samples. <i>Journal of Clinical Epidemiology</i> , 2003, 56, 441-447.	2.4	452
251	Diagnostic research on routine care data. <i>Journal of Clinical Epidemiology</i> , 2003, 56, 501-506.	2.4	48
252	Sequelae after Bacterial Meningitis in Childhood. <i>Scandinavian Journal of Infectious Diseases</i> , 2002, 34, 379-382.	1.5	55

#	ARTICLE	IF	CITATIONS
253	When should we remain blind and when should our eyes remain open in diagnostic studies?. Journal of Clinical Epidemiology, 2002, 55, 633-636.	2.4	69
254	Testing for Helicobacter pylori in dyspeptic patients suspected of peptic ulcer disease in primary care: cross sectional study. BMJ: British Medical Journal, 2001, 323, 71-75.	2.4	39
255	Redundancy of Single Diagnostic Test Evaluation. Epidemiology, 1999, 10, 276-281.	1.2	76
256	Limitations of Sensitivity, Specificity, Likelihood Ratio, and Bayes's Theorem in Assessing Diagnostic Probabilities. Epidemiology, 1997, 8, 12-17.	1.2	162
257	Clinical prediction models for mortality in patients with covid-19: external validation and individual participant data meta-analysis. BMJ, The, 0, , e069881.	3.0	24