

# Chung-Pin Li

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8197689/publications.pdf>

Version: 2024-02-01

96  
papers

3,957  
citations

186265

28  
h-index

128289

60  
g-index

97  
all docs

97  
docs citations

97  
times ranked

6406  
citing authors

#	ARTICLE	IF	CITATIONS
1	Nanoliposomal irinotecan with fluorouracil and folinic acid in metastatic pancreatic cancer after previous gemcitabine-based therapy (NAPOLI-1): a global, randomised, open-label, phase 3 trial. <i>Lancet, The</i> , 2016, 387, 545-557.	13.7	878
2	A randomised, double-blind, placebo-controlled trial of trametinib, an oral MEK inhibitor, in combination with gemcitabine for patients with untreated metastatic adenocarcinoma of the pancreas. <i>European Journal of Cancer</i> , 2014, 50, 2072-2081.	2.8	283
3	Randomized Phase III Trial of Pegvorhialuronidase Alfa With Nab-Paclitaxel Plus Gemcitabine for Patients With Hyaluronan-High Metastatic Pancreatic Adenocarcinoma. <i>Journal of Clinical Oncology</i> , 2020, 38, 3185-3194.	1.6	233
4	Concurrent chemoradiotherapy treatment of locally advanced pancreatic cancer: Gemcitabine versus 5-fluorouracil, a randomized controlled study. <i>International Journal of Radiation Oncology Biology Physics</i> , 2003, 57, 98-104.	0.8	197
5	Pulmonary tuberculosis increases the risk of lung cancer. <i>Cancer</i> , 2011, 117, 618-624.	4.1	145
6	How different is the care of terminal pancreatic cancer patients in inpatient palliative care units and acute hospital wards? A nationwide population-based study. <i>BMC Palliative Care</i> , 2016, 15, 1.	1.8	135
7	APACT: phase III, multicenter, international, open-label, randomized trial of adjuvant nab-paclitaxel plus gemcitabine (nab-P/G) vs gemcitabine (G) for surgically resected pancreatic adenocarcinoma. <i>Journal of Clinical Oncology</i> , 2019, 37, 4000-4000.	1.6	125
8	High Blood Pressure and All-Cause and Cardiovascular Disease Mortalities in Community-Dwelling Older Adults. <i>Medicine (United States)</i> , 2015, 94, e2160.	1.0	108
9	Fibroblast activation protein augments progression and metastasis of pancreatic ductal adenocarcinoma. <i>JCI Insight</i> , 2017, 2, .	5.0	102
10	Erlotinib is effective in pancreatic cancer with epidermal growth factor receptor mutations: a randomized, open-label, prospective trial. <i>Oncotarget</i> , 2015, 6, 18162-18173.	1.8	90
11	Association of Body Mass Index with All-Cause and Cardiovascular Disease Mortality in the Elderly. <i>PLoS ONE</i> , 2014, 9, e102589.	2.5	79
12	Ruxolitinib + capecitabine in advanced/metastatic pancreatic cancer after disease progression/intolerance to first-line therapy: JANUS 1 and 2 randomized phase III studies. <i>Investigational New Drugs</i> , 2018, 36, 683-695.	2.6	75
13	Ramucirumab as Second-Line Treatment in Patients With Advanced Hepatocellular Carcinoma. <i>JAMA Oncology</i> , 2017, 3, 235.	7.1	74
14	Determinants of Long-Term Care Services among the Elderly: A Population-Based Study in Taiwan. <i>PLoS ONE</i> , 2014, 9, e89213.	2.5	58
15	A new ALBI-based model to predict survival after transarterial chemoembolization for BCLC stage B hepatocellular carcinoma. <i>Liver International</i> , 2019, 39, 1704-1712.	3.9	58
16	Spider angiomas in patients with liver cirrhosis: Role of vascular endothelial growth factor and basic fibroblast growth factor. <i>World Journal of Gastroenterology</i> , 2003, 9, 2832.	3.3	53
17	Smoking, but not alcohol, is associated with risk of psoriasis in a Taiwanese population-based cohort study. <i>Journal of the American Academy of Dermatology</i> , 2019, 80, 727-734.	1.2	53
18	HALO 109-301: A randomized, double-blind, placebo-controlled, phase 3 study of pegvorhialuronidase alfa (PEGPH20) + nab-paclitaxel/gemcitabine (AG) in patients (pts) with previously untreated hyaluronan (HA)-high metastatic pancreatic ductal adenocarcinoma (mPDA). <i>Journal of Clinical Oncology</i> , 2020, 38, 638-638.	1.6	51

#	ARTICLE	IF	CITATIONS
19	Update on treatment of gastric cancer. <i>Journal of the Chinese Medical Association</i> , 2014, 77, 345-353.	1.4	45
20	The association of physical activity with all-cause, cardiovascular, and cancer mortalities among older adults. <i>Preventive Medicine</i> , 2015, 72, 23-29.	3.4	37
21	Validation of the albuminâ€bilirubin gradeâ€based integrated model as a predictor for sorafenibâ€failed hepatocellular carcinoma. <i>Liver International</i> , 2018, 38, 321-330.	3.9	37
22	CanStem111P trial: a Phase III study of napabucasin plus nab-paclitaxel with gemcitabine. <i>Future Oncology</i> , 2019, 15, 1295-1302.	2.4	37
23	Nucleos(t)ide analogues associated with a reduced risk of hepatocellular carcinoma in hepatitis B patients: A populationâ€based cohort study. <i>Cancer</i> , 2015, 121, 1446-1455.	4.1	36
24	Cognitive impairment assessed at annual geriatric health examinations predicts mortality among the elderly. <i>Preventive Medicine</i> , 2014, 67, 28-34.	3.4	35
25	Clinical significance of serum autoâ€antibodies in Chinese patients with chronic hepatitis C: Negative role of serum viral titre and genotype. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 1998, 13, 475-479.	2.8	32
26	Liposomal irinotecan in metastatic pancreatic adenocarcinoma in Asian patients: Subgroup analysis of the NAPOLIâ€1 study. <i>Cancer Science</i> , 2020, 111, 513-527.	3.9	32
27	A randomized controlled trial of gemcitabine plus cisplatin versus gemcitabine alone in the treatment of metastatic pancreatic cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2013, 72, 637-642.	2.3	31
28	High Serum Uric Acid Levels Are Associated with Allâ€Cause and Cardiovascular, but Not Cancer, Mortality in Elderly Adults. <i>Journal of the American Geriatrics Society</i> , 2015, 63, 1829-1836.	2.6	31
29	Genes involved in angiogenesis and mTOR pathways are frequently mutated in Asian patients with pancreatic neuroendocrine tumors. <i>International Journal of Biological Sciences</i> , 2016, 12, 1523-1532.	6.4	31
30	Albumin levels and cause-specific mortality in community-dwelling older adults. <i>Preventive Medicine</i> , 2018, 112, 145-151.	3.4	31
31	Cytokines are associated with postembolization fever and survival in hepatocellular carcinoma patients receiving transcatheter arterial chemoembolization. <i>Hepatology International</i> , 2013, 7, 883-892.	4.2	30
32	Chemotherapy with etoposide, doxorubicin, cisplatin, 5-fluorouracil, and leucovorin for patients with advanced hepatocellular carcinoma. <i>Medical Oncology</i> , 2008, 25, 201-206.	2.5	28
33	Alpha-fetoprotein kinetics in patients with hepatocellular carcinoma receiving ramucirumab or placebo: an analysis of the phase 3 REACH study. <i>British Journal of Cancer</i> , 2018, 119, 19-26.	6.4	28
34	Endothelial-mesenchymal transition harnesses HSP90Î±-secreting M2-macrophages to exacerbate pancreatic ductal adenocarcinoma. <i>Journal of Hematology and Oncology</i> , 2019, 12, 138.	17.0	28
35	<i>Helicobacter pylori</i> -induced chronic inflammation causes telomere shortening of gastric mucosa by promoting PARP-1-mediated non-homologous end joining of DNA. <i>Archives of Biochemistry and Biophysics</i> , 2016, 606, 90-98.	3.0	25
36	Fever after transcatheter arterial chemoembolization for hepatocellular carcinoma: incidence and risk factor analysis. <i>Scandinavian Journal of Gastroenterology</i> , 2008, 43, 992-999.	1.5	24

#	ARTICLE	IF	CITATIONS
37	Hospice Offers More Palliative Care but Costs Less Than Usual Care for Terminal Geriatric Hepatocellular Carcinoma Patients: A Nationwide Study. <i>Journal of Palliative Medicine</i> , 2013, 16, 780-785.	1.1	24
38	Survival with nal-IRI (liposomal irinotecan) plus 5-fluorouracil and leucovorin versus 5-fluorouracil and leucovorin in per-protocol and non-per-protocol populations of NAPOLI-1: Expanded analysis of a global phase 3 trial. <i>European Journal of Cancer</i> , 2018, 105, 71-78.	2.8	24
39	The risk of irritable bowel syndrome in patients with endometriosis during a 5-year follow-up: a nationwide population-based cohort study. <i>International Journal of Colorectal Disease</i> , 2015, 30, 907-912.	2.2	23
40	Reversal of pancreatic desmoplasia by a tumour stroma-targeted nitric oxide nanogel overcomes TRAIL resistance in pancreatic tumours. <i>Gut</i> , 2022, 71, 1843-1855.	12.1	21
41	Transarterial chemoembolization can prolong survival for patients with metastatic hepatocellular carcinoma: a propensity score matching analysis. <i>Hepatology International</i> , 2012, 6, 753-762.	4.2	20
42	The Effects of Anti-Dementia and Nootropic Treatments on the Mortality of Patients with Dementia: A Population-Based Cohort Study in Taiwan. <i>PLoS ONE</i> , 2015, 10, e0130993.	2.5	20
43	Cigarette Smoking, Alcohol Consumption, and Risk of Alopecia Areata: A Population-Based Cohort Study in Taiwan. <i>American Journal of Clinical Dermatology</i> , 2020, 21, 901-911.	6.7	20
44	Active Vitamin D <sub>3</sub> Treatment Attenuated Bacterial Translocation via Improving Intestinal Barriers in Cirrhotic Rats. <i>Molecular Nutrition and Food Research</i> , 2021, 65, e2000937.	3.3	20
45	Comorbidity profiles of psoriasis in Taiwan: A latent class analysis. <i>PLoS ONE</i> , 2018, 13, e0192537.	2.5	19
46	Myeloid-derived macrophages and secreted HSP90 $\alpha$ induce pancreatic ductal adenocarcinoma development. <i>Oncommunity</i> , 2018, 7, e1424612.	4.6	18
47	Differential modulation of endogenous cannabinoid CB1 and CB2 receptors in spontaneous and splice variants of ghrelin-induced food intake in conscious rats. <i>Nutrition</i> , 2015, 31, 230-235.	2.4	17
48	Two randomized, placebo-controlled phase 3 studies of ruxolitinib (Rux) + capecitabine (C) in patients (pts) with advanced/metastatic pancreatic cancer (mPC) after failure/intolerance of first-line chemotherapy: JANUS 1 (J1) and JANUS 2 (J2).. <i>Journal of Clinical Oncology</i> , 2017, 35, 343-343.	1.6	17
49	Metallic Stent Expansion Rate at Day One Predicts Stent Patency in Patients with Gastric Outlet Obstruction. <i>Digestive Diseases and Sciences</i> , 2017, 62, 1286-1294.	2.3	16
50	The Risk of Mortality among Psoriatic Patients with Varying Severity: A Nationwide Population-Based Cohort Study in Taiwan. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 2622.	2.6	16
51	Expanded analyses of napoli-1: Phase 3 study of MM-398 (nal-IRI), with or without 5-fluorouracil and leucovorin, versus 5-fluorouracil and leucovorin, in metastatic pancreatic cancer (mPAC) previously treated with gemcitabine-based therapy.. <i>Journal of Clinical Oncology</i> , 2015, 33, 234-234.	1.6	16
52	Correlation between drug sensitivity profiles of circulating tumour cell-derived organoids and clinical treatment response in patients with pancreatic ductal adenocarcinoma. <i>European Journal of Cancer</i> , 2022, 166, 208-218.	2.8	16
53	The Unusual Presentation of Gastric Adenocarcinoma as a Testicular Mass: A Favorable Response to Docetaxel and Cisplatin Plus Oral Tegafur/Uracil and Leucovorin. <i>Journal of the Chinese Medical Association</i> , 2010, 73, 88-92.	1.4	15
54	Self-Expandable Metallic Stent Placement in Malignant Gastric Outlet Obstruction. <i>Medicine (United Tj ETQq0 0 0 rgBT /Overlock 10 Tf</i>	1.8	15

#	ARTICLE	IF	CITATIONS
55	Akt phosphorylates myc-associated zinc finger protein (MAZ), releases P-MAZ from the p53 promoter, and activates p53 transcription. <i>Cancer Letters</i> , 2016, 375, 9-19.	7.2	15
56	Association between dipeptidyl peptidase-4 inhibitors and risk of bullous pemphigoid in patients with type 2 diabetes: A population-based cohort study. <i>Diabetes Research and Clinical Practice</i> , 2021, 171, 108546.	2.8	15
57	A multicenter phase II study of biweekly capecitabine in combination with oxaliplatin as first-line chemotherapy in patients with locally advanced or metastatic gastric cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2014, 73, 799-806.	2.3	14
58	Evaluation of prognostic factors and implication of lymph node dissection in intrahepatic cholangiocarcinoma: 10-year experience at a tertiary referral center. <i>Journal of the Chinese Medical Association</i> , 2017, 80, 140-146.	1.4	14
59	Musashi-1 promotes stress-induced tumor progression through recruitment of AGO2. <i>Theranostics</i> , 2020, 10, 201-217.	10.0	13
60	Microsatellite Instability, Epstein-Barr Virus, and Programmed Cell Death Ligand 1 as Predictive Markers for Immunotherapy in Gastric Cancer. <i>Cancers</i> , 2022, 14, 218.	3.7	13
61	Obesity, but Not Metabolic Diseases, Is Associated with Risk of Psoriasis: A Population-Based Cohort Study in Taiwan. <i>Dermatology</i> , 2020, 236, 521-528.	2.1	12
62	A phase II randomised trial of induction chemotherapy followed by concurrent chemoradiotherapy in locally advanced pancreatic cancer: the Taiwan Cooperative Oncology Group T2212 study. <i>British Journal of Cancer</i> , 2022, 126, 1018-1026.	6.4	11
63	What Constitutes Normal Hemoglobin Concentrations in Community-Dwelling Older Adults?. <i>Journal of the American Geriatrics Society</i> , 2016, 64, 1233-1241.	2.6	10
64	Does Pay-For-Performance Program Increase Providers Adherence to Guidelines for Managing Hepatitis B and Hepatitis C Virus Infection in Taiwan?. <i>PLoS ONE</i> , 2016, 11, e0161002.	2.5	10
65	The Impact of COVID-19 Pandemic on the Learning Outcomes of Medical Students in Taiwan: A Two-Year Prospective Cohort Study of OSCE Performance. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 208.	2.6	10
66	Risk of renal events during tenofovir disoproxil fumarate and entecavir antiviral prophylaxis in HBsAg-positive cancer patients undergoing chemotherapy. <i>Journal of Viral Hepatitis</i> , 2018, 25, 1599-1607.	2.0	9
67	CanStem111P trial: A phase III study of nababucasin (BBI-608) plus nab-paclitaxel (nab-PTX) with gemcitabine (gem) in adult patients with metastatic pancreatic adenocarcinoma (mPDAC).. <i>Journal of Clinical Oncology</i> , 2017, 35, TPS4148-TPS4148.	1.6	9
68	Concurrence of UGT1A Polymorphism and End-Stage Renal Disease Leads to Severe Toxicities of Irinotecan in a Patient with Metastatic Colon Cancer. <i>Tumori</i> , 2011, 97, 243-247.	1.1	8
69	Psoriasis is not a risk factor for dementia: a 12-year nationwide population-based cohort study. <i>Archives of Dermatological Research</i> , 2020, 312, 657-664.	1.9	8
70	Advantages of assaying telomerase activity in ascites for diagnosis of digestive tract malignancies. <i>World Journal of Gastroenterology</i> , 2004, 10, 2468.	3.3	8
71	Outcomes of enteral metallic stent in patients with pancreatic carcinoma and gastric outlet obstruction: A single center experience. <i>Journal of the Formosan Medical Association</i> , 2020, 119, 238-246.	1.7	7
72	A phase II trial of ixabepilone in Asian patients with advanced gastric cancer previously treated with fluoropyrimidine-based chemotherapy. <i>Cancer Chemotherapy and Pharmacology</i> , 2012, 70, 583-590.	2.3	6

#	ARTICLE	IF	CITATIONS
73	TCOG T5217 trial: A phase II randomized study of SLOG versus modified FOLFIRINOX as the first-line treatment in locally advanced or metastatic pancreatic ductal adenocarcinoma.. Journal of Clinical Oncology, 2021, 39, 4143-4143.	1.6	6
74	Updated overall survival analysis of NAPOLI-1: Phase III study of nanoliposomal irinotecan (nal-IRI), Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 pancreatic cancer (mPAC) previously treated with gemcitabine-based therapy.. Journal of Clinical Oncology, 2016, 34, 417-417.	1.6	6
75	Nanoliposomal irinotecan with 5-fluorouracil and folinic acid in metastatic pancreatic cancer after previous gemcitabine-based therapy: A real-world experience. Journal of the Chinese Medical Association, 2022, 85, 42-50.	1.4	6
76	Neurological Cancer is a Risk Factor for Bullous Pemphigoid: 11-Year Population-Based Cohort Study. American Journal of Clinical Dermatology, 2020, 21, 591-597.	6.7	5
77	Outcome for self-expandable metal stents in patients with malignant gastroduodenal obstruction: A single center experience. Advances in Digestive Medicine, 2014, 1, 1-8.	0.2	4
78	The clinical impact of the novel tumor marker DR-70 in unresectable gastric cancer patients. Journal of the Chinese Medical Association, 2018, 81, 593-598.	1.4	4
79	Effect of previous conventional irinotecan treatment in patients with pancreatic cancer being treated with liposomal irinotecan plus 5-fluorouracil and leucovorin. Journal of Hepato-Biliary-Pancreatic Sciences, 2022, 29, 670-681.	2.6	4
80	Outcomes of patients with malignant duodenal obstruction after receiving self-expandable metallic stents: A single center experience. PLoS ONE, 2022, 17, e0268920.	2.5	4
81	Oncogenic circuit constituted by Ser31-HBx and Akt increases risks of chronic hepatitis and hepatocellular carcinoma. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2016, 1862, 837-849.	3.8	3
82	Prolonged bleeding time: A new clinical manifestation of hepatocellular carcinoma?. Journal of Gastroenterology and Hepatology (Australia), 1997, 12, 563-568.	2.8	2
83	Evaluation of Minimal Important Difference and Responder Definition in the EORTC QLQ-PAN26 Module for Assessing Health-Related Quality of Life in Patients with Surgically Resected Pancreatic Adenocarcinoma. Annals of Surgical Oncology, 2021, 28, 7545-7554.	1.5	2
84	Zolbetuximab plus gemcitabine and nab-paclitaxel (GN) in first-line treatment of claudin 18.2-positive metastatic pancreatic cancer (mPC): Phase 2, open-label, randomized study.. Journal of Clinical Oncology, 2022, 40, TPS4186-TPS4186.	1.6	2
85	The telomere-binding protein TRF2 is required for metronomic therapeutic effects of gemcitabine and capecitabine. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2017, 1863, 917-928.	3.8	1
86	The clinical significance of esophagogastric varices in patients with advanced pancreatic cancer. Journal of the Chinese Medical Association, 2021, Publish Ahead of Print, 917-922.	1.4	1
87	The prognostic value of baseline neutrophil-to-lymphocyte ratio (NLR) and platelet-to-lymphocyte ratio (PLR) for predicting clinical outcome in patients with metastatic pancreatic ductal adenocarcinoma (mPDAC) treated with liposomal irinotecan (nal-IRI; MM-398) + 5-fluorouracil and leucovorin (5-FU/LV) vs 5-FU/LV. Journal of Clinical Oncology, 2017, 35, e15795-e15795.	1.6	1
88	Outcomes of Patients with Malignant Esophagogastric Junction Obstruction Receiving Metallic Stents. Journal of the Chinese Medical Association, 2021, Publish Ahead of Print, .	1.4	1
89	Subgroup analysis by baseline (BL) weight-associated parameters: A phase III study of liposomal irinotecan (nal-IRI)±5-fluorouracil/leucovorin (5-FU/LV) in patients (pts) with metastatic pancreatic ductal adenocarcinoma (mPDAC) previously treated with gemcitabine-based (gem) therapy.. Journal of Clinical Oncology, 2018, 36, 410-410.	1.6	1
90	A Phase II Study of Sequential Capecitabine Plus Oxaliplatin Followed by Docetaxel Plus Capecitabine in Patients With Unresectable Gastric Adenocarcinoma. Medicine (United States), 2016, 95, e2565.	1.0	0

#	ARTICLE	IF	CITATIONS
91	Updated overall survival (OS) analysis of NAPOLI-1: Phase 3 study of nanoliposomal irinotecan (nal-IRI,) Tj ETQq1 1 0.784314 rgBT /Over cancer (mPAC) previously treated with gemcitabine (gem)-based therapy.. Journal of Clinical Oncology, 2016, 34, 4126-4126.	1.6	0
92	Characteristics of long-term survivors in a randomized phase III trial (NAPOLI-1) of patients with metastatic pancreatic ductal adenocarcinoma (mPDAC) treated with liposomal irinotecan (nal-IRI;) Tj ETQq0 0 0 rgBT/Overlook 10 Tf 50	0.0	0
93	Strategic Decoy Peptides Interfere with MSI1/AGO2 Interaction to Elicit Tumor Suppression Effects. Cancers, 2022, 14, 505.	3.7	0
94	A prospective phase II study of biweekly S-1, leucovorin and gemcitabine in elderly patients with locally advanced or metastatic pancreatic adenocarcinoma.. Journal of Clinical Oncology, 2022, 40, 550-550.	1.6	0
95	The impact of spleen volume on the survival of metastatic pancreatic adenocarcinoma patients receiving nanoliposomal irinotecan.. American Journal of Cancer Research, 2022, 12, 1884-1898.	1.4	0
96	Comparison between residents with a 6-year medical program and a 7-year medical program in terms of objective structured clinical examination performance in postgraduate year training in Taiwan: a 2-group pre- and post-test non-synchronized study. Journal of Educational Evaluation for Health Professions, 0, 19, 13.	12.6	0