

Enrica Cavedo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8199610/publications.pdf>

Version: 2024-02-01

91
papers

7,970
citations

125106

35
h-index

81351

76
g-index

97
all docs

97
docs citations

97
times ranked

12445
citing authors

#	ARTICLE	IF	CITATIONS
1	Validation of an automatic tool for the rapid measurement of brain atrophy and white matter hyperintensity: QyScore [®] . <i>European Radiology</i> , 2022, 32, 2949-2961.	2.3	9
2	Association of β -Amyloid and Basal Forebrain With Cortical Thickness and Cognition in Alzheimer and Lewy Body Disease Spectra. <i>Neurology</i> , 2022, 98, .	1.5	10
3	White Matter Hyperintensities Are No Major Confounder for Alzheimer's Disease Cerebrospinal Fluid Biomarkers. <i>Journal of Alzheimer's Disease</i> , 2021, 79, 163-175.	1.2	5
4	Aptamer prediction of brain amyloid- β status in cognitively normal individuals at risk for Alzheimer's disease. <i>PLoS ONE</i> , 2021, 16, e0243902.	1.1	5
5	Plasma β -secretase1 concentrations correlate with basal forebrain atrophy and neurodegeneration in cognitively healthy individuals at risk for AD. <i>Alzheimer's and Dementia</i> , 2021, 17, 629-640.	0.4	10
6	Education and brain amyloid load act on temporal lobe function in individual with subjective memory complaint: An EEG-fMRI study. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.4	0
7	Association of brain network dynamics with plasma biomarkers in subjective memory complainers. <i>Neurobiology of Aging</i> , 2020, 88, 83-90.	1.5	4
8	Plasma tau correlates with basal forebrain atrophy rates in people at risk for Alzheimer disease. <i>Neurology</i> , 2020, 94, e30-e41.	1.5	20
9	Randomized controlled trial on the efficacy of a multilevel non-pharmacologic intervention in older adults with subjective memory decline: design and baseline findings of the E.Mu.N.I. study. <i>Aging Clinical and Experimental Research</i> , 2020, 32, 817-826.	1.4	6
10	β -Secretase1 biological markers for Alzheimer's disease: state-of-art of validation and qualification. <i>Alzheimer's Research and Therapy</i> , 2020, 12, 130.	3.0	16
11	Association of plasma YKL-40 with brain amyloid- β levels, memory performance, and sex in subjective memory complainers. <i>Neurobiology of Aging</i> , 2020, 96, 22-32.	1.5	18
12	Resting-state posterior alpha rhythms are abnormal in subjective memory complaint seniors with preclinical Alzheimer's neuropathology and high education level: the INSIGHT-preAD study. <i>Neurobiology of Aging</i> , 2020, 90, 43-59.	1.5	30
13	Age and sex impact plasma NFL and t-Tau trajectories in individuals with subjective memory complaints: a 3-year follow-up study. <i>Alzheimer's Research and Therapy</i> , 2020, 12, 147.	3.0	23
14	Association of plasma YKL-40 with brain amyloidosis, memory performance, and sex in subjective memory complainers. <i>Alzheimer's and Dementia</i> , 2020, 16, e041753.	0.4	0
15	Aging and sex impact plasma NFL and t-Tau trajectories in individuals at risk for Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2020, 16, e041792.	0.4	2
16	Sensitivity and specificity of EEG biomarkers of AD at the preclinical stage. <i>Alzheimer's and Dementia</i> , 2020, 16, e045832.	0.4	0
17	In vivo staging of regional amyloid deposition predicts functional conversion in the preclinical and prodromal phases of Alzheimer's disease. <i>Neurobiology of Aging</i> , 2020, 93, 98-108.	1.5	21
18	Structural magnetic resonance imaging for the early diagnosis of dementia due to Alzheimer's disease in people with mild cognitive impairment. <i>The Cochrane Library</i> , 2020, 3, CD009628.	1.5	67

#	ARTICLE	IF	CITATIONS
19	Brain A β load association and sexual dimorphism of plasma BACE1 concentrations in cognitively normal individuals at risk for AD. <i>Alzheimer's and Dementia</i> , 2019, 15, 1274-1285.	0.4	25
20	Latent class analysis identifies functional decline with Amsterdam IADL in preclinical Alzheimer's disease. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2019, 5, 553-562.	1.8	8
21	Biomarker-guided clustering of Alzheimer's disease clinical syndromes. <i>Neurobiology of Aging</i> , 2019, 83, 42-53.	1.5	48
22	Plasma amyloid β 40/42 ratio predicts cerebral amyloidosis in cognitively normal individuals at risk for Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2019, 15, 764-775.	0.4	122
23	Differential default mode network trajectories in asymptomatic individuals at risk for Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2019, 15, 940-950.	0.4	43
24	Applicability of in vivo staging of regional amyloid burden in a cognitively normal cohort with subjective memory complaints: the INSIGHT-preAD study. <i>Alzheimer's Research and Therapy</i> , 2019, 11, 15.	3.0	24
25	Subjective cognitive decline and rates of incident Alzheimer's disease and non-Alzheimer's disease dementia. <i>Alzheimer's and Dementia</i> , 2019, 15, 465-476.	0.4	232
26	Relationship between Basal Forebrain Resting-State Functional Connectivity and Brain Amyloid- β Deposition in Cognitively Intact Older Adults with Subjective Memory Complaints. <i>Radiology</i> , 2019, 290, 167-176.	3.6	30
27	Cognitive and neuroimaging features and brain β -amyloidosis in individuals at risk of Alzheimer's disease (INSIGHT-preAD): a longitudinal observational study. <i>Lancet Neurology</i> , The, 2018, 17, 335-346.	4.9	161
28	Alzheimer's disease biomarker-guided diagnostic workflow using the added value of six combined cerebrospinal fluid candidates: A β ₄₂ , total τ , phosphorylated τ , NFL, neurogranin, and YKL40. <i>Alzheimer's and Dementia</i> , 2018, 14, 492-501.	0.4	91
29	Prevalence of the apolipoprotein E ϵ 4 allele in amyloid β positive subjects across the spectrum of Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2018, 14, 913-924.	0.4	58
30	Revolution of Alzheimer Precision Neurology. <i>Passageway of Systems Biology and Neurophysiology. Journal of Alzheimer's Disease</i> , 2018, 64, S47-S105.	1.2	122
31	Association of postoperative delirium with markers of neurodegeneration and brain amyloidosis: a pilot study. <i>Neurobiology of Aging</i> , 2018, 61, 93-101.	1.5	18
32	No association of cortical amyloid load and EEG connectivity in older people with subjective memory complaints. <i>NeuroImage: Clinical</i> , 2018, 17, 435-443.	1.4	19
33	Association of Cerebral Amyloid- β Aggregation With Cognitive Functioning in Persons Without Dementia. <i>JAMA Psychiatry</i> , 2018, 75, 84.	6.0	133
34	P3 ϵ 218: NOVEL ALZHEIMER'S DISEASE BIOMARKER-GUIDED DIAGNOSTIC WORKFLOW USING THE ADDED VALUE OF SIX COMBINED CEREBROSPINAL FLUID CANDIDATES: A β ₄₂ , TOTAL τ , PHOSPHORYLATED τ , NFL, NEUROGRANIN, AND YKL ϵ 40. <i>Alzheimer's and Dementia</i> , 2018, 14, P1154.	0.4	1
35	P4 ϵ 072: INCREASED PLASMA BACE1 CONCENTRATIONS IN WOMEN WITH SUBJECTIVE MEMORY COMPLAINTS: CORRELATION WITH PLASMA NFL. <i>Alzheimer's and Dementia</i> , 2018, 14, P1461.	0.4	0
36	P3 ϵ 411: CLINICAL SIGNIFICANCE OF IN-VIVO STAGING OF REGIONAL AMYLOID DEPOSITION IN SUBJECTIVE MEMORY COMPLAINERS. <i>Alzheimer's and Dementia</i> , 2018, 14, P1262.	0.4	0

#	ARTICLE	IF	CITATIONS
37	P2â€237: ASSOCIATION OF CSF ALPHAâ€SYNUCLEIN AND TAU CONCENTRATIONS WITH AMYLOID MEAN CORTICAL STANDARD UPTAKE VALUE RATIOS IN PRECLINICAL SUBJECTIVE MEMORY COMPLAINERS STRATIFIED BY ALZHEIMER'S DISEASE BIOMARKERS. <i>Alzheimer's and Dementia</i> , 2018, 14, P762.	0.4	0
38	O4â€07â€04: INCREASED RESILIENCE TO ALZHEIMER'S DISEASE PATHOPHYSIOLOGY IN MEN WITH SUBJECTIVE MEMORY COMPLAINTS COMPARED TO WOMEN. <i>Alzheimer's and Dementia</i> , 2018, 14, P1419.	0.4	0
39	O3â€09â€02: CORRELATION AND LONGITUDINAL DYNAMICS OF PLASMA NFL AND TAU CONCENTRATIONS IN AMYLOIDâ€PET NEGATIVE INDIVIDUALS WITH SUBJECTIVE MEMORY COMPLAINTS. <i>Alzheimer's and Dementia</i> , 2018, 14, P1036.	0.4	0
40	P4â€186: INNOVATIVE BIOMARKERâ€GUIDED DIAGNOSTIC SYSTEM FROM PRECLINICAL TO ALZHEIMER'S DISEASE DEMENTIA. <i>Alzheimer's and Dementia</i> , 2018, 14, P1510.	0.4	0
41	P4â€098: ASSOCIATION BETWEEN COGNITIVE RESERVE AND WHITE MATTER MICROSTRUCTURAL INTEGRITY IN OLDER ADULTS WITH SUBJECTIVE COGNITIVE DECLINE. <i>Alzheimer's and Dementia</i> , 2018, 14, P1474.	0.4	0
42	P2â€397: REDUCED BASAL FOREBRAIN FUNCTIONAL CONNECTIVITY IN WOMEN WITH SUBJECTIVE MEMORY COMPLAINTS COMPARED TO MEN. <i>Alzheimer's and Dementia</i> , 2018, 14, P855.	0.4	0
43	P2â€246: INCREASED LONGITUDINAL DYNAMICS OF PLASMA YKLâ€40 CONCENTRATIONS IN AMYLOIDâ€PET POSITIVE INDIVIDUALS WITH SUBJECTIVE MEMORY COMPLAINTS. <i>Alzheimer's and Dementia</i> , 2018, 14, P767.	0.4	0
44	P2â€249: CORRELATIONS AND ALTERED LONGITUDINAL DYNAMICS OF PLASMA BACE1 AND NFL CONCENTRATIONS IN INDIVIDUALS WITH SUBJECTIVE MEMORY COMPLAINTS. <i>Alzheimer's and Dementia</i> , 2018, 14, P768.	0.4	0
45	P2â€355: CORRELATION OF FUNCTIONAL MRI CONNECTOMES WITH PATHOPHYSIOLOGICAL ALZHEIMER'S PLASMA BIOMARKERS AND RISK FACTORS IN SUBJECTIVE MEMORY COMPLAINERS. <i>Alzheimer's and Dementia</i> , 2018, 14, P824.	0.4	0
46	P1â€431: APOEâ€DEPENDENT LONGITUDINAL CHANGES IN DEFAULT MODE NETWORK FUNCTIONAL CONNECTIVITY IN SUBJECTIVE MEMORY COMPLAINERS. <i>Alzheimer's and Dementia</i> , 2018, 14, P474.	0.4	1
47	Basal Forebrain Volume, but Not Hippocampal Volume, Is a Predictor of Global Cognitive Decline in Patients With Alzheimer's Disease Treated With Cholinesterase Inhibitors. <i>Frontiers in Neurology</i> , 2018, 9, 642.	1.1	32
48	The cholinergic system in the pathophysiology and treatment of Alzheimerâ€™s disease. <i>Brain</i> , 2018, 141, 1917-1933.	3.7	1,008
49	Effect of Alzheimer's disease risk and protective factors on cognitive trajectories in subjective memory complainers: An INSIGHTâ€preAD study. <i>Alzheimer's and Dementia</i> , 2018, 14, 1126-1136.	0.4	20
50	Association of cerebrospinal fluid β -synuclein with total and phospho τ ₁₈₁ protein concentrations and brain amyloid load in cognitively normal subjective memory complainers stratified by Alzheimer's disease biomarkers. <i>Alzheimer's and Dementia</i> , 2018, 14, 1623-1631.	0.4	45
51	Reply: Optimal use of cholinergic drugs in Alzheimerâ€™s disease. <i>Brain</i> , 2018, 141, e69.	3.7	0
52	Sex differences in Alzheimer disease â€” the gateway to precision medicine. <i>Nature Reviews Neurology</i> , 2018, 14, 457-469.	4.9	573
53	Sex differences in functional and molecular neuroimaging biomarkers of Alzheimer's disease in cognitively normal older adults with subjective memory complaints. <i>Alzheimer's and Dementia</i> , 2018, 14, 1204-1215.	0.4	79
54	Improved Cerebrospinal Fluid-Based Discrimination between Alzheimerâ€™s Disease Patients and Controls after Correction for Ventricular Volumes. <i>Journal of Alzheimer's Disease</i> , 2017, 56, 543-555.	1.2	10

#	ARTICLE	IF	CITATIONS
55	Diagnostic function of the neuroinflammatory biomarker YKL-40 in Alzheimer's disease and other neurodegenerative diseases. <i>Expert Review of Proteomics</i> , 2017, 14, 285-299.	1.3	78
56	Preclinical Alzheimer's disease: A systematic review of the cohorts underlying the concept. <i>Alzheimer's and Dementia</i> , 2017, 13, 454-467.	0.4	58
57	Two-level diagnostic classification using cerebrospinal fluid YKL-40 in Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2017, 13, 993-1003.	0.4	39
58	Diagnostic accuracy of CSF neurofilament light chain protein in the biomarker-guided classification system for Alzheimer's disease. <i>Neurochemistry International</i> , 2017, 108, 355-360.	1.9	46
59	Disrupted white matter structural networks in healthy older adult APOE ϵ 4 carriers: An international multicenter DTI study. <i>Neuroscience</i> , 2017, 357, 119-133.	1.1	31
60	Cerebrospinal Fluid Neurogranin as a Biomarker of Neurodegenerative Diseases: A Cross-Sectional Study. <i>Journal of Alzheimer's Disease</i> , 2017, 59, 1327-1334.	1.2	35
61	[P4184]: LOW COGNITIVE AWARENESS, BUT NOT COMPLAINT, IS A GOOD MARKER OF PRECLINICAL ALZHEIMER'S DISEASE. <i>Alzheimer's and Dementia</i> , 2017, 13, P1333.	0.4	3
62	Reduced basal forebrain atrophy progression in a randomized Donepezil trial in prodromal Alzheimer's disease. <i>Scientific Reports</i> , 2017, 7, 11706.	1.6	79
63	Revolution of Resting-State Functional Neuroimaging Genetics in Alzheimer's Disease. <i>Trends in Neurosciences</i> , 2017, 40, 469-480.	4.2	34
64	[P2379]: ACCURACY OF MRI CLASSIFICATION ALGORITHMS IN A TERTIARY MEMORY CENTER CLINICAL ROUTINE COHORT. <i>Alzheimer's and Dementia</i> , 2017, 13, P772.	0.4	1
65	Fully Automatic MRI-Based Hippocampus Volumetry Using FSL-FIRST: Intra-Scanner Test-Retest Stability, Inter-Field Strength Variability, and Performance as Enrichment Biomarker for Clinical Trials Using Prodromal Target Populations at Risk for Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2017, 60, 151-164.	1.2	7
66	Cortical amyloid accumulation is associated with alterations of structural integrity in older people with subjective memory complaints. <i>Neurobiology of Aging</i> , 2017, 57, 143-152.	1.5	18
67	Cortical sources of resting state EEG rhythms are related to brain hypometabolism in subjects with Alzheimer's disease: an EEG-PET study. <i>Neurobiology of Aging</i> , 2016, 48, 122-134.	1.5	53
68	Preclinical Alzheimer's disease: Definition, natural history, and diagnostic criteria. <i>Alzheimer's and Dementia</i> , 2016, 12, 292-323.	0.4	1,318
69	Effects of rivastigmine on visual attention in subjects with amnesic mild cognitive impairment: A serial functional MRI activation pilot-study. <i>Psychiatry Research - Neuroimaging</i> , 2016, 249, 84-90.	0.9	10
70	Predictors of cognitive decline and treatment response in a clinical trial on suspected prodromal Alzheimer's disease. <i>Neuropharmacology</i> , 2016, 108, 128-135.	2.0	23
71	Brain atrophy in Alzheimer's Disease and aging. <i>Ageing Research Reviews</i> , 2016, 30, 25-48.	5.0	507
72	Efficacy of lifestyle interventions on clinical and neuroimaging outcomes in elderly. <i>Ageing Research Reviews</i> , 2016, 25, 1-12.	5.0	17

#	ARTICLE	IF	CITATIONS
73	Reduced Regional Cortical Thickness Rate of Change in Donepezil-Treated Subjects With Suspected Prodromal Alzheimer's Disease. <i>Journal of Clinical Psychiatry</i> , 2016, 77, e1631-e1638.	1.1	38
74	Neurophysiological Assessment of Alzheimer's Disease Individuals by a Single Electroencephalographic Marker. <i>Journal of Alzheimer's Disease</i> , 2015, 49, 159-177.	1.2	32
75	Evolving Evidence for the Value of Neuroimaging Methods and Biological Markers in Subjects Categorized with Subjective Cognitive Decline. <i>Journal of Alzheimer's Disease</i> , 2015, 48, S171-S191.	1.2	34
76	The Central Biobank and Virtual Biobank of BIOMARKAPD: A Resource for Studies on Neurodegenerative Diseases. <i>Frontiers in Neurology</i> , 2015, 6, 216.	1.1	36
77	Donepezil decreases annual rate of hippocampal atrophy in suspected prodromal Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2015, 11, 1041-1049.	0.4	102
78	The EADC-ADNI Harmonized Protocol for manual hippocampal segmentation on magnetic resonance: Evidence of validity. <i>Alzheimer's and Dementia</i> , 2015, 11, 111-125.	0.4	162
79	Prevalence of Cerebral Amyloid Pathology in Persons Without Dementia. <i>JAMA - Journal of the American Medical Association</i> , 2015, 313, 1924.	3.8	1,166
80	Multimodal imaging in Alzheimer's disease: validity and usefulness for early detection. <i>Lancet Neurology</i> , The, 2015, 14, 1037-1053.	4.9	233
81	Cerebrospinal fluid biomarkers in trials for Alzheimer and Parkinson diseases. <i>Nature Reviews Neurology</i> , 2015, 11, 41-55.	4.9	144
82	Hippocampal and Amygdalar Local Structural Differences in Elderly Patients with Schizophrenia. <i>American Journal of Geriatric Psychiatry</i> , 2015, 23, 47-58.	0.6	19
83	Medial temporal atrophy in early and late-onset Alzheimer's disease. <i>Neurobiology of Aging</i> , 2014, 35, 2004-2012.	1.5	59
84	The Italian Alzheimer's Disease Neuroimaging Initiative (I-ADNI): Validation of Structural MR Imaging. <i>Journal of Alzheimer's Disease</i> , 2014, 40, 941-952.	1.2	22
85	Resting state cortical electroencephalographic rhythms are related to gray matter volume in subjects with mild cognitive impairment and Alzheimer's disease. <i>Human Brain Mapping</i> , 2013, 34, 1427-1446.	1.9	142
86	Cognitive decline and cerebrospinal fluid biomarkers: a close relationship. <i>Future Neurology</i> , 2013, 8, 403-406.	0.9	1
87	Striatal morphology in early-onset and late-onset Alzheimer's disease: a preliminary study. <i>Neurobiology of Aging</i> , 2013, 34, 1728-1739.	1.5	52
88	Norms for Imaging Markers of Brain Reserve. <i>Journal of Alzheimer's Disease</i> , 2012, 31, 623-633.	1.2	18
89	Resting State Cortical Electroencephalographic Rhythms and White Matter Vascular Lesions in Subjects with Alzheimer's Disease: An Italian Multicenter Study. <i>Journal of Alzheimer's Disease</i> , 2011, 26, 331-346.	1.2	48
90	Cortex and amygdala morphology in psychopathy. <i>Psychiatry Research - Neuroimaging</i> , 2011, 193, 85-92.	0.9	118

#	ARTICLE	IF	CITATIONS
91	Hippocampal and amygdalar volume changes in elderly patients with Alzheimer's disease and schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2011, 192, 77-83.	0.9	38