
## Yonghua Wang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8201838/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Avobenzone and nanoplastics affect the development of zebrafish nervous system and retinal system and inhibit their locomotor behavior. Science of the Total Environment, 2022, 806, 150681.	8.0	13
2	Microplastic degradation by hydroxy-rich bismuth oxychloride. Journal of Hazardous Materials, 2021, 405, 124247.	12.4	137
3	Effects of Nanoplastics and Butyl Methoxydibenzoylmethane on Early Zebrafish Embryos Identified by Single-Cell RNA Sequencing. Environmental Science & Technology, 2021, 55, 1885-1896.	10.0	52
4	Intestinal toxicity and microbial community disorder induced by bisphenol F and bisphenol S in zebrafish. Chemosphere, 2021, 280, 130711.	8.2	24
5	Comparison of toxicity induced by EDTA-Cu after UV/H2O2 and UV/persulfate treatment: Species-specific and technology-dependent toxicity. Chemosphere, 2020, 240, 124942.	8.2	22
6	Toxicological responses of Carassius auratus induced by benzophenone-3 exposure and the association with alteration of gut microbiota. Science of the Total Environment, 2020, 747, 141255.	8.0	23
7	Influence of Iron on Cytotoxicity and Gene Expression Profiles Induced by Arsenic in HepG2 Cells. International Journal of Environmental Research and Public Health, 2019, 16, 4484.	2.6	5
8	Recent applications of metal–organic frameworks in sample pretreatment. Journal of Separation Science, 2018, 41, 180-194.	2.5	89
9	Influence of gastrointestinal tract on metabolism of bisphenol A as determined by in vitro simulated system. Journal of Hazardous Materials, 2018, 355, 111-118.	12.4	42
10	Single and combined effects of selected haloacetonitriles in a human-derived hepatoma line. Ecotoxicology and Environmental Safety, 2018, 163, 417-426.	6.0	23
11	Bioaccumulation and trophic transfer of pharmaceuticals in food webs from a large freshwater lake. Environmental Pollution, 2017, 222, 356-366.	7.5	143
12	Modulation of erythromycin-induced biochemical responses in crucian carp by ketoconazole. Environmental Science and Pollution Research, 2017, 24, 5285-5292.	5.3	17
13	Bioconcentration and metabolism of ketoconazole and effects on multi-biomarkers in crucian carp (Carassius auratus). Chemosphere, 2016, 150, 145-151.	8.2	22
14	Occurrence of estrogens in water, sediment and biota and their ecological risk in Northern Taihu Lake in China. Environmental Geochemistry and Health, 2015, 37, 147-156.	3.4	70
15	Biological effects and bioaccumulation of pharmaceutically active compounds in crucian carp caged near the outfall of a sewage treatment plant. Environmental Sciences: Processes and Impacts, 2015, 17, 54-61.	3.5	26
16	Health Risk Assessments Based on Existing Data of Arsenic, Chromium, Lead, and Zinc in China's Air. Human and Ecological Risk Assessment (HERA), 2015, 21, 560-573.	3.4	11
17	Adsorption Behaviors of 17α-Ethinylestradiol in Sediment-Water System in Northern Taihu Lake, China. Scientific World Journal, The, 2014, 2014, 1-6.	2.1	3
18	Health risk analysis of atmospheric polycyclic aromatic hydrocarbons in big cities of China. Ecotoxicology, 2014, 23, 584-588.	2.4	19

#	Article	IF	CITATIONS
19	Bioconcentration, metabolism, and biomarker responses in freshwater fish Carassius auratus exposed to roxithromycin. Chemosphere, 2014, 99, 102-108.	8.2	73
20	A 3D MOF showing unprecedented solvent-induced single-crystal-to-single-crystal transformation and excellent CO <sub>2</sub> adsorption selectivity at room temperature. Chemical Communications, 2014, 50, 15886-15889.	4.1	46
21	Tissue distribution, bioconcentration, metabolism, and effects of erythromycin in crucian carp (Carassius auratus). Science of the Total Environment, 2014, 490, 914-920.	8.0	96
22	Zeolitic imidazolate framework-8 as sorbent of micro-solid-phase extraction to determine estrogens in environmental water samples. Journal of Chromatography A, 2013, 1291, 27-32.	3.7	84
23	Correlation between TCDD acute toxicity and aryl hydrocarbon receptor structure for different mammals. Ecotoxicology and Environmental Safety, 2013, 89, 84-88.	6.0	7
24	Development of a solidâ€phase microextraction fiber coated with poly(methacrylic acidâ€ethylene glycol) Tj ETQ GC. Journal of Separation Science, 2013, 36, 2121-2127.	q0 0 0 rgB 2.5	T /Overlock 11
25	Conducting polymers in environmental analysis. TrAC - Trends in Analytical Chemistry, 2012, 39, 163-179.	11.4	105
26	Determination of 16 polycyclic aromatic hydrocarbons in water using fluorinated polyaniline-based solid-phase microextraction coupled with gas chromatography. Environmental Monitoring and Assessment, 2012, 184, 4345-4353.	2.7	17
27	Assessment of estrogenic contamination and biological effects in Lake Taihu. Ecotoxicology, 2011, 20, 974-981.	2.4	58
28	Preparation and applications of perfluorinated ion doped polyaniline based solid-phase microextraction fiber. Journal of Chromatography A, 2010, 1217, 4523-4528.	3.7	38
29	Quantitative determination of 16 polycyclic aromatic hydrocarbons in soil samples using solidâ€phase microextraction. Journal of Separation Science, 2009, 32, 3951-3957.	2.5	44
30	A novel fluorinated polyaniline-based solid-phase microextraction coupled with gas chromatography for quantitative determination of polychlorinated biphenyls in water samples. Analytica Chimica Acta, 2009, 646, 78-84.	5.4	69
31	Polyaniline-based fiber for headspace solid-phase microextraction of substituted benzenes determination in aqueous samples. Analytica Chimica Acta, 2008, 619, 202-208.	5.4	41