

Jaana Paltamaa

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8208451/publications.pdf>

Version: 2024-02-01

20
papers

847
citations

759233

12
h-index

839539

18
g-index

20
all docs

20
docs citations

20
times ranked

1183
citing authors

#	ARTICLE	IF	CITATIONS
1	Reliability of physical functioning measures in ambulatory subjects with MS. <i>Physiotherapy Research International</i> , 2005, 10, 93-109.	1.5	140
2	Effects of physiotherapy interventions on balance in multiple sclerosis: A systematic review and meta-analysis of randomized controlled trials. <i>Journal of Rehabilitation Medicine</i> , 2012, 44, 811-823.	1.1	128
3	Measures of Physical Functioning Predict Self-Reported Performance in Self-Care, Mobility, and Domestic Life in Ambulatory Persons With Multiple Sclerosis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2007, 88, 1649-1657.	0.9	101
4	Measuring Deterioration in International Classification of Functioning Domains of People With Multiple Sclerosis Who Are Ambulatory. <i>Physical Therapy</i> , 2008, 88, 176-190.	2.4	97
5	Effectiveness of constraint-induced movement therapy on activity and participation after stroke: a systematic review and meta-analysis of randomized controlled trials. <i>Clinical Rehabilitation</i> , 2012, 26, 209-223.	2.2	90
6	Occurrence of multiple sclerosis in central Finland: a regional and temporal comparison during 30 years. <i>Acta Neurologica Scandinavica</i> , 2004, 110, 331-336.	2.1	54
7	Evidence for the effectiveness of walking training on walking and self-care after stroke: A systematic review and meta-analysis of randomized controlled trials. <i>Journal of Rehabilitation Medicine</i> , 2014, 46, 387-399.	1.1	43
8	Effectiveness of technology-based distance physical rehabilitation interventions on physical activity and walking in multiple sclerosis: a systematic review and meta-analysis of randomized controlled trials. <i>Disability and Rehabilitation</i> , 2018, 40, 373-387.	1.8	37
9	Progressive resistance training in Parkinson's disease: a systematic review and meta-analysis. <i>BMJ Open</i> , 2016, 6, e008756.	1.9	36
10	PHYSICAL FUNCTIONING IN MULTIPLE SCLEROSIS: A POPULATION-BASED STUDY IN CENTRAL FINLAND. <i>Journal of Rehabilitation Medicine</i> , 2006, 38, 339-345.	1.1	35
11	Effectiveness of Technology-Based Distance Physical Rehabilitation Interventions for Improving Physical Functioning in Stroke: A Systematic Review and Meta-analysis of Randomized Controlled Trials. <i>Archives of Physical Medicine and Rehabilitation</i> , 2019, 100, 1339-1358.	0.9	24
12	A study of the psychometric properties of 12-item World Health Organization Disability Assessment Schedule 2.0 in a large population of people with chronic musculoskeletal pain. <i>Clinical Rehabilitation</i> , 2017, 31, 262-272.	2.2	23
13	The assessment of functional ability in patients with Parkinson's disease: The PLM-test and three clinical tests. <i>Physiotherapy Research International</i> , 1997, 2, 29-45.	1.5	11
14	Avoiding the Banality of Evil in Times of COVID-19: Thinking Differently with a Biopsychosocial Perspective for Future Health and Social Policies Development. <i>SN Comprehensive Clinical Medicine</i> , 2020, 2, 1758-1760.	0.6	10
15	Ten-year follow-up of health-related quality of life among ambulatory persons with multiple sclerosis at baseline. <i>Quality of Life Research</i> , 2016, 25, 3119-3127.	3.1	7
16	Reliability of the Dynamic Gait Index (Finnish version) in individuals with neurological disorders. <i>Disability and Rehabilitation</i> , 2012, 34, 1657-1664.	1.8	6
17	Psychometric properties of the Assessment Tool for Perceived Agency (ATPA-22) – utility for the rehabilitation of young adults not in education, employment or training (NEETs). <i>Scandinavian Journal of Occupational Therapy</i> , 2021, 28, 97-109.	1.7	3
18	Correlation between Oswestry disability index and 12-item self-administered version of World Health Organization Disability Assessment Schedule (WHODAS 2.0) in patients with chronic low back pain. <i>International Journal of Rehabilitation Research</i> , 2021, 44, 170-172.	1.3	2

#	ARTICLE	IF	CITATIONS
19	Adequate outcome measures for assessing ICF categories are needed. <i>Physical Therapy Reviews</i> , 2014, 19, 220-222.	0.8	0
20	Ten-year follow-up of health-related quality of life among persons with multiple sclerosis. <i>Physiotherapy</i> , 2015, 101, e1286-e1287.	0.4	0