

David C Wraith

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8209064/publications.pdf>

Version: 2024-02-01

138
papers

12,763
citations

36303

51
h-index

24258

110
g-index

147
all docs

147
docs citations

147
times ranked

11091
citing authors

#	ARTICLE	IF	CITATIONS
1	The epitopes of influenza nucleoprotein recognized by cytotoxic T lymphocytes can be defined with short synthetic peptides. <i>Cell</i> , 1986, 44, 959-968.	28.9	1,746
2	Limited heterogeneity of T cell receptors from lymphocytes mediating autoimmune encephalomyelitis allows specific immune intervention. <i>Cell</i> , 1988, 54, 263-273.	28.9	996
3	IL-10-Secreting Regulatory T Cells Do Not Express Foxp3 but Have Comparable Regulatory Function to Naturally Occurring CD4+CD25+ Regulatory T Cells. <i>Journal of Immunology</i> , 2004, 172, 5986-5993.	0.8	583
4	Antigen recognition in autoimmune encephalomyelitis and the potential for peptide-mediated immunotherapy. <i>Cell</i> , 1989, 59, 247-255.	28.9	399
5	Low avidity recognition of self-antigen by T cells permits escape from central tolerance. <i>Immunity</i> , 1995, 3, 407-415.	14.3	396
6	Treatment of experimental encephalomyelitis with a peptide analogue of myelin basic protein. <i>Nature</i> , 1996, 379, 343-346.	27.8	382
7	Inhibition of T cell and antibody responses to house dust mite allergen by inhalation of the dominant T cell epitope in naive and sensitized mice.. <i>Journal of Experimental Medicine</i> , 1993, 178, 1783-1788.	8.5	327
8	Vaccination and autoimmune disease: what is the evidence?. <i>Lancet, The</i> , 2003, 362, 1659-1666.	13.7	307
9	Peptide-based therapeutic vaccines for allergic and autoimmune diseases. <i>Nature Medicine</i> , 2005, 11, S69-S76.	30.7	290
10	Cutting Edge: Th1 Cells Facilitate the Entry of Th17 Cells to the Central Nervous System during Experimental Autoimmune Encephalomyelitis. <i>Journal of Immunology</i> , 2008, 181, 3750-3754.	0.8	289
11	Inhibition of experimental autoimmune encephalomyelitis by inhalation but not oral administration of the encephalitogenic peptide: influence of MHC binding affinity. <i>International Immunology</i> , 1993, 5, 1159-1165.	4.0	281
12	Regulation of Adaptive Immunity; The Role of Interleukin-10. <i>Frontiers in Immunology</i> , 2013, 4, 129.	4.8	251
13	SARS-CoV-2 seroprevalence and asymptomatic viral carriage in healthcare workers: a cross-sectional study. <i>Thorax</i> , 2020, 75, 1089-1094.	5.6	234
14	Role for IL-10 in Suppression Mediated by Peptide-Induced Regulatory T Cells In Vivo. <i>Journal of Immunology</i> , 2003, 170, 1240-1248.	0.8	233
15	T cell recognition as the target for immune intervention in autoimmune disease. <i>Cell</i> , 1989, 57, 709-715.	28.9	218
16	Destructive processing by asparagine endopeptidase limits presentation of a dominant T cell epitope in MBP. <i>Nature Immunology</i> , 2002, 3, 169-174.	14.5	200
17	Domain interactions of Hâ€“2 class I antigens alter cytotoxic T-cell recognition sites. <i>Nature</i> , 1984, 309, 279-281.	27.8	186
18	TGF-Î²-dependent induction of CD4+CD25+Foxp3+ Tregs by liver sinusoidal endothelial cells. <i>Journal of Hepatology</i> , 2014, 61, 594-599.	3.7	185

#	ARTICLE	IF	CITATIONS
19	Peptide-induced T cell regulation of experimental autoimmune encephalomyelitis: a role for IL-10. <i>International Immunology</i> , 1999, 11, 1625-1634.	4.0	183
20	Regulatory T Cell Migration Is Dependent on Glucokinase-Mediated Glycolysis. <i>Immunity</i> , 2017, 47, 875-889.e10.	14.3	181
21	An autoantigenic T cell epitope forms unstable complexes with class II MHC: a novel route for escape from tolerance induction. <i>International Immunology</i> , 1993, 5, 1151-1158.	4.0	180
22	Negative Selection during the Peripheral Immune Response to Antigen. <i>Journal of Experimental Medicine</i> , 2001, 193, 1-12.	8.5	161
23	A single amino acid change in a myelin basic protein peptide confers the capacity to prevent rather than induce experimental autoimmune encephalomyelitis.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1991, 88, 9633-9637.	7.1	159
24	Sequential transcriptional changes dictate safe and effective antigen-specific immunotherapy. <i>Nature Communications</i> , 2014, 5, 4741.	12.8	147
25	Negative feedback control of the autoimmune response through antigen-induced differentiation of IL-10-secreting Th1 cells. <i>Journal of Experimental Medicine</i> , 2009, 206, 1755-1767.	8.5	145
26	Nanoparticle-based autoantigen delivery to Treg-inducing liver sinusoidal endothelial cells enables control of autoimmunity in mice. <i>Journal of Hepatology</i> , 2015, 62, 1349-1356.	3.7	145
27	Ectopic expression of neural autoantigen in mouse liver suppresses experimental autoimmune neuroinflammation by inducing antigen-specific Tregs. <i>Journal of Clinical Investigation</i> , 2008, 118, 3403-10.	8.2	142
28	Selection and fine-tuning of the autoimmune T-cell repertoire. <i>Nature Reviews Immunology</i> , 2002, 2, 487-498.	22.7	138
29	Immunological properties of foreign peptides in multiple display on a filamentous bacteriophage. <i>Gene</i> , 1993, 128, 79-83.	2.2	130
30	Antigen-specific immunotherapy of autoimmune and allergic diseases. <i>Current Opinion in Immunology</i> , 2010, 22, 609-615.	5.5	118
31	Human mesenchymal stem cells abrogate experimental allergic encephalomyelitis after intraperitoneal injection, and with sparse CNS infiltration. <i>Neuroscience Letters</i> , 2008, 448, 71-73.	2.1	116
32	Regulatory CD4+ T cells and the control of autoimmune disease. <i>Current Opinion in Immunology</i> , 2004, 16, 695-701.	5.5	107
33	Early growth response gene 2 (Egr-2) controls the self-tolerance of T cells and prevents the development of lupuslike autoimmune disease. <i>Journal of Experimental Medicine</i> , 2008, 205, 2295-2307.	8.5	105
34	Influence of a dominant cryptic epitope on autoimmune T cell tolerance. <i>Nature Immunology</i> , 2002, 3, 175-181.	14.5	97
35	Hierarchy in the ability of T cell epitopes to induce peripheral tolerance to antigens from myelin. <i>European Journal of Immunology</i> , 1998, 28, 1251-1261.	2.9	93
36	Human Mesenchymal Stem Cells Infiltrate the Spinal Cord, Reduce Demyelination, and Localize to White Matter Lesions in Experimental Autoimmune Encephalomyelitis. <i>Journal of Neuropathology and Experimental Neurology</i> , 2010, 69, 1087-1095.	1.7	85

#	ARTICLE	IF	CITATIONS
37	IL-4 enhances IL-10 production in Th1 cells: implications for Th1 and Th2 regulation. <i>Scientific Reports</i> , 2017, 7, 11315.	3.3	82
38	Comment on "Expression of Helios, an Ikaros Transcription Factor Family Member, Differentiates Thymic-Derived from Peripherally Induced Foxp3+ T Regulatory Cells" <i>Journal of Immunology</i> , 2010, 185, 7129-7129.	0.8	79
39	The adaptive immune system in diseases of the central nervous system. <i>Journal of Clinical Investigation</i> , 2012, 122, 1172-1179.	8.2	79
40	The Future of Immunotherapy: A 20-Year Perspective. <i>Frontiers in Immunology</i> , 2017, 8, 1668.	4.8	76
41	Affinity for class II MHC determines the extent to which soluble peptides tolerize autoreactive T cells in naive and primed adult mice" implications for autoimmunity. <i>International Immunology</i> , 1995, 7, 1255-1263.	4.0	73
42	Antigen-Specific Immunotherapy with Thyrotropin Receptor Peptides in Graves' Hyperthyroidism: A Phase I Study. <i>Thyroid</i> , 2019, 29, 1003-1011.	4.5	72
43	IL-10 is essential for disease protection following intranasal peptide administration in the C57BL/6 model of EAE. <i>Journal of Neuroimmunology</i> , 2006, 178, 1-8.	2.3	70
44	Preclinical development and first-in-human study of ATX-MS-1467 for immunotherapy of MS. <i>Neurology: Neuroimmunology and NeuroInflammation</i> , 2015, 2, e93.	6.0	70
45	Effects of ATX-MS-1467 immunotherapy over 16 weeks in relapsing multiple sclerosis. <i>Neurology</i> , 2018, 90, e955-e962.	1.1	66
46	Lowering the tone: mechanisms of immunodominance among epitopes with low affinity for MHC. <i>Trends in Immunology</i> , 1996, 17, 80-85.	7.5	65
47	CD4+ T-cell epitopes associated with antibody responses after intravenously and subcutaneously applied human FVIII in humanized hemophilic E17 HLA-DRB1*1501 mice. <i>Blood</i> , 2012, 119, 4073-4082.	1.4	62
48	Persistent antigenic stimulation alters the transcription program in T _H 1 cells, resulting in antigen-specific tolerance. <i>European Journal of Immunology</i> , 2006, 36, 1374-1385.	2.9	61
49	Mechanisms of central and peripheral T-cell tolerance: lessons from experimental models of multiple sclerosis. <i>Immunological Reviews</i> , 1999, 169, 123-137.	6.0	59
50	Tr1-Like T Cells " An Enigmatic Regulatory T Cell Lineage. <i>Frontiers in Immunology</i> , 2016, 7, 355.	4.8	59
51	Antigenic strength controls the generation of antigen-specific IL-10-secreting T regulatory cells. <i>European Journal of Immunology</i> , 2010, 40, 1386-1395.	2.9	54
52	Mucosal Tolerance in a Murine Model of Experimental Autoimmune Encephalomyelitis. <i>Annals of the New York Academy of Sciences</i> , 1996, 778, 228-242.	3.8	52
53	Establishing the prevalence of common tissue-specific autoantibodies following severe acute respiratory syndrome coronavirus 2 infection. <i>Clinical and Experimental Immunology</i> , 2021, 205, 99-105.	2.6	52
54	Epigenetic modification of the PD-1 (Pdccl1) promoter in effector CD4+ T cells tolerized by peptide immunotherapy. <i>ELife</i> , 2014, 3, .	6.0	52

#	ARTICLE	IF	CITATIONS
55	Detection of autoreactive T cells in H-2u mice using peptide-MHC multimers. <i>International Immunology</i> , 2000, 12, 1553-1560.	4.0	50
56	Nr4a1 and Nr4a3 Reporter Mice Are Differentially Sensitive to T Cell Receptor Signal Strength and Duration. <i>Cell Reports</i> , 2020, 33, 108328.	6.4	50
57	Enhanced selection of FoxP3 ⁺ T-regulatory cells protects CTLA-4-deficient mice from CNS autoimmune disease. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 3306-3311.	7.1	48
58	Phenotypic analysis of CTLA-4 and CD28 expression during transient peptide-induced T cell activation in vivo. <i>International Immunology</i> , 1999, 11, 667-675.	4.0	47
59	A role for galanin in human and experimental inflammatory demyelination. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 15466-15471.	7.1	44
60	Glycogen synthase kinase-3 controls IL-10 expression in CD4 ⁺ effector T cell subsets through epigenetic modification of the IL-10 promoter. <i>European Journal of Immunology</i> , 2015, 45, 1103-1115.	2.9	44
61	CTLA-4 controls the thymic development of both conventional and regulatory T cells through modulation of the TCR repertoire. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, E221-30.	7.1	43
62	Peptides containing a dominant T-cell epitope from red cell band 3 have in vivo immunomodulatory properties in NZB mice with autoimmune hemolytic anemia. <i>Blood</i> , 2003, 102, 3800-3806.	1.4	42
63	Therapeutic peptide vaccines for treatment of autoimmune diseases. <i>Immunology Letters</i> , 2009, 122, 134-136.	2.5	42
64	Combinations of CD45 Isoforms Are Crucial for Immune Function and Disease. <i>Journal of Immunology</i> , 2006, 176, 3417-3425.	0.8	41
65	The role of cytokines in immunological tolerance: potential for therapy. <i>Expert Reviews in Molecular Medicine</i> , 2000, 2, 1-20.	3.9	40
66	The recognition of influenza A virus- infected cells by cytotoxic T lymphocytes. <i>Trends in Immunology</i> , 1987, 8, 239-246.	7.5	35
67	Antigen-specific immunotherapy. <i>Nature</i> , 2016, 530, 422-423.	27.8	35
68	Immunotherapy With Apitopes Blocks the Immune Response to TSH Receptor in HLA-DR Transgenic Mice. <i>Endocrinology</i> , 2018, 159, 3446-3457.	2.8	35
69	Development of a high-sensitivity ELISA detecting IgG, IgA and IgM antibodies to the SARS-CoV-2 spike glycoprotein in serum and saliva. <i>Immunology</i> , 2021, 164, 135-147.	4.4	35
70	Intranasal peptide-induced peripheral tolerance: the role of IL-10 in regulatory T cell function within the context of experimental autoimmune encephalomyelitis. <i>Veterinary Immunology and Immunopathology</i> , 2002, 87, 357-372.	1.2	33
71	Antigen and checkpoint receptor engagement recalibrates T cell receptor signal strength. <i>Immunity</i> , 2021, 54, 2481-2496.e6.	14.3	33
72	Myeloid-derived suppressor cells mediate tolerance induction in autoimmune disease. <i>Immunology</i> , 2017, 151, 26-42.	4.4	32

#	ARTICLE	IF	CITATIONS
73	Therapeutic potential of TCR antagonists is determined by their ability to modulate a diverse repertoire of autoreactive T cells. <i>European Journal of Immunology</i> , 1999, 29, 1850-1857.	2.9	30
74	The nature of cryptic epitopes within the self-antigen myelin basic protein. <i>International Immunology</i> , 1996, 8, 1035-1043.	4.0	29
75	Antigen-Induced IL-10+ Regulatory T Cells Are Independent of CD25+ Regulatory Cells for Their Growth, Differentiation, and Function. <i>Journal of Immunology</i> , 2006, 176, 5329-5337.	0.8	29
76	IL-2 Overcomes the Unresponsiveness but Fails to Reverse the Regulatory Function of Antigen-Induced T Regulatory Cells. <i>Journal of Immunology</i> , 2005, 174, 310-319.	0.8	28
77	Antigen-presenting Cell Activation: a Link Between Infection and Autoimmunity?. <i>Journal of Autoimmunity</i> , 2001, 16, 303-308.	6.5	26
78	Natural and Induced Regulatory T Cells. <i>Annals of the New York Academy of Sciences</i> , 2004, 1029, 180-192.	3.8	26
79	Extra-thymically induced regulatory cell subsets: the optimal target for antigen-specific immunotherapy. <i>Immunology</i> , 2015, 145, 171-181.	4.4	25
80	Serological responses to SARS-CoV-2 following non-hospitalised infection: clinical and ethnodemographic features associated with the magnitude of the antibody response. <i>BMJ Open Respiratory Research</i> , 2021, 8, e000872.	3.0	25
81	Role of interleukin-10 in the induction and function of natural and antigen-induced regulatory T cells. <i>Journal of Autoimmunity</i> , 2003, 20, 273-275.	6.5	24
82	Searching for MHC-restricted anti-viral antibodies: antibodies recognizing the nucleoprotein of influenza virus dominate the serological response of C57BL/6 mice to syngeneic influenza-infected cells. <i>European Journal of Immunology</i> , 1987, 17, 999-1006.	2.9	23
83	MHC-binding peptides for immunotherapy of experimental autoimmune disease. <i>Journal of Autoimmunity</i> , 1992, 5, 103-113.	6.5	23
84	Differential activation of signal transducer and activator of transcription (STAT)3 and STAT5 and induction of suppressors of cytokine signalling in Th1 and Th2 cells. <i>International Immunology</i> , 2003, 15, 1309-1317.	4.0	23
85	Kinetics of Peptide Uptake and Tissue Distribution Following a Single Intranasal Dose of Peptide. <i>Immunological Investigations</i> , 2000, 29, 61-70.	2.0	22
86	Antigen-Specific Immunotherapy for Treatment of Autoimmune Liver Diseases. <i>Frontiers in Immunology</i> , 2020, 11, 1586.	4.8	21
87	Chromatin Priming Renders T Cell Tolerance-Associated Genes Sensitive to Activation below the Signaling Threshold for Immune Response Genes. <i>Cell Reports</i> , 2020, 31, 107748.	6.4	21
88	Therapies for Long COVID in non-hospitalised individuals: from symptoms, patient-reported outcomes and immunology to targeted therapies (The TLC Study). <i>BMJ Open</i> , 2022, 12, e060413.	1.9	21
89	New inhibitory signaling by CTLA-4. <i>Nature Immunology</i> , 2014, 15, 408-409.	14.5	20
90	Preclinical models of arthritis for studying immunotherapy and immune tolerance. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 1268-1277.	0.9	20

#	ARTICLE	IF	CITATIONS
91	Anti-cytokine vaccines and the immunotherapy of autoimmune diseases. <i>European Journal of Immunology</i> , 2006, 36, 2844-2848.	2.9	19
92	CD86 Has Sustained Costimulatory Effects on CD8 T Cells. <i>Journal of Immunology</i> , 2007, 179, 5936-5946.	0.8	18
93	CTLA-4 Modulates the Differentiation of Inducible Foxp3+ Treg Cells but IL-10 Mediates Their Function in Experimental Autoimmune Encephalomyelitis. <i>PLoS ONE</i> , 2014, 9, e108023.	2.5	18
94	PKC δ links proximal T cell and Notch signaling through localized regulation of the actin cytoskeleton. <i>ELife</i> , 2017, 6, .	6.0	18
95	The role of CTLA-4 in immune regulation. <i>Immunology Letters</i> , 2008, 115, 73-74.	2.5	17
96	Activation thresholds determine susceptibility to peptide-induced tolerance in a heterogeneous myelin-reactive T cell repertoire. <i>Journal of Neuroimmunology</i> , 2004, 156, 96-106.	2.3	16
97	Variant proteins stimulate more IgM+ GC B-cells revealing a mechanism of cross-reactive recognition by antibody memory. <i>ELife</i> , 2018, 7, .	6.0	16
98	Blockade of LFA-1 augments in vitro differentiation of antigen-induced Foxp3+ Treg cells. <i>Journal of Immunological Methods</i> , 2014, 414, 58-64.	1.4	15
99	Designing antigens for the prevention and treatment of autoimmune diseases. <i>Current Opinion in Chemical Engineering</i> , 2018, 19, 35-42.	7.8	15
100	Peptide allergen-specific immunotherapy for allergic airway diseases” State of the art. <i>Clinical and Experimental Allergy</i> , 2021, 51, 751-769.	2.9	15
101	Manipulating antigen presentation for antigen-specific immunotherapy of autoimmune diseases. <i>Current Opinion in Immunology</i> , 2021, 70, 75-81.	5.5	14
102	Peptide-MHC interaction in autoimmunity. <i>Current Opinion in Immunology</i> , 1992, 4, 748-753.	5.5	13
103	SARS-CoV-2-specific IgG1/IgG3 but not IgM in children with Pediatric Inflammatory Multi-System Syndrome. <i>Pediatric Allergy and Immunology</i> , 2021, 32, 1125-1129.	2.6	13
104	Loss of serological determinants does not affect recognition of H-2Kk target cells by an influenza-specific cytotoxic T cell clone. <i>European Journal of Immunology</i> , 1983, 13, 762-766.	2.9	12
105	Immunotherapy of autoimmune disease. <i>Current Opinion in Immunology</i> , 1993, 5, 925-933.	5.5	12
106	SARS-CoV-2 Spike- and Nucleoprotein-Specific Antibodies Induced After Vaccination or Infection Promote Classical Complement Activation. <i>Frontiers in Immunology</i> , 0, 13, .	4.8	12
107	Isolation and characterization of human interleukin-10-secreting T cells from peripheral blood. <i>Human Immunology</i> , 2010, 71, 225-234.	2.4	11
108	Cytotoxic T-cell recognition of influenza-infected target cells varies in different H-2 k mouse strains. <i>Immunogenetics</i> , 1983, 18, 177-181.	2.4	10

#	ARTICLE	IF	CITATIONS
109	Cross-reactivity and T-cell Receptor Antagonism of Myelin Basic Protein-reactive T cells is Modulated by the Activation State of the Antigen Presenting Cell. <i>Journal of Autoimmunity</i> , 2002, 19, 183-193.	6.5	10
110	CNS infection safety signal of RTS,S/AS01 and possible association with rabies vaccine. <i>Lancet</i> , The, 2016, 387, 1376.	13.7	10
111	A humanized HLA-DR4 mouse model for autoimmune myocarditis. <i>Journal of Molecular and Cellular Cardiology</i> , 2017, 107, 22-26.	1.9	10
112	Modification of the FoxP3 Transcription Factor Principally Affects Inducible T Regulatory Cells in a Model of Experimental Autoimmune Encephalomyelitis. <i>PLoS ONE</i> , 2013, 8, e61334.	2.5	10
113	Induction of Antigen-Specific Unresponsiveness with Synthetic Peptides: Specific Immunotherapy for Treatment of Allergic and Autoimmune Conditions. <i>International Archives of Allergy and Immunology</i> , 1995, 108, 355-359.	2.1	9
114	Characterization of the Dominant Autoreactive T-cell Epitope in Spontaneous Autoimmune Haemolytic Anaemia of the NZB Mouse. <i>Journal of Autoimmunity</i> , 2002, 18, 149-157.	6.5	9
115	IDENTIFICATION OF AN INDIRECTLY PRESENTED EPITOPE IN A MOUSE MODEL OF SKIN ALLOGRAFT REJECTION1. <i>Transplantation</i> , 1998, 65, 1357-1364.	1.0	9
116	Dk-restricted antiinfluenza cytotoxic t-cell clone loses one of its two alloreactivities. <i>Immunogenetics</i> , 1984, 20, 131-139.	2.4	8
117	T Cell Recognition in Experimental Autoimmune Encephalomyelitis: Prospects for Immune Intervention with Synthetic Peptides. <i>International Reviews of Immunology</i> , 1990, 6, 37-47.	3.3	8
118	Autoantigens in rheumatoid arthritis and the potential for antigen-specific tolerising immunotherapy. <i>Lancet Rheumatology</i> , The, 2020, 2, e712-e723.	3.9	8
119	Protein kinase C theta is required for efficient induction of IL-10-secreting T cells. <i>PLoS ONE</i> , 2017, 12, e0171547.	2.5	8
120	PROLONGATION OF MURINE VASCULARIZED HEART ALLOGRAFT SURVIVAL BY RECIPIENT-SPECIFIC ANTI-MAJOR HISTOCOMPATIBILITY COMPLEX CLASS II ANTIBODY1. <i>Transplantation</i> , 1997, 64, 525-528.	1.0	7
121	The Mechanism of Action of Antigen Processing Independent T Cell Epitopes Designed for Immunotherapy of Autoimmune Diseases. <i>Frontiers in Immunology</i> , 2021, 12, 654201.	4.8	6
122	Induction of Tolerance to Therapeutic Proteins With Antigen-Processing Independent T Cell Epitopes: Controlling Immune Responses to Biologics. <i>Frontiers in Immunology</i> , 2021, 12, 742695.	4.8	6
123	Avidity and the Art of Self Non-Self Discrimination. <i>Immunity</i> , 2006, 25, 191-193.	14.3	5
124	Experimental autoimmune encephalomyelitis in mice expressing the autoantigen MBP10 covalently bound to the MHC class II molecule I-Au. <i>International Immunology</i> , 2006, 18, 151-162.	4.0	5
125	T-cell receptor degeneracy: the dog that did not bark Adaptation of the self-reactive T-cell response to limit autoimmune disease. <i>Molecular Immunology</i> , 2004, 40, 997-1002.	2.2	4
126	Antigen-specific immunotherapy with apitopes suppresses generation of FVIII inhibitor antibodies in HLA-transgenic mice. <i>Blood Advances</i> , 2021, , .	5.2	4

#	ARTICLE	IF	CITATIONS
127	Immunotherapy of autoimmune disease with synthetic peptides. Trends in Immunology, 1994, 15, 91.	7.5	3
128	Natural and Induced Regulatory T Cells: Targets for Immunotherapy of Autoimmune Disease and Allergy. Inflammation and Allergy: Drug Targets, 2006, 5, 141-148.	1.8	3
129	Peptide-based therapy for autoimmune diseases. Drug Discovery Today: Therapeutic Strategies, 2006, 3, 35-40.	0.5	2
130	Stem Cell Immunology. , 2008, , 199-213.		2
131	Adaptive T cell tuning in immune regulation and immunotherapy of autoimmune diseases. Immunology Letters, 2022, 244, 12-18.	2.5	2
132	A role for major histocompatibility complex-binding peptides in the immunotherapy of autoimmune disease. Seminars in Immunopathology, 1992, 14, 95-101.	4.0	1
133	Therapeutic immunosuppression of T cells. Current Opinion in Biotechnology, 1992, 3, 668-674.	6.6	1
134	A hazardous vapour trail from abattoir to neuropathy clinic. Lancet Neurology, The, 2010, 9, 22-24.	10.2	0
135	A LAT-Based Signaling Complex in the Immunological Synapse as Determined with Live Cell Imaging Is Less Stable in T Cells with Regulatory Capability. Cells, 2021, 10, 418.	4.1	0
136	Human CD4+CD25+CD127 ^{hi} T Cells Show Potent Dose-Dependent Inhibition of Allogeneic DC-Driven MLRs. Blood, 2006, 108, 5172-5172.	1.4	0
137	Human CD4+CD25+ regulatory T Cells Exhibit Dual Mechanisms of Action in Suppressing in Vitro Alloreactivity. Blood, 2008, 112, 2582-2582.	1.4	0
138	2 Are mesenchymal stem cells immune privileged?. , 2013, , 17-36.		0