

# Seung Hyuk Choi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/821235/publications.pdf>

Version: 2024-02-01

34  
papers

668  
citations

687363

13  
h-index

580821

25  
g-index

34  
all docs

34  
docs citations

34  
times ranked

1265  
citing authors

#	ARTICLE	IF	CITATIONS
1	Long-Term Clinical Outcomes of Iliac Artery Endovascular Therapy in the Korean Vascular Intervention Society Endovascular Therapy in Lower Limb Artery Diseases (K-VIS ELLA) Registry. Korean Circulation Journal, 2022, 52, 529.	1.9	2
2	Long-term Clinical Outcomes and Prognostic Factors After Endovascular Treatment in Patients With Chronic Limb Threatening Ischemia. Korean Circulation Journal, 2022, 52, 429.	1.9	10
3	Korean Multicenter Registry Study of EPIC Stents for the Treatment of Iliac Artery Disease: K-EPIC Registry. Korean Circulation Journal, 2021, 51, 441.	1.9	3
4	Association between Body Mass Index and Clinical Outcomes of Peripheral Artery Disease after Endovascular Therapy: Data from K-VIS ELLA Registry. Korean Circulation Journal, 2021, 51, 696.	1.9	6
5	Long-term Outcomes of Clopidogrel Monotherapy versus Prolonged Dual Antiplatelet Therapy beyond 12 Months after Percutaneous Coronary Intervention in High-risk Patients. Journal of Korean Medical Science, 2021, 36, e106.	2.5	1
6	Comparison of fractional myocardial mass, a vessel-specific myocardial mass-at-risk, with coronary angiographic scoring systems for predicting myocardial ischemia. Journal of Cardiovascular Computed Tomography, 2020, 14, 322-329.	1.3	0
7	Influence of preprocedural glycemic control on clinical outcomes of endovascular therapy in diabetic patients with lower extremity artery disease: an analysis from a Korean multicenter retrospective registry cohort. Cardiovascular Diabetology, 2020, 19, 97.	6.8	11
8	Long-Term Outcomes in Patients Undergoing Percutaneous Coronary Intervention with or without Preprocedural Exercise Stress Test. Journal of Korean Medical Science, 2020, 35, e3.	2.5	5
9	Mildly Elevated Cardiac Troponin below the 99th-Percentile Upper Reference Limit after Noncardiac Surgery. Korean Circulation Journal, 2020, 50, 925.	1.9	6
10	Clinical Implications of Early Exercise Treadmill Testing after Percutaneous Coronary Intervention in the Drug-eluting Stent Era. Journal of Korean Medical Science, 2020, 35, e229.	2.5	1
11	Comparing the Procedural and Clinical Outcomes of Sapien XT and Sapien 3 Valves in Transcatheter Aortic Valve Replacement in Korean Patients. Korean Circulation Journal, 2020, 50, 907.	1.9	3
12	Comparison of Exercise Performance and Clinical Outcome Between Functional Complete and Incomplete Revascularization. Korean Circulation Journal, 2020, 50, 406.	1.9	2
13	Differential efficacy between stenting and plain balloon angioplasty for femoropopliteal disease with or without total occlusion. Korean Journal of Internal Medicine, 2020, 35, 1114-1124.	1.7	2
14	Safety and Efficacy of Biodegradable Polymer-biolimus-eluting Stents (BP-BES) Compared with Durable Polymer-everolimus-eluting Stents (DP-EES) in Patients Undergoing Complex Percutaneous Coronary Intervention. Korean Circulation Journal, 2019, 49, 69.	1.9	7
15	The Proximal Optimization Technique Improves Clinical Outcomes When Treated without Kissing Ballooning in Patients with a Bifurcation Lesion. Korean Circulation Journal, 2019, 49, 485.	1.9	12
16	Medical Resource Consumption and Quality of Life in Peripheral Arterial Disease in Korea: PAD Outcomes (PADO) Research. Korean Circulation Journal, 2018, 48, 813.	1.9	5
17	Trends and Outcomes of Transcatheter Aortic Valve Implantation (TAVI) in Korea: the Results of the First Cohort of Korean TAVI Registry. Korean Circulation Journal, 2018, 48, 382.	1.9	19
18	Clinical Outcomes of Subintimal vs. Intraluminal Revascularization Approaches for Long Femoropopliteal Occlusions in a Korean Multicenter Retrospective Registry Cohort. Circulation Journal, 2018, 82, 1900-1907.	1.6	18

#	ARTICLE	IF	CITATIONS
19	Risk Scoring System to Assess Outcomes in Patients Treated with Contemporary Guideline-Adherent Optimal Therapies after Acute Myocardial Infarction. <i>Korean Circulation Journal</i> , 2018, 48, 492.	1.9	5
20	Impact of Balloon Pulmonary Angioplasty on Hemodynamics and Clinical Outcomes in Patients with Chronic Thromboembolic Pulmonary Hypertension: the Initial Korean Experience. <i>Journal of Korean Medical Science</i> , 2018, 33, e24.	2.5	19
21	Identification of Coronary Artery Side Branch Supplying Myocardial Mass That May Benefit From Revascularization. <i>JACC: Cardiovascular Interventions</i> , 2017, 10, 571-581.	2.9	58
22	Is cardiac magnetic resonance necessary for prediction of left ventricular remodeling in patients with reperfused ST-segment elevation myocardial infarction?. <i>International Journal of Cardiovascular Imaging</i> , 2017, 33, 2003-2012.	1.5	4
23	Uric Acid Level Has a U-shaped Association with Clinical Outcomes in Patients with Vasospastic Angina. <i>Journal of Korean Medical Science</i> , 2017, 32, 1275.	2.5	11
24	Baseline Characteristics of a Retrospective Patient Cohort in the Korean Vascular Intervention Society Endovascular Therapy in Lower Limb Artery Diseases (K-VIS ELLA) Registry. <i>Korean Circulation Journal</i> , 2017, 47, 469.	1.9	32
25	Triple rule-out computed tomography for risk stratification of patients with acute chest pain. <i>Journal of Cardiovascular Computed Tomography</i> , 2016, 10, 291-300.	1.3	12
26	Physiological Severity of Coronary Artery Stenosis Depends on the Amount of Myocardial Mass Subtended by the Coronary Artery. <i>JACC: Cardiovascular Interventions</i> , 2016, 9, 1548-1560.	2.9	77
27	Comparison of clinical characteristics in patients with Takayasu arteritis with and without concomitant tuberculosis. <i>Heart and Vessels</i> , 2016, 31, 1277-1284.	1.2	28
28	Assessment of Perioperative Cardiac Risk of Patients Undergoing Noncardiac Surgery Using Coronary Computed Tomographic Angiography. <i>Circulation: Cardiovascular Imaging</i> , 2015, 8, .	2.6	33
29	Predictors of neurological outcomes after successful extracorporeal cardiopulmonary resuscitation. <i>BMC Anesthesiology</i> , 2015, 15, 26.	1.8	87
30	Noninvasive Discrimination of Coronary Chronic Total Occlusion and Subtotal Occlusion by Coronary Computed Tomography Angiography. <i>JACC: Cardiovascular Interventions</i> , 2015, 8, 1143-1153.	2.9	25
31	Noninvasive Evaluation of Coronary Collateral Arterial Flow by Coronary Computed Tomographic Angiography. <i>Circulation: Cardiovascular Imaging</i> , 2014, 7, 482-490.	2.6	27
32	Aortic diameter predicts acute type A aortic dissection in patients with Marfan syndrome but not in patients without Marfan syndrome. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2014, 147, 1505-1510.	0.8	44
33	Indications and Short-term Results of Open Surgical Repair of Abdominal Aortic Aneurysm in an Endovascular Era. [Chapchi] <i>Journal Taehan Oekwa Hakhoe</i> , 2011, 80, 212.	1.1	1
34	Relationship Between Biomarkers of Oxidized Low-Density Lipoprotein, Statin Therapy, Quantitative Coronary Angiography, and Atheroma Volume. <i>Journal of the American College of Cardiology</i> , 2008, 52, 24-32.	2.8	92