

Ian Janssen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8214707/publications.pdf>

Version: 2024-02-01

323
papers

42,702
citations

3731

89
h-index

2385

198
g-index

328
all docs

328
docs citations

328
times ranked

35343
citing authors

#	ARTICLE	IF	CITATIONS
1	Longitudinal Associations Between e-Cigarette Use, Cigarette Smoking, Physical Activity, and Recreational Screen Time in Canadian Adolescents. <i>Nicotine and Tobacco Research</i> , 2022, 24, 978-985.	2.6	4
2	Sociodemographic Factors Associated With Meeting the Canadian 24-Hour Movement Guidelines Among Adults: Findings From the Canadian Health Measures Survey. <i>Journal of Physical Activity and Health</i> , 2022, 19, 194-202.	2.0	5
3	Associations of Passive and Active Screen Time With Psychosomatic Complaints of Adolescents. <i>American Journal of Preventive Medicine</i> , 2022, 63, 24-32.	3.0	14
4	The neighborhood physical environment and the 24-hour movement behavior composition among children. <i>International Journal of Environmental Health Research</i> , 2022, , 1-13.	2.7	2
5	Economic burden of insufficient sleep duration in Canadian adults. <i>Sleep Health</i> , 2022, 8, 298-302.	2.5	8
6	Timing of sedentary behaviour and access to sedentary activities in the bedroom and their association with sleep quality and duration in children and youth: a systematic review. <i>Health Promotion and Chronic Disease Prevention in Canada: Research, Policy and Practice</i> , 2022, 42, 139-149.	1.1	7
7	Timing of physical activity within the 24-hour day and its influence on health: a systematic review. <i>Health Promotion and Chronic Disease Prevention in Canada: Research, Policy and Practice</i> , 2022, 42, 129-138.	1.1	17
8	Sleep timing and health indicators in children and adolescents: a systematic review. <i>Health Promotion and Chronic Disease Prevention in Canada: Research, Policy and Practice</i> , 2022, 42, 150-169.	1.1	18
9	Timing of 24-hour movement behaviours: implications for practice, policy and research. <i>Health Promotion and Chronic Disease Prevention in Canada: Research, Policy and Practice</i> , 2022, 42, 170-174.	1.1	2
10	Gendered associations between e-cigarette use, cigarette smoking, physical activity, and sedentary behaviour in a sample of Canadian adolescents. , 2022, 1, 100029.		1
11	The Canadian 24-Hour Movement Guidelines and Psychological Distress among Adolescents: Les Directives canadiennes en mati�re de mouvement sur 24 heures et la d�tresse psychologique chez les adolescents. <i>Canadian Journal of Psychiatry</i> , 2021, 66, 624-633.	1.9	12
12	24-Hour Movement Behaviors and Internalizing and Externalizing Behaviors Among Youth. <i>Journal of Adolescent Health</i> , 2021, 68, 969-977.	2.5	22
13	Which intensities, types, and patterns of movement behaviors are most strongly associated with cardiometabolic risk factors among children?. <i>Journal of Sport and Health Science</i> , 2021, 10, 368-378.	6.5	7
14	A compositional analysis of time spent in sleep, sedentary behaviour and physical activity with all-cause mortality risk. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2021, 18, 25.	4.6	17
15	24-h Movement Guidelines and Substance Use among Adolescents: A School-Based Cross-Sectional Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3309.	2.6	3
16	Systematic review of the correlates of outdoor play and time among children aged 3-12�years. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2021, 18, 41.	4.6	55
17	Do adolescent sedentary behavior levels predict type 2 diabetes risk in adulthood?. <i>BMC Public Health</i> , 2021, 21, 969.	2.9	10
18	Global prevalence of physical activity for children and adolescents; inconsistencies, research gaps, and recommendations: a narrative review. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2021, 18, 81.	4.6	80

#	ARTICLE	IF	CITATIONS
19	Meeting Canadian 24-Hour Movement Guideline recommendations and risk of all-cause mortality. <i>Applied Physiology, Nutrition and Metabolism</i> , 2021, 46, 1487-1494.	1.9	11
20	Longitudinal association between movement behaviours and depressive symptoms among adolescents using compositional data analysis. <i>PLoS ONE</i> , 2021, 16, e0256867.	2.5	13
21	Do fit kids have fit parents?. <i>Health Reports</i> , 2021, 32, 3-12.	0.8	0
22	Trends in physical fitness among Canadian adults, 2007 to 2017. <i>Health Reports</i> , 2021, 32, 3-15.	0.8	1
23	Obesity in adults: a clinical practice guideline. <i>Cmaj</i> , 2020, 192, E875-E891.	2.0	592
24	Associations between the Canadian 24 h movement guidelines and different types of bullying involvement among adolescents. <i>Child Abuse and Neglect</i> , 2020, 108, 104638.	2.6	18
25	How Are Adolescents Sleeping? Adolescent Sleep Patterns and Sociodemographic Differences in 24 European and North American Countries. <i>Journal of Adolescent Health</i> , 2020, 66, S81-S88.	2.5	96
26	Development of a consensus statement on the role of the family in the physical activity, sedentary, and sleep behaviours of children and youth. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020, 17, 74.	4.6	130
27	Combinations of physical activity, sedentary time, and sleep duration and their associations with depressive symptoms and other mental health problems in children and adolescents: a systematic review. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020, 17, 72.	4.6	160
28	Electronic screen technology use and connection to nature in Canadian adolescents: a mixed methods study. <i>Canadian Journal of Public Health</i> , 2020, 111, 502-514.	2.3	19
29	Cardiovascular and diabetes burden attributable to physical inactivity in Mexico. <i>Cardiovascular Diabetology</i> , 2020, 19, 99.	6.8	11
30	A qualitative investigation of unsupervised outdoor activities for 10- to 13-year-old children: "œI like adventuring but I don't like adventuring without being careful" Journal of Environmental Psychology, 2020, 70, 101460.	5.1	30
31	Adolescents'™ engagement in multiple risk behaviours is associated with concussion. <i>Injury Epidemiology</i> , 2020, 7, 6.	1.8	8
32	24-hour movement guidelines and suicidality among adolescents. <i>Journal of Affective Disorders</i> , 2020, 274, 372-380.	4.1	25
33	Sleep timing, sleep consistency, and health in adults: a systematic review. <i>Applied Physiology, Nutrition and Metabolism</i> , 2020, 45, S232-S247.	1.9	129
34	Sleep duration and health in adults: an overview of systematic reviews. <i>Applied Physiology, Nutrition and Metabolism</i> , 2020, 45, S218-S231.	1.9	105
35	A systematic review of compositional data analysis studies examining associations between sleep, sedentary behaviour, and physical activity with health outcomes in adults. <i>Applied Physiology, Nutrition and Metabolism</i> , 2020, 45, S248-S257.	1.9	99
36	Resistance training and health in adults: an overview of systematic reviews. <i>Applied Physiology, Nutrition and Metabolism</i> , 2020, 45, S165-S179.	1.9	39

#	ARTICLE	IF	CITATIONS
37	Sedentary behaviour and health in adults: an overview of systematic reviews. <i>Applied Physiology, Nutrition and Metabolism</i> , 2020, 45, S197-S217.	1.9	187
38	Balance and functional training and health in adults: an overview of systematic reviews. <i>Applied Physiology, Nutrition and Metabolism</i> , 2020, 45, S180-S196.	1.9	19
39	Canadian 24-Hour Movement Guidelines for Adults aged 18â€“64 years and Adults aged 65 years or older: an integration of physical activity, sedentary behaviour, and sleep. <i>Applied Physiology, Nutrition and Metabolism</i> , 2020, 45, S57-S102.	1.9	346
40	Development and application of an outcome-centric approach for conducting overviews of reviews. <i>Applied Physiology, Nutrition and Metabolism</i> , 2020, 45, S151-S164.	1.9	10
41	Roaming the Neighbourhood: Influences of Independent Mobility Parenting Practices and Parental Perceived Environment on Childrenâ€™s Territorial Range. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 3129.	2.6	19
42	Is replacing time spent in 1 type of physical activity with another associated with health in children?. <i>Applied Physiology, Nutrition and Metabolism</i> , 2019, 44, 937-943.	1.9	7
43	Move on Bikes Program: A Community-Based Physical Activity Strategy in Mexico City. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 1685.	2.6	4
44	Objectively measured crime and active transportation among 10â€“13â€“year olds. <i>Preventive Medicine Reports</i> , 2019, 13, 48-51.	1.8	6
45	Patterns of daily activity among young people with epilepsy. <i>Developmental Medicine and Child Neurology</i> , 2019, 61, 1386-1391.	2.1	15
46	Sleep in Farm Adolescents. <i>Journal of Rural Health</i> , 2019, 35, 436-441.	2.9	5
47	Duration and intensity of different types of physical activity among children aged 10â€“13 years. <i>Canadian Journal of Public Health</i> , 2019, 110, 178-186.	2.3	12
48	Accelerometer-measured moderate-to-vigorous physical activity of Canadian adults, 2007 to 2017. <i>Health Reports</i> , 2019, 30, 3-10.	0.8	38
49	Trends in physical fitness among Canadian children and youth. <i>Health Reports</i> , 2019, 30, 3-13.	0.8	32
50	Compositional associations of time spent in sleep, sedentary behavior and physical activity with obesity measures in children. <i>International Journal of Obesity</i> , 2018, 42, 1508-1514.	3.4	55
51	Making a Case for Cardiorespiratory Fitness Surveillance Among Children and Youth. <i>Exercise and Sport Sciences Reviews</i> , 2018, 46, 66-75.	3.0	88
52	Neighborhood walkability and objectively measured active transportation among 10â€“13 year olds. <i>Journal of Transport and Health</i> , 2018, 8, 202-209.	2.2	25
53	Outdoor play and nature connectedness as potential correlates of internalized mental health symptoms among Canadian adolescents. <i>Preventive Medicine</i> , 2018, 112, 168-175.	3.4	58
54	Pedestrian traffic safety and outdoor active play among 10â€“13â€“year olds living in a mid-sized city. <i>Preventive Medicine Reports</i> , 2018, 10, 304-309.	1.8	10

#	ARTICLE	IF	CITATIONS
55	Estimating sleep efficiency in 10- to- 13-year-olds using a waist-worn accelerometer. <i>Sleep Health</i> , 2018, 4, 110-115.	2.5	11
56	Systematic review of the relationship between 20 m shuttle run performance and health indicators among children and youth. <i>Journal of Science and Medicine in Sport</i> , 2018, 21, 383-397.	1.3	115
57	Child care centre adherence to infant physical activity and screen time recommendations in Australia, Canada and the United States: An observational study. , 2018, 50, 88-97.		17
58	Derivation of some contemporary scales to measure adolescent risk-taking in Canada. <i>International Journal of Public Health</i> , 2018, 63, 137-147.	2.3	16
59	Results from Canada's 2018 Report Card on Physical Activity for Children and Youth. <i>Journal of Physical Activity and Health</i> , 2018, 15, S328-S330.	2.0	29
60	School Start Time and the Healthy Weight of Adolescents. <i>Journal of Adolescent Health</i> , 2018, 63, 69-73.	2.5	15
61	Bi-directional association between sleep and outdoor active play among 10-13 year olds. <i>BMC Public Health</i> , 2018, 18, 224.	2.9	19
62	Development of a measurement approach to assess time children participate in organized sport, active travel, outdoor active play, and curriculum-based physical activity. <i>BMC Public Health</i> , 2018, 18, 396.	2.9	13
63	Objectively measured active transportation to school and other destinations among 10-13 year olds. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2018, 15, 11.	4.6	9
64	Is adherence to the Canadian 24-Hour Movement Behaviour Guidelines for Children and Youth associated with improved indicators of physical, mental, and social health?. <i>Applied Physiology, Nutrition and Metabolism</i> , 2017, 42, 725-731.	1.9	86
65	Physical activity: Health impact, prevalence, correlates and interventions. <i>Psychology and Health</i> , 2017, 32, 942-975.	2.2	480
66	Imputing Accelerometer Nonwear Time When Assessing Moderate to Vigorous Physical Activity in Children. <i>Journal of Physical Activity and Health</i> , 2017, 14, 852-860.	2.0	5
67	Associations between weight-related teasing and psychosomatic symptoms by weight status among school-aged youth. <i>Obesity Science and Practice</i> , 2017, 3, 44-50.	1.9	12
68	Health associations with meeting new 24-hour movement guidelines for Canadian children and youth. <i>Preventive Medicine</i> , 2017, 95, 7-13.	3.4	168
69	Objectively Measured Physical Activity and Mortality Risk Among American Adults. <i>American Journal of Preventive Medicine</i> , 2017, 52, e25-e31.	3.0	30
70	School start time and sleep in Canadian adolescents. <i>Journal of Sleep Research</i> , 2017, 26, 195-201.	3.2	42
71	Evaluating the effectiveness of physician counseling to promote physical activity in Mexico: an effectiveness-implementation hybrid study. <i>Translational Behavioral Medicine</i> , 2017, 7, 731-740.	2.4	15
72	Canadian 24-Hour Movement Guidelines for the Early Years (0-4 years): An Integration of Physical Activity, Sedentary Behaviour, and Sleep. <i>BMC Public Health</i> , 2017, 17, 874.	2.9	382

#	ARTICLE	IF	CITATIONS
73	Proportion of preschool-aged children meeting the Canadian 24-Hour Movement Guidelines and associations with adiposity: results from the Canadian Health Measures Survey. BMC Public Health, 2017, 17, 829.	2.9	153
74	Systematic review of the relationships between physical activity and health indicators in the early years (0-4Åyears). BMC Public Health, 2017, 17, 854.	2.9	389
75	Adherence to the 24-Hour Movement Guidelines among 10- to 17-year-old Canadians. Health Promotion and Chronic Disease Prevention in Canada: Research, Policy and Practice, 2017, 37, 369-375.	1.1	54
76	Meeting the. Health Reports, 2017, 28, 3-7.	0.8	48
77	Physical activity of Canadian children and youth, 2007 to 2015. Health Reports, 2017, 28, 8-16.	0.8	86
78	Combinations of Physical Activity, Sedentary Behaviour and Sleep. Medicine and Science in Sports and Exercise, 2016, 48, 912.	0.4	4
79	Relationships between Objectively Measured Physical Activity and Health Indicators in School-Aged Children and Youth. Medicine and Science in Sports and Exercise, 2016, 48, 235-236.	0.4	4
80	Kids move more when outdoors. Canadian Journal of Public Health, 2016, 107, e497-e499.	2.3	0
81	Systematic review of the relationships between objectively measured physical activity and health indicators in school-aged children and youth. Applied Physiology, Nutrition and Metabolism, 2016, 41, S197-S239.	1.9	1,282
82	Prevalence of toddler, child and adolescent overweight and obesity derived from primary care electronic medical records: an observational study. CMAJ Open, 2016, 4, E538-E544.	2.4	15
83	Individual, family, and neighborhood correlates of independent mobility among 7 to 11-year-olds. Preventive Medicine Reports, 2016, 3, 98-102.	1.8	28
84	Identifying and mitigating risks for agricultural injury associated with obesity. Preventive Medicine Reports, 2016, 4, 220-224.	1.8	5
85	Estimating Whether Replacing Time in Active Outdoor Play and Sedentary Video Games With Active Video Games Influences Youth's Mental Health. Journal of Adolescent Health, 2016, 59, 517-522.	2.5	28
86	Results From Canadaâ€™s 2016 ParticipACTION Report Card on Physical Activity for Children and Youth. Journal of Physical Activity and Health, 2016, 13, S110-S116.	2.0	57
87	The Canadian Assessment of Physical Literacy: Development of a Model of Childrenâ€™s Capacity for a Healthy, Active Lifestyle Through a Delphi Process. Journal of Physical Activity and Health, 2016, 13, 214-222.	2.0	84
88	Canadian 24-Hour Movement Guidelines for Children and Youth: An Integration of Physical Activity, Sedentary Behaviour, and Sleep. Applied Physiology, Nutrition and Metabolism, 2016, 41, S311-S327.	1.9	1,099
89	Utility of linking primary care electronic medical records with Canadian census data to study the determinants of chronic disease: an example based on socioeconomic status and obesity. BMC Medical Informatics and Decision Making, 2016, 16, 32.	3.0	22
90	Sleep duration estimates of Canadian children and adolescents. Journal of Sleep Research, 2016, 25, 541-548.	3.2	86

#	ARTICLE	IF	CITATIONS
91	Combinations of physical activity, sedentary behaviour and sleep: relationships with health indicators in school-aged children and youth. <i>Applied Physiology, Nutrition and Metabolism</i> , 2016, 41, S283-S293.	1.9	347
92	Family Structure as a Correlate of Organized Sport Participation among Youth. <i>PLoS ONE</i> , 2016, 11, e0147403.	2.5	35
93	Development and Validation of the Bicultural Youth Acculturation Questionnaire. <i>PLoS ONE</i> , 2016, 11, e0161048.	2.5	3
94	Physical activity and sedentary behaviour of Canadian children aged 3 to 5. <i>Health Reports</i> , 2016, 27, 14-23.	0.8	25
95	The Relationship Between Parental Physical Activity and Screen Time Behaviors and the Behaviors of their Young Children. <i>Pediatric Exercise Science</i> , 2015, 27, 390-395.	1.0	13
96	Adult obesity prevalence in primary care users: An exploration using Canadian Primary Care Sentinel Surveillance Network (CPCSSN) data. <i>Canadian Journal of Public Health</i> , 2015, 106, e283-e289.	2.3	30
97	Correlates of physical activity in First Nations youth residing in First Nations and northern communities in Canada. <i>Canadian Journal of Public Health</i> , 2015, 106, e29-e35.	2.3	7
98	Position Statement on Active Outdoor Play. <i>International Journal of Environmental Research and Public Health</i> , 2015, 12, 6475-6505.	2.6	261
99	What is the Relationship between Risky Outdoor Play and Health in Children? A Systematic Review. <i>International Journal of Environmental Research and Public Health</i> , 2015, 12, 6423-6454.	2.6	295
100	What Is the Relationship between Outdoor Time and Physical Activity, Sedentary Behaviour, and Physical Fitness in Children? A Systematic Review. <i>International Journal of Environmental Research and Public Health</i> , 2015, 12, 6455-6474.	2.6	265
101	A description of the volume and intensity of sporadic physical activity among adults. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2015, 7, 2.	1.7	10
102	Hyper-parenting is negatively associated with physical activity among 7-12 year olds. <i>Preventive Medicine</i> , 2015, 73, 55-59.	3.4	45
103	Active transportation and bullying in Canadian schoolchildren: a cross-sectional study. <i>BMC Public Health</i> , 2015, 15, 99.	2.9	13
104	The Influence of Work Patterns on Indicators of Cardiometabolic Risk in Female Hospital Employees. <i>Journal of Nursing Administration</i> , 2015, 45, 284-291.	1.4	6
105	Physical activity during recess among 13-14 year old Mexican girls. <i>BMC Pediatrics</i> , 2015, 15, 17.	1.7	8
106	Undeveloped green space and free-time physical activity in 11 to 13-year-old children. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015, 12, 26.	4.6	51
107	Walkable school neighborhoods are not playable neighborhoods. <i>Health and Place</i> , 2015, 35, 66-69.	3.3	17
108	Neighbourhood crime and adolescent cannabis use in Canadian adolescents. <i>Drug and Alcohol Dependence</i> , 2015, 146, 68-74.	3.2	12

#	ARTICLE	IF	CITATIONS
109	Farmers, mechanized work, and links to obesity. <i>Preventive Medicine</i> , 2015, 70, 59-63.	3.4	34
110	Family structure as a predictor of screen time among youth. <i>PeerJ</i> , 2015, 3, e1048.	2.0	16
111	Intensity of bouts and sporadic physical activity and the metabolic syndrome in adults. <i>PeerJ</i> , 2015, 3, e1437.	2.0	14
112	Parental encouragement is positively associated with outdoor active play outside of school hours among 7-12 year olds. <i>PeerJ</i> , 2015, 3, e1463.	2.0	12
113	Loss of Muscle Mass and Muscle Strength in Obese and Nonobese Older Adults. , 2015, , 99-111.		0
114	Are We Driving Our Kids to Unhealthy Habits? Results of the Active Healthy Kids Canada 2013 Report Card on Physical Activity for Children and Youth. <i>International Journal of Environmental Research and Public Health</i> , 2014, 11, 6009-6020.	2.6	64
115	Active play: An important physical activity strategy in the fight against childhood obesity. <i>Canadian Journal of Public Health</i> , 2014, 105, e22-e27.	2.3	50
116	Correlates of physical activity among First Nations children residing in First Nations communities in Canada. <i>Canadian Journal of Public Health</i> , 2014, 105, e412-e417.	2.3	4
117	The proportion of excessive fast-food consumption attributable to the neighbourhood food environment among youth living within 1 km of their school. <i>Applied Physiology, Nutrition and Metabolism</i> , 2014, 39, 480-486.	1.9	38
118	Influence of country of birth and ethnicity on body mass index among Canadian youth: a national survey. <i>CMAJ Open</i> , 2014, 2, E145-E152.	2.4	6
119	Validity of self-reported blood pressure control in people with hypertension attending a primary care center. <i>Blood Pressure Monitoring</i> , 2014, 19, 19-25.	0.8	4
120	Sporadic and Bouted Physical Activity and the Metabolic Syndrome in Adults. <i>Medicine and Science in Sports and Exercise</i> , 2014, 46, 76-83.	0.4	53
121	A case-control study of lifetime light intensity physical activity and breast cancer risk. <i>Cancer Causes and Control</i> , 2014, 25, 133-140.	1.8	10
122	A cross-sectional study of the environment, physical activity, and screen time among young children and their parents. <i>BMC Public Health</i> , 2014, 14, 61.	2.9	43
123	Crime and perceptions of safety in the home neighborhood are independently associated with physical activity among 11-15 year olds. <i>Preventive Medicine</i> , 2014, 66, 113-117.	3.4	47
124	Interrelationships among sedentary time, sleep duration, and the metabolic syndrome in adults. <i>BMC Public Health</i> , 2014, 14, 666.	2.9	21
125	Asthma incidence and risk factors in a national longitudinal sample of adolescent Canadians: a prospective cohort study. <i>BMC Pulmonary Medicine</i> , 2014, 14, 51.	2.0	25
126	Social disorder, physical activity and adiposity in Mexican adults: Evidence from a longitudinal study. <i>Health and Place</i> , 2014, 30, 13-19.	3.3	6

#	ARTICLE	IF	CITATIONS
127	Results from Canada's 2014 Report Card on Physical Activity for Children and Youth. <i>Journal of Physical Activity and Health</i> , 2014, 11, S26-S32.	2.0	38
128	Time Since Immigration and Ethnicity as Predictors of Physical Activity among Canadian Youth: A Cross-Sectional Study. <i>PLoS ONE</i> , 2014, 9, e89509.	2.5	35
129	Physical activity and sedentary behavior during the early years in Canada: a cross-sectional study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2013, 10, 54.	4.6	154
130	The number and type of food retailers surrounding schools and their association with lunchtime eating behaviours in students. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2013, 10, 19.	4.6	38
131	Exposure to public natural space as a protective factor for emotional well-being among young people in Canada. <i>BMC Public Health</i> , 2013, 13, 407.	2.9	108
132	The association between accelerometer-measured patterns of sedentary time and health risk in children and youth: results from the Canadian Health Measures Survey. <i>BMC Public Health</i> , 2013, 13, 200.	2.9	107
133	The proportion of youths' physical inactivity attributable to neighbourhood built environment features. <i>International Journal of Health Geographics</i> , 2013, 12, 31.	2.5	45
134	Moderate-to-vigorous intensity physical activity across the life course and risk of pre- and post-menopausal breast cancer. <i>Breast Cancer Research and Treatment</i> , 2013, 139, 851-861.	2.5	29
135	The Public Health Burden of Obesity in Canada. <i>Canadian Journal of Diabetes</i> , 2013, 37, 90-96.	0.8	87
136	A Cross-Sectional Analysis of Immigrant Status and its Relation to Obesity Among Canadian Youth. <i>Canadian Journal of Diabetes</i> , 2013, 37, S285-S286.	0.8	0
137	Research priorities for child and adolescent physical activity and sedentary behaviours: an international perspective using a twin-panel Delphi procedure. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2013, 10, 112.	4.6	42
138	Relations between the school physical environment and school social capital with student physical activity levels. <i>BMC Public Health</i> , 2013, 13, 1191.	2.9	29
139	Health Behaviors for Hypertension Management in People With and Without Coexisting Diabetes. <i>Journal of Clinical Hypertension</i> , 2013, 15, 389-396.	2.0	7
140	Is the frequency of weekly moderate-to-vigorous physical activity associated with the metabolic syndrome in Canadian adults?. <i>Applied Physiology, Nutrition and Metabolism</i> , 2013, 38, 773-778.	1.9	23
141	Are Our Efforts Worthwhile? How to Improve Impact Evaluation of Programs, Policies, Interventions and Strategies Aimed at Promoting Healthy Lifestyles and Preventing Obesity in Canada?. <i>Canadian Journal of Diabetes</i> , 2013, 37, S251.	0.8	0
142	Risk of type 2 diabetes and cumulative excess weight exposure in the Framingham Offspring Study. <i>Journal of Diabetes and Its Complications</i> , 2013, 27, 214-218.	2.3	14
143	A Pilot Study to Develop Processes for Using the Canadian Primary Care Sentinel Surveillance Network to Build a Healthy Weight Surveillance System. <i>Canadian Journal of Diabetes</i> , 2013, 37, S245.	0.8	0
144	Years of Life Gained Due to Leisure-Time Physical Activity in the U.S.. <i>American Journal of Preventive Medicine</i> , 2013, 44, 23-29.	3.0	42

#	ARTICLE	IF	CITATIONS
145	Active transportation to school in Canadian youth: should injury be a concern?. <i>Injury Prevention</i> , 2013, 19, 64-67.	2.4	31
146	Physical inactivity prevalence and trends among Mexican adults: results from the National Health and Nutrition Survey (ENSANUT) 2006 and 2012. <i>BMC Public Health</i> , 2013, 13, 1063.	2.9	57
147	The fractionalization of physical activity throughout the week is associated with the cardiometabolic health of children and youth. <i>BMC Public Health</i> , 2013, 13, 554.	2.9	21
148	Food and Eating Environments: In Canadian Schools. <i>Canadian Journal of Dietetic Practice and Research</i> , 2013, 74, 160-166.	0.6	23
149	Updating the Canadian Obesity Maps: An Epidemic in Progress. <i>Canadian Journal of Public Health</i> , 2013, 104, e64-e68.	2.3	57
150	The Canadian Sedentary Behaviour Guidelines for the Early Years (zero to four years of age) and screen time among children from Kingston, Ontario. <i>Paediatrics and Child Health</i> , 2013, 18, 25-28.	0.6	44
151	Active Transportation Safety Features around Schools in Canada. <i>International Journal of Environmental Research and Public Health</i> , 2013, 10, 5711-5725.	2.6	3
152	Screen time in Mexican children: findings from the 2012 National Health and Nutrition Survey (ENSANUT 2012). <i>Salud Publica De Mexico</i> , 2013, 55, 484.	0.4	13
153	Impact of a school-based intervention program on obesity risk factors in Mexican children. <i>Salud Publica De Mexico</i> , 2013, 55, 374-87.	0.4	37
154	Validity and reliability of the International Physical Activity Questionnaire among adults in Mexico. <i>Revista Panamericana De Salud Publica/Pan American Journal of Public Health</i> , 2013, 34, 21-8.	1.1	35
155	Daily Step Target to Measure Adherence to Physical Activity Guidelines in Children. <i>Medicine and Science in Sports and Exercise</i> , 2012, 44, 977-982.	0.4	143
156	Time Spent Sedentary and Active and Cardiometabolic Risk Factors in Children. <i>JAMA - Journal of the American Medical Association</i> , 2012, 307, 2024; author reply 2024-5.	7.4	5
157	Neighbourhood street connectivity and injury in youth: a national study of built environments in Canada. <i>Injury Prevention</i> , 2012, 18, 81-87.	2.4	24
158	Vigorous intensity physical activity is related to the metabolic syndrome independent of the physical activity dose. <i>International Journal of Epidemiology</i> , 2012, 41, 1132-1140.	1.9	86
159	Diagnosis and Treatment of Obesity among Mexican Adults. <i>Obesity Facts</i> , 2012, 5, 937-946.	3.4	8
160	Longitudinal changes in body composition associated with healthy ageing: men, aged 20-96 years. <i>British Journal of Nutrition</i> , 2012, 107, 1085-1091.	2.3	121
161	Physical Activity Epidemiology. , 2012, , .		1
162	Systematic review of sedentary behaviour and health indicators in the early years (aged 0-4 years). <i>Applied Physiology, Nutrition and Metabolism</i> , 2012, 37, 753-772.	1.9	246

#	ARTICLE	IF	CITATIONS
163	Canadian Physical Activity Guidelines for the Early Years (aged 0â€“4 years). <i>Applied Physiology, Nutrition and Metabolism</i> , 2012, 37, 345-356.	1.9	202
164	Directives canadiennes en mati�re de comportement s�dentaire pour la petite enfance (enfants �g�s de 0 � 4 ans). <i>Applied Physiology, Nutrition and Metabolism</i> , 2012, 37, 357-369.	1.9	3
165	Canadian Sedentary Behaviour Guidelines for the Early Years (aged 0â€“4 years). <i>Applied Physiology, Nutrition and Metabolism</i> , 2012, 37, 370-380.	1.9	143
166	Prevalence, Awareness, Treatment, and Control of Hypertension Among Canadian Adults With Diabetes, 2007 to 2009. <i>Canadian Journal of Cardiology</i> , 2012, 28, 367-374.	1.7	23
167	Associations between factors within the home setting and screen time among children aged 0â€“5 years: a cross-sectional study. <i>BMC Public Health</i> , 2012, 12, 539.	2.9	118
168	Multi-level examination of correlates of active transportation to school among youth living within 1 mile of their school. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2012, 9, 124.	4.6	39
169	Neighborhood disorder and screen time among 10-16 year old Canadian youth: A cross-sectional study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2012, 9, 66.	4.6	37
170	Systematic review of physical activity and health in the early years (aged 0â€“4 years). <i>Applied Physiology, Nutrition and Metabolism</i> , 2012, 37, 773-792.	1.9	459
171	Health care costs of physical inactivity in Canadian adults. <i>Applied Physiology, Nutrition and Metabolism</i> , 2012, 37, 803-806.	1.9	106
172	The food retail environment in school neighborhoods and its relation to lunchtime eating behaviors in youth from three countries. <i>Health and Place</i> , 2012, 18, 1240-1247.	3.3	38
173	Measuring sidewalk distances using Google Earth. <i>BMC Medical Research Methodology</i> , 2012, 12, 39.	3.1	22
174	Field Validation of Food Service Listings: A Comparison of Commercial and Online Geographic Information System Databases. <i>International Journal of Environmental Research and Public Health</i> , 2012, 9, 2601-2607.	2.6	13
175	Identification of the Appropriate Boundary Size to Use When Measuring the Food Retail Environment Surrounding Schools. <i>International Journal of Environmental Research and Public Health</i> , 2012, 9, 2715-2727.	2.6	16
176	Screen time and physical violence in 10 to 16-year-old Canadian youth. <i>International Journal of Public Health</i> , 2012, 57, 325-331.	2.3	29
177	Bullying as a mediator of relationships between adiposity status and weapon carrying. <i>International Journal of Public Health</i> , 2012, 57, 505-512.	2.3	10
178	Clustering of Unhealthy Behaviors in the Aerobics Center Longitudinal Study. <i>Prevention Science</i> , 2012, 13, 183-195.	2.6	50
179	Changes in the Obesity Phenotype Within Canadian Children and Adults, 1981 to 2007â€“2009. <i>Obesity</i> , 2012, 20, 916-919.	3.0	29
180			

#	ARTICLE	IF	CITATIONS
181	The mediating effects of dietary habits on the relationship between television viewing and body mass index among youth. <i>Pediatric Obesity</i> , 2012, 7, 391-398.	2.8	23
182	Associations between physical activity, cardiorespiratory fitness, and obesity in Mexican children. <i>Salud Publica De Mexico</i> , 2012, 54, 463-469.	0.4	18
183	Physical activity, sedentary behaviour and sleep in Canadian children: parent-report versus direct measures and relative associations with health risk. <i>Health Reports</i> , 2012, 23, 45-52.	0.8	70
184	Directives canadiennes en mati�re de comportement s�dentaire � intention des enfants et des jeunes. <i>Applied Physiology, Nutrition and Metabolism</i> , 2011, 36, 65-71.	1.9	31
185	New Canadian Physical Activity Guidelines. <i>Applied Physiology, Nutrition and Metabolism</i> , 2011, 36, 36-46.	1.9	871
186	Nouvelles Directives canadiennes en mati�re d'activit� physique. <i>Applied Physiology, Nutrition and Metabolism</i> , 2011, 36, 47-58.	1.9	50
187	Canadian Sedentary Behaviour Guidelines for Children and Youth. <i>Applied Physiology, Nutrition and Metabolism</i> , 2011, 36, 59-64.	1.9	406
188	Active transportation environments surrounding Canadian schools. <i>Canadian Journal of Diabetes</i> , 2011, 35, 156-157.	0.8	0
189	Urban�rural differences in asthma prevalence among young people in Canada: the roles of health behaviors and obesity. <i>Annals of Allergy, Asthma and Immunology</i> , 2011, 107, 220-228.	1.0	40
190	The Epidemiology of Sarcopenia. <i>Clinics in Geriatric Medicine</i> , 2011, 27, 355-363.	2.6	145
191	022 Shift work and indicators of cardiovascular risk in female hospital employees. <i>Canadian Journal of Cardiology</i> , 2011, 27, S69-S70.	1.7	0
192	Screen time and risk behaviors in 10- to 16-year-old Canadian youth. <i>Preventive Medicine</i> , 2011, 52, 99-103.	3.4	53
193	Active Transportation Environments Surrounding Canadian Schools. <i>Canadian Journal of Public Health</i> , 2011, 102, 364-368.	2.3	11
194	Street Connectivity is Negatively Associated with Physical Activity in Canadian Youth. <i>International Journal of Environmental Research and Public Health</i> , 2011, 8, 3333-3350.	2.6	60
195	Obesity and Its Relationship with Occupational Injury in the Canadian Workforce. <i>Journal of Obesity</i> , 2011, 2011, 1-6.	2.7	34
196	Midlife Physical Activity Affects Successful Aging in Women. <i>Clinical Journal of Sport Medicine</i> , 2011, 21, 71-72.	1.8	1
197	Physical Activity, Sedentary Behavior, and Melatonin Among Rotating Shift Nurses. <i>Journal of Occupational and Environmental Medicine</i> , 2011, 53, 716-721.	1.7	15
198	Influence of Movement Intensity and Physical Activity on Adiposity in Youth. <i>Journal of Physical Activity and Health</i> , 2011, 8, 164-173.	2.0	25

#	ARTICLE	IF	CITATIONS
199	Prevalence and secular changes in abdominal obesity in Canadian adolescents and adults, 1981 to 2007-2009. <i>Obesity Reviews</i> , 2011, 12, 397-405.	6.5	69
200	Volume, patterns, and types of sedentary behavior and cardio-metabolic health in children and adolescents: a cross-sectional study. <i>BMC Public Health</i> , 2011, 11, 274.	2.9	165
201	Urban and rural differences in sedentary behavior among American and Canadian youth. <i>Health and Place</i> , 2011, 17, 920-928.	3.3	19
202	Economic instruments for obesity prevention: results of a scoping review and modified delphi survey. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2011, 8, 109.	4.6	57
203	Association Between Muscle Mass, Leg Strength, and Fat Mass With Physical Function in Older Adults: Influence of Age and Sex. <i>Journal of Aging and Health</i> , 2011, 23, 313-328.	1.7	83
204	Obesity as a Determinant of Two Forms of Bullying in Ontario Youth: A Short Report. <i>Obesity Facts</i> , 2011, 4, 469-472.	3.4	31
205	Do overweight and obese youth take longer to recover from injury?. <i>International Journal of Injury Control and Safety Promotion</i> , 2011, 18, 143-149.	2.0	3
206	Does the Fractionalization of Daily Physical Activity (Sporadic vs. Bouts) Impact Cardiometabolic Risk Factors in Children and Youth?. <i>PLoS ONE</i> , 2011, 6, e25733.	2.5	54
207	Physical activity of Canadian adults: accelerometer results from the 2007 to 2009 Canadian Health Measures Survey. <i>Health Reports</i> , 2011, 22, 7-14.	0.8	349
208	Physical activity of Canadian children and youth: accelerometer results from the 2007 to 2009 Canadian Health Measures Survey. <i>Health Reports</i> , 2011, 22, 15-23.	0.8	279
209	Obesity estimates for children based on parent-reported versus direct measures. <i>Health Reports</i> , 2011, 22, 47-58.	0.8	44
210	Associations Between Neighborhood Safety, Availability of Recreational Facilities, and Adolescent Physical Activity Among Canadian Youth. <i>Journal of Physical Activity and Health</i> , 2010, 7, 442-450.	2.0	34
211	Difference Between Self-Reported and Accelerometer Measured Moderate-to-Vigorous Physical Activity in Youth. <i>Pediatric Exercise Science</i> , 2010, 22, 523-534.	1.0	66
212	Influence of Physical Activity on Age-Related Weight Loss in the Elderly. <i>Journal of Physical Activity and Health</i> , 2010, 7, 78-86.	2.0	10
213	BMI, waist circumference and fat composition are not correlated with mortality risk in an older Korean population, but higher lean mass and lean mass index are predictors of reduced mortality risk. <i>Evidence-Based Medicine</i> , 2010, 15, 125-126.	0.6	2
214	Dietary patterns and the risk of mortality: impact of cardiorespiratory fitness. <i>International Journal of Epidemiology</i> , 2010, 39, 197-209.	1.9	52
215	Coffee, Tea and Their Additives: Association with BMI and Waist Circumference. <i>Obesity Facts</i> , 2010, 3, 345-352.	3.4	54
216	Identification of the High-Risk Obese Patient Using Waist Circumference: Current Practices and New Frontiers. <i>Obesity and Weight Management</i> , 2010, 6, 17-20.	0.1	2

#	ARTICLE	IF	CITATIONS
217	Are Overweight and Obese Youth at Increased Risk for Physical Activity Injuries?. <i>Obesity Facts</i> , 2010, 3, 225-230.	3.4	15
218	Association between Obesity and Unintentional Injury in Older Adults. <i>Obesity Facts</i> , 2010, 3, 363-369.	3.4	20
219	Evolution of sarcopenia research. <i>Applied Physiology, Nutrition and Metabolism</i> , 2010, 35, 707-712.	1.9	133
220	Systematic review of the health benefits of physical activity and fitness in school-aged children and youth. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2010, 7, 40.	4.6	3,061
221	Dose-response relationship between physical activity and dyslipidemia in youth. <i>Canadian Journal of Cardiology</i> , 2010, 26, e201-e205.	1.7	47
222	Dynapenic-Obesity and Physical Function in Older Adults. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2010, 65A, 71-77.	3.6	126
223	Fitness of Canadian children and youth: results from the 2007-2009 Canadian Health Measures Survey. <i>Health Reports</i> , 2010, 21, 7-20.	0.8	103
224	Fitness of Canadian adults: results from the 2007-2009 Canadian Health Measures Survey. <i>Health Reports</i> , 2010, 21, 21-35.	0.8	80
225	Effect of menopause on the chemical control of breathing and its relationship with acid-base status. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2009, 296, R722-R727.	1.8	34
226	Association between the food retail environment surrounding schools and overweight in Canadian youth. <i>Public Health Nutrition</i> , 2009, 12, 1384-1391.	2.2	72
227	Difficulties with physical function associated with obesity, sarcopenia, and sarcopenic-obesity in community-dwelling elderly women: the EPIDOS (EPIDemiologie de l'OSTeoporose) Study. <i>American Journal of Clinical Nutrition</i> , 2009, 89, 1895-1900.	4.7	387
228	Abdominal Obesity and Physical Inactivity Are Associated with Erectile Dysfunction Independent of Body Mass Index. <i>Journal of Sexual Medicine</i> , 2009, 6, 1990-1998.	0.6	62
229	Ability of Physical Activity to Predict Cardiovascular Disease Beyond Commonly Evaluated Cardiometabolic Risk Factors. <i>American Journal of Cardiology</i> , 2009, 104, 1522-1526.	1.6	35
230	Density and type of food retailers surrounding Canadian schools: Variations across socioeconomic status. <i>Health and Place</i> , 2009, 15, 903-907.	3.3	30
231	Interrelationships of adolescent physical activity, screen-based sedentary behaviour, and social and psychological health. <i>International Journal of Public Health</i> , 2009, 54, 191-198.	2.3	184
232	Associations Between School Recreational Environments and Physical Activity. <i>Journal of School Health</i> , 2009, 79, 247-254.	1.6	50
233	Influence of overweight and obesity on physician costs in adolescents and adults in Ontario, Canada. <i>Obesity Reviews</i> , 2009, 10, 51-57.	6.5	34
234	Influence of age on the relation between waist circumference and cardiometabolic risk markers. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2009, 19, 163-169.	2.6	22

#	ARTICLE	IF	CITATIONS
235	Patterns of Adolescent Physical Activity, Screen-Based Media Use, and Positive and Negative Health Indicators in the U.S. and Canada. <i>Journal of Adolescent Health</i> , 2009, 44, 493-499.	2.5	193
236	Influence of Bouts of Physical Activity on Overweight in Youth. <i>American Journal of Preventive Medicine</i> , 2009, 36, 416-421.	3.0	83
237	Sarcopenia. , 2009, , 183-205.		1
238	Effect of Current and Midlife Obesity Status on Mortality Risk in the Elderly. <i>Obesity</i> , 2008, 16, 2504-2509.	3.0	32
239	Does the relationship between waist circumference, morbidity and mortality depend on measurement protocol for waist circumference?. <i>Obesity Reviews</i> , 2008, 9, 312-325.	6.5	268
240	Behavioral risk factors in relation to visceral adipose tissue deposition in adolescent females. <i>Pediatric Obesity</i> , 2008, 3, 28-36.	3.2	8
241	Rural Canadian adolescents are more likely to be obese compared with urban adolescents. <i>Pediatric Obesity</i> , 2008, 3, 205-211.	3.2	86
242	Influences of body mass index and waist circumference on physical function in older persons with heart failure. <i>Canadian Journal of Cardiology</i> , 2008, 24, 905-911.	1.7	6
243	Relationship between screen time and metabolic syndrome in adolescents. <i>Journal of Public Health</i> , 2008, 30, 153-160.	1.8	193
244	Dose-Response Relation between Physical Activity and Blood Pressure in Youth. <i>Medicine and Science in Sports and Exercise</i> , 2008, 40, 1007-1012.	0.4	79
245	Cardiorespiratory Fitness as a Predictor of Cancer Mortality Among Men With Pre-Diabetes and Diabetes. <i>Diabetes Care</i> , 2008, 31, 764-769.	8.6	35
246	Self-Measured Waist Circumference in Older Patients With Heart Failure. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2008, 28, 43-47.	2.1	11
247	Age-Specific Lipid and Lipoprotein Thresholds for Adolescents. <i>Journal of Cardiovascular Nursing</i> , 2008, 23, 56-60.	1.1	5
248	Does Waist Circumference Predict Diabetes and Cardiovascular Disease Beyond Commonly Evaluated Cardiometabolic Risk Factors?. <i>Diabetes Care</i> , 2007, 30, 3105-3109.	8.6	139
249	Cardiorespiratory Fitness Is Strongly Related to the Metabolic Syndrome in Adolescents. <i>Diabetes Care</i> , 2007, 30, 2143-2144.	8.6	47
250	Influence of Multiple Risk Behaviors on Physical Activity-Related Injuries in Adolescents. <i>Pediatrics</i> , 2007, 119, e672-e680.	2.1	27
251	Ventilatory control and acid-base regulation across the menstrual cycle in oral contraceptive users. <i>Respiratory Physiology and Neurobiology</i> , 2007, 158, 51-58.	1.6	16
252	Physical activity guidelines for children and youth This article is part of a supplement entitled <i>Advancing physical activity measurement and guidelines in Canada: a scientific review and evidence-based foundation for the future of Canadian physical activity guidelines</i> co-published by <i>Applied Physiology, Nutrition, and Metabolism</i> and the <i>Canadian Journal of Public Health</i>. It may be cited as <i>Appl. Physiol. Nutr. Metab.</i> 32(Suppl. 2E) or as <i>Can. J. Public Health</i> 98(Suppl. 2).. <i>Applied Physiology, Nutrition and Metabolism</i> , 2007, 32, S109-121.	1.9	124

#	ARTICLE	IF	CITATIONS
253	Physical activity guidelines and guides for Canadians: facts and future. This article is part of a supplement entitled Advancing physical activity measurement and guidelines in Canada: a scientific review and evidence-based foundation for the future of Canadian physical activity guidelines co-published by Applied Physiology, Nutrition, and Metabolism and the Canadian Journal of Public Health. It may be cited as Appl. Physiol. Nutr. Metab. 32(Suppl. 2E) or as Can. J. Public Health 98(Suppl. 2E). Tj ETQq1 1 0.784314 rgBT /Ove	1.9	16
254	Cardiorespiratory fitness and metabolic syndrome: US National Health and Nutrition Examination Survey 1999-2002. Applied Physiology, Nutrition and Metabolism, 2007, 32, 143-147.	1.9	12
255	Metabolic syndrome and its association with morbidity and mortality. Applied Physiology, Nutrition and Metabolism, 2007, 32, 33-45.	1.9	31
256	Development of Age-Specific Adolescent Metabolic Syndrome Criteria That Are Linked to the Adult Treatment Panel III and International Diabetes Federation Criteria. Journal of the American College of Cardiology, 2007, 49, 891-898.	2.8	243
257	Morbidity and Mortality Risk Associated With an Overweight BMI in Older Men and Women. Obesity, 2007, 15, 1827-1840.	3.0	154
258	Elevated body mass index and mortality risk in the elderly. Obesity Reviews, 2007, 8, 41-59.	6.5	270
259	Physical activity and reducing the risk of cardiovascular morbidity and mortality in older men and women: Lessons learned in 2006. Current Cardiovascular Risk Reports, 2007, 1, 265-269.	2.0	0
260	Physical activity guidelines for children and youth. Canadian Journal of Public Health, 2007, 98 Suppl 2, S109-21.	2.3	27
261	Separate and combined influence of body mass index and waist circumference on arthritis and knee osteoarthritis. International Journal of Obesity, 2006, 30, 1223-1228.	3.4	53
262	Risk taking and recurrent health symptoms in Canadian adolescents. Preventive Medicine, 2006, 43, 46-51.	3.4	21
263	Television viewing, computer use and total screen time in Canadian youth. Paediatrics and Child Health, 2006, 11, 595-599.	0.6	53
264	Influence of individual- and area-level measures of socioeconomic status on obesity, unhealthy eating, and physical inactivity in Canadian adolescents. American Journal of Clinical Nutrition, 2006, 83, 139-145.	4.7	336
265	Influence of Physical Activity on Mortality in Elderly with Coronary Artery Disease. Medicine and Science in Sports and Exercise, 2006, 38, 418-417.	0.4	59
266	Influence of Sarcopenia on the Development of Physical Disability: The Cardiovascular Health Study. Journal of the American Geriatrics Society, 2006, 54, 56-62.	2.6	396
267	The Importance of Waist Circumference in the Definition of Metabolic Syndrome. Diabetes Care, 2006, 29, 404-409.	8.6	229
268	Distribution of Lipoproteins by Age and Gender in Adolescents. Circulation, 2006, 114, 1056-1062.	1.6	173
269	Associations between risk behavior and injury and the protective roles of social environments: an analysis of 7235 Canadian school children. Injury Prevention, 2006, 12, 87-92.	2.4	44
270	Vascular risks and management of obesity in children and adolescents. Vascular Health and Risk Management, 2006, 2, 171-187.	2.3	47

#	ARTICLE	IF	CITATIONS
271	Body Composition. , 2006, , 3-25.		0
272	Body Mass Index Is Inversely Related to Mortality in Older People After Adjustment for Waist Circumference. <i>Journal of the American Geriatrics Society</i> , 2005, 53, 2112-2118.	2.6	205
273	Comparison of overweight and obesity prevalence in school-aged youth from 34 countries and their relationships with physical activity and dietary patterns. <i>Obesity Reviews</i> , 2005, 6, 123-132.	6.5	912
274	Utility of Childhood BMI in the Prediction of Adulthood Disease: Comparison of National and International References. <i>Obesity</i> , 2005, 13, 1106-1115.	4.0	201
275	Metabolic Syndrome, Obesity, and Mortality: Impact of cardiorespiratory fitness. <i>Diabetes Care</i> , 2005, 28, 391-397.	8.6	324
276	Revised Adult Treatment Panel III Guidelines and Cardiovascular Disease Mortality in Men Attending a Preventive Medical Clinic. <i>Circulation</i> , 2005, 112, 1478-1485.	1.6	33
277	Multilevel analysis of associations between socioeconomic status and injury among Canadian adolescents. <i>Journal of Epidemiology and Community Health</i> , 2005, 59, 1072-1077.	3.7	91
278	Heart disease risk among metabolically healthy obese men and metabolically unhealthy lean men. <i>Cmaj</i> , 2005, 172, 1315-1316.	2.0	13
279	Cross national study of injury and social determinants in adolescents. <i>Injury Prevention</i> , 2005, 11, 213-218.	2.4	132
280	Combined Influence of Body Mass Index and Waist Circumference on Coronary Artery Disease Risk Factors Among Children and Adolescents. <i>Pediatrics</i> , 2005, 115, 1623-1630.	2.1	239
281	The Cooper Clinic Mortality Risk Index. <i>American Journal of Preventive Medicine</i> , 2005, 29, 194-203.	3.0	33
282	Ethnic comparisons of sarcopenia and obesity in diabetes. <i>Ethnicity and Disease</i> , 2005, 15, 664-70.	2.3	22
283	Reply to J Bigaard et al. <i>American Journal of Clinical Nutrition</i> , 2004, 80, 791-792.	4.7	4
284	Relation between whole-body and regional measures of human skeletal muscle. <i>American Journal of Clinical Nutrition</i> , 2004, 80, 1215-1221.	4.7	117
285	Associations Between Overweight and Obesity With Bullying Behaviors in School-Aged Children. <i>Pediatrics</i> , 2004, 113, 1187-1194.	2.1	709
286	Metabolic Syndrome in Normal-Weight Americans. <i>Diabetes Care</i> , 2004, 27, 2222-2228.	8.6	263
287	The Healthcare Costs of Sarcopenia in the United States. <i>Journal of the American Geriatrics Society</i> , 2004, 52, 80-85.	2.6	1,170
288	Development of Health-Related Waist Circumference Thresholds Within BMI Categories. <i>Obesity</i> , 2004, 12, 1094-1103.	4.0	113

#	ARTICLE	IF	CITATIONS
289	Sarcopenic Obesity Predicts Instrumental Activities of Daily Living Disability in the Elderly. <i>Obesity</i> , 2004, 12, 1995-2004.	4.0	753
290	Fitness Alters the Associations of BMI and Waist Circumference with Total and Abdominal Fat. <i>Obesity</i> , 2004, 12, 525-537.	4.0	106
291	Exercise-Induced Reduction in Obesity and Insulin Resistance in Women: a Randomized Controlled Trial. <i>Obesity</i> , 2004, 12, 789-798.	4.0	510
292	The Economic Costs Associated With Physical Inactivity and Obesity in Canada: An Update. <i>Applied Physiology, Nutrition, and Metabolism</i> , 2004, 29, 90-115.	1.7	434
293	Duration of overweight and metabolic health risk in American men and women. <i>Annals of Epidemiology</i> , 2004, 14, 585-591.	1.9	65
294	Skeletal Muscle Cutpoints Associated with Elevated Physical Disability Risk in Older Men and Women. <i>American Journal of Epidemiology</i> , 2004, 159, 413-421.	3.4	947
295	Waist circumference and not body mass index explains obesity-related health risk. <i>American Journal of Clinical Nutrition</i> , 2004, 79, 379-384.	4.7	1,491
296	Race and Sex Similarities in Exercise-Induced Changes in Blood Lipids and Fatness. <i>Medicine and Science in Sports and Exercise</i> , 2004, 36, 1610-1615.	0.4	22
297	The Independent Influence of Physical Inactivity and Obesity on Health Complaints in 6th to 10th Grade Canadian Youth. <i>Journal of Physical Activity and Health</i> , 2004, 1, 331-343.	2.0	21
298	Interindividual variation in abdominal subcutaneous and visceral adipose tissue: influence of measurement site. <i>Journal of Applied Physiology</i> , 2004, 97, 948-954.	2.5	82
299	Overweight and obesity in Canadian adolescents and their associations with dietary habits and physical activity patterns. <i>Journal of Adolescent Health</i> , 2004, 35, 360-367.	2.5	163
300	Cardiorespiratory Fitness Attenuates Metabolic-Associated Mortality Risk in Normal Weight, Overweight, and Obese Men. <i>Medicine and Science in Sports and Exercise</i> , 2004, 36, S135.	0.4	1
301	Predicting Cardiovascular Disease Mortality in Men using Cardiorespiratory Fitness and other Risk Factor Categories. <i>Medicine and Science in Sports and Exercise</i> , 2004, 36, S135.	0.4	0
302	Adult Treatment Panel III Guidelines and Cardiovascular Disease Mortality. <i>Medicine and Science in Sports and Exercise</i> , 2004, 36, S135.	0.4	0
303	Physical inactivity, excess adiposity and premature mortality. <i>Obesity Reviews</i> , 2003, 4, 257-290.	6.5	254
304	Discrimination of Health Risk by Combined Body Mass Index and Waist Circumference. <i>Obesity</i> , 2003, 11, 135-142.	4.0	146
305	Abdominal Adipose Tissue Distribution and Metabolic Risk. <i>Sports Medicine</i> , 2003, 33, 709-726.	6.5	31
306	Effects of an Energy-Restrictive Diet With or Without Exercise on Abdominal Fat, Intermuscular Fat, and Metabolic Risk Factors in Obese Women. <i>Diabetes Care</i> , 2002, 25, 431-438.	8.6	262

#	ARTICLE	IF	CITATIONS
307	Abdominal Obesity, Muscle Composition, and Insulin Resistance in Premenopausal Women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002, 87, 5044-5051.	3.6	180
308	Body Mass Index, Waist Circumference, and Health Risk. <i>Archives of Internal Medicine</i> , 2002, 162, 2074.	3.8	762
309	Abdominal adiposity and insulin resistance in obese men. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2002, 282, E657-E663.	3.5	237
310	Body mass index and waist circumference independently contribute to the prediction of nonabdominal, abdominal subcutaneous, and visceral fat. <i>American Journal of Clinical Nutrition</i> , 2002, 75, 683-688.	4.7	550
311	Application of Simple Anthropometry in the Assessment of Health Risk: Implications for the Canadian Physical Activity, Fitness and Lifestyle Appraisal. <i>Applied Physiology, Nutrition, and Metabolism</i> , 2002, 27, 396-414.	1.7	21
312	Low Relative Skeletal Muscle Mass (Sarcopenia) in Older Persons Is Associated with Functional Impairment and Physical Disability. <i>Journal of the American Geriatrics Society</i> , 2002, 50, 889-896.	2.6	2,520
313	Physical activity, total and regional obesity: dose-response considerations. <i>Medicine and Science in Sports and Exercise</i> , 2001, 33, S521-S527.	0.4	232
314	Reply to WS Watson. <i>American Journal of Clinical Nutrition</i> , 2001, 73, 994.	4.7	0
315	Total-body skeletal muscle mass: development and cross-validation of anthropometric prediction models. <i>American Journal of Clinical Nutrition</i> , 2000, 72, 796-803.	4.7	592
316	Plasma leptin in moderately obese men: independent effects of weight loss and aerobic exercise. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2000, 279, E307-E313.	3.5	92
317	Estimation of skeletal muscle mass by bioelectrical impedance analysis. <i>Journal of Applied Physiology</i> , 2000, 89, 465-471.	2.5	1,077
318	Skeletal muscle mass and distribution in 468 men and women aged 18-88 yr. <i>Journal of Applied Physiology</i> , 2000, 89, 81-88.	2.5	2,184
319	Obesity Reduction Through Lifestyle Modification. <i>Applied Physiology, Nutrition, and Metabolism</i> , 2000, 25, 1-18.	1.7	16
320	Effects of aerobic or resistance exercise and/or diet on glucose tolerance and plasma insulin levels in obese men. <i>Diabetes Care</i> , 1999, 22, 684-691.	8.6	180
321	Effects of sex on the change in visceral, subcutaneous adipose tissue and skeletal muscle in response to weight loss. <i>International Journal of Obesity</i> , 1999, 23, 1035-1046.	3.4	116
322	Is abdominal fat preferentially reduced in response to exercise-induced weight loss?. <i>Medicine and Science in Sports and Exercise</i> , 1999, 31, S568.	0.4	56
323	A compositional analysis study of body composition and cardiometabolic risk factors. <i>Obesity</i> , 0, , .	3.0	1