Kingman Cheung

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8223011/publications.pdf

Version: 2024-02-01

424 papers

12,465 citations

26630 56 h-index 56724

440 all docs 440 docs citations

440 times ranked

8832 citing authors

g-index

#	Article	IF	CITATIONS
1	ZOdecay into charmonium via charm quark fragmentation. Physical Review D, 1993, 48, 4230-4235.	4.7	202
2	Collider Signals of Unparticle Physics. Physical Review Letters, 2007, 99, 051803.	7.8	189
3	Performance of missing transverse momentum reconstruction with the ATLAS detector using protona \in proton collisions at \$\$sqrt{s}=13~hbox {TeV}\$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 903.	3.9	181
4	Search for new high-mass phenomena in the dilepton final state using 36 fba $^{\circ}$ 1 of proton-proton collision data at s = 13 \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	168
5	Strongly interactingWWsystem: Gold-plated modes. Physical Review D, 1994, 49, 1246-1264.	4.7	158
6	QCD fragmentation functions forBcandBc*production. Physical Review D, 1993, 48, R5049-R5054.	4.7	157
7	Higgs bosons: Intermediate mass range ate+eâ°'colliders. Physical Review D, 1994, 49, 79-90.	4.7	151
8	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	136
9	Heavy gluino as the lightest supersymmetric particle. Physical Review D, 1999, 59, .	4.7	134
10	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton–proton collisions at \$\$sqrt{s}=13,ext {TeV}\$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 199.	3.9	132
11	ATLAS b-jet identification performance and efficiency measurement with $f(x)$ events in pp collisions at $f(x)$ events in pp collisions at $f(x)$ at $f(x)$ events in pp	3.9	130
12	Perturbative QCD fragmentation functions as a model for heavy-quark fragmentation. Physical Review D, 1995, 51, 4819-4829.	4.7	129
13	Top quark forward–backward asymmetry. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2009, 682, 287-290.	4.1	128
14	Search for electroweak production of supersymmetric particles in final states with two or three leptons at $\$$ sqrt s =13hbox TeV \$\$ s = 13 TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 995.	3.9	125
15	Search for electroweak production of charginos and sleptons decaying into final states with two leptons and missing transverse momentum in $\frac{1}{5}=13$ \$\times \times \ti	3.9	124
16	CERN LHC analysis of the strongly interacting WWsystem: Gold-plated modes. Physical Review D, 1995, 52, 3878-3889.	4.7	117
17	Collider phenomenology of unparticle physics. Physical Review D, 2007, 76, .	4.7	117
18	Higgs precision (Higgcision) era begins. Journal of High Energy Physics, 2013, 2013, 1.	4.7	117

#	Article	IF	CITATIONS
19	Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in 36 fbâ^1 of pp collisions at $s=13 $ \$ sqrt{ s }=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	116
20	Search for heavy resonances decaying into WW in the \$\$eu mu u \$\$ e $\hat{l}\frac{1}{2}$ $\hat{l}\frac{1}{4}$ $\hat{l}\frac{1}{2}$ final state in pp collisions at \$\$sqrt{s}=13\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 24.	3.9	108
21	Muon anomalous magnetic moment and leptoquark solutions. Physical Review D, 2001, 64, .	4.7	106
22	Search for heavy ZZ resonances in the \$\$ell ^+ell ^-ell ^+ell ^-\$\$ â," + â," - â," + â," - and \$\$ell ^+ell ^-u ar{u }\$\$ â," + â," - $\hat{1}^{1/2}$ $\hat{1}^{1/2}$ \hat{A}^{-} final states using protonâ \in "proton collisions at \$\$sqrt{s}= 13\$\$ s = 13 Â \$\$ext {TeV}\$\$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 293.	3.9	101
23	StrongW+W+scattering signals atppsupercolliders. Physical Review D, 1990, 42, 3052-3077.	4.7	96
24	Global constraints on effective dark matter interactions: relic density, direct detection, indirect detection, and collider. Journal of Cosmology and Astroparticle Physics, 2012, 2012, 001-001.	5. 4	96
25	Hidden fermion as milli-charged dark matter in StueckelbergZ′ model. Journal of High Energy Physics, 2007, 2007, 120-120.	4.7	95
26	Performance of electron and photon triggers in ATLAS during LHC Run 2. European Physical Journal C, 2020, 80, 1.	3.9	93
27	Phenomenology of a TeV right-handed neutrino and the dark matter model. Physical Review D, 2004, 69,	4.7	86
28	Phenomenology of the radion in the Randall-Sundrum scenario. Physical Review D, 2001, 63, .	4.7	84
29	Could the Excess Seen at 124–126ÂGeV Be due to the Randall-Sundrum Radion?. Physical Review Letters, 2012, 108, 141602.	7.8	84
30	Black Hole Production and Large Extra Dimensions. Physical Review Letters, 2002, 88, 221602.	7.8	82
31	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $s=13$ TeV. European Physical Journal C, 2021, 81, 1.	3.9	82
32	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton $\hat{a} \in \text{``proton collisions at $$sqrt{s} = 13$$ s = 13 $$ $$ext {TeV}$$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 565.$	3.9	79
33	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton $\hat{a}\in \text{``proton collision data at $$sqrt{s} = 13$$\hat{A}$$ext {TeV}$$. European Physical Journal C, 2019, 79, 1.$	3.9	77
34	Muon anomalous magnetic moment, two-Higgs-doublet model, and supersymmetry. Physical Review D, 2001, 64, .	4.7	76
35	Angular analysis of BO d → Kâ^—μ+μâ^' decays in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS Journal of High Energy Physics, 2018, 2018, 1.	detector. 4.7	76
36	Phase effect of a general two-Higgs-doublet model inb→sγ. Physical Review D, 1999, 59, .	4.7	72

#	Article	IF	Citations
37	Global study of the simplest scalar phantom dark matter model. Journal of Cosmology and Astroparticle Physics, 2012, 2012, 042-042 Constraints of Physics, 2012, 2012, 1042-042 Constraints of Physics and Communication of Cosmology and Communication of Cosmology and Cos	5.4	72
38	altimg="si1.gif" overflow="scroll"> <mml:msup><mml:mi>Z</mml:mi><mml:mo>′</mml:mo></mml:msup> models by <mml:math altimg="si2.gif" overflow="scroll" xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:msub><mml:mi>B</mml:mi><mml:mi>s</mml:mi>s</mml:msub></mml:math> mixing, <mml:math <="" altimg="si3.gif" td="" xmlns:mml="http://www.w3.org/1998/Math/MathML"><td>4.1</td><td>71</td></mml:math>	4.1	71
39	overflow="scr Direct signals of low scale gravity ate+eâ^*colliders. Physical Review D, 1999, 60, .	4.7	70
40	Role ofhâ†'î·Î·in Intermediate-Mass Higgs Boson Searches at the Large Hadron Collider. Physical Review Letters, 2007, 99, 031801.	7.8	68
41	Search for new resonances in mass distributions of jet pairs using 139 fba $^{\circ}$ 1 of pp collisions at \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	68
42	Search for long-lived charginos based on a disappearing-track signature in pp collisions at $\$\$$ sqrt $\$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	67
43	Color-Octet Quarkonium Production at the ZPole. Physical Review Letters, 1996, 76, 877-880.	7.8	66
44	A search for pair-produced resonances in four-jet final states at $\$\$qrt\{s\}=13\$\$ s=13 \$\text{ext } TeV\}\$\$$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 250.	3.9	66
45	Evidence for the H \hat{a}^{\dagger} ' b b \hat{A}^{-} \$\$ Ho boverline{b} \$\$ decay with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	64
46	Jet energy scale and resolution measured in proton–proton collisions at \$\$sqrt{s}=13\$\$ÂTeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	64
47	Bcmeson production at hadron colliders by heavy quark fragmentation. Physical Review Letters, 1993, 71, 3413-3416.	7.8	62
48	Prompt and non-prompt \$\$J/psi \$\$ J / $\ddot{\Gamma}$ and \$\$psi (2mathrm {S})\$\$ $\ddot{\Gamma}$ (2 S) suppression at high transverse momentum in \$\$5.02~mathrm {TeV}\$\$ 5.02 TeV Pb+Pb collisions with the ATLAS experiment. European Physical Journal C, 2018, 78, 762.	3.9	61
49	Search for doubly charged scalar bosons decaying into same-sign W boson pairs with the ATLAS detector. European Physical Journal C, 2019, 79, 58.	3.9	61
50	Search for dark matter produced in association with bottom or top quarks in $\$\$qrt\{s\}=13\$\$s=13\AreV$ pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 18.	3.9	60
51	Comparative study of the benefits of forward jet tagging in heavy-Higgs-boson production at the Superconducting Super Collider. Physical Review D, 1991, 44, 1426-1437.	4.7	59
52	Single-forward-jet tagging and central-jet vetoing to identify the leptonicWWdecay mode of a heavy Higgs boson. Physical Review D, 1991, 44, 2701-2716.	4.7	59
53	Single top quark production in flavor-changingZ′models. Physical Review D, 2006, 73, .	4.7	59
54	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at $\$\$qrt\{s_{ext} \{NN\}\}\}=2.76\$\$$ s NN = 2.76 and 5.0. European Physical Journal C, 2018, 78, 142.	3.9	59

#	Article	IF	CITATIONS
55	Search for charged Higgs bosons decaying via $H\hat{A}\pm\hat{a}\uparrow'\hat{I}_{,n}\hat{A}\pm\hat{I}\sqrt{2}\hat{I}_{,n}$ in the $\hat{I}_{,n}+j$ ets and $\hat{I}_{,n}+l$ epton final states with 36 fb of pp collision data recorded at $\hat{I}_{,n}+1$ squared by TeV with the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.	â^'1 4.7	59
56	Associated production of intermediate-mass Higgs or Zboson with tt \hat{A} -pair in $\hat{I}^3\hat{I}^3$ collisions. Physical Review D, 1993, 47, 3750-3756.	4.7	57
57	Can the two-Higgs-doublet model survive the constraint from the muon anomalous magnetic moment, as suggested?. Physical Review D, 2003, 68, .	4.7	56
58	Search for charged Higgs bosons decaying into top and bottom quarks at $\$$ sqrt $\{s\}=13$ $\$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	56
59	Search for pair production of Higgs bosons in the $\$$ boverline $\{b\}$ boverline $\{b\}$ \$\$ final state using proton-proton collisions at $\$$ sqrt $\{s\}$ =13 $\$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	55
60	Baryonic Z′ connection of LEP Rb,c data with Tevatron events. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1996, 381, 226-236.	4.1	54
61	Confronting Higgcision with electric dipole moments. Journal of High Energy Physics, 2014, 2014, 1.	4.7	53
62	Search for Higgs boson pair production in the \$\$gamma gamma WW^*\$\$ \hat{I}^3 \hat{I}^3 W W \hat{a} — channel using \$\$pp\$\$ pp collision data recorded at \$\$sqrt{s}\$\$ s \$\$=13\$\$ = 13 TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 1007.	3.9	53
63	Probing the chromoelectric and chromomagnetic dipole moments of the top quark at hadronic colliders. Physical Review D, 1996, 53, 3604-3615.	4.7	52
64	Kaluza-Klein states of the standard model gauge bosons: Constraints from high energy experiments. Physical Review D, 2002, 65, .	4.7	52
65	Novel collider signatures for Little Higgs dark matter models. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2007, 644, 158-164.	4.1	52
66	Search for the direct production of charginos and neutralinos in final states with tau leptons in $\$$ sqrt $\{s\} = 13$,mathrm $\{TeV\}$ \$\$ s = 13 TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 154.	3.9	52
67	The Importance of Quantum Pressure of Fuzzy Dark Matter on Lyα Forest. Astrophysical Journal, 2018, 863, 73.	4.5	52
68	Measurement of the azimuthal anisotropy of charged particles produced in $\$\$qrt{s_{ext} \{NN\}}}$ s NN = 5.02ÂTeV Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 997.	3.9	51
69	Probing nonstandard top-quark couplings using spin correlation. Physical Review D, 1997, 55, 4430-4434.	4.7	50
70	Search for direct top squark pair production in final states with two leptons in $\$\$qrt\{s\} = 13\$\$ s = 13 \text{ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 898.}$	3.9	50
71	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in 36 fb \$\$^{-1}\$\$ - 1 of pp collisions at. European Physical Journal C, 2018, 78, 401.	3.9	50
72	Search for heavy neutral leptons in decays of W bosons produced in 13 TeV pp collisions using prompt and displaced signatures with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	50

#	Article	IF	CITATIONS
7 3	Drell-Yan and diphoton production at hadron colliders and low scale gravity model. Physical Review D, 2000, 62, .	4.7	49
74	Constraints on mediator-based dark matter and scalar dark energy models using $\$\$ $ sqrt $\$\$ = 13$ TeV pp collision data collected by the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	49
7 5	Z-boson decays to heavy quarkonium. Physical Review D, 1990, 41, 1541-1546.	4.7	48
76	Top quark forward-backward asymmetry in the large invariant mass region. Physical Review D, 2011, 83,	4.7	48
77	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fbâ^¹1 of \$\$ sqrt{s}=13 \$\$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	48
78	Diphoton signals for low scale gravity in extra dimensions. Physical Review D, 1999, 61, .	4.7	47
79	An exploratory study of Higgs-boson pair production. Journal of High Energy Physics, 2015, 2015, 1.	4.7	47
80	Measurement of the top quark mass in the $\frac{t}{\hat{t}}$ ightarrow \hat{A}^- →. European Physical Journal C, 2019, 79, 1.	3.9	47
81	Higgs precision analysis updates 2014. Physical Review D, 2014, 90, .	4.7	46
82	Interpreting the 750ÂGeV diphoton resonance using photon jets in hidden-valley-like models. Physical Review D, 2016, 93, .	4.7	46
83	Measurement of the Higgs boson coupling properties in the H \hat{a} † $ZZ\hat{a}$ — \hat{a} † $4\hat{a}$, decay channel at \$\$ sqrt{s}=13 TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	\$\$ 4.7	46
84	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. European Physical Journal C, 2019, 79, 1.	3.9	46
85	Search for charged Higgs bosons decaying into a top quark and a bottom quark at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	46
86	Split supersymmetry, stable gluino, and gluinonium. Physical Review D, 2005, 71, .	4.7	45
87	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	45
88	Ultralight Axion Dark Matter and Its Impact on Dark Halo Structure in N-body Simulations. Astrophysical Journal, 2018, 853, 51.	4.5	45
89	BaryonicZ′Explanation for the CDFWjjExcess. Physical Review Letters, 2011, 106, 211803.	7.8	44
90	Higgcision in the two-Higgs doublet models. Journal of High Energy Physics, 2014, 2014, 1.	4.7	43

#	Article	IF	Citations
91	Constraints on electron–quark contact interactions and implications to models of leptoquarks and extra Z bosons. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2001, 517, 167-176.	4.1	42
92	Black hole, string ball, andp-brane production at hadronic supercolliders. Physical Review D, 2002, 66,	4.7	42
93	The top window for dark matter. Journal of High Energy Physics, 2010, 2010, 1.	4.7	42
94	Performance of top-quark and $\$ varvec{W}\\$\\$ W -boson tagging with ATLAS in Run 2 of the LHC. European Physical Journal C, 2019, 79, 1.	3.9	42
95	Zee neutrino mass model in a SUSY framework. Physical Review D, 2000, 61, .	4.7	41
96	Measurement of $\W^{pm}Z$ production cross sections and gauge boson polarisation in pp collisions at \square{fev} = 13~ext {TeV}\$\$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	41
97	Higgs boson production cross-section measurements and their EFT interpretation in the \$\$4ell \$\$ decay channel at \$\$sqrt{s}=\$\$13ÂTeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	41
98	Global study of electron-quark contact interactions. Physical Review D, 1998, 57, 391-404.	4.7	40
99	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fba 1 of \$\$ sqrt{s}=13 \$\$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	40
100	Measurements of b-jet tagging efficiency with the ATLAS detector using $\$$ toverline{t} $\$$ events at $\$$ sqrt{s}=13 $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	40
101	Search for heavy resonances decaying into a pair of Z bosons in the \$\$ell ^+ell ^-ell '^+ell '^-\$\$ and \$\$ell ^+ell ^-u { $a \in S$ final states using 139 \$\$mathrm {fb}^{-1}\$\$ of protonâ $\in S$ proton collisions at \$\$sqrt{s} = 13,\$\$TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	40
102	Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in final states with two charged leptons and two jets at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	39
103	xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"> <mml:mrow><mml:mi>h</mml:mi><mml:mo stretchy="false">â†'<mml:msup><mml:mrow><mml:mi>ï,,</mml:mi></mml:mrow><mml:mrow><mr xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><mml:mi>ï,</mml:mi><mml:mi><mml:mo< td=""><td>nl:#⁷>â^"</td><td><</td></mml:mo<></mml:mi></mr </mml:mrow></mml:msup></mml:mo </mml:mrow>	nl:# ⁷ >â^"	<
104	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in $s = 13 $ \$ sqrt{ s }=13 \$\$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	38
105	Search for Higgs boson pair production in the \$\$ upgamma upgamma boverline{b} \$\$ final state with 13 TeV pp collision data collected by the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.	4.7	38
106	Measurements of WH and ZH production in the $\$H$ ightarrow bar $\{b\}$ \$ decay channel in pp collisions at $\$\13 ,ext $\{Te\}$ ext $\{V\}$ \$\$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	38
107	Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	37
108	Electron and photon energy calibration with the ATLAS detector using 2015–2016 LHC proton-proton collision data. Journal of Instrumentation, 2019, 14, P03017-P03017.	1.2	37

#	Article	IF	CITATIONS
109	Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 fba^1 of $\$ sqrt{s} $\$ = 13 TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	37
110	Collider discovery limits for supersymmetric Higgs bosons. Physical Review D, 1992, 46, 4914-4929.	4.7	36
111	Electric and anomalous magnetic dipole moments of the muon in the MSSM. Journal of High Energy Physics, 2009, 2009, 020-020.	4.7	36
112	Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	36
113	Measurement of flow harmonics correlations with mean transverse momentum in lead–lead and proton–lead collisions atÂ\$\$sqrt{s_{mathrm{NN}}} = 5.02~hbox {TeV}\$\$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	36
114	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in \$\$ sqrt{s} \$\$ = 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	36
115	Search for a scalar partner of the top quark in the all-hadronic $f(x)$ plus missing transverse momentum final state at $f(x)$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	36
116	Probing strongly interacting electroweak dynamics throughW+Wâ^/ZZratios at futuree+eâ^'colliders. Physical Review D, 1995, 52, 3815-3825.	4.7	35
117	Atomic parity violation, leptoquarks, and contact interactions. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2000, 480, 149-154.	4.1	35
118	Color-octetJi^production in thei'decay. Physical Review D, 1996, 54, 929-937.	4.7	34
119	Gamma-ray constraints on effective interactions of the dark matter. Journal of Cosmology and Astroparticle Physics, 2011, 2011, 023-023.	5.4	34
120	Interpretations of the ATLAS diboson anomaly. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2015, 751, 188-194.	4.1	34
121	Measurements of top-quark pair differential and double-differential cross-sections in the \$\$ell \$\$+jets channel with pp collisions at \$\$sqrt{s}=13\$\$ TeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	34
122	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in $$pp$ \$ collisions at $$qt{s}=13$ \$ÂTeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	34
123	Lepton flavor violation as a probe of quark-lepton unification. Physical Review D, 2005, 72, .	4.7	33
124	Cosmic antiproton constraints on effective interactions of the dark matter. Journal of Cosmology and Astroparticle Physics, 2011, 2011, 004-004.	5.4	33
125	Probing the top-Yukawa coupling in associated Higgs production with a single top quark. Journal of High Energy Physics, 2014, 2014, 1.	4.7	33
126	Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	33

#	Article	IF	CITATIONS
127	Global lepton-quark neutral current constraint on low scale gravity model. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1999, 460, 383-389.	4.1	32
128	Bounds on Higgs-portal models from the LHC Higgs data. Journal of High Energy Physics, 2015, 2015, 1.	4.7	32
129	Determination of the strong coupling constant \$\$alpha _mathrm {s}\$\$ α s from transverse energy–energy correlations in multijet events at \$\$sqrt{s} = 8~hbox {TeV}\$\$. European Physical Journal C, 2017, 77, 872.	3.9	32
130	The impact of EDGES 21-cm data on dark matter interactions. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 789, 137-144.	4.1	32
131	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the 4 \$ell \$\$ decay channel at $$\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2020, 80, 1.	3.9	32
132	Signatures of Higgs-triplet representations at TeVe+eâ^'colliders. Physical Review D, 1995, 51, 4731-4737.	4.7	31
133	PentaquarkÎ ⁻ +,constituent quark structures, and prediction of charmedÎ ⁻ cOand bottomedÎ ⁻ b+. Physical Review D, 2004, 69, .	4.7	31
134	<pre><mml:math display="inline" xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mi>W</mml:mi></mml:math>scattering in the era of post-Higgs-boson discovery. Physical Review D, 2013, 87, .</pre>	4.7	31
135	Measurement of inclusive and differential cross sections in the H \hat{a} †' ZZ * \hat{a} †' 4 \hat{a} ," decay channel in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	31
136	Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fbâ^1 of \$\$ sqrt{s}=13 \$\$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	31
137	Search for W W/W Z resonance production in \hat{a} , " \hat{l} /2qq final states in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	31
138	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	31
139	Intermediate- and heavy-Higgs-boson physics at a 0.5 TeVe+eâ^'collider. Physical Review D, 1992, 46, 3725-3746.	4.7	30
140	Searches for the $Z\hat{I}^3$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	30
141	Study of \$\$WWgamma \$\$ W W γ and \$\$WZgamma \$\$ W Z. European Physical Journal C, 2017, 77, 646.	3.9	30
142	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	30
143	Searches for third-generation scalar leptoquarks in $\$\$ $ sqrt $\{\$\}$ $\$\$ = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	30
144	Evidence for \$\$tar{t}\$\$ production in the multilepton final state in proton–proton collisions at \$\$sqrt{s}=13\$\$Â\$\$ext {TeV}\$\$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	30

#	Article	IF	CITATIONS
145	Singlino-driven electroweak baryogenesis in the next-to-MSSM. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 710, 188-191.	4.1	29
146	Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29
147	Searches for heavy ZZ and ZW resonances in the â,, "â,, "qq and $1\frac{1}{2}$ $1\frac{1}{2}$ qq final states in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29
148	Search for heavy diboson resonances in semileptonic final states in pp collisions at $\$sqrt\{s\}=13\$$ ATeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	29
149	Measurement of lepton differential distributions and the top quark mass in $\frac{\hat{A}}{t}$ t \hat{A} . European Physical Journal C, 2017, 77, 804.	3.9	28
150	Measurement of \$\$WW/WZ ightarrow ell u q q^{prime }\$\$ W W / W Z â†' â,," $\hat{l}^{1/2}$ q q â \in 2 production with the hadronically decaying boson reconstructed as one or two jets in pp collisions at \$\$sqrt{s} =8~ext {TeV}\$\$ s = 8 TeV with ATLAS, and constraints on anomalous gauge couplings. European Physical Journal C, 2017, 77, 563.	3.9	28
151	Measurement of the Drell-Yan triple-differential cross section in pp collisions at $s = 8 $ \$\$ sqrt{ s }=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	28
152	Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the H \hat{a} t' aa \hat{a} t' 4b channel in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	28
153	Search for long-lived neutral particles in pp collisions at $\$\{qrt\{s\}\} = 13-\{ext\{TeV\}\}\$ that decay into displaced hadronic jets in the ATLAS calorimeter. European Physical Journal C, 2019, 79, 1.	3.9	28
154	Chaotic inflation on the brane and the swampland criteria. Physical Review D, 2019, 100, . Higgs-boson-pair production http://www.w3.org/1998/Math/MathML	4.7	28
155			

10

#	Article	IF	Citations
163	Measurement of the top-quark mass in $$$ toverline $\{t\}$ $$$ + 1-jet events collected with the ATLAS detector in pp collisions at $$$ sqrt $\{s\}$ $$$ = 8 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	27
164	Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a $\ddot{\text{I}}_{,-}$ -lepton in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	27
165	Light pseudoscalar <mml:math display="inline" xmins:mml="http://www.w3.org/1998/Math/MathML"><mml:mi>Î-</mml:mi></mml:math> and <mml:math display="inline" xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mi>Î-</mml:mi>(mml:mi>Î-)Î-(mml:mi>Î-)Î-(mml:mi)<td>4.7 l:math>de</td><td>26 cay</td></mml:math>	4.7 l:math>de	26 cay
166	Double-action dark matter, PAMELA and ATIC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2009, 678, 293-300.	4.1	26
167	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $\$$ ell ell bb $\$$ and $\$$ ell ell WW $\$$ final states in pp collisions at $\$$ sqrt $\{s\}$ =13 $\$$ Â $\$$ \$ext $\{TeV\}$ \$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	26
168	Vector-like quark interpretation for the CKM unitarity violation, excess in Higgs signal strength, and bottom quark forward-backward asymmetry. Journal of High Energy Physics, 2020, 2020, 1.	4.7	26
169	Contact interactions and high-Q2 events in e+p collisions at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1997, 404, 147-152.	4.1	25
170	\hat{l} $\sqrt{4}$ \hat{a} \hat{l}	4.7	25
171	Super hilltop inflation. Journal of Cosmology and Astroparticle Physics, 2009, 2009, 012-012.	5.4	25
172	Operation and performance of the ATLAS Tile Calorimeter in RunÂ1. European Physical Journal C, 2018, 78, 987.	3.9	25
173	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. European Physical Journal C, 2019, 79, 1.	3.9	25
174	Bc meson production at the Tevatron revisited. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2000, 472, 408-411.	4.1	24
175	Associated production of a light pseudoscalar Higgs boson with a chargino pair in the NMSSM. Journal of High Energy Physics, 2007, 2007, 073-073.	4.7	24
176	Bottomed analog ofZ+(4433). Physical Review D, 2007, 76, .	4.7	24
177	Measurement of the cross-section and charge asymmetry of W bosons produced in proton–proton collisions at \$\$sqrt{s}=8~ext {TeV}\$\$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	24
178	Measurement of fiducial and differential \W^+W^- production cross-sections at $\strut{s}=13$ ATeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	24
179	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	24
180	Two-Higgs-doublet model with soft <mml:math display="inline" xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mi>C</mml:mi><mml:mi>P</mml:mi></mml:math> violation confronting electric dipole moments and colliders. Physical Review D, 2020, 102, .	4.7	24

#	Article	IF	Citations
181	p-brane production in the fat brane or universal extra dimension scenario. Physical Review D, 2002, 66,	4.7	23
182	Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\$ sqrt{mathrm{s}} $\$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	23
183	AtlFast3: The Next Generation of Fast Simulation in ATLAS. Computing and Software for Big Science, 2022, 6, 1.	2.9	23
184	Bc meson productions via induced gluon fragmentation. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1994, 325, 481-487.	4.1	22
185	Triplet Higgs boson at hadron colliders. Journal of High Energy Physics, 2002, 2002, 048-048.	4.7	22
186	Phenomenology of iquarkonium. Nuclear Physics B, 2009, 811, 274-287.	2.5	22
187	Mimicking the standard model Higgs boson in UMSSM. Journal of High Energy Physics, 2012, 2012, 1.	4.7	22
188	Search for pair production of heavy vector-like quarks decaying into high-pT W bosons and top quarks in the lepton-plus-jets final state in pp collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	22
189	Measurements of top-quark pair spin correlations in the $\$$ emu $\$$ channel at $\$$ sqrt $\{s\}$ = 13 $\$$ TeV using pp collisions in the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	22
190	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	22
191	Hadronic production of S-wave and P-wave charmed bmesons via heavy quark fragmentation. Physical Review D, 1996, 53, 1232-1241.	4.7	21
192	Splitting split supersymmetry. Physical Review D, 2005, 71, .	4.7	21
193	Higgs boson sector of the next-to-minimal supersymmetric standard model with <mml:math display="inline" xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mi>C</mml:mi><mml:mi>P</mml:mi></mml:math> violation. Physical Review D, 2010. 82	4.7	21
194	Distinguishing various models of the 125 GeV boson in Vector Boson Fusion. Journal of High Energy Physics, 2012, 2012, 1.	4.7	21
195	Search for Higgs boson pair production in the $WW(*)WW(*)$ decay channel using ATLAS data recorded at \$\$ $q=13 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1.	4.7	21
196	Identification of boosted Higgs bosons decaying into b-quark pairs with the ATLAS detector at 13Â\$\$ext {TeV}\$\$. European Physical Journal C, 2019, 79, .	3.9	21
197	Search for light long-lived neutral particles produced in pp collisions at $\$$ sqrt $\{s\} = 13$ -mathrm $\{TeV\}$ \$\$ and decaying into collimated leptons or light hadrons with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	21
198	Testable radiative neutrino mass model without additional symmetries and explanation for the b→sâ,"+â,"â^' anomaly. Physical Review D, 2016, 94, .	4.7	20

#	Article	IF	CITATIONS
199	Measurement of differential cross-sections of a single top quark produced in association with a W boson at $\$\sqrt{s}=\{13\}\{ext \{TeV\}\}$ s = 13 TeV with ATLAS. European Physical Journal C, 2018, 78, 186.	3.9	20
200	Search for diboson resonances in hadronic final states in 139 fbâ'1 of pp collisions at $\$$ sqrt{s} $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	20
201	Detecting an intermediate mass charged Higgs at $\hat{I}^3\hat{I}^3$ colliders. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1993, 315, 399-405.	4.1	19
202	Prompt and non-prompt $\$J/psi \$J/\ddot{\Gamma}$ elliptic flow in Pb+Pb collisions at $\$\$qrt{s_{ext {NN}}} = 5.02\$\$ s NN = 5.02 Tev with the ATLAS detectorÂ. European Physical Journal C, 2018, 78, 784.$	3.9	19
203	Search for top-quark decays t \hat{a} ¹ Hq with 36 fb \hat{a} ² of pp collision data at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	19
204	Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fbâ^1 of data collected with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	19
205	Measurement of light-by-light scattering and search for axion-like particles with 2.2 nbâ°'1 of Pb+Pb data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	19
206	Production of weak bosons and Higgs bosons ineâ-'eâ-'collisions. Physical Review D, 1994, 50, 6704-6712.	4.7	18
207	Production and decays of the light pseudoscalar boson <mml:math display="inline" xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mi>i</mml:mi></mml:math> at the CERN LHC in the simplest little Higgs model. Physical Review D. 2008. 78	4.7	18
208	Search for top quark decays t ât' qH, with H ât' $\hat{1}^3\hat{1}^3$, in s = 13 \$\$ sqrt{s}=13 \$\$ TeV pp collisions using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	18
209	Search for dark matter in association with an energetic photon in pp collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	18
210	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton–proton collisions at \$\$sqrt{s}\$\$ = 13ÂTeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	18
211	Search for new phenomena in final states with b-jets and missing transverse momentum in $\$\$$ sqrt{mathrm{s}} $\$\$ = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	18
212	Full tree-level calculation of theqqâ†'qqWZelectroweak process at hadron supercolliders. Physical Review D, 1992, 46, 2028-2039.	4.7	17
213	Finding the leptonicWWdecay mode of a heavy Higgs boson at hadron supercolliders. Physical Review D, 1993, 48, 5433-5436.	4.7	17
214	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
215	Direct top-quark decay width measurement in the $\frac{1}{r}$ top-quark decay width measurement in the $\frac{1}{r}$ depton+jets channel at $\frac{1}{r}$ experiment. European Physical Journal C, 2018, 78, 129.	3.9	17
216	Search for flavour-changing neutral current top-quark decays t \hat{a}^{\dagger} qZ in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17

#	Article	IF	CITATIONS
217	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
218	Measurements of W and Z boson production in pp collisions at $\$$ sqrt $\{s\}$ =5.02 $\$$ s = 5.02 ÂTeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	17
219	Measurement of $\$W^pm \$$ boson production in Pb+Pb collisions at $\$\sqrt{s_{M}} = 5.02$ ext Te ext V \$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	17
220	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. Journal of High Energy Physics, 2020, 2020, 1.	4.7	17
221	Search for the HH \hat{a}^{\dagger} \$\$ boverline{b}boverline{b} \$\$ process via vector-boson fusion production using proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	17
222	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $\$\$$ sqrt $\{\$\}$ = 13, $\{\texttt{ext} \{\texttt{TeV}\}\}$ $\$\$$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	17
223	Multilepton signatures of gauge mediated SUSY breaking at CERN LEP II. Physical Review D, 1998, 58, .	4.7	16
224	Reducing the spectral index in supernatural inflation. Physical Review D, 2009, 79, .	4.7	16
225	Implications on the heavyCP-even Higgs boson from current Higgs data. Physical Review D, 2013, 87, .	4.7	16
226	A three-loop neutrino model with leptoquark triplet scalars. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 768, 359-364.	4.1	16
227	Measurement of colour flow using jet-pull observables in $\frac{1}{5}$ t t \hat{A}^- events with the ATLAS experiment at $\frac{1}{5}$ = 13,hbox $\frac{1}{5}$ = 13 TeV. European Physical Journal C, 2018, 78, 847.	3.9	16
228	Search for exclusive Higgs and Z boson decays to \tilde{i} - \hat{i} 3 and \tilde{i} 43 with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	16
229	Measurement of differential cross sections and W+/W \hat{a} ° cross-section ratios for W boson production in association with jets at \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	16
230	Search for the intermediate mass Higgs signal at TeVeγcolliders. Physical Review D, 1993, 48, 1035-1047.	4.7	15
231	Comparison of high-energy galactic and atmospheric tau neutrino flux. Astroparticle Physics, 2003, 18, 581-592.	4.3	15
232	A minimal supersymmetric scenario with only $\hat{l}\frac{1}{4}$ at the weak scale. Journal of High Energy Physics, 2006, 2006, 047-047.	4.7	15
233	Implication on Higgs invisible width in light of the new CDMS result. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2010, 685, 182-184.	4.1	15
234	Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	15

#	Article	IF	Citations
235	Search for scalar resonances decaying into $1\frac{1}{4}+1\frac{1}{4}$ a $^{\circ}$ in events with and without b-tagged jets produced in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	15
236	Optimisation of large-radius jet reconstruction for the ATLAS detector in 13ÂTeV proton–proton collisions. European Physical Journal C, 2021, 81, 1.	3.9	15
237	Determination of jet calibration and energy resolution in proton–proton collisions at \$\$sqrt{s} = 8−hbox {TeV}\$\$ using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	15
238	Comprehensive study of the light charged Higgs boson in the type-I two-Higgs-doublet model. Physical Review D, 2022, 105 , .	4.7	15
239	WZ, WÎ ³ , WW and ZZ pair productions at TeV eÎ ³ colliders. Nuclear Physics B, 1993, 403, 572-586.	2.5	14
240	Associated production of a single heavyTquark in the littlest and simplest little Higgs models. Physical Review D, 2006, 74, .	4.7	14
241	Supersymmetric decays of the Z′ boson. Journal of High Energy Physics, 2011, 2011, 1.	4.7	14
242	Non-abelian dark matter solutions for Galactic gamma-ray excess and Perseus 3.5 keV X-ray line. Journal of Cosmology and Astroparticle Physics, 2015, 2015, 053-053.	5.4	14
243	Higgs precision study of the 750ÂGeV diphoton resonance and the 125ÂGeV standard model Higgs boson with Higgs-singlet mixing. Physical Review D, 2016, 94, .	4.7	14
244	Measurement of VH, $\$\$$ mathrm{H}o mathrm{b}overline{mathrm{b}} $\$\$$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	14
245	Measurements of inclusive and differential fiducial cross-sections of $\frac{t}{gamma}$ production in leptonic final states at $\frac{s}{12}$ in ATLAS. European Physical Journal C, 2019, 79, 1.	3.9	14
246	Search for bottom-squark pair production with the ATLAS detector in final states containing Higgs bosons, b-jets and missing transverse momentum. Journal of High Energy Physics, 2019, 2019, 1.	4.7	14
247	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $$$ sqrt ${s}$ $$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	14
248	Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $\$$ qrt $\{s\}=13$,ext $\{TeV\}$ \$\$. European Physical Journal C, 2021, 81, 1.	3.9	14
249	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV using the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	14
250	Search for $\$$ toverline{t} $\$$ resonances in fully hadronic final states in pp collisions at $\$$ sqrt{s} $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	14
251	Measurement of the c-jet mistagging efficiency in $\frac{t}{\$}$ events using pp collision data at $\frac{\$}$ collected with the ATLAS detector. European Physical Journal C, 2022, 82, .	3.9	14
252	Partially strongWWscattering. Physical Review D, 2008, 78, .	4.7	13

#	Article	IF	CITATIONS
253	Higgs-mediated electric-dipole moments in the next-to-minimal supersymmetric standard model: An application to electroweak baryogenesis. Physical Review D, 2011, 84, .	4.7	13
254	Dark matter in split SUSY with intermediate higgses. Journal of High Energy Physics, 2015, 2015, 1.	4.7	13
255	Search for new phenomena in high-mass final states with a photon and a jet from \$\$pp\$\$ pp collisions at \$\$sqrt{s}\$\$ s. European Physical Journal C, 2018, 78, 102.	3.9	13
256	Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	13
257	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at \$\$sqrt{s}=13\$\$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	13
258	Light Gluino, Light Bottom Squark Scenario, and LEP Predictions. Physical Review Letters, 2002, 89, 221801.	7.8	12
259	Probe of the radion-Higgs mixing in the Randall-Sundrum model ate+eâ^'colliders. Physical Review D, 2003, 67, .	4.7	12
260	Higgs boson enhancement effects on squark-pair production at the LHC. Journal of High Energy Physics, 2010, 2010, 1.	4.7	12
261	Three-loop neutrino mass model with a colored triplet scalar. Physical Review D, 2017, 95, .	4.7	12
262	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using $s=13 $ \$ sqrt $s=13 $ \$ TeV proton-proton collision data. Journal of High Energy Physics, 2017, 2017, 1.	4.7	12
263	New emerging results in Higgs precision analysis updates 2018 after establishment of third-generation Yukawa couplings. Journal of High Energy Physics, 2019, 2019, 1.	4.7	12
264	Observation of the associated production of a top quark and a Z boson in pp collisions at \$\$ sqrt{s} \$\$= 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	12
265	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\$$ sqrt{s} $\$$ = 13 TeV proton-proton collisions recorded by ATLAS in Run 2 of the LHC. Journal of High Energy Physics, 2020, 2020, 1.	4.7	12
266	Transverse momentum and process dependent azimuthal anisotropies in $\$\$qrt\{s_{mathrm NN}\}\}=8.16\$$ ATeV p+Pb collisions with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	12
267	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton–proton collisions at ATLAS. European Physical Journal C, 2021, 81, 1.	3.9	12
268	Physics potential of a muon-proton collider. Physical Review D, 2021, 103, .	4.7	12
269	Search for supersymmetry in events with four or more charged leptons in 139 fbâ^'1 of $\$$ sqrt{s} $\$$ = 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	12
270	Measurements of the inclusive and differential production cross sections of a top-quark–antiquark pair in association with a ZÂboson at \$\$sqrt{s} = 13\$\$ÂTeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	12

#	Article	IF	Citations
271	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at $$$ sqrt ${s}$ $$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	12
272	Alignment of the ATLAS Inner Detector in Run 2. European Physical Journal C, 2020, 80, 1.	3.9	12
273	Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\$$ sqrt $\{s\}$ = 7\$\$, 8 and 13ÂTeV. European Physical Journal C, 2022, 82, 1.	3.9	12
274	Studies of strong electroweak symmetry breaking at photon colliders. Physical Review D, 1994, 50, 4290-4298.	4.7	11
275	Search for anomalous couplings atel ³ colliders. Physical Review D, 1995, 51, 5-14.	4.7	11
276	TeV colored Higgsinos in alternative grand unified theories. Physical Review D, 2004, 69, .	4.7	11
277	Light pseudoscalar Higgs boson in neutralino decays in the next-to-minimal supersymmetric standard model. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2009, 674, 54-58.	4.1	11
278	Impact on the light Higgsino-LSP scenario from physics beyond the minimal supersymmetric standard model. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2009, 677, 54-58.	4.1	11
279	Collider signatures of Goldstone bosons. Physical Review D, 2014, 89, .	4.7	11
280	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. Journal of High Energy Physics, 2017, 2017, 1.	4.7	11
281	Decaying warm dark matter and structure formation. Journal of Cosmology and Astroparticle Physics, 2018, 2018, 026-026.	5.4	11
282	Measuring the trilinear Higgs boson self-coupling at the $100 {\rm \^A}$ TeV hadron collider via multivariate analysis. Physical Review D, 2020, 102, .	4.7	11
283	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	11
284	Disentangling new physics effects on nonresonant Higgs boson pair production from gluon fusion. Physical Review D, 2021, 103, .	4.7	11
285	Spin alignment in the production of charm and/or bottom vector mesons via heavy quark fragmentation. Physical Review D. 1994, 50, 3181-3194. Correlation between lepton flavor violation and mml:math	4.7	10
286	xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.gif" overflow="scroll"> <mml:msub><mml:mi>B</mml:mi><mml:mrow><mml:mo stretchy="false">(</mml:mo><mml:mi>d</mml:mi><mml:mo>,</mml:mo><mml:mi>s</mml:mi>o>,<mml:mi>o>,<mml:mi>o>,<mml:mi>o>,<mml:mi>o>,</mml:mi>o>,</mml:mi>o>,</mml:mi>o>,</mml:mi>o>,,,,<!--</td--><td>TQq40.100 r</td><td>gBTLØOverlock</td></mml:mrow></mml:msub>	TQq40.100 r	gBTLØOverlock
287	accent="true"> <mml:mi>B</mml:mi> <mml:mo>¯</mml:mo> <mml:mrow><mml:mo 2008,="" 436-440.<="" 662,="" and="" b:="" boson="" decay="" elementary="" high-energy="" into="" letters,="" nuclear,="" of="" particle="" photon="" physics="" physics,="" section="" stretchy="" td="" unparticle.="" z=""><td>4.1</td><td>10</td></mml:mo></mml:mrow>	4.1	10
288	A supersymmetric electroweak scale seesaw model. Journal of High Energy Physics, 2017, 2017, 1.	4.7	10

#	Article	IF	CITATIONS
289	Detecting multimuon jets from the Higgs boson exotic decays in the Higgs portal framework. Physical Review D, 2017, 95, .	4.7	10
290	Measurement of the S Zgamma o u overline U gamma S production cross section in pp collisions at S sqrt S =13 T TeV with the ATLAS detector and limits on anomalous triple gauge-boson couplings. Journal of High Energy Physics, 2018, 2018, 1.	4.7	10
291	Measurement of the inclusive and fiducial $\frac{1}{s}$ t t \hat{A} production cross-sections in the. European Physical Journal C, 2018, 78, 487.	3.9	10
292	Probing long-lived particles at Higgs factories. Physical Review D, 2020, 101, . Sensitivity reach on heavy neutral leptons and mmltmath	4.7	10
293	xmins:mmi="http://www.w3.org/1998/Math/MathML" display="inline"> <mmi:mi>i,,</mmi:mi> -neutrino mixing <mml:math display="inline" xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mo stretchy="false"> </mml:mo><mml:mi><mml:mi>U</mml:mi><mml:mrow><mml:mi>i,,</mml:mi>i, i,,</mml:mrow></mml:mi>i,,i, i,,i,,i, i,,i,,i, i,,i,,i, i,,i,,i, i,,i,,i, i,,i,,i, i,,i,,i, i,,i, i,,i,,i, i,,<td>4.7 N<td>10 i></td></td></mml:math>	4.7 N <td>10 i></td>	10 i>
294	Determination of the parton distribution functions of the proton from ATLAS measurements of differential W± and Z boson production in association with jets. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
295	Measurement of J/ $\hat{\Gamma}$ production in association with a W± boson with pp data at 8 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	10
296	Measurement of the t \$ overline{t} \$\$t\$\$ overline{t} \$\$ production cross section in pp collisions at \$\$ $qt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
297	Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with 139 fba $^{\circ}$ 1 of pp collision data at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	10
298	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
299	Non-standard neutrino and $Z\hat{a} \in \mathbb{R}^2$ interactions at the FASERÎ $1/2$ and the LHC. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
300	Photoproduction of WH signal at electron-proton colliders. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1993, 319, 244-248.	4.1	9
301	Possibility of studying electroweak symmetry breaking at $\hat{1}^{3}$ colliders. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1994, 323, 85-89.	4.1	9
302	Zdecay into a bottom quark, a light sbottom, and a light gluino. Physical Review D, 2003, 67, .	4.7	9
303	Measurement of the $\$$ toverline{t}gamma $\$$ production cross section in proton-proton collisions at $\$$ sqrt{s}=8 $\$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	9
304	Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	9
305	Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton–proton collisions at 8ÂTeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	9
306	Same-sign charged Higgs boson pair production in bosonic decay channels at the HL-LHC and HE-LHC. Physical Review D, 2020, 102, .	4.7	9

#	Article	lF	CITATIONS
307	Measurement of the Z(\hat{a}^{\dagger} , \hat{a}^{\dagger} , \hat{a}^{\dagger} , \hat{a}^{\dagger}) production cross-section in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	e _{4.7}	9
308	Search for dark matter produced in association with a single top quark in $\$$ sqrt $\{s\}=13$ \$ÂTeV $\$$ pp $\$$ \$ collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	9
309	Detection of the heavy Higgs boson atl̂3l̂3colliders. Physical Review D, 1993, 48, 89-95.	4.7	8
310	Relaxing atomic parity violation constraints on new physics. Physical Review D, 1998, 57, R3833-R3836.	4.7	8
311	Hadronic production of light color-triplet Higgs bosons: An alternative signature for grand unified theories. Physical Review D, 2003, 67, .	4.7	8
312	Hadronic production and decays of charginos and neutralinos in split supersymmetry. Physical Review D, 2005, 72, .	4.7	8
313	Higgs boson decays into single photon plus unparticle. Physical Review D, 2008, 77, .	4.7	8
314	Collider signatures of the gauge-Higgs dark matter. Physical Review D, 2010, 81, .	4.7	8
315	Enhanced charged Higgs production through W -Higgs fusion in W -b scattering. Journal of High Energy Physics, 2016, 2016, 1.	4.7	8
316	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in $s = 13 $ \$ sqrt $s=13 $ \$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	8
317	Analysis of the Wtb vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at $s=8$ \$\$ $s=8$ \$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	8
318	Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	8
319	Measurement of $\$ W^{pm}\$-boson and Z-boson production cross-sections in pp collisions at \$\$sqrt{s}=2.76\$\$ÂTeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	8
320	Probing the trilinear Higgs boson self-coupling at the high-luminosity LHC via multivariate analysis. Physical Review D, 2020, 101, .	4.7	8
321	Measurement of differential cross sections for single diffractive dissociation in $\$\$ $ sqrt $\{s\}$ $\$\$ = 8$ TeV pp collisions using the ATLAS ALFA spectrometer. Journal of High Energy Physics, 2020, 2020, 1.	4.7	8
322	Measurements of W+W \hat{a} '+ \hat{a} %¥ 1 jet production cross-sections in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	8
323	Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	8
324	Reconstruction and identification of boosted di-Ï,, systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. Journal of High Energy Physics, 2020, 2020, 1.	4.7	8

#	Article	IF	CITATIONS
325	Probing charged lepton flavor violation with axion-like particles at Belle II. Journal of High Energy Physics, 2021, 2021, 1.	4.7	8
326	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at $13\hat{A}$ (TeV) with the ATLAS detector. European Physical Journal C, 2022, 82, 1.	3.9	8
327	A note on charmed and bottomed pentaquark production byÂfragmentation. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2004, 595, 283-287.	4.1	7
328	Unparticle effects in photon–photon scattering. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2008, 664, 291-294.	4.1	7
329	Sneutrino dark matter via pseudoscalar X-funnel meets inverse seesaw. Journal of High Energy Physics, 2018, 2018, 1.	4.7	7
330	Measurement of \$\$au \$\$ \ddot{I} , polarisation in \$\$Z/gamma ^{*}ightarrow au au \$\$ Z / \hat{I}^3 . European Physical Journal C, 2018, 78, 163.	3.9	7
331	Search for dijet resonances in events with an isolated charged lepton using $\$$ sqrt $\{s\}$ $\$$ = 13 TeV proton-proton collision data collected by the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	7
332	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using \$\$sqrt{s} = 13hbox { TeV}\$\$ protonâ€"proton collision data. European Physical Journal C, 2021, 81, 1.	3.9	7
333	Configuration and performance of the ATLAS b-jet triggers in Run 2. European Physical Journal C, 2021, 81, 1.	3.9	7
334	Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at $\$$ qrt $\{s\}=13$ \$ÂTeV with the ATLAS detector. European Physical Journal C, 2022, 82, .	3.9	7
335	Whate+eâ^collider could make a "no-lose" search for minimal supersymmetric standard model Higgs bosons?. Physical Review D, 1993, 47, 3041-3044.	4.7	6
336	Associated Higgs boson production with a vector boson pair at hadronic supercolliders. Physical Review D, 1994, 49, 6224-6227.	4.7	6
337	Signature of the intermediate mass Higgs boson at the CERN LHC with flavor tagging. Physical Review D, 1995, 51, 6114-6124.	4.7	6
338	Vâ^'A constraint on a product of R-parity violating couplings. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1998, 427, 73-76.	4.1	6
339	Probing the radion-Higgs mixing at hadronic colliders. Physical Review D, 2004, 69, .	4.7	6
340	Constraints on string resonance amplitudes. Physical Review D, 2005, 72, .	4.7	6
341	COMMENTS ON SUSY INFLATION MODELS ON THE BRANE. Modern Physics Letters A, 2010, 25, 2105-2110.	1.2	6
342	VARIOUS MODELS MIMICKING THE SM HIGGS BOSON. International Journal of Modern Physics A, 2012, 27, 1230030.	1.5	6

#	Article	IF	Citations
343	Diphoton rate of the standard-model-like Higgs boson in the extraU(1)extended MSSM. Physical Review D, 2013, 87, .	4.7	6
344	A testable radiative neutrino mass model with multi-charged particles. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 774, 446-450.	4.1	6
345	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 and 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	6
346	Measurement of ZZ production in the â, "â, " \hat{l} / \hat{l} / \hat{l} final state with the ATLAS detector in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	6
347	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at $$$ sqrt ${s}$ $$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	6
348	Time-delayed electrons from neutral currents at the LHC. Journal of High Energy Physics, 2021, 2021, 1.	4.7	6
349	Performance of the ATLAS Level-1 topological trigger in RunÂ2. European Physical Journal C, 2022, 82, 1.	3.9	6
350	Muon-proton colliders: Leptoquarks, contact interactions and extra dimensions. AIP Conference Proceedings, 2000, , .	0.4	5
351	Neutrino mass patterns, WMAP, and neutrinoless double betaÂdecay. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2003, 562, 97-103.	4.1	5
352	Cosmic positron and antiproton constraints on the gauge-Higgs dark matter. Journal of Cosmology and Astroparticle Physics, 2010, 2010, 023-023.	5.4	5
353	TOP WINDOW FOR DARK MATTER. International Journal of Modern Physics D, 2011, 20, 1413-1421.	2.1	5
354	Lepton-Flavor-violating <mml:math display="inline" xmlns:mml="http://www.w3.org/1998/Math/MathML"> <mml:msup> <mml:mi>Z</mml:mi> <mml:mo>′ </mml:mo> </mml:msup> </mml:math> using the electron-muon channel at the LHC. Physical Review D, 2016, 94, .	4.7	5
355	Vector boson fusion versus gluon fusion. Physical Review D, 2017, 96, .	4.7	5
356	Constraining CP-violating electron-gluonic operators. Journal of High Energy Physics, 2019, 2019, 1.	4.7	5
357	Measurement of long-range two-particle azimuthal correlations in Z-boson tagged pp collisions at $\$$ sqrt $\{s\}$ =8 $\$$ and 13ÂTeV. European Physical Journal C, 2020, 80, 1.	3.9	5
358	A search for the decays of stopped long-lived particles at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 1.	4.7	5
359	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. European Physical Journal C, 2021, 81, 1.	3.9	5
360	Measurement of the inclusive isolated-photon cross section in pp collisions at $\$\$ $ sqrt $\{s\}$ $\$\$ = 13$ TeV using 36 fbâ^1 of ATLAS data. Journal of High Energy Physics, 2019, 2019, 1.	4.7	5

#	Article	IF	Citations
361	The ATLAS inner detector trigger performance in pp collisions at 13ÂTeV during LHC Run 2. European Physical Journal C, 2022, 82, 1.	3.9	5
362	Beauty quark fragmentation into strange B mesons. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1994, 337, 181-184.	4.1	4
363	SUPERNATURAL A-TERM INFLATION. Modern Physics Letters A, 2010, 25, 1425-1429.	1.2	4
364	RIGHT-HANDED SNEUTRINO CURVATON AND NON-GAUSSIANITY. Modern Physics Letters A, 2010, 25, 2231-2239.	1.2	4
365	display="inline"> <mml:msup><mml:mi>Z</mml:mi><mml:mo>′</mml:mo></mml:msup> boson at hadronic colliders: <mml:math display="inline" xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mi>p</mml:mi>c/mml:mi>c/mml:mi>c/mml:mi>c/mml:mo><!--</td--><td>14.7 nover V<td>4 i><mml:msu< td=""></mml:msu<></td></td></mml:math>	14.7 nover V <td>4 i><mml:msu< td=""></mml:msu<></td>	4 i> <mml:msu< td=""></mml:msu<>
366	Physical Review D, 2011, 84, Search for excited electrons singly produced in proton–proton collisions at \$\$sqrt{s} ~=~13~ext {Te}ext {V}\$\$ with the ATLAS experiment at the LHC. European Physical Journal C, 2019, 79,.	3.9	4
367	Search for direct production of electroweakinos in final states with missing transverse momentum and a Higgs boson decaying into photons in pp collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	4
368	Measurement of hadronic event shapes in high-pT multijet final states at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
369	Search for top squarks in events with a Higgs or Z boson using $139 \text{Åfb} \$ of pp collision data at \$\$ \\$13\$\$ ATeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	4
370	Measurement of K_S^0 and L ambda 0 production in $t = 1$ dileptonic events in pp collisions at $s = 1$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	4
371	Measurement of the energy response of the ATLASÂcalorimeter to chargedÂpions from \$\$W^{pm }ightarrow au ^{pm }(ightarrow pi ^{pm }u _{au }\s events in RunÂ2 data. European Physical Journal C, 2022, 82, 1.	3.9	4
372	Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
373	Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV using displaced vertices in the ATLAS inner detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
374	Effects of anomalous couplings of quarks on prompt photon production. Physical Review D, 1997, 55, 2724-2727.	4.7	3
375	Physics potential of a Tevatron tripler. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2000, 478, 224-230.	4.1	3
376	The light pseudoscalar Higgs boson in NMSSM. AIP Conference Proceedings, 2007, , .	0.4	3
377	Longitudinal weak gauge bosons scattering in hiddenZ′models. Physical Review D, 2010, 81, .	4.7	3
378	Dark matter with multiannihilation channels and the AMS-02 positron excess and antiproton data. Physical Review D, 2016, 93, .	4.7	3

#	Article	IF	Citations
379	Generalized one-loop neutrino mass model with charged particles. Physical Review D, 2018, 97, .	4.7	3
380	Measurement of distributions sensitive to the underlying event in inclusive Z boson production in pp collisions at $\$\$qrt\{s\}$ = 13 TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	3
381	Measurements of inclusive and differential cross-sections of combined $\$ toverline{t}gamma $\$ and $t\hat{W}^3$ production in the $e^{\hat{l}}$ 4 channel at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	3
382	Measurement of isolated-photon plus two-jet production in pp collisions at $\$\$ $ sqrt $\{s\}$ $\$\$ = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	3
383	Exotic Higgs decays into displaced jets at the LHeC. Journal of High Energy Physics, 2021, 2021, 1.	4.7	3
384	Measurement of single top-quark production in association with a W boson in the single-lepton channel at $\$$ sqrt $\{s\} = 8$,ext $\{TeV\}$ \$\$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	3
385	Measurement of b-quark fragmentation properties in jets using the decay $B\hat{A}\pm\hat{a}\uparrow$ J/ $\hat{l}^*K\hat{A}\pm\hat{l}$ in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	3
386	Impact on supersymmetry-breaking models of theR-parity violating squark interpretation of the DESY HERA anomaly. Physical Review D, 1998, 58, .	4.7	2
387	Probing the radion-Higgs mixing at photon colliders. Physical Review D, 2005, 72, .	4.7	2
388	Large non-Gaussianity generated after D-term inflation by right-handed sneutrino curvaton. Journal of Cosmology and Astroparticle Physics, 2009, 2009, 006-006.	5.4	2
389	Higgs data constraints on the minimal supersymmetric standard model. Physical Review D, 2015, 92, .	4.7	2
390	Radiative decays of a singlet scalar boson through vectorlike quarks. Physical Review D, 2017, 96, .	4.7	2
391	Measuring properties of a heavy Higgs boson in the Hâ†'ZZâ†'4â,," decay. Journal of High Energy Physics, 2017, 2017, 1.	4.7	2
392	Phenomenology of a little Higgs pseudoaxion. Physical Review D, 2018, 98, .	4.7	2
393	Simplest little Higgs model revisited: Hidden mass relation, unitarity, and naturalness. Physical Review D, 2018, 97, .	4.7	2
394	Search for exotic decays of the Higgs boson into b\$\$ overline{b} \$\$ and missing transverse momentum in pp collisions at \$\$ $f = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2022, 2022, 1.	4.7	2
395	Measurement of the energy asymmetry in $f(x)$ production at $f(x)$ production at $f(x)$ with the ATLAS experiment and interpretation in the SMEFT framework. European Physical Journal C, 2022, 82, .	3.9	2
396	Strange-bottom meson production atpp \hat{A}^- colliders. Physical Review D, 1996, 53, 1242-1246.	4.7	1

#	Article	IF	Citations
397	Muon-proton colliders: Leptoquarks and contact interactions. AIP Conference Proceedings, 1998, , .	0.4	1
398	BelleJ/l^+l·canomaly and a very light scalar boson. Physical Review D, 2004, 69, .	4.7	1
399	The high-energy galactic tau neutrino flux andÂitsÂatmosphericÂbackground. European Physical Journal C, 2004, 33, s959-s961.	3.9	1
400	Spectra, triple, and quartic gauge couplings in a Higgsless model. Physical Review D, 2007, 76, .	4.7	1
401	PHENOMENOLOGY OF UNPARTICLE PHYSICS. International Journal of Modern Physics A, 2009, 24, 3508-3514.	1.5	1
402	Global study of electron–quark unparticle interactions. European Physical Journal C, 2011, 71, 1.	3.9	1
403	Distinguish models mimicking the SM Higgs. Frontiers of Physics, 2013, 8, 285-293.	5.0	1
404	Using the Higgs boson to probe the littlest Higgs model with Tparity through ZHWH production at the LHC. Physical Review D, 2013, 87, .	4.7	1
405	Global Constraints of the Simplest Darkon Model. Nuclear Physics, Section B, Proceedings Supplements, 2014, 246-247, 116-126.	0.4	1
406	Entangling Higgs production associated with a single top and a top-quark pair in the presence of anomalous top-Yukawa coupling. Journal of High Energy Physics, 2017, 2017, 1.	4.7	1
407	Measuring properties of a Heavy Higgs boson in the \$\$ Ho toverline $\{t\}$ 0 b $\{W\}^{+}$ overline $\{b\}\{W\}^{-}$ \$\$ decay. Journal of High Energy Physics, 2018, 2018, 1.	4.7	1
408	Vector-like quark interpretation of excess in Higgs signal strength. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 798, 134983.	4.1	1
409	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fba^1 of ($sqrt{s}=13$) TeV pp collisions with the ATLAS detector., 2018, 2018, 1.		1
410	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton–proton collisions at (sqrt{s}=13,ext {TeV}). , 2018, 78, 1.		1
411	MINI-REVIEW ON COLLIDER SIGNATURES FOR EXTRA DIMENSIONS. , 2000, , .		1
412	Electroweak symmetry breaking at photon colliders. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1995, 355, 57-62.	1.6	0
413	Quarkonium Production at ZO and in i'(1S) Decay. International Journal of Modern Physics A, 1997, 12, 3931-3940.	1.5	0
414	Monte Carlo study of the rare decayB→Xsl+lâ^'. Physical Review D, 1999, 59, .	4.7	0

#	Article	IF	CITATIONS
415	Collider phenomenology of light strange-beauty squarks. Physical Review D, 2004, 70, .	4.7	O
416	Neutral pionlike resonances at photon colliders. Physical Review D, 2005, 71, .	4.7	0
417	Various Models Mimicking the SM Higgs. Nuclear Physics, Section B, Proceedings Supplements, 2014, 246-247, 127-134.	0.4	O
418	Interpreting the 3 TeV WH resonance as a W′ boson. Journal of High Energy Physics, 2017, 2017, 1.	4.7	0
419	CP violating mode of the stoponium decay into Zh. Journal of High Energy Physics, 2018, 2018, 1.	4.7	O
420	Higgs Inflation with four-form couplings. Journal of Physics G: Nuclear and Particle Physics, 2021, 48, 055001.	3.6	0
421	COULD A SLEPTON BE THE ZEE BOSON?. , 2000, , .		O
422	EMBED ZEE NEUTRINO MASS MODEL INTO SUSY., 2001,,.		0
423	GALACTIC HIGH-ENERGY COSMIC-RAY TAU NEUTRINO FLUX. , 2002, , .		0
424	COMPARISON OF HIGH-ENERGY GALACTIC AND ATMOSPHERIC TAU NEUTRINO FLUX. , 2003, , .		0