

Osamu Inaba

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8224454/publications.pdf>

Version: 2024-02-01

30
papers

237
citations

933447

10
h-index

1125743

13
g-index

33
all docs

33
docs citations

33
times ranked

312
citing authors

#	ARTICLE	IF	CITATIONS
1	Phrenic Nerve Injury During Cryoballoon-Based Pulmonary Vein Isolation: Results of the Worldwide YETI Registry. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2022, 15, CIRCEP121010516.	4.8	39
2	The Sequential Organ Failure Assessment (SOFA) score predicts mortality and neurological outcome in patients with post-cardiac arrest syndrome. <i>Journal of Cardiology</i> , 2020, 76, 295-302.	1.9	20
3	Time-to-effect guided pulmonary vein isolation utilizing the third-generation versus second generation cryoballoon: One year clinical success. <i>Cardiology Journal</i> , 2019, 26, 368-374.	1.2	16
4	Factors and values at admission that predict a fulminant course of acute myocarditis: data from Tokyo CCU network database. <i>Heart and Vessels</i> , 2017, 32, 952-959.	1.2	15
5	Characteristics of the nonpulmonary vein foci induced after second-generation cryoballoon ablation for paroxysmal atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2020, 31, 174-184.	1.7	14
6	The impact of left atrium size on selection of the pulmonary vein isolation method for atrial fibrillation: Cryoballoon or radiofrequency catheter ablation. <i>American Heart Journal</i> , 2021, 231, 82-92.	2.7	14
7	Presence of non-pulmonary vein foci in patients with atrial fibrillation undergoing standard ablation of pulmonary vein isolation: Clinical characteristics and long-term ablation outcome. <i>IJC Heart and Vasculature</i> , 2021, 32, 100717.	1.1	14
8	Differences in the electrophysiological findings of repeat ablation between patients who first underwent cryoballoon ablation and radiofrequency catheter ablation for paroxysmal atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2019, 30, 1792-1800.	1.7	13
9	Alcohol Consumption Reduction and Clinical Outcomes of Catheter Ablation for Atrial Fibrillation. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2021, 14, e009770.	4.8	12
10	Pulmonary vein isolation plus left atrial posterior wall isolation and additional nonpulmonary vein trigger ablation using high-dose isoproterenol for long-standing persistent atrial fibrillation. <i>Journal of Arrhythmia</i> , 2019, 35, 215-222.	1.2	11
11	Impact of impedance decrease during radiofrequency current application for atrial fibrillation ablation on myocardial lesion and gap formation. <i>Journal of Arrhythmia</i> , 2018, 34, 247-253.	1.2	8
12	Cryoballoon versus radiofrequency ablation for paroxysmal atrial fibrillation in hemodialysis patients. <i>Heart and Vessels</i> , 2020, 35, 1709-1716.	1.2	8
13	Predictors of non-pulmonary vein foci in paroxysmal atrial fibrillation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2021, 61, 71-78.	1.3	8
14	Radiofrequency or cryoballoon ablation for index pulmonary vein isolation: What is the impact on long-term clinical outcomes after repeat ablation?. <i>Journal of Cardiovascular Electrophysiology</i> , 2020, 31, 1068-1074.	1.7	7
15	Association between the locations of non-pulmonary vein triggers and ablation outcomes in repeat procedures after cryoballoon ablation of paroxysmal atrial fibrillation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2021, 62, 381-389.	1.3	6
16	One-year outcomes after pulmonary vein isolation plus posterior wall isolation and additional non-pulmonary vein trigger ablation for persistent atrial fibrillation with or without contact force sensing: a propensity score-matched comparison. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2020, 59, 585-593.	1.3	5
17	Comparison of dragging ablation and point-by-point ablation with a laser balloon on linear lesion formation. <i>Journal of Cardiovascular Electrophysiology</i> , 2020, 31, 2848-2856.	1.7	5
18	Impact of diagnosis-to-ablation time on non-pulmonary vein triggers and ablation outcomes in persistent atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2021, 32, 1251-1258.	1.7	4

#	ARTICLE	IF	CITATIONS
19	Effect of isolation feasibility of non-pulmonary vein foci on efficacy of ablation for atrial fibrillation: comparison of the isolation and focal ablation methods. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2022, 65, 441-451.	1.3	4
20	Coexistence of a permanent form of a junctional reciprocating tachycardia and coronary sinus aneurysm: A case report. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2017, 40, 1318-1321.	1.2	2
21	Verapamil-sensitive atrial tachycardia with a slow conduction zone near the noncoronary aortic sinus and His bundle. <i>Clinical Case Reports (discontinued)</i> , 2017, 5, 1623-1627.	0.5	2
22	Clinical and electrophysiological features of respiratory cycle-dependent atrial tachycardia: An analysis of three cases. <i>HeartRhythm Case Reports</i> , 2018, 4, 18-21.	0.4	2
23	Identification of an epicardial slow conduction channel using ripple mapping in ablation of postinfarct ventricular tachycardia. <i>Journal of Cardiovascular Electrophysiology</i> , 2019, 30, 1156-1158.	1.7	2
24	Persistent diarrhea following catheter ablation for atrial fibrillation: A lesser-known complication of left atrial ablation procedures. <i>HeartRhythm Case Reports</i> , 2021, 7, 633-636.	0.4	2
25	A new mapping method to estimate exit sites of ventricular arrhythmias using intracardiac echocardiography and M-mode for catheter ablation. <i>Journal of Arrhythmia</i> , 2017, 33, 440-446.	1.2	1
26	Catheter ablation for atrial fibrillation in patients with congestive heart failure. <i>International Journal of Cardiology</i> , 2021, 333, 98-104.	1.7	1
27	Optimal single procedure strategy of pulmonary vein isolation with cryoballoon or radiofrequency and non-pulmonary vein triggers ablation for non-paroxysmal atrial fibrillation. <i>IJC Heart and Vasculature</i> , 2022, 40, 101021.	1.1	1
28	The impact of lesion complexity on predicting mortality of coronary artery disease patients after out-of-hospital cardiac arrest. <i>Internal and Emergency Medicine</i> , 2022, , 1.	2.0	1
29	Features Suggesting Preferential Conduction in Pulmonary Artery Ventricular Arrhythmia for Identification of Successful Ablation Sites. <i>International Heart Journal</i> , 2021, 62, 771-778.	1.0	0
30	Novel lead anchor technique using an active fixation quadripolar left ventricular lead in cardiac resynchronization therapy. <i>Clinical Case Reports (discontinued)</i> , 2022, 10, e05332.	0.5	0