

Laurence Ar Moore

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8226144/publications.pdf>

Version: 2024-02-01

158
papers

13,156
citations

61687

45
h-index

30277

107
g-index

167
all docs

167
docs citations

167
times ranked

18338
citing authors

#	ARTICLE	IF	CITATIONS
1	Effectiveness of the Strengthening Families Programme in the UK at preventing substance misuse in 10-14 year-olds: a pragmatic randomised controlled trial. <i>BMJ Open</i> , 2022, 12, e049647.	0.8	2
2	A Transdisciplinary Complex Adaptive Systems (T-CAS) Approach to Developing a National School-Based Culture of Prevention for Health Improvement: the School Health Research Network (SHRN) in Wales. <i>Prevention Science</i> , 2021, 22, 50-61.	1.5	26
3	Regression Discontinuity Designs in Health. <i>Epidemiology</i> , 2021, 32, 87-93.	1.2	25
4	Peer-to-Peer Sharing of Social Media Messages on Sexual Health in a School-Based Intervention: Opportunities and Challenges Identified in the STASH Feasibility Trial. <i>Journal of Medical Internet Research</i> , 2021, 23, e20898.	2.1	15
5	Social Network Research contribution to evaluating process in a feasibility study of a peer-led and school-based sexual health intervention. <i>Scientific Reports</i> , 2021, 11, 12244.	1.6	2
6	Feasibility study of peer-led and school-based social network Intervention (STASH) to promote adolescent sexual health. <i>Pilot and Feasibility Studies</i> , 2021, 7, 125.	0.5	8
7	Framework for the development and evaluation of complex interventions: gap analysis, workshop and consultation-informed update. <i>Health Technology Assessment</i> , 2021, 25, 1-132.	1.3	184
8	A new framework for developing and evaluating complex interventions: update of Medical Research Council guidance. <i>BMJ</i> , The, 2021, 374, n2061.	3.0	1,567
9	Have e-cigarettes renormalised or displaced youth smoking? Results of a segmented regression analysis of repeated cross sectional survey data in England, Scotland and Wales. <i>Tobacco Control</i> , 2020, 29, tobaccocontrol-2018-054584.	1.8	34
10	Diffusion of effects of the ASSIST school-based smoking prevention intervention to non-participating family members: a secondary analysis of a randomized controlled trial. <i>Addiction</i> , 2020, 115, 986-991.	1.7	4
11	MECHANISMS Study: Using Game Theory to Assess the Effects of Social Norms and Social Networks on Adolescent Smoking in Schools Study Protocol. <i>Frontiers in Public Health</i> , 2020, 8, 377.	1.3	11
12	Mental health disorders and adolescent peer relationships. <i>Social Science and Medicine</i> , 2020, 253, 112973.	1.8	22
13	An app-, web- and social support-based weight loss intervention for adults with obesity: the HelpMeDolt! feasibility RCT. <i>Public Health Research</i> , 2020, 8, 1-270.	0.5	8
14	A peer-led intervention to promote sexual health in secondary schools: the STASH feasibility study. <i>Public Health Research</i> , 2020, 8, 1-152.	0.5	7
15	Accelerometry-assessed sleep duration and timing in late childhood and adolescence in Scottish schoolchildren: A feasibility study. <i>PLoS ONE</i> , 2020, 15, e0242080.	1.1	2
16	A physical activity, nutrition and oral health intervention in nursery settings: process evaluation of the NAP SACC UK feasibility cluster RCT. <i>BMC Public Health</i> , 2019, 19, 865.	1.2	19
17	The relative importance of perceived substance misuse use by different peers on smoking, alcohol and illicit drug use in adolescence. <i>Drug and Alcohol Dependence</i> , 2019, 204, 107464.	1.6	4
18	Implementation of a peer-led school based smoking prevention programme: a mixed methods process evaluation. <i>BMC Public Health</i> , 2019, 19, 742.	1.2	21

#	ARTICLE	IF	CITATIONS
19	Longitudinal Social Network Analysis of Peer, Family, and School Contextual Influences on Adolescent Drinking Frequency. <i>Journal of Adolescent Health</i> , 2019, 65, 350-358.	1.2	18
20	When and how do "effective" interventions need to be adapted and/or re-evaluated in new contexts? The need for guidance. <i>Journal of Epidemiology and Community Health</i> , 2019, 73, 481-482.	2.0	59
21	Child-care self-assessment to improve physical activity, oral health and nutrition for 2- to 4-year-olds: a feasibility cluster RCT. <i>Public Health Research</i> , 2019, 7, 1-164.	0.5	10
22	Peer-led intervention to prevent and reduce STI transmission and improve sexual health in secondary schools (STASH): protocol for a feasibility study. <i>Pilot and Feasibility Studies</i> , 2018, 4, 180.	0.5	18
23	Distribution of sexual health knowledge and attitudes in adolescent social networks: social network analysis of data from the STIs and Sexual Health feasibility study. <i>Lancet, The</i> , 2018, 392, S60.	6.3	4
24	Development of guidance for feasibility studies to decide whether and how to proceed to full-scale evaluation of complex public health interventions: a systematic review. <i>Lancet, The</i> , 2018, 392, S7.	6.3	4
25	Developing and evaluating complex interventions: updating Medical Research Council guidance to take account of new methodological and theoretical approaches. <i>Lancet, The</i> , 2018, 392, S2.	6.3	106
26	Exploratory studies to inform full-scale evaluations of complex public health interventions: the need for guidance. <i>Journal of Epidemiology and Community Health</i> , 2018, 72, 865-866.	2.0	60
27	Are randomised controlled trials positivist? Reviewing the social science and philosophy literature to assess positivist tendencies of trials of social interventions in public health and health services. <i>Trials</i> , 2018, 19, 238.	0.7	20
28	Exploratory studies to decide whether and how to proceed with full-scale evaluations of public health interventions: a systematic review of guidance. <i>Pilot and Feasibility Studies</i> , 2018, 4, 104.	0.5	150
29	A Stop Smoking in Schools Trial (ASSIST) a decade on: insights from a mixed method process evaluation. <i>Tobacco Induced Diseases</i> , 2018, 16, .	0.3	0
30	Environmental tobacco smoke exposure among infants, children and young people: now is no time to relax. <i>Archives of Disease in Childhood</i> , 2017, 102, 117-118.	1.0	12
31	Implementation of a Cooking Bus intervention to support cooking in schools in Wales, UK. <i>Health Education</i> , 2017, 117, 234-251.	0.4	5
32	The need for a complex systems model of evidence for public health. <i>Lancet, The</i> , 2017, 390, 2602-2604.	6.3	719
33	An application of Extended Normalisation Process Theory in a randomised controlled trial of a complex social intervention: Process evaluation of the Strengthening Families Programme (10-14) in Wales, UK. <i>SSM - Population Health</i> , 2017, 3, 255-265.	1.3	27
34	The effectiveness of an intervention to reduce alcohol-related violence in premises licensed for the sale and on-site consumption of alcohol: a randomized controlled trial. <i>Addiction</i> , 2017, 112, 1898-1906.	1.7	10
35	Study protocol for the "HelpMeDolt" randomised controlled feasibility trial: an app, web and social support-based weight loss intervention for adults with obesity. <i>BMJ Open</i> , 2017, 7, e017159.	0.8	65
36	Adaptation of the ASSIST peer-led smoking intervention to deliver information from the Talk to FRANK drug education website (ASSIST+FRANK): a pilot cluster-randomised controlled trial. <i>Lancet, The</i> , 2017, 390, S1.	6.3	0

#	ARTICLE	IF	CITATIONS
37	Development of a framework for the co-production and prototyping of public health interventions. BMC Public Health, 2017, 17, 689.	1.2	156
38	Adapting the ASSIST model of informal peer-led intervention delivery to the Talk to FRANK drug prevention programme in UK secondary schools (ASSIST+FRANK): intervention development, refinement and a pilot cluster randomised controlled trial. Public Health Research, 2017, 5, 1-98.	0.5	10
39	Process evaluation of an environmental health risk audit and action plan intervention to reduce alcohol related violence in licensed premises. BMC Public Health, 2016, 16, 455.	1.2	3
40	A rank based social norms model of how people judge their levels of drunkenness whilst intoxicated. BMC Public Health, 2016, 16, 798.	1.2	11
41	NAP SACC UK: protocol for a feasibility cluster randomised controlled trial in nurseries and at home to increase physical activity and healthy eating in children aged 2-4 years. BMJ Open, 2016, 6, e010622.	0.8	20
42	Parents' and staff's views of adapting the Nutrition and Physical Activity Self-Assessment for Childcare in UK nurseries to improve physical activity and healthy eating. Lancet, The, 2016, 388, S27.	6.3	1
43	Association between breakfast consumption and educational outcomes in 9-11-year-old children. Public Health Nutrition, 2016, 19, 1575-1582.	1.1	31
44	Exploratory trial of a school-based alcohol prevention intervention with a family component. Health Education, 2016, 116, 410-431.	0.4	2
45	Changes from 1986 to 2006 in reasons for liking leisure time physical activity among adolescents. Scandinavian Journal of Medicine and Science in Sports, 2016, 26, 951-959.	1.3	6
46	"Breakfast: how important is it really?" A response. Public Health Nutrition, 2016, 19, 1720-1721.	1.1	1
47	E-cigarette use and intentions to smoke among 10-11-year-old never-smokers in Wales. Tobacco Control, 2016, 25, 147-152.	1.8	42
48	Identifying Well-Connected Opinion Leaders for Informal Health Promotion: The Example of the ASSIST Smoking Prevention Program. Health Communication, 2016, 31, 946-953.	1.8	14
49	Challenges, solutions and future directions in the evaluation of service innovations in health care and public health. Health Services and Delivery Research, 2016, 4, 1-136.	1.4	83
50	Teeth Tales: a community-based child oral health promotion trial with migrant families in Australia. BMJ Open, 2015, 5, e007321-e007321.	0.8	30
51	Exploring child dental service use among migrant families in metropolitan Melbourne, Australia. Australian Dental Journal, 2015, 60, 200-204.	0.6	9
52	A cross-sectional observational study of the nutritional intake of UK primary school children from deprived and non-deprived backgrounds: implications for school breakfast schemes. International Journal of Behavioral Nutrition and Physical Activity, 2015, 12, 86.	2.0	4
53	Process evaluation of complex interventions: Medical Research Council guidance. BMJ, The, 2015, 350, h1258-h1258.	3.0	3,602
54	Supporting the needs of public health decision-makers and review authors in the UK. Journal of Public Health, 2015, 37, 172-174.	1.0	6

#	ARTICLE	IF	CITATIONS
55	Prevalence of smoking restrictions and child exposure to secondhand smoke in cars and homes: a repeated cross-sectional survey of children aged 10-11 years in Wales. <i>BMJ Open</i> , 2015, 5, e006914-e006914.	0.8	31
56	Electronic-cigarette use among young people in Wales: evidence from two cross-sectional surveys. <i>BMJ Open</i> , 2015, 5, e007072-e007072.	0.8	62
57	All-Wales Licensed Premises Intervention (AWLPI): a randomised controlled trial of an intervention to reduce alcohol-related violence. <i>Public Health Research</i> , 2015, 3, 1-152.	0.5	1
58	Preventing alcohol misuse in young people: an exploratory cluster randomised controlled trial of the Kids, Adults Together (KAT) programme. <i>Public Health Research</i> , 2015, 3, 1-188.	0.5	10
59	Understanding evidence: a statewide survey to explore evidence-informed public health decision-making in a local government setting. <i>Implementation Science</i> , 2014, 9, 188.	2.5	50
60	Psychosocial mediators of change in physical activity in the Welsh national exercise referral scheme: secondary analysis of a randomised controlled trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2014, 11, 109.	2.0	29
61	Process evaluation in complex public health intervention studies: the need for guidance. <i>Journal of Epidemiology and Community Health</i> , 2014, 68, 101-102.	2.0	228
62	Cultural adaptation and intervention integrity: a response to Skarstrand, Sundell and Andreasson. <i>European Journal of Public Health</i> , 2014, 24, 354-355.	0.1	15
63	Impacts of the Primary School Free Breakfast Initiative on socio-economic inequalities in breakfast consumption among 11-year-old schoolchildren in Wales. <i>Public Health Nutrition</i> , 2014, 17, 1280-1289.	1.1	41
64	An exploratory trial implementing a community-based child oral health promotion intervention for Australian families from refugee and migrant backgrounds: a protocol paper for Teeth Tales. <i>BMJ Open</i> , 2014, 4, e004260.	0.8	15
65	Use of data linkage to measure the population health effect of non-health-care interventions. <i>Lancet, The</i> , 2014, 383, 1517-1519.	6.3	54
66	All-Wales licensed premises intervention (AWLPI): a randomised controlled trial to reduce alcohol-related violence. <i>BMC Public Health</i> , 2014, 14, 21.	1.2	8
67	Preventing substance misuse: study protocol for a randomised controlled trial of the Strengthening Families Programme 10-14 UK (SFP 10-14 UK). <i>BMC Public Health</i> , 2014, 14, 49.	1.2	12
68	Methodological development of an exploratory randomised controlled trial of an early years' nutrition intervention: the CHERRY programme (Childhood Hoosing Healthy) <i>Tj ETQq0,0,0 rgBT /Overlock 1</i> 280-294.	1.4	11
69	Improving the usefulness and practice of evidence synthesis: views and experiences of public health decision makers and review authors in the UK. <i>Lancet, The</i> , 2014, 384, S81.	6.3	0
70	Why schools should promote students' health and wellbeing. <i>BMJ, The</i> , 2014, 348, g3078.	3.0	103
71	An exploratory cluster randomised trial of a university halls of residence based social norms marketing campaign to reduce alcohol consumption among 1st year students. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2013, 8, 15.	1.0	14
72	An exploratory randomised controlled trial of a public health nutrition intervention delivered in children's centres in Islington and Cornwall. <i>Lancet, The</i> , 2013, 382, S100.	6.3	1

#	ARTICLE	IF	CITATIONS
73	Knowledge translation strategies to improve the use of evidence in public health decision making in local government: intervention design and implementation plan. <i>Implementation Science</i> , 2013, 8, 121.	2.5	104
74	Exploring subgroup effects by socioeconomic position of three effective school-based dietary interventions: the European TEENAGE project. <i>International Journal of Public Health</i> , 2013, 59, 493-502.	1.0	9
75	Methods don't make assumptions, researchers do: A response to Marchal etÂal.. <i>Social Science and Medicine</i> , 2013, 94, 81-82.	1.8	26
76	A systematic review of the relationships between family functioning, pubertal timing and adolescent substance use. <i>Addiction</i> , 2013, 108, 487-496.	1.7	88
77	The effects of the school environment on student health: A systematic review of multi-level studies. <i>Health and Place</i> , 2013, 21, 180-191.	1.5	109
78	Training practitioners to deliver opportunistic multiple behaviour change counselling in primary care: a cluster randomised trial. <i>BMJ, The</i> , 2013, 346, f1191-f1191.	3.0	106
79	A socio-ecological perspective on behavioural interventions to influence food choice in schools: alternative, complementary or synergistic?. <i>Public Health Nutrition</i> , 2013, 16, 1000-1005.	1.1	55
80	The effects on student health of interventions modifying the school environment: systematic review. <i>Journal of Epidemiology and Community Health</i> , 2013, 67, 677-681.	2.0	52
81	Cost-effectiveness of a national exercise referral programme for primary care patients in Wales: results of a randomised controlled trial. <i>BMC Public Health</i> , 2013, 13, 1021.	1.2	41
82	Mixed-method process evaluation of the Welsh National Exercise Referral Scheme. <i>Health Education</i> , 2013, 113, 476-501.	0.4	46
83	Reducing Smoking in Adolescents: Cost-Effectiveness Results From the Cluster Randomized ASSIST (A) Tj ETQq1 1 0,784314 rgBT /Over 1,4 42	1.4	42
84	The effectiveness of school-based smoking prevention interventions among low- and high-SES European teenagers. <i>Health Education Research</i> , 2012, 27, 459-469.	1.0	28
85	Socioeconomic inequalities in childhood exposure to secondhand smoke before and after smoke-free legislation in three UK countries. <i>Journal of Public Health</i> , 2012, 34, 599-608.	1.0	71
86	An evaluation of the effectiveness and cost effectiveness of the National Exercise Referral Scheme in Wales, UK: a randomised controlled trial of a public health policy initiative. <i>Journal of Epidemiology and Community Health</i> , 2012, 66, 745-753.	2.0	123
87	Integration of Motivational Interviewing into Practice in the National Exercise Referral Scheme in Wales: A Mixed Methods Study. <i>Behavioural and Cognitive Psychotherapy</i> , 2012, 40, 313-330.	0.9	21
88	A longitudinal social network analysis of peer influence, peer selection, and smoking behavior among adolescents in British schools.. <i>Health Psychology</i> , 2012, 31, 450-459.	1.3	108
89	Effectiveness of multifaceted educational programme to reduce antibiotic dispensing in primary care: practice based randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2012, 344, d8173-d8173.	2.4	239
90	An exploratory randomised controlled trial of a premises-level intervention to reduce alcohol-related harm including violence in the United Kingdom. <i>BMC Public Health</i> , 2012, 12, 412.	1.2	11

#	ARTICLE	IF	CITATIONS
91	Actor-based analysis of peer influence in A Stop Smoking In Schools Trial (ASSIST). <i>Social Networks</i> , 2012, 34, 359-369.	1.3	54
92	Realist randomised controlled trials: A new approach to evaluating complex public health interventions. <i>Social Science and Medicine</i> , 2012, 75, 2299-2306.	1.8	456
93	An exploratory cluster randomised trial of a university halls of residence based social norms intervention in Wales, UK. <i>BMC Public Health</i> , 2012, 12, 186.	1.2	12
94	Brief report: Multilevel analysis of school smoking policy and pupil smoking behaviour in Wales. <i>Journal of Adolescence</i> , 2011, 34, 385-389.	1.2	9
95	An exploratory cluster randomised controlled trial of knowledge translation strategies to support evidence-informed decision-making in local governments (The KT4LG study). <i>BMC Public Health</i> , 2011, 11, 34.	1.2	31
96	Protocol for a systematic review of the effects of schools and school-environment interventions on health: evidence mapping and syntheses. <i>BMC Public Health</i> , 2011, 11, 453.	1.2	38
97	Facilitating adherence to physical activity: exercise professionals' experiences of the National Exercise Referral Scheme in Wales. a qualitative study. <i>BMC Public Health</i> , 2011, 11, 935.	1.2	40
98	Are physical activity interventions equally effective in adolescents of low and high socio-economic status (SES): results from the European Teenage project. <i>Health Education Research</i> , 2011, 26, 119-130.	1.0	24
99	Health improvement, nutrition-related behaviour and the role of school meals: the usefulness of a socio-ecological perspective to inform policy design, implementation and evaluation. <i>Critical Public Health</i> , 2011, 21, 441-454.	1.4	17
100	Public health evaluation: which designs work, for whom and under what circumstances?. <i>Journal of Epidemiology and Community Health</i> , 2011, 65, 596-597.	2.0	23
101	Socioeconomic Patterning in Changes in Child Exposure to Secondhand Smoke After Implementation of Smoke-Free Legislation in Wales. <i>Nicotine and Tobacco Research</i> , 2011, 13, 903-910.	1.4	35
102	The more schools do to promote healthy eating, the healthier the dietary choices by students. <i>Journal of Epidemiology and Community Health</i> , 2011, 65, 889-895.	2.0	23
103	12-Month follow-up after brief interventions in primary care for family members affected by the substance misuse problem of a close relative. <i>Addiction Research and Theory</i> , 2011, 19, 362-374.	1.2	37
104	The social, physical and temporal characteristics of primary school dining halls and their implications for children's eating behaviours. <i>Health Education</i> , 2010, 110, 399-411.	0.4	20
105	A pragmatic randomised controlled trial of the Welsh National Exercise Referral Scheme: protocol for trial and integrated economic and process evaluation. <i>BMC Public Health</i> , 2010, 10, 352.	1.2	33
106	The reduction of intoxication and disorder in premises licensed to serve alcohol: An exploratory randomised controlled trial. <i>BMC Public Health</i> , 2010, 10, 607.	1.2	10
107	Preventing disease through opportunistic, rapid engagement by primary care teams using behaviour change counselling (PRE-EMPT): protocol for a general practice-based cluster randomised trial. <i>BMC Family Practice</i> , 2010, 11, 69.	2.9	20
108	Effectiveness of a cognitive behavioural workbook for changing beliefs about antipsychotic polypharmacy: analysis from a cluster randomized controlled trial. <i>Journal of Evaluation in Clinical Practice</i> , 2010, 16, 520-528.	0.9	6

#	ARTICLE	IF	CITATIONS
109	The Relative Importance of Different Measures of Peer Smoking on Adolescent Smoking Behavior: Cross-Sectional and Longitudinal Analyses of a Large British Cohort. <i>Journal of Adolescent Health</i> , 2010, 47, 58-66.	1.2	8
110	From policy to plate: Barriers to implementing healthy eating policies in primary schools in Wales. <i>Health Policy</i> , 2010, 94, 239-245.	1.4	26
111	High fidelity? How should we consider variations in the delivery of school-based health promotion interventions?. <i>Health Education Journal</i> , 2009, 68, 44-62.	0.6	26
112	Identifying influential young people to undertake effective peer-led health promotion: the example of A Stop Smoking In Schools Trial (ASSIST). <i>Health Education Research</i> , 2009, 24, 977-988.	1.0	87
113	Preventing socioeconomic inequalities in health behaviour in adolescents in Europe: Background, design and methods of project TEENAGE. <i>BMC Public Health</i> , 2009, 9, 125.	1.2	45
114	Changes in child exposure to secondhand smoke after implementation of smoke-free legislation in Wales: a repeated cross-sectional study. <i>BMC Public Health</i> , 2009, 9, 430.	1.2	64
115	Stemming the Tide of Antibiotic Resistance (STAR): A protocol for a trial of a complex intervention addressing the 'why' and 'how' of appropriate antibiotic prescribing in general practice. <i>BMC Family Practice</i> , 2009, 10, 20.	2.9	26
116	The relative efficacy of two levels of a primary care intervention for family members affected by the addiction problem of a close relative: a randomized trial. <i>Addiction</i> , 2009, 104, 49-58.	1.7	76
117	Exploratory randomised controlled trial of a mindfulness-based weight loss intervention for women. <i>Appetite</i> , 2009, 52, 396-404.	1.8	300
118	Normative and cognitive correlates of breakfast skipping in 9-11-year-old schoolchildren in Wales. <i>Appetite</i> , 2009, 53, 332-337.	1.8	16
119	Cognitive, Behavioral, and Social Factors Are Associated with Bias in Dietary Questionnaire Self-Reports by Schoolchildren Aged 9 to 11 Years. <i>Journal of the American Dietetic Association</i> , 2008, 108, 1865-1873.	1.3	24
120	An informal school-based peer-led intervention for smoking prevention in adolescence (ASSIST): a cluster randomised trial. <i>Lancet</i> , 2008, 371, 1595-1602.	6.3	477
121	Improving the reporting of public health intervention research: advancing TREND and CONSORT. <i>Journal of Public Health</i> , 2008, 30, 103-109.	1.0	138
122	The impact of school fruit tuck shops and school food policies on children's fruit consumption: a cluster randomised trial of schools in deprived areas. <i>Journal of Epidemiology and Community Health</i> , 2008, 62, 926-931.	2.0	62
123	The DEBIT trial: an intervention to reduce antipsychotic polypharmacy prescribing in adult psychiatry wards—A cluster randomized controlled trial. <i>Psychological Medicine</i> , 2008, 38, 705-715.	2.7	64
124	Evaluating the free school breakfast initiative in Wales: methodological issues. <i>British Food Journal</i> , 2007, 109, 206-215.	1.6	12
125	Associations between deprivation, attitudes towards eating breakfast and breakfast eating behaviours in 9-11-year-olds. <i>Public Health Nutrition</i> , 2007, 10, 582-589.	1.1	54
126	Getting it right: designing adolescent-centred smoking cessation services. <i>Addiction</i> , 2007, 102, 1147-1150.	1.7	18

#	ARTICLE	IF	CITATIONS
127	Free breakfasts in schools: design and conduct of a cluster randomised controlled trial of the Primary School Free Breakfast Initiative in Wales [ISRCTN18336527]. BMC Public Health, 2007, 7, 258.	1.2	31
128	Development and testing of a computerised 24-h recall questionnaire measuring fruit and snack consumption among 9-11 year olds. European Journal of Clinical Nutrition, 2005, 59, 809-816.	1.3	21
129	Rationale, design and conduct of a comprehensive evaluation of a school-based peer-led anti-smoking intervention in the UK: the ASSIST cluster randomised trial [ISRCTN55572965]. BMC Public Health, 2005, 5, 43.	1.2	35
130	Validity of self-reported height and weight and predictors of bias in adolescents. Journal of Adolescent Health, 2005, 37, 371-375.	1.2	310
131	What do other local providers think of NHS walk-in centres? Results of a postal survey. Public Health, 2005, 119, 39-44.	1.4	13
132	Sedentary behaviour, physical activity and weight problems in adolescents in Wales. Public Health, 2005, 119, 518-524.	1.4	100
133	The development and implementation of a peer-led intervention to prevent smoking among secondary school students using their established social networks. Health Education Journal, 2004, 63, 266-284.	0.6	37
134	On the feasibility of conducting randomised trials in education: case study of a sex education intervention. British Educational Research Journal, 2003, 29, 673-689.	1.4	29
135	Improving teenagers' knowledge of emergency contraception: cluster randomised controlled trial of a teacher led intervention. BMJ: British Medical Journal, 2002, 324, 1179-1179.	2.4	63
136	Neurotic symptoms, stress, or deprivation: which is most closely associated with incidence of suicide? An ecological study of English Health Authorities. Psychological Medicine, 2002, 32, 1131-1136.	2.7	5
137	Medical students' perspective on the teaching of medical statistics in the undergraduate medical curriculum. Statistics in Medicine, 2002, 21, 1003-1006.	0.8	44
138	Questionnaire survey of users of NHS walk-in centres: observational study. British Journal of General Practice, 2002, 52, 554-60.	0.7	35
139	Associations of human crystalline lens retrodots and waterclefts with visual impairment: an observational study. Investigative Ophthalmology and Visual Science, 2002, 43, 2105-9.	3.3	19
140	Planning and running fruit tuck shops in primary schools. Health Education, 2001, 101, 61-68.	0.4	8
141	School smoking policies and smoking prevalence among adolescents: multilevel analysis of cross-sectional data from Wales. Tobacco Control, 2001, 10, 117-123.	1.8	154
142	Provision of emergency contraception in general practice and confidentiality for the under 16's: Results of a postal survey by general practitioners in Avon. Journal of Family Planning and Reproductive Health Care, 2001, 27, 193-196.	0.9	7
143	Are fruit tuck shops in primary schools effective in increasing pupils' fruit consumption? A randomised controlled trial. Nutrition and Food Science, 2000, 30, 35-39.	0.4	15
144	Emergency contraception: a survey of knowledge and attitudes among PSHE co-ordinators in Avon secondary schools. Health Education Journal, 2000, 59, 329-339.	0.6	4

#	ARTICLE	IF	CITATIONS
145	Beliefs about alcohol, health locus of control, value for health and reported consumption in a representative population sample. <i>Health Education Research</i> , 1998, 13, 25-32.	1.0	15
146	Effects of the Heartbeat Wales programme over five years on behavioural risks for cardiovascular disease: quasi-experimental comparison of results from Wales and a matched reference area. <i>BMJ: British Medical Journal</i> , 1998, 316, 818-822.	2.4	92
147	Health locus of control and value for health in smokers and nonsmokers.. <i>Health Psychology</i> , 1997, 16, 179-182.	1.3	51
148	Parents and adolescent smoking. <i>Journal of the Institute of Health Education</i> , 1996, 33, 104-109.	0.1	4
149	Primary health care action to reduce child home accidents: a review. <i>Health Education Journal</i> , 1996, 55, 322-331.	0.6	5
150	Drug Use Among 15-16 Year Olds in Wales, 1990-94. <i>Drugs: Education, Prevention and Policy</i> , 1995, 2, 305-316.	0.8	24
151	Life Education Centres: an evaluation of a mobile health education resource in Wales for children. <i>Health Education Journal</i> , 1995, 54, 393-404.	0.6	3
152	Current changes in smoking attitudes and behaviours among adolescents in Wales, 1986-1992. <i>Journal of Public Health</i> , 1994, 16, 165-171.	1.0	13
153	Binge drinking: prevalence, patterns and policy. <i>Health Education Research</i> , 1994, 9, 497-505.	1.0	50
154	A survey of health promotion in Welsh primary schools, 1993. <i>Health Education Journal</i> , 1994, 53, 237-248.	0.6	9
155	Demographic characteristics and health behaviours of consenters to medical examination. Results from the Welsh Heart Health Survey.. <i>Journal of Epidemiology and Community Health</i> , 1992, 46, 455-459.	2.0	32
156	Segmentation of store choice models using stated preferences. <i>Papers in Regional Science</i> , 1990, 69, 121-131.	1.0	9
157	Modelling Store Choice: A Segmented Approach Using Stated Preference Analysis. <i>Transactions of the Institute of British Geographers</i> , 1989, 14, 461.	1.8	11
158	Research and teaching functions in undergraduate projectwork: some integrating themes. <i>Journal of Geography in Higher Education</i> , 1988, 12, 187-194.	1.4	5