

# Chunhui Li

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8227921/publications.pdf>

Version: 2024-02-01

45  
papers

1,047  
citations

516710

16  
h-index

414414

32  
g-index

45  
all docs

45  
docs citations

45  
times ranked

1017  
citing authors

#	ARTICLE	IF	CITATIONS
1	Deep-learning approach for automated thickness measurement of epithelial tissue and scab using optical coherence tomography. <i>Journal of Biomedical Optics</i> , 2022, 27, .	2.6	7
2	Ketamine inhibits TNF- $\alpha$ -induced cecal damage by enhancing RIP1 ubiquitination to attenuate lethal SIRS. <i>Cell Death Discovery</i> , 2022, 8, 72.	4.7	12
3	Multimodality Characterization of Cancer-Associated Fibroblasts in Tumor Microenvironment and Its Correlation With Ultrasound Shear Wave-Measured Tissue Stiffness in Localized Prostate Cancer. <i>Frontiers in Oncology</i> , 2022, 12, 822476.	2.8	3
4	Neuroprotective effect of ketamine against TNF- $\alpha$ -induced necroptosis in hippocampal neurons. <i>Journal of Cellular and Molecular Medicine</i> , 2021, 25, 3449-3459.	3.6	22
5	A Weighted Average Phase Velocity Inversion Model for Depth-Resolved Elasticity Evaluation in Human Skin In-Vivo. <i>IEEE Transactions on Biomedical Engineering</i> , 2021, 68, 1969-1977.	4.2	6
6	Quantitative ultrasound shear wave elastography (USWE)-measured tissue stiffness correlates with PIRADS scoring of MRI and Gleason score on whole-mount histopathology of prostate cancer: implications for ultrasound image-guided targeting approach. <i>Insights Into Imaging</i> , 2021, 12, 96.	3.4	8
7	A novel automatic 3D stitching algorithm for optical coherence tomography angiography and its application in dermatology. <i>Journal of Biophotonics</i> , 2021, 14, e202100152.	2.3	8
8	Viscoelastic properties characterisation of corneal stromal models using non-contact surface acoustic wave optical coherence elastography (SAW-OCE). <i>Journal of Biophotonics</i> , 2021, , e202100253.	2.3	1
9	Quantitative measurement of mechanical properties in wound healing processes in a corneal stroma model by using vibrational optical coherence elastography (OCE). <i>Biomedical Optics Express</i> , 2021, 12, 588.	2.9	8
10	Characterisation of Collagen Re-Modelling in Localised Prostate Cancer Using Second-Generation Harmonic Imaging and Transrectal Ultrasound Shear Wave Elastography. <i>Cancers</i> , 2021, 13, 5553.	3.7	6
11	Viscoelastic properties of a corneal stromal model measured by surface acoustic wave optical coherence elastography (SAW-OCE). , 2021, , .		0
12	Bioeffects of low-intensity continuous ultrasound (LICUS) on wound healing in corneal stromal cells in vitro. , 2021, , .		0
13	Prostate Cancer Gleason Score From Biopsy to Radical Surgery: Can Ultrasound Shear Wave Elastography and Multiparametric Magnetic Resonance Imaging Narrow the Gap?. <i>Frontiers in Oncology</i> , 2021, 11, 740724.	2.8	2
14	Optimal stimulation frequency for vibrational optical coherence elastography. <i>Journal of Biophotonics</i> , 2020, 13, e201960066.	2.3	6
15	Relaxation time constant based optical coherence elastography. <i>Journal of Biophotonics</i> , 2020, 13, e201960233.	2.3	4
16	Feasibility study of using the dispersion of surface acoustic wave impulse for viscoelasticity characterization in tissue mimicking phantoms. <i>Journal of Biophotonics</i> , 2019, 12, e201800177.	2.3	11
17	Optical sensory arrays for the detection of urinary bladder cancer-related volatile organic compounds. <i>Journal of Biophotonics</i> , 2019, 12, e201800165.	2.3	17
18	Spatial resolution in dynamic optical coherence elastography. <i>Journal of Biomedical Optics</i> , 2019, 24, 1.	2.6	34

#	ARTICLE	IF	CITATIONS
19	Optimal frequency for vibrational optical coherence elastography (OCE) on tissue mechanical properties characterization. , 2019, , .		1
20	Evaluation of human corneal ulcer healing process using optical coherence tomography: an in vitro study. , 2019, , .		1
21	Microscale characterization of prostate biopsies tissues using optical coherence elastography and second harmonic generation imaging. <i>Laboratory Investigation</i> , 2018, 98, 380-390.	3.7	18
22	Performance Characteristics of Transrectal Shear Wave Elastography Imaging in the Evaluation of Clinically Localized Prostate Cancer: A Prospective Study. <i>Journal of Urology</i> , 2018, 200, 549-558.	0.4	32
23	High-intensity-focused ultrasound and phase-sensitive optical coherence tomography for high resolution surface acoustic wave elastography. <i>Journal of Biophotonics</i> , 2018, 11, e201700051.	2.3	12
24	High Intensity Focused Ultrasound (HIFU) Combines Optical Coherence Tomography(OCT) for Biological Tissue Treatment and Evaluation. , 2018, , .		0
25	Structural characterization on in vitro porcine skin treated by ablative fractional laser using optical coherence tomography. , 2018, , .		1
26	High resolution SAW elastography for ex-vivo porcine skin specimen. , 2018, , .		1
27	Quantitative assessment of the mechanical properties of prostate tissue with optical coherence elastography. , 2018, , .		0
28	Second harmonic generation (SHG) imaging of cancer heterogeneity in ultrasound guided biopsies of prostate in men suspected with prostate cancer. <i>Journal of Biophotonics</i> , 2017, 10, 911-918.	2.3	31
29	Effects of fixation and preservation on tissue elastic properties measured by quantitative optical coherence elastography (OCE). <i>Journal of Biomechanics</i> , 2016, 49, 1009-1015.	2.1	29
30	Full skin quantitative optical coherence elastography achieved by combining vibration and surface acoustic wave methods. <i>Proceedings of SPIE</i> , 2015, , .	0.8	5
31	Optical coherence elastography (OCE) as a method for identifying benign and malignant prostate biopsies. <i>Proceedings of SPIE</i> , 2015, , .	0.8	0
32	Quantitative urinary proteomics using stable isotope labelling by peptide dimethylation in patients with prostate cancer. <i>Analytical and Bioanalytical Chemistry</i> , 2015, 407, 3393-3404.	3.7	11
33	Detection and characterisation of biopsy tissue using quantitative optical coherence elastography (OCE) in men with suspected prostate cancer. <i>Cancer Letters</i> , 2015, 357, 121-128.	7.2	59
34	Quantitative elasticity measurement of urinary bladder wall using laser-induced surface acoustic waves. <i>Biomedical Optics Express</i> , 2014, 5, 4313.	2.9	46
35	Laser induced surface acoustic wave combined with phase sensitive optical coherence tomography for superficial tissue characterization: a solution for practical application. <i>Biomedical Optics Express</i> , 2014, 5, 1403.	2.9	44
36	Frequency dependence of laser ultrasonic SAW phase velocities measurements. <i>Ultrasonics</i> , 2013, 53, 191-195.	3.9	6

#	ARTICLE	IF	CITATIONS
37	Quantitative evaluation of degenerated tendon model using combined optical coherence elastography and acoustic radiation force method. <i>Journal of Biomedical Optics</i> , 2013, 18, 111417.	2.6	39
38	Quantitative elastography provided by surface acoustic waves measured by phase-sensitive optical coherence tomography. <i>Optics Letters</i> , 2012, 37, 722.	3.3	103
39	Noncontact all-optical measurement of corneal elasticity. <i>Optics Letters</i> , 2012, 37, 1625.	3.3	106
40	Quantitative elastography of skin and skin lesion using phase-sensitive OCT (PhS-OCT) and surface wave method. , 2012, , .		2
41	Determining elastic properties of skin by measuring surface waves from an impulse mechanical stimulus using phase-sensitive optical coherence tomography. <i>Journal of the Royal Society Interface</i> , 2012, 9, 831-841.	3.4	217
42	Evaluating elastic properties of heterogeneous soft tissue by surface acoustic waves detected by phase-sensitive optical coherence tomography. <i>Journal of Biomedical Optics</i> , 2012, 17, 057002.	2.6	30
43	A comparison of laser ultrasound measurements and finite element simulations for evaluating the elastic properties of tissue mimicking phantoms. <i>Optics and Laser Technology</i> , 2012, 44, 866-871.	4.6	9
44	Mechanical characterization of tissue mimicking phantoms by broadband surface acoustic waves. , 2011, , .		0
45	Elastic properties of soft tissue-mimicking phantoms assessed by combined use of laser ultrasonics and low coherence interferometry. <i>Optics Express</i> , 2011, 19, 10153.	3.4	89