

Julio Bobes

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8228336/publications.pdf>

Version: 2024-02-01

468
papers

19,779
citations

23500

58
h-index

17055

122
g-index

537
all docs

537
docs citations

537
times ranked

19037
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Use of multiple polygenic risk scores for distinguishing schizophrenia-spectrum disorder and affective psychosis categories in a first-episode sample; the EU-GEI study. <i>Psychological Medicine</i> , 2023, 53, 3396-3405. | 2.7 | 9 |
| 2 | The impact of school-based screening on service use in adolescents at risk for mental health problems and risk-behaviour. <i>European Child and Adolescent Psychiatry</i> , 2023, 32, 1745-1754. | 2.8 | 3 |
| 3 | A replication study of JTC bias, genetic liability for psychosis and delusional ideation. <i>Psychological Medicine</i> , 2022, 52, 1777-1783. | 2.7 | 10 |
| 4 | Evidence, and replication thereof, that molecular-genetic and environmental risks for psychosis impact through an affective pathway. <i>Psychological Medicine</i> , 2022, 52, 1910-1922. | 2.7 | 14 |
| 5 | Migration history and risk of psychosis: results from the multinational EU-GEI study. <i>Psychological Medicine</i> , 2022, 52, 2972-2984. | 2.7 | 22 |
| 6 | Early Impact of the COVID-19 Outbreak on Sleep in a Large Spanish Sample. <i>Behavioral Sleep Medicine</i> , 2022, 20, 100-115. | 1.1 | 15 |
| 7 | Perceived major experiences of discrimination, ethnic group, and risk of psychosis in a six-country case-control study. <i>Psychological Medicine</i> , 2022, 52, 3668-3676. | 2.7 | 7 |
| 8 | Gender, age at onset, and duration of being ill as predictors for the long-term course and outcome of schizophrenia: an international multicenter study. <i>CNS Spectrums</i> , 2022, 27, 716-723. | 0.7 | 3 |
| 9 | Examining facial emotion recognition as an intermediate phenotype for psychosis: Findings from the EUGEI study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022, 113, 110440. | 2.5 | 10 |
| 10 | Results of the COVID-19 mental health international for the general population (COMET-G) study. <i>European Neuropsychopharmacology</i> , 2022, 54, 21-40. | 0.3 | 84 |
| 11 | A polygenic approach to the association between smoking and schizophrenia. <i>Addiction Biology</i> , 2022, 27, e13104. | 1.4 | 6 |
| 12 | Polygenic contribution to the relationship of loneliness and social isolation with schizophrenia. <i>Nature Communications</i> , 2022, 13, 51. | 5.8 | 16 |
| 13 | Childhood Maltreatment, Educational Attainment, and IQ: Findings From a Multicentric Case-control Study of First-episode Psychosis (EU-GEI). <i>Schizophrenia Bulletin</i> , 2022, 48, 575-589. | 2.3 | 9 |
| 14 | Facial Emotion Recognition in Psychosis and Associations With Polygenic Risk for Schizophrenia: Findings From the Multi-Center EU-GEI Case-control Study. <i>Schizophrenia Bulletin</i> , 2022, 48, 1104-1114. | 2.3 | 9 |
| 15 | Validation of a European Spanish adaptation of the Apathy Evaluation Scale-self-rated version (AES-S) in patients with schizophrenia. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2022, 15, 22-28. | 0.2 | 1 |
| 16 | Validation of a European Spanish-version of the Self-Evaluation of Negative Symptoms (SNS) in patients with schizophrenia. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2022, 15, 14-21. | 0.2 | 2 |
| 17 | Suicidal Ideation Trends and Associated Factors in Different Large Spanish Samples During the First Year of the COVID-19 Pandemic. <i>Journal of Clinical Psychiatry</i> , 2022, 83, . | 1.1 | 3 |
| 18 | Does COVID-19 psychological fatigue exist? Results of three online cross-sectional studies conducted in Spain from April 2020 to March 2021. <i>Journal of Global Health</i> , 2022, 12, 05001. | 1.2 | 7 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Mapping genomic loci implicates genes and synaptic biology in schizophrenia. <i>Nature</i> , 2022, 604, 502-508. | 13.7 | 929 |
| 20 | Is it possible to stage schizophrenia? A systematic review. <i>Translational Psychiatry</i> , 2022, 12, 197. | 2.4 | 3 |
| 21 | Utility and validity of the Brief Psychiatric Rating Scale (BPRS) as a transdiagnostic scale. <i>Psychiatry Research</i> , 2022, 314, 114659. | 1.7 | 12 |
| 22 | Searching for bridges between psychopathology and real-world functioning in first-episode psychosis: A network analysis from the OPTiMiSE trial. <i>European Psychiatry</i> , 2022, 65, . | 0.1 | 4 |
| 23 | The effect of different degrees of lockdown and self-identified gender on anxiety, depression and suicidality during the COVID-19 pandemic: Data from the international COMET-G study.. <i>Psychiatry Research</i> , 2022, 315, 114702. | 1.7 | 17 |
| 24 | Are older adults also at higher psychological risk from COVID-19?. <i>Aging and Mental Health</i> , 2021, 25, 1297-1304. | 1.5 | 78 |
| 25 | Daily use of high-potency cannabis is associated with more positive symptoms in first-episode psychosis patients: the EU-GEI case-control study. <i>Psychological Medicine</i> , 2021, 51, 1329-1337. | 2.7 | 38 |
| 26 | Social disadvantage, linguistic distance, ethnic minority status and first-episode psychosis: results from the EU-GEI case-control study. <i>Psychological Medicine</i> , 2021, 51, 1536-1548. | 2.7 | 58 |
| 27 | Jumping to conclusions, general intelligence, and psychosis liability: findings from the multi-centre EU-GEI case-control study. <i>Psychological Medicine</i> , 2021, 51, 623-633. | 2.7 | 34 |
| 28 | Modeling psychological function in patients with schizophrenia with the PANSS: an international multi-center study. <i>CNS Spectrums</i> , 2021, 26, 290-298. | 0.7 | 5 |
| 29 | Network structure of psychotic-like experiences in adolescents: Links with risk and protective factors. <i>Microbial Biotechnology</i> , 2021, 15, 595-605. | 0.9 | 13 |
| 30 | Difficulties in delivery and depressive symptomatology in schizophrenia. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2021, 14, 66-68. | 0.2 | 2 |
| 31 | Consumo de alcohol y factores de riesgo de conductas autolesivas en adolescentes españoles. <i>Revista De Psicología De La Salud</i> , 2021, 33, 53. | 0.2 | 4 |
| 32 | Examining the association between exposome score for schizophrenia and functioning in schizophrenia, siblings, and healthy controls: Results from the EUGEI study. <i>European Psychiatry</i> , 2021, 64, e25. | 0.1 | 18 |
| 33 | Dificultades en el parto y sintomatología depresiva en la esquizofrenia. <i>Revista De Psiquiatría Y Salud Mental</i> , 2021, 14, 66-68. | 1.0 | 5 |
| 34 | La formación del residente de Psiquiatría: Resumen de la Mesa de Debate realizada durante el XXII Congreso Nacional de Psiquiatría. España, 2019. <i>Revista De Psiquiatría Y Salud Mental</i> , 2021, 14, 74-76. | 1.0 | 0 |
| 35 | The Independent Effects of Psychosocial Stressors on Subclinical Psychosis: Findings From the Multinational EU-GEI Study. <i>Schizophrenia Bulletin</i> , 2021, 47, 1674-1684. | 2.3 | 17 |
| 36 | Duration of Untreated Psychosis in First-Episode Psychosis is not Associated With Common Genetic Variants for Major Psychiatric Conditions: Results From the Multi-Center EU-GEI Study. <i>Schizophrenia Bulletin</i> , 2021, 47, 1653-1662. | 2.3 | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Psychopathological Symptom Load and Distinguishable Cerebral Blood Flow Velocity Patterns in Patients With Schizophrenia and Healthy Controls: A Functional Transcranial Doppler Study. <i>Frontiers in Psychiatry</i> , 2021, 12, 679021. | 1.3 | 6 |
| 38 | The prevention of relapses in first episodes of schizophrenia: The 2EPs Project, background, rationale and study design. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2021, 14, 164-176. | 0.2 | 3 |
| 39 | The prevention of relapses in first episodes of schizophrenia: The 2EPs Project, background, rationale and study design. <i>Revista De Psiquiatría Y Salud Mental</i> , 2021, 14, 164-176. | 1.0 | 13 |
| 40 | Estrategias de intervención en la prevención de comportamiento suicida en pacientes con trastorno por consumo de sustancias en tiempos de COVID-19. <i>Revista De Psicología De La Salud</i> , 2021, 33, 185. | 0.2 | 1 |
| 41 | The continuity of effect of schizophrenia polygenic risk score and patterns of cannabis use on transdiagnostic symptom dimensions at first-episode psychosis: findings from the EU-GEI study. <i>Translational Psychiatry</i> , 2021, 11, 423. | 2.4 | 12 |
| 42 | Real-World Functioning in Patients With Schizophrenia: Beyond Negative and Cognitive Symptoms. <i>Frontiers in Psychiatry</i> , 2021, 12, 700747. | 1.3 | 8 |
| 43 | The relationship of symptom dimensions with premorbid adjustment and cognitive characteristics at first episode psychosis: Findings from the EU-GEI study. <i>Schizophrenia Research</i> , 2021, 236, 69-79. | 1.1 | 4 |
| 44 | Impact of previous tobacco use with or without cannabis on first psychotic experiences in patients with first-episode psychosis. <i>Schizophrenia Research</i> , 2021, 236, 19-28. | 1.1 | 5 |
| 45 | Factors associated with alcohol and tobacco consumption as a coping strategy to deal with the coronavirus disease (COVID-19) pandemic and lockdown in Spain. <i>Addictive Behaviors</i> , 2021, 121, 107003. | 1.7 | 23 |
| 46 | Excessive and pathological Internet use “ Risk-behavior or psychopathology?. <i>Addictive Behaviors</i> , 2021, 123, 107045. | 1.7 | 20 |
| 47 | Cognitive functioning throughout adulthood and illness stages in individuals with psychotic disorders and their unaffected siblings. <i>Molecular Psychiatry</i> , 2021, 26, 4529-4543. | 4.1 | 23 |
| 48 | Chronic obstructive pulmonary disease in severe mental illness: A timely diagnosis to advance the process of quitting smoking. <i>European Psychiatry</i> , 2021, 64, e22. | 0.1 | 8 |
| 49 | Spanish validation of the Empirically Developed Clinical Staging Model (EmDe-5) for patients with bipolar disorder. <i>Revista De Psiquiatría Y Salud Mental</i> , 2021, , . | 1.0 | 0 |
| 50 | Functional transcranial Doppler: Selection of methods for statistical analysis and representation of changes in flow velocity. <i>Health Science Reports</i> , 2021, 4, e400. | 0.6 | 2 |
| 51 | Funcionamiento cognitivo en pacientes con trastorno por uso de alcohol que inician tratamiento ambulatorio de deshabituación alcohólica. <i>Revista De Psicología De La Salud</i> , 2021, 33, 161. | 0.2 | 2 |
| 52 | Estudio para la determinación de medidas de resultados en salud relevantes en el trastorno por consumo de opiáceos. Análisis de Decisión Multicriterio. <i>Revista De Psicología De La Salud</i> , 2021, 33, 109. | 0.2 | 0 |
| 53 | Exploring the factor structure of the mini-ICF-APP in an inpatient clinical sample, according to the psychiatric diagnosis. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2021, 14, 186-195. | 0.2 | 0 |
| 54 | The mediating role of impulsivity in the relationship between suicidal behaviour and early traumatic experiences in depressed subjects. <i>European Psychiatry</i> , 2021, 64, S583-S583. | 0.1 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Insomnia associated with neutrophil/lymphocyte ratio in female patients with schizophrenia. <i>European Psychiatry</i> , 2021, 64, S806-S806. | 0.1 | 1 |
| 56 | Association of traumatic events in childhood, impulsivity and decision-making with previous suicide attempt and/or current suicidal ideation in adult patients with major depressive disorder. <i>European Psychiatry</i> , 2021, 64, S177-S178. | 0.1 | 0 |
| 57 | COVID-19 psychological impact in patients with depressive disorder: Differences based on their age. <i>European Psychiatry</i> , 2021, 64, S674-S675. | 0.1 | 0 |
| 58 | Factors associated with real-world functioning in first stages of schizophrenia disorder. <i>European Psychiatry</i> , 2021, 64, S805-S805. | 0.1 | 0 |
| 59 | P.0564 Active suicidal ideation one year after the beginning of COVID-19 pandemic in a large spanish sample: risk and protective factors. <i>European Neuropsychopharmacology</i> , 2021, 53, S414-S415. | 0.3 | 0 |
| 60 | P.0787 Women with schizophrenia have better communication capacity than men, but surprisingly, alogia plays no role on it. <i>European Neuropsychopharmacology</i> , 2021, 53, S575. | 0.3 | 0 |
| 61 | P.0786 Cognitive and depressive symptoms lose their impact on real world functioning in the later stages of schizophrenia in both genders. <i>European Neuropsychopharmacology</i> , 2021, 53, S574. | 0.3 | 0 |
| 62 | P.0647 Psychological impact in patients with common mental disorders after six months of COVID-19 outbreak. <i>European Neuropsychopharmacology</i> , 2021, 53, S476-S477. | 0.3 | 0 |
| 63 | P.0397 Orexin a in patients with bipolar disorder treated with lithium. <i>European Neuropsychopharmacology</i> , 2021, 53, S285-S286. | 0.3 | 0 |
| 64 | P.0776 Premorbid childhood and adolescent functioning trajectories in patients with first-episode of schizophrenia using Latent Class Growth Analysis: 2-year follow-up study. <i>European Neuropsychopharmacology</i> , 2021, 53, S566. | 0.3 | 0 |
| 65 | Spanish Validation of the MAP-SR: Two Heads Better Than One for the Assessment of Negative Symptoms of Schizophrenia. <i>Psicothema</i> , 2021, 33, 473-480. | 0.7 | 0 |
| 66 | Replicated evidence that endophenotypic expression of schizophrenia polygenic risk is greater in healthy siblings of patients compared to controls, suggesting gene-environment interaction. The EUGEL study. <i>Psychological Medicine</i> , 2020, 50, 1884-1897. | 2.7 | 28 |
| 67 | Premorbid Adjustment and IQ in Patients With First-Episode Psychosis: A Multisite Case-Control Study of Their Relationship With Cannabis Use. <i>Schizophrenia Bulletin</i> , 2020, 46, 517-529. | 2.3 | 14 |
| 68 | Life Events Predicting the First Onset of Adolescent Direct Self-Injurious Behavior—A Prospective Multicenter Study. <i>Journal of Adolescent Health</i> , 2020, 66, 195-201. | 1.2 | 31 |
| 69 | Influence of social cognition as a mediator between cognitive reserve and psychosocial functioning in patients with first episode psychosis. <i>Psychological Medicine</i> , 2020, 50, 2702-2710. | 2.7 | 31 |
| 70 | Personalized medicine begins with the phenotype: identifying antipsychotic response phenotypes in a first-episode psychosis cohort. <i>Acta Psychiatrica Scandinavica</i> , 2020, 141, 541-552. | 2.2 | 6 |
| 71 | Relevant risk factors of repeated suicidal attempts in a sample of outpatients. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2020, 13, 11-21. | 0.2 | 2 |
| 72 | Early Psychological Correlates Associated With COVID-19 in A Spanish Older Adult Sample. <i>American Journal of Geriatric Psychiatry</i> , 2020, 28, 1287-1298. | 0.6 | 30 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | A Smart Band for Automatic Supervision of Restrained Patients in a Hospital Environment. <i>Sensors</i> , 2020, 20, 5211. | 2.1 | 4 |
| 74 | Hostility and aggressive behaviour in first episode psychosis: Results from the OPTiMiSE trial. <i>Schizophrenia Research</i> , 2020, 223, 271-278. | 1.1 | 9 |
| 75 | P.247 Psychological impact of COVID-19 confinement among people with history of mental disorders (bipolar, anxiety, depression) and general population in Spain. <i>European Neuropsychopharmacology</i> , 2020, 40, S141-S142. | 0.3 | 0 |
| 76 | P.502 Impact of previous tobacco use with or without cannabis on first psychotic experiences in patients with first-episode psychosis. <i>European Neuropsychopharmacology</i> , 2020, 40, S281-S282. | 0.3 | 0 |
| 77 | P.690 Post-traumatic stress symptoms during the COVID-19 in different regions of Spain. <i>European Neuropsychopharmacology</i> , 2020, 40, S393-S394. | 0.3 | 0 |
| 78 | The Mediating Role of Impulsivity in the Relationship Between Suicidal Behavior and Early Traumatic Experiences in Depressed Subjects. <i>Frontiers in Psychiatry</i> , 2020, 11, 538172. | 1.3 | 7 |
| 79 | Suicide. The post-COVID era: A time for action. <i>Revista De Psiquiatr a Y Salud Mental (English Edition)</i> , 2020, 13, 229-231. | 0.2 | 0 |
| 80 | The King's neurologist. <i>Lancet Neurology</i> , The, 2020, 19, 977. | 4.9 | 0 |
| 81 | Suicide. The post-COVID era: A time for action. <i>Revista De Psiquiatr a Y Salud Mental</i> , 2020, 13, 229-231. | 1.0 | 1 |
| 82 | The Suicide Prevention and Intervention Study (SURVIVE): Study protocol for a multisite cohort study with nested randomized-controlled trials. <i>Revista De Psiquiatr a Y Salud Mental</i> , 2020, , . | 1.0 | 1 |
| 83 | Examining the independent and joint effects of genomic and exposomic liabilities for schizophrenia across the psychosis spectrum. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e182. | 1.8 | 36 |
| 84 | COVID-19 lockdown in people with severe mental disorders in Spain: Do they have a specific psychological reaction compared with other mental disorders and healthy controls?. <i>Schizophrenia Research</i> , 2020, 223, 192-198. | 1.1 | 64 |
| 85 | Smoking cessation improves clinical outcome in severe mental disorders and is modulated by genetic variability at CHRNA5 gene. <i>Schizophrenia Research</i> , 2020, 222, 516-519. | 1.1 | 0 |
| 86 | Early psychological impact of the 2019 coronavirus disease (COVID-19) pandemic and lockdown in a large Spanish sample. <i>Journal of Global Health</i> , 2020, 10, 020505. | 1.2 | 57 |
| 87 | Cognitive impairment and C-reactive protein in clinically stable schizophrenia outpatients: a focus on sex differences. <i>Scientific Reports</i> , 2020, 10, 15963. | 1.6 | 5 |
| 88 | Compulsory admissions of patients with mental disorders: State of the art on ethical and legislative aspects in 40 European countries. <i>European Psychiatry</i> , 2020, 63, e82. | 0.1 | 23 |
| 89 | Assessing the severity of psychiatric disorders using the Health of the Nation Outcome Scales: An equipercetile linking analysis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 1192-1199. | 1.3 | 1 |
| 90 | Real-Time Assessment of Stress and Stress Response Using Digital Phenotyping: A Study Protocol. <i>Frontiers in Digital Health</i> , 2020, 2, 544418. | 1.5 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Despedida como Editor de la RPSM. Revista De Psiquiatría Y Salud Mental, 2020, 13, 51-52. | 1.0 | 0 |
| 92 | Sex-dependent grades of haematopoietic modulation in patients with major depressive episodes are associated with suicide attempts. European Neuropsychopharmacology, 2020, 40, 17-30. | 0.3 | 10 |
| 93 | Psychiatry residency during the COVID-19 pandemic: Navigating uncharted waters. Asian Journal of Psychiatry, 2020, 53, 102214. | 0.9 | 2 |
| 94 | Influence of coping strategies on the efficacy of YAM (Youth Aware of Mental Health): a universal school-based suicide preventive program. European Child and Adolescent Psychiatry, 2020, 29, 1671-1681. | 2.8 | 17 |
| 95 | Association of cannabinoid receptor genes (CNR1 and CNR2) polymorphisms and panic disorder. Anxiety, Stress and Coping, 2020, 33, 256-265. | 1.7 | 9 |
| 96 | Neutrophil-to-lymphocyte ratio: A potential new peripheral biomarker of suicidal behavior. European Psychiatry, 2020, 63, e14. | 0.1 | 51 |
| 97 | Association study of candidate genes with obesity and metabolic traits in antipsychotic-treated patients with first-episode psychosis over a 2-year period. Journal of Psychopharmacology, 2020, 34, 514-523. | 2.0 | 12 |
| 98 | Longitudinal effects of clozapine concentration and clozapine to N-desmethylclozapine ratio on cognition: A mediation model. European Neuropsychopharmacology, 2020, 33, 158-163. | 0.3 | 9 |
| 99 | The European Network of National Schizophrenia Networks Studying Gene-Environment Interactions (EU-GEI): Incidence and First-Episode Case-Control Programme. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 645-657. | 1.6 | 41 |
| 100 | Factores predictores de riesgo de repetición de intento de suicidio en una muestra de pacientes ambulatorios. Revista De Psiquiatría Y Salud Mental, 2020, 13, 11-21. | 1.0 | 10 |
| 101 | Birth weight and antipsychotic induced weight gain: A prenatal programming approach in the PEPs study. Schizophrenia Research, 2020, 218, 292-294. | 1.1 | 6 |
| 102 | Doing Nothing is Sometimes Worse: Comparing Avoidant versus Approach Coping Strategies with Peer Victimization and Their Association to Depression and Suicide Ideation. Journal of School Violence, 2020, 19, 456-469. | 1.1 | 14 |
| 103 | Twelve-month service use, suicidality and mental health problems of European adolescents after a school-based screening for current suicidality. European Child and Adolescent Psychiatry, 2020, , 1. | 2.8 | 7 |
| 104 | Detección de ansiedad y depresión en Atención Primaria: utilidad de 2 escalas breves adaptadas a los nuevos criterios CIE-11-AP. Revista De Psiquiatría Y Salud Mental, 2020, , . | 1.0 | 2 |
| 105 | Exploring the factor structure of the mini-ICF-APP in an inpatient clinical sample, according to the psychiatric diagnosis. Revista De Psiquiatría Y Salud Mental, 2020, , . | 1.0 | 5 |
| 106 | ¿Se observarán cambios en el consumo de alcohol y tabaco durante el confinamiento por COVID-19?. Revista De Psicología De La Salud, 2020, 32, 85. | 0.2 | 65 |
| 107 | Prevalence of Passive Suicidal Ideation in the Early Stage of the Coronavirus Disease 2019 (COVID-19) Pandemic and Lockdown in a Large Spanish Sample. Journal of Clinical Psychiatry, 2020, 81, . | 1.1 | 16 |
| 108 | Validation of a European Spanish-version of the Self-Evaluation of Negative Symptoms (SNS) in patients with schizophrenia. Revista De Psiquiatría Y Salud Mental, 2020, , . | 1.0 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Validation of a European Spanish adaptation of the Apathy Evaluation Scale-self-rated version (AES-S) in patients with schizophrenia. <i>Revista De Psiquiatr a Y Salud Mental</i> , 2020, , . | 1.0 | 2 |
| 110 | Dimensional analysis of depressive, anxious and somatic symptoms presented by primary care patients and their relationship with ICD-11 PHC proposed diagnoses. <i>Psychological Medicine</i> , 2019, 49, 764-771. | 2.7 | 13 |
| 111 | Bi directional longitudinal associations between different types of bullying victimization, suicide ideation/attempts, and depression among a large sample of European adolescents. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2019, 60, 209-215. | 3.1 | 106 |
| 112 | Patient characteristics driving clinical utility in psychiatric pharmacogenetics: a reanalysis from the AB-GEN multicentric trial. <i>Journal of Neural Transmission</i> , 2019, 126, 95-99. | 1.4 | 4 |
| 113 | Phenotypic factors associated with amisulpride induced weight gain in first episode psychosis patients (from the OPT iMi SE cohort). <i>Acta Psychiatrica Scandinavica</i> , 2019, 140, 283-290. | 2.2 | 6 |
| 114 | Clinical staging in severe mental disorders: Bipolar disorder, depression and schizophrenia. <i>Revista De Psiquiatr a Y Salud Mental (English Edition)</i> , 2019, 12, 106-115. | 0.2 | 7 |
| 115 |  Readiness to Change Predicts Efficacy of Reduction among Smokers with Severe Mental Illness. <i>European Addiction Research</i> , 2019, 25, 256-262. | 1.3 | 3 |
| 116 | Pharmacological treatment of obsessive compulsive disorder in adults: A clinical practice guideline based on the ADAPTE methodology. <i>Revista De Psiquiatr a Y Salud Mental (English Edition)</i> , 2019, 12, 77-91. | 0.2 | 3 |
| 117 | Early Parental Death and Risk of Psychosis in Offspring: A Six-Country Case-Control Study. <i>Journal of Clinical Medicine</i> , 2019, 8, 1081. | 1.0 | 10 |
| 118 | Estimating Exposome Score for Schizophrenia Using Predictive Modeling Approach in Two Independent Samples: The Results From the EUGEI Study. <i>Schizophrenia Bulletin</i> , 2019, 45, 960-965. | 2.3 | 46 |
| 119 | A longitudinal examination of the interpersonal theory of suicide and effects of school based suicide prevention interventions in a multinational study of adolescents. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2019, 60, 1104-1111. | 3.1 | 31 |
| 120 | Predicting real-world functioning in outpatients with schizophrenia: Role of inflammation and psychopathology. <i>Psychiatry Research</i> , 2019, 280, 112509. | 1.7 | 19 |
| 121 | White Noise Speech Illusions: A Trait-Dependent Risk Marker for Psychotic Disorder?. <i>Frontiers in Psychiatry</i> , 2019, 10, 676. | 1.3 | 5 |
| 122 | Staging of Schizophrenia With the Use of PANSS: An International Multi-Center Study. <i>International Journal of Neuropsychopharmacology</i> , 2019, 22, 681-697. | 1.0 | 28 |
| 123 | Association of childhood trauma and genetic variability of CRH-BP and FKBP5 genes with suicidal behavior in bipolar patients. <i>Journal of Affective Disorders</i> , 2019, 255, 15-22. | 2.0 | 20 |
| 124 | Examining the independent and joint effects of molecular genetic liability and environmental exposures in schizophrenia: results from the EUGEI study. <i>World Psychiatry</i> , 2019, 18, 173-182. | 4.8 | 127 |
| 125 | Can interleukin-2 and interleukin-1  be specific biomarkers of negative symptoms in schizophrenia?. <i>Revista De Psiquiatr a Y Salud Mental (English Edition)</i> , 2019, 12, 9-16. | 0.2 | 0 |
| 126 | History of Lifetime Cannabis Use Is Associated with Better Cognition and Worse Real-World Functioning in Schizophrenia Spectrum Disorders. <i>European Addiction Research</i> , 2019, 25, 111-118. | 1.3 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | The contribution of cannabis use to variation in the incidence of psychotic disorder across Europe (EU-GEI): a multicentre case-control study. <i>Lancet Psychiatry</i> , 2019, 6, 427-436. | 3.7 | 528 |
| 128 | CIBERSAM: Ten years of collaborative translational research in mental disorders. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2019, 12, 1-8. | 0.2 | 5 |
| 129 | Emotion recognition in major depressed patients: Evidence of lack of relationship with suicidal behavior. <i>European Neuropsychopharmacology</i> , 2019, 29, S376-S377. | 0.3 | 0 |
| 130 | Los cambios estructurales de la retina, ¿nuevos biomarcadores de los trastornos mentales? Una revisión sistemática y síntesis temática de la literatura. <i>Revista De Psiquiatría Y Salud Mental</i> , 2019, 12, 116-129. | 1.0 | 9 |
| 131 | Spanish validation of the Barcelona TEMPS-A questionnaire in patients with bipolar disorder and general population. <i>Journal of Affective Disorders</i> , 2019, 249, 199-207. | 2.0 | 11 |
| 132 | Assessing the severity of functional impairment of psychiatric disorders: equipercentile linking the mini-ICF-APP and CGI. <i>Health and Quality of Life Outcomes</i> , 2019, 17, 174. | 1.0 | 10 |
| 133 | P.378 Metabolic syndrome and quality of life in schizophrenia and bipolar disorder. <i>European Neuropsychopharmacology</i> , 2019, 29, S268-S269. | 0.3 | 0 |
| 134 | P.586 Comorbid depression in patients with schizophrenia: does it have an impact on their neurocognitive functioning?. <i>European Neuropsychopharmacology</i> , 2019, 29, S407-S408. | 0.3 | 0 |
| 135 | Estadificación clínica en los trastornos mentales graves: trastorno bipolar, depresión y esquizofrenia. <i>Revista De Psiquiatría Y Salud Mental</i> , 2019, 12, 106-115. | 1.0 | 15 |
| 136 | Barreras para la recuperación completa en la depresión mayor: estudio transversal multicéntrico en la práctica clínica. Estudio RECORD. <i>Revista De Psiquiatría Y Salud Mental</i> , 2019, 12, 141-150. | 1.0 | 0 |
| 137 | Smoking Status and Cost of Illness in Patients with Depressive Disorder Based on the National Health Survey in Spain. <i>Substance Use and Misuse</i> , 2019, 54, 713-723. | 0.7 | 2 |
| 138 | Updated European Consensus Statement on diagnosis and treatment of adult ADHD. <i>European Psychiatry</i> , 2019, 56, 14-34. | 0.1 | 330 |
| 139 | Diez años de investigación traslacional colaborativa en enfermedades mentales: el CIBERSAM. <i>Revista De Psiquiatría Y Salud Mental</i> , 2019, 12, 1-8. | 1.0 | 68 |
| 140 | Latent profile analysis of psychosis liability in a community-derived sample of adolescents: Links with mental health difficulties, suicidal ideation, bipolar-like experiences and psychotic-like experiences. <i>Microbial Biotechnology</i> , 2019, 13, 1111-1120. | 0.9 | 10 |
| 141 | Influence of secondary sources in the Brief Negative Symptom Scale. <i>Schizophrenia Research</i> , 2019, 204, 452-454. | 1.1 | 5 |
| 142 | Early versus late stage schizophrenia. What markers make the difference?. <i>World Journal of Biological Psychiatry</i> , 2019, 20, 159-165. | 1.3 | 3 |
| 143 | Diagnostic consequences of a new category of anxious depression and a reduced duration requirement for anxiety symptoms in the ICD-11 PHC. <i>Journal of Affective Disorders</i> , 2019, 245, 120-125. | 2.0 | 8 |
| 144 | Transdiagnostic dimensions of psychopathology at first episode psychosis: findings from the multinational EU-GEI study. <i>Psychological Medicine</i> , 2019, 49, 1378-1391. | 2.7 | 69 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | <i>5-HTTLPR</i> brain-derived neurotrophic factor (<i>BDNF</i>) gene interactions and early adverse life events effect on impulsivity in suicide attempters. <i>World Journal of Biological Psychiatry</i> , 2019, 20, 137-149. | 1.3 | 17 |
| 146 | ¿Pueden ser la interleucina-2 y la interleucina-1 ² biomarcadores específicos de la sintomatología negativa en la esquizofrenia?. <i>Revista De Psiquiatría Y Salud Mental</i> , 2019, 12, 9-16. | 1.0 | 8 |
| 147 | Factores asociados con consumo de tabaco en pacientes con depresión. <i>Revista De Psicología De La Salud</i> , 2019, 31, 298. | 0.2 | 12 |
| 148 | Prevention of recurrent suicidal behavior: Case management and psychoeducation. <i>Psicothema</i> , 2019, 31, 107-113. | 0.7 | 5 |
| 149 | Factores predictores del consumo de alcohol en adolescentes: datos de un estudio prospectivo de 1 año de seguimiento. <i>Revista De Psicología De La Salud</i> , 2019, 31, 52-63. | 0.2 | 2 |
| 150 | Consumo de cannabis y alteraciones cognitivas en esquizofrenia y primeros episodios psicóticos. <i>Revista De Psicología De La Salud</i> , 2019, 31, 89. | 0.2 | 2 |
| 151 | Tratamiento farmacológico del trastorno obsesivo-compulsivo en adultos: una guía de práctica clínica basada en el método ADAPTE. <i>Revista De Psiquiatría Y Salud Mental</i> , 2019, 12, 77-91. | 1.0 | 5 |
| 152 | ¿Mejora la CIE-11 los propósitos epidemiológicos y nosológicos de los Trastornos mentales, del comportamiento y del desarrollo?. <i>Revista De Psicología De La Salud</i> , 2019, 31, 183. | 0.2 | 3 |
| 153 | Validación española de la escala de evaluación de los síntomas negativos-16 (NSA-16) en pacientes con esquizofrenia. <i>Revista De Psiquiatría Y Salud Mental</i> , 2018, 11, 169-175. | 1.0 | 5 |
| 154 | The Network Structure of Schizotypal Personality Traits. <i>Schizophrenia Bulletin</i> , 2018, 44, S468-S479. | 2.3 | 52 |
| 155 | Smoking does not impact social and non-social cognition in patients with first episode psychosis. <i>Schizophrenia Research</i> , 2018, 199, 64-74. | 1.1 | 13 |
| 156 | A cost-effectiveness analysis of school-based suicide prevention programmes. <i>European Child and Adolescent Psychiatry</i> , 2018, 27, 1295-1304. | 2.8 | 30 |
| 157 | Association between genetic variation in the myo-inositol monophosphatase 2 (IMPA2) gene and age at onset of bipolar disorder. <i>Journal of Affective Disorders</i> , 2018, 232, 229-236. | 2.0 | 8 |
| 158 | Is cognitive impairment associated with antipsychotic dose and anticholinergic equivalent loads in first-episode psychosis?. <i>Psychological Medicine</i> , 2018, 48, 2247-2256. | 2.7 | 40 |
| 159 | Biomarcadores de estrés oxidativo y dimensiones clínicas en los 10 primeros años de esquizofrenia. <i>Revista De Psiquiatría Y Salud Mental</i> , 2018, 11, 130-140. | 1.0 | 15 |
| 160 | Inverse association between negative symptoms and body mass index in chronic schizophrenia. <i>Schizophrenia Research</i> , 2018, 192, 69-74. | 1.1 | 25 |
| 161 | Evolution of metabolic risk factors over a two-year period in a cohort of first episodes of psychosis. <i>Schizophrenia Research</i> , 2018, 193, 188-196. | 1.1 | 50 |
| 162 | Regulation of inflammatory pathways in schizophrenia: A comparative study with bipolar disorder and healthy controls. <i>European Psychiatry</i> , 2018, 47, 50-59. | 0.1 | 32 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | Brief assessment of schizotypal traits: A multinational study. <i>Schizophrenia Research</i> , 2018, 197, 182-191. | 1.1 | 52 |
| 164 | Treated Incidence of Psychotic Disorders in the Multinational EU-GEI Study. <i>JAMA Psychiatry</i> , 2018, 75, 36. | 6.0 | 235 |
| 165 | S240. DETERMINANT FACTORS OF REAL-WORLD FUNCTIONING IN SCHIZOPHRENIA. <i>Schizophrenia Bulletin</i> , 2018, 44, S420-S420. | 2.3 | 0 |
| 166 | T17. OXIDATIVE STRESS BIOMARKERS AND NEGATIVE DIMENSION IN THE FIRST TEN YEARS OF SCHIZOPHRENIA: A 1-YEAR FOLLOW-UP STUDY. <i>Schizophrenia Bulletin</i> , 2018, 44, S119-S119. | 2.3 | 0 |
| 167 | Obstetric Phenotypes in the Heterogeneity of Schizophrenia. <i>Journal of Nervous and Mental Disease</i> , 2018, 206, 882-886. | 0.5 | 18 |
| 168 | Psychopathology is associated with reproductive health risk in European adolescents. <i>Reproductive Health</i> , 2018, 15, 186. | 1.2 | 15 |
| 169 | Elevated C-reactive protein as a predictor of a random one-year clinical course in the first ten years of schizophrenia. <i>Psychiatry Research</i> , 2018, 269, 688-691. | 1.7 | 7 |
| 170 | F12. INFLAMMATORY BIOMARKERS AND COGNITION IN FIRST EPISODE PSYCHOSIS: GENDER DIFFERENCES. <i>Schizophrenia Bulletin</i> , 2018, 44, S222-S223. | 2.3 | 0 |
| 171 | Characterizing decision-making and reward processing in bipolar disorder: A cluster analysis. <i>European Neuropsychopharmacology</i> , 2018, 28, 863-874. | 0.3 | 16 |
| 172 | Genome wide analysis of rare copy number variations in alcohol abuse or dependence. <i>Journal of Psychiatric Research</i> , 2018, 103, 212-218. | 1.5 | 8 |
| 173 | Oxidative stress biomarkers and clinical dimensions in first 10 years of schizophrenia. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2018, 11, 130-140. | 0.2 | 7 |
| 174 | Spanish validation of the Negative Symptom Assessment-16 (NSA-16) in patients with schizophrenia. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2018, 11, 169-175. | 0.2 | 0 |
| 175 | Baseline results from the European non-interventional Antipsychotic Long acting injection in schizophrenia (ALTO) study. <i>European Psychiatry</i> , 2018, 52, 85-94. | 0.1 | 17 |
| 176 | Amisulpride and olanzapine followed by open-label treatment with clozapine in first-episode schizophrenia and schizophreniform disorder (OPTiMiSE): a three-phase switching study. <i>Lancet Psychiatry</i> , 2018, 5, 797-807. | 3.7 | 141 |
| 177 | Cardiovascular Risk in Early Psychosis: Relationship with Inflammation and Clinical Features 6 Months after Diagnosis. <i>International Journal of Neuropsychopharmacology</i> , 2018, 21, 410-422. | 1.0 | 13 |
| 178 | Comorbidity of Physical and Anxiety Symptoms in Adolescent: Functional Impairment, Self-Rated Health and Subjective Well-Being. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 1698. | 1.2 | 28 |
| 179 | Correlates of sexual initiation among European adolescents. <i>PLoS ONE</i> , 2018, 13, e0191451. | 1.1 | 32 |
| 180 | Análisis de decisión multicriterio en programas de tratamiento de sustitución de opiáceos en trastornos por consumo de opiáceos. <i>Revista De Psicología De La Salud</i> , 2018, 30, 167. | 0.2 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | Physical activity in European adolescents and associations with anxiety, depression and well-being. <i>European Child and Adolescent Psychiatry</i> , 2017, 26, 111-122. | 2.8 | 358 |
| 182 | Evidence-based national suicide prevention taskforce in Europe: A consensus position paper. <i>European Neuropsychopharmacology</i> , 2017, 27, 418-421. | 0.3 | 45 |
| 183 | Do patients with bipolar disorder and subsyndromal symptoms benefit from functional remediation? A 12-month follow-up study. <i>European Neuropsychopharmacology</i> , 2017, 27, 350-359. | 0.3 | 26 |
| 184 | The course of negative symptoms in first-episode schizophrenia and its predictors: A prospective two-year follow-up study. <i>Schizophrenia Research</i> , 2017, 189, 84-90. | 1.1 | 49 |
| 185 | Intuitive pharmacogenetic dosing of risperidone according to CYP2D6 phenotype extrapolated from genotype in a cohort of first episode psychosis patients. <i>European Neuropsychopharmacology</i> , 2017, 27, 647-656. | 0.3 | 13 |
| 186 | Factors associated with different smoking status in European adolescents: results of the SEYLE study. <i>European Child and Adolescent Psychiatry</i> , 2017, 26, 1319-1329. | 2.8 | 27 |
| 187 | Risky Drinkers Underestimate their Own Alcohol Consumption. <i>Alcohol and Alcoholism</i> , 2017, 52, 516-517. | 0.9 | 12 |
| 188 | Primary care physicians'™ use of the proposed classification of common mental disorders for ICD-11. <i>Family Practice</i> , 2017, 34, 574-580. | 0.8 | 7 |
| 189 | Bullying Victimization and Suicide Ideation and Behavior Among Adolescents in Europe: A 10-Country Study. <i>Journal of Adolescent Health</i> , 2017, 61, 179-186. | 1.2 | 167 |
| 190 | Suicidio, desempleo y recesi3n econ3mica en Espa±a. <i>Revista De PsiquiatrĀ Y Salud Mental</i> , 2017, 10, 70-77. | 1.0 | 33 |
| 191 | EPICOG-SCH: A brief battery to screen cognitive impact of schizophrenia in stable outpatients. <i>Schizophrenia Research: Cognition</i> , 2017, 8, 7-20. | 0.7 | 2 |
| 192 | Suicide, unemployment, and economic recession in Spain. <i>Revista De PsiquiatrĀ Y Salud Mental (English Edition)</i> , 2017, 10, 70-77. | 0.2 | 13 |
| 193 | Variaciones en las concentraciones plasmĀticas de clozapina en pacientes con esquizofrenia y trastorno esquizoafectivo. <i>Revista De PsiquiatrĀ Y Salud Mental</i> , 2017, 10, 192-196. | 1.0 | 12 |
| 194 | Impact of childhood trauma on cognitive profile in bipolar disorder. <i>Bipolar Disorders</i> , 2017, 19, 363-374. | 1.1 | 49 |
| 195 | Is it Feasible and Effective to Help Patients with Severe Mental Disorders to Quit Smoking?. <i>European Psychiatry</i> , 2017, 41, S32-S33. | 0.1 | 0 |
| 196 | Recomendaciones preventivas sobre el uso de Ācido valproico en mujeres embarazadas o con capacidad de gestaci3n para tener muy presentes. <i>Revista De PsiquiatrĀ Y Salud Mental</i> , 2017, 10, 129-133. | 1.0 | 5 |
| 197 | Recommendations for buprenorphine and methadone therapy in opioid use disorder: a European consensus. <i>Expert Opinion on Pharmacotherapy</i> , 2017, 18, 1987-1999. | 0.9 | 96 |
| 198 | Concentrations in plasma clozapine levels in schizophrenic and schizoafectivo patients. <i>Revista De PsiquiatrĀ Y Salud Mental (English Edition)</i> , 2017, 10, 192-196. | 0.2 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | Why prudence is needed when interpreting articles reporting clinical trial results in mental health. <i>Trials</i> , 2017, 18, 143. | 0.7 | 10 |
| 200 | Psychosis risk screening: Validation of the youth psychosis at-risk questionnaire " brief in a community-derived sample of adolescents. <i>International Journal of Methods in Psychiatric Research</i> , 2017, 26, . | 1.1 | 11 |
| 201 | Mental health difficulties and suicidal behaviours among young migrants: multicentre study of European adolescents. <i>BJPsych Open</i> , 2017, 3, 291-299. | 0.3 | 21 |
| 202 | Efficacy of prospective pharmacogenetic testing in the treatment of major depressive disorder: results of a randomized, double-blind clinical trial. <i>BMC Psychiatry</i> , 2017, 17, 250. | 1.1 | 148 |
| 203 | Tabaco y rendimiento cognitivo en pacientes con esquizofrenia: dise±o del estudio COGNICO. <i>Revista De Psicología De La Salud</i> , 2017, 29, 6. | 0.2 | 4 |
| 204 | Uso y abuso de sustancias psicoactivas e internet, psicopatología e ideación suicida en adolescentes. <i>Revista De Psicología De La Salud</i> , 2017, 29, 97. | 0.2 | 51 |
| 205 | Persistent Negative Symptoms in First-Episode Psychosis. <i>Journal of Clinical Psychiatry</i> , 2017, 78, 1414-1422. | 1.1 | 28 |
| 206 | Treatments for Opioid Dependence and Methadone. , 2016, , 595-602. | | 0 |
| 207 | Pathological Internet Use and Risk-Behaviors among European Adolescents. <i>International Journal of Environmental Research and Public Health</i> , 2016, 13, 294. | 1.2 | 105 |
| 208 | Cognitive reserve in bipolar disorder: relation to cognition, psychosocial functioning and quality of life. <i>Acta Psychiatrica Scandinavica</i> , 2016, 133, 386-398. | 2.2 | 103 |
| 209 | Clinical features, impulsivity, temperament and functioning and their role in suicidality in patients with bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2016, 133, 266-276. | 2.2 | 35 |
| 210 | Differential blood-based biomarkers of psychopathological dimensions of schizophrenia. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2016, 9, 219-227. | 0.2 | 6 |
| 211 | Smoking cessation programs for persons with schizophrenia: An urgent unmet need. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2016, 9, 181-184. | 0.2 | 3 |
| 212 | Programas de cesación tabáquica para personas con esquizofrenia: una necesidad urgente no cubierta. <i>Revista De Psiquiatría Y Salud Mental</i> , 2016, 9, 181-184. | 1.0 | 13 |
| 213 | Inflammatory and metabolic biomarkers of psychopathological dimensions of schizophrenia. <i>European Psychiatry</i> , 2016, 33, s250-s250. | 0.1 | 1 |
| 214 | Effects of functional remediation on neurocognitively impaired bipolar patients: enhancement of verbal memory. <i>Psychological Medicine</i> , 2016, 46, 291-301. | 2.7 | 43 |
| 215 | Trastorno obsesivo-compulsivo: utilidad de una guía terapéutica farmacológica. <i>Revista De Psiquiatría Y Salud Mental</i> , 2016, 9, 131-133. | 1.0 | 4 |
| 216 | Obsessive-compulsive disorder: The usefulness of a pharmacological practice guideline. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2016, 9, 131-133. | 0.2 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 217 | Multiple somatic symptoms in primary care: A field study for ICD-11 PHC, WHO's revised classification of mental disorders in primary care settings. <i>Journal of Psychosomatic Research</i> , 2016, 91, 48-54. | 1.2 | 33 |
| 218 | Biomarcadores sanguíneos diferenciales de las dimensiones psicopatológicas de la esquizofrenia. <i>Revista De Psiquiatría Y Salud Mental</i> , 2016, 9, 219-227. | 1.0 | 21 |
| 219 | Validation of a Spanish version of the Columbia-Suicide Severity Rating Scale (C-SSRS). <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2016, 9, 134-142. | 0.2 | 19 |
| 220 | Cognition and psychopathology in first-episode psychosis: are they related to inflammation?. <i>Psychological Medicine</i> , 2016, 46, 2133-2144. | 2.7 | 36 |
| 221 | Effectiveness of pharmacogenetic information in the treatment of major depressive disorder: results from the AB-GEN randomized clinical trial. <i>European Neuropsychopharmacology</i> , 2016, 26, S404-S405. | 0.3 | 1 |
| 222 | Métodos de exploración de la función cognitiva en la práctica clínica. <i>Psiquiatría Biológica</i> , 2016, 23, 29-33. | 0.0 | 14 |
| 223 | Suicide prevention strategies revisited: 10-year systematic review. <i>Lancet Psychiatry</i> , 2016, 3, 646-659. | 3.7 | 1,160 |
| 224 | Pathological Internet Use Is on the Rise Among European Adolescents. <i>Journal of Adolescent Health</i> , 2016, 59, 236-239. | 1.2 | 57 |
| 225 | Pharmacogenetic study of antipsychotic induced acute extrapyramidal symptoms in a first episode psychosis cohort: role of dopamine, serotonin and glutamate candidate genes. <i>Pharmacogenomics Journal</i> , 2016, 16, 439-445. | 0.9 | 30 |
| 226 | Childhood trauma in suicide attempters: Case-control study. <i>European Psychiatry</i> , 2016, 33, S111-S111. | 0.1 | 2 |
| 227 | Effects of nicotine abstinence on clinical symptoms. Study at 3 and 6-months follow-up of outpatients with schizophrenia. <i>European Psychiatry</i> , 2016, 33, s261-s262. | 0.1 | 1 |
| 228 | Psychometric properties of a Spanish-version of the Schizophrenia Objective Functioning Instrument (Sp-SOFI). <i>International Journal of Clinical and Health Psychology</i> , 2016, 16, 58-75. | 2.7 | 5 |
| 229 | Validación de la versión en español de la Columbia-Suicide Severity Rating Scale (Escala Columbia para | 1.0 | 50 |
| 230 | It is feasible and effective to help patients with severe mental disorders to quit smoking: An ecological pragmatic clinical trial with transdermal nicotine patches and varenicline. <i>Schizophrenia Research</i> , 2016, 176, 272-280. | 1.1 | 22 |
| 231 | Antipsychotic switching in schizoaffective disorder: A systematic review. <i>World Journal of Biological Psychiatry</i> , 2016, 17, 495-513. | 1.3 | 17 |
| 232 | Association between victimization by bullying and direct self injurious behavior among adolescence in Europe: a ten-country study. <i>European Child and Adolescent Psychiatry</i> , 2016, 25, 1183-1193. | 2.8 | 62 |
| 233 | A Pharmacovigilance Study in First Episode of Psychosis: Psychopharmacological Interventions and Safety Profiles in the PEPs Project. <i>International Journal of Neuropsychopharmacology</i> , 2016, 19, pyv121. | 1.0 | 29 |
| 234 | Reasons for Attempted Suicide in Europe: Prevalence, Associated Factors, and Risk of Repetition. <i>Archives of Suicide Research</i> , 2016, 20, 45-58. | 1.2 | 38 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 235 | Functional remediation in bipolar disorder: 1-year follow-up of neurocognitive and functional outcome. <i>British Journal of Psychiatry</i> , 2016, 208, 87-93. | 1.7 | 95 |
| 236 | Opposite Cannabis-Cognition Associations in Psychotic Patients Depending on Family History. <i>PLoS ONE</i> , 2016, 11, e0160949. | 1.1 | 22 |
| 237 | El alcoholismo y su abordaje desde una perspectiva ciudadana. <i>Revista De Psicología De La Salud</i> , 2016, 28, 163. | 0.2 | 7 |
| 238 | Diferencias de género en la gravedad de la adicción. <i>Revista De Psicología De La Salud</i> , 2016, 28, 221. | 0.2 | 14 |
| 239 | A Review of Quality-of-Life Assessment Measures in Schizophrenia: Limitations and Future Developments. , 2016, , 65-77. | | 0 |
| 240 | Exploring Genetic Variability at PI, GSK3, HPA, and Glutamatergic Pathways in Lithium Response. <i>Journal of Clinical Psychopharmacology</i> , 2015, 35, 600-604. | 0.7 | 20 |
| 241 | Reading Books and Watching Films as a Protective Factor against Suicidal Ideation. <i>International Journal of Environmental Research and Public Health</i> , 2015, 12, 15937-15942. | 1.2 | 10 |
| 242 | Cognitive Performance associated to functional outcomes in stable outpatients with schizophrenia. <i>Schizophrenia Research: Cognition</i> , 2015, 2, 146-158. | 0.7 | 19 |
| 243 | Predictors of Posttreatment Drinking Outcomes in Patients with Alcohol Dependence. <i>European Addiction Research</i> , 2015, 21, 19-30. | 1.3 | 11 |
| 244 | Pathological Internet use among adolescents: Comparing gamers and non-gamers. <i>Psychiatry Research</i> , 2015, 228, 128-135. | 1.7 | 117 |
| 245 | Pro-/Antiinflammatory Dysregulation in Early Psychosis: Results from a 1-Year Follow-Up Study. <i>International Journal of Neuropsychopharmacology</i> , 2015, 18, pyu037-pyu037. | 1.0 | 26 |
| 246 | Assessing and Treating Alcohol Relapse Risk in Liver Transplantation Candidates. <i>Alcohol and Alcoholism</i> , 2015, 50, 164-172. | 0.9 | 40 |
| 247 | Help-seeking behaviour following school-based screening for current suicidality among European adolescents. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 973-982. | 1.6 | 30 |
| 248 | Risk Factors and Comorbidities for Occasional and Daily Smoking in European Adolescents: Results of the Seyle Project. <i>European Psychiatry</i> , 2015, 30, 515. | 0.1 | 1 |
| 249 | Differential Biomarkers of Negative Dimension in Schizophrenia. <i>European Psychiatry</i> , 2015, 30, 1697. | 0.1 | 1 |
| 250 | Premorbid adjustment and clinical correlates of cognitive impairment in first-episode psychosis. The PEPsCog Study. <i>Schizophrenia Research</i> , 2015, 164, 65-73. | 1.1 | 92 |
| 251 | Predictive factors of functional capacity and real-world functioning in patients with schizophrenia. <i>European Psychiatry</i> , 2015, 30, 622-627. | 0.1 | 40 |
| 252 | School-based suicide prevention programmes: the SEYLE cluster-randomised, controlled trial. <i>Lancet</i> , 2015, 385, 1536-1544. | 6.3 | 452 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 253 | How can we promote smoking cessation in people with schizophrenia in practice? A clinical overview. <i>Acta Psychiatrica Scandinavica</i> , 2015, 132, 122-130. | 2.2 | 42 |
| 254 | Psychometric evaluation of the negative syndrome of schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2015, 265, 559-566. | 1.8 | 50 |
| 255 | The negative syndrome of schizophrenia: Three -underlying components are better than two. <i>Schizophrenia Research</i> , 2015, 166, 115-118. | 1.1 | 18 |
| 256 | Functional remediation for patients with bipolar II disorder: Improvement of functioning and subsyndromal symptoms. <i>European Neuropsychopharmacology</i> , 2015, 25, 257-264. | 0.3 | 52 |
| 257 | Factors Associated with Hospitalization after Suicide Spectrum Behaviors: Results from a Multicenter Study in Spain. <i>Archives of Suicide Research</i> , 2015, 19, 17-34. | 1.2 | 15 |
| 258 | Effectiveness of a Multi-Component Smoking Cessation Support Programme (McSCSP) for Patients with Severe Mental Disorders: Study Design. <i>International Journal of Environmental Research and Public Health</i> , 2014, 11, 373-389. | 1.2 | 6 |
| 259 | Alcohol Consumption Patterns among Adolescents are Related to Family Structure and Exposure to Drunkenness within the Family: Results from the SEYLE Project. <i>International Journal of Environmental Research and Public Health</i> , 2014, 11, 12700-12715. | 1.2 | 25 |
| 260 | Identifying Gene-Environment Interactions in Schizophrenia: Contemporary Challenges for Integrated, Large-scale Investigations. <i>Schizophrenia Bulletin</i> , 2014, 40, 729-736. | 2.3 | 229 |
| 261 | Immigration and recommended care after a suicide attempt in Europe: equity or bias?. <i>European Journal of Public Health</i> , 2014, 24, 63-65. | 0.1 | 5 |
| 262 | Long term outcomes of pharmacological treatments for opioid dependence: does methadone still lead the pack?. <i>British Journal of Clinical Pharmacology</i> , 2014, 77, 272-284. | 1.1 | 36 |
| 263 | Pharmacogenetic study of second-generation antipsychotic long-term treatment metabolic side effects (the SLiM Study): Rationale, objectives, design and sample description. <i>Revista De PsiquiatrĀa Y Salud Mental (English Edition)</i> , 2014, 7, 166-178. | 0.2 | 5 |
| 264 | Spanish consensus on the physical health of patients with depressive disorders. <i>Revista De PsiquiatrĀa Y Salud Mental (English Edition)</i> , 2014, 7, 195-207. | 0.2 | 5 |
| 265 | Effect of one year of a gluten-free diet on the clinical evolution of irritable bowel syndrome plus fibromyalgia in patients with associated lymphocytic enteritis: a case-control study. <i>Arthritis Research and Therapy</i> , 2014, 16, 421. | 1.6 | 16 |
| 266 | Antipsychotic switching in bipolar disorders: a systematic review. <i>International Journal of Neuropsychopharmacology</i> , 2014, 17, 497-507. | 1.0 | 25 |
| 267 | Teacher satisfaction with school and psychological well-being affects their readiness to help children with mental health problems. <i>Health Education Journal</i> , 2014, 73, 382-393. | 0.6 | 81 |
| 268 | Treatment adherence and quality of sleep in schizophrenia outpatients. <i>International Journal of Psychiatry in Clinical Practice</i> , 2014, 18, 70-76. | 1.2 | 30 |
| 269 | Prevencci3n del suicidio en EspaA±a: una necesidad clĀnica no resuelta. <i>Revista De PsiquiatrĀa Y Salud Mental</i> , 2014, 7, 1-4. | 1.0 | 36 |
| 270 | Risk-behaviour screening for identifying adolescents with mental health problems in Europe. <i>European Child and Adolescent Psychiatry</i> , 2014, 23, 611-620. | 2.8 | 60 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 271 | Response to "Remarkable prevalence of celiac disease in patients with irritable bowel syndrome plus fibromyalgia in comparison with those with isolated irritable bowel syndrome: a case-finding study" authors' reply. <i>Arthritis Research and Therapy</i> , 2014, 16, 403. | 1.6 | 0 |
| 272 | Hours of sleep in adolescents and its association with anxiety, emotional concerns, and suicidal ideation. <i>Sleep Medicine</i> , 2014, 15, 248-254. | 0.8 | 144 |
| 273 | Consenso espa ol de salud f sica del paciente con depresi n. <i>Revista De Psiquiatr a Y Salud Mental</i> , 2014, 7, 195-207. | 1.0 | 16 |
| 274 | Estudio farmacogen tico del tratamiento a largo plazo con antipsic ticos de segunda generaci n y sus efectos adversos metab licos (Estudio SLIM): justificaci n, objetivos, dise o y descripci n de la muestra. <i>Revista De Psiquiatr a Y Salud Mental</i> , 2014, 7, 166-178. | 1.0 | 9 |
| 275 | Study protocol of a prevention of recurrent suicidal behaviour program based on case management (PSyMAC). <i>Revista De Psiquiatr a Y Salud Mental (English Edition)</i> , 2014, 7, 131-138. | 0.2 | 3 |
| 276 | Development of the Spanish Brief-version of the University of California Performance Skills Assessment (Sp-UPSA-Brief) in patients with schizophrenia and bipolar disorder. <i>Revista De Psiquiatr a Y Salud Mental (English Edition)</i> , 2014, 7, 113-120. | 0.2 | 2 |
| 277 | Life-time prevalence and psychosocial correlates of adolescent direct self-harmful behavior: A comparative study of findings in 11 European countries. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2014, 55, 337-348. | 3.1 | 298 |
| 278 | Pathological Internet use among European adolescents: psychopathology and self-destructive behaviours. <i>European Child and Adolescent Psychiatry</i> , 2014, 23, 1093-1102. | 2.8 | 184 |
| 279 | P.6.d.014 Psychopathological tolerability of varenicline and nicotine patches for smoking cessation in severe mental disorders. <i>European Neuropsychopharmacology</i> , 2014, 24, S694. | 0.3 | 0 |
| 280 | Replication of previous genome-wide association studies of psychiatric diseases in a large schizophrenia case-control sample from Spain. <i>Schizophrenia Research</i> , 2014, 159, 107-113. | 1.1 | 36 |
| 281 | Verbal memory as a mediator in the relationship between subthreshold depressive symptoms and functional outcome in bipolar disorder. <i>Journal of Affective Disorders</i> , 2014, 160, 50-54. | 2.0 | 71 |
| 282 | Suicide prevention in Spain: An uncovered clinical need. <i>Revista De Psiquiatr a Y Salud Mental (English)</i> Tj ETQqO 0.0,rgBT /Oylock 10 | 0.2 | 9 |
| 283 | EPA Guidance on Tobacco Dependence and Strategies for Smoking Cessation in People with Mental Illness. <i>European Psychiatry</i> , 2014, 29, 65-82. | 0.1 | 119 |
| 284 | Spanish adaptation and validation of the Brief Negative Symptoms Scale. <i>Comprehensive Psychiatry</i> , 2014, 55, 1726-1729. | 1.5 | 54 |
| 285 | Association between GSK3  gene and increased impulsivity in bipolar disorder. <i>European Neuropsychopharmacology</i> , 2014, 24, 510-518. | 0.3 | 25 |
| 286 | Patolog a dual en trastornos de ansiedad: recomendaciones en el tratamiento farmacol gico. <i>Revista De Psicolog a De La Salud</i> , 2014, 26, 254. | 0.2 | 8 |
| 287 | Effects of the economic crisis on demand due to mental disorders in Asturias: data from the Asturias Cumulative Psychiatric Case Register (2000-2010). <i>Actas Espanolas De Psiquiatria</i> , 2014, 42, 108-15. | 0.1 | 16 |
| 288 | Child coping, parent coping assistance, and post-traumatic stress following paediatric physical injury. <i>Child: Care, Health and Development</i> , 2013, 39, 171-177. | 0.8 | 42 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 289 | The Saving and Empowering Young Lives in Europe (SEYLE) Randomized Controlled Trial (RCT): methodological issues and participant characteristics. <i>BMC Public Health</i> , 2013, 13, 479. | 1.2 | 57 |
| 290 | Guilt and depression: Two different factors in individuals with negative symptoms of schizophrenia. <i>European Psychiatry</i> , 2013, 28, 327-331. | 0.1 | 19 |
| 291 | Remarkable prevalence of coeliac disease in patients with irritable bowel syndrome plus fibromyalgia in comparison with those with isolated irritable bowel syndrome: a case-finding study. <i>Arthritis Research and Therapy</i> , 2013, 15, R201. | 1.6 | 27 |
| 292 | Clinical impact of a gluten-free diet on health-related quality of life in seven fibromyalgia syndrome patients with associated celiac disease. <i>BMC Gastroenterology</i> , 2013, 13, 157. | 0.8 | 36 |
| 293 | Genetic variability at IMPA2, INPP1 and GSK3 β increases the risk of suicidal behavior in bipolar patients. <i>European Neuropsychopharmacology</i> , 2013, 23, 1452-1462. | 0.3 | 46 |
| 294 | Ante el nuevo reto de identificar el s ndrome negativo de la esquizofrenia. <i>Revista De Psiquiatr a Y Salud Mental</i> , 2013, 6, 141-143. | 1.0 | 17 |
| 295 | The new challenge in identifying the negative syndrome of schizophrenia. <i>Revista De Psiquiatr a Y Salud Mental (English Edition)</i> , 2013, 6, 141-143. | 0.2 | 6 |
| 296 | Validation of a European Spanish-version of the University of California performance Skills Assessment (Sp-UPSA) in patients with schizophrenia and bipolar disorder. <i>Schizophrenia Research</i> , 2013, 150, 421-426. | 1.1 | 31 |
| 297 | P.7.e.003 Sleep in adolescents: association with emotional problems and suicidal ideation. <i>European Neuropsychopharmacology</i> , 2013, 23, S613-S614. | 0.3 | 0 |
| 298 | A randomised, double-blind, placebo-controlled, efficacy study of nalmefene, as-needed use, in patients with alcohol dependence. <i>European Neuropsychopharmacology</i> , 2013, 23, 1432-1442. | 0.3 | 359 |
| 299 | P.2.d.014 Genetic variability at IMPA2 and INPP1 genes is associated to lithium response in bipolar patients. <i>European Neuropsychopharmacology</i> , 2013, 23, S370-S371. | 0.3 | 1 |
| 300 | Evoluci n de la prevalencia administrativa de los trastornos mentales durante 13 a os en Asturias (norte de Espa a). <i>Revista De Psiquiatr a Y Salud Mental</i> , 2013, 6, 60-66. | 1.0 | 8 |
| 301 | Efficacy of Functional Remediation in Bipolar Disorder: A Multicenter Randomized Controlled Study. <i>American Journal of Psychiatry</i> , 2013, 170, 852-859. | 4.0 | 269 |
| 302 | Satisfaction with Life of Schizophrenia Outpatients and Their Caregivers: Differences between Patients with and without Self-Reported Sleep Complaints. <i>Schizophrenia Research and Treatment</i> , 2013, 2013, 1-3. | 0.7 | 13 |
| 303 | Adolescent subthreshold depression and anxiety: psychopathology, functional impairment and increased suicide risk. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2013, 54, 670-677. | 3.1 | 387 |
| 304 | Switching to Ziprasidone in the Clinical Practice Setting: An Open-Label Study. <i>International Journal of Psychiatry in Medicine</i> , 2013, 45, 125-142. | 0.8 | 8 |
| 305 | The state of psychiatry in Spain. <i>International Review of Psychiatry</i> , 2012, 24, 347-355. | 1.4 | 5 |
| 306 | The cost-effectiveness of paliperidone extended release in Spain. <i>Journal of Medical Economics</i> , 2012, 15, 26-34. | 1.0 | 15 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 307 | Functional impairment as a defining feature of: amnesic MCI cognitive, emotional, and demographic correlates. <i>International Psychogeriatrics</i> , 2012, 24, 1494-1504. | 0.6 | 23 |
| 308 | P.3.f.002 Epidemiologic naturalistic study to determine the relationship between the Personal and Social Performance (PSP) scale and the perceived sleep quality in schizophrenia. <i>European Neuropsychopharmacology</i> , 2012, 22, S356. | 0.3 | 0 |
| 309 | Cardiovascular and metabolic risk in outpatients with schizoaffective disorder treated with antipsychotics: Results from the CLAMORS study. <i>European Psychiatry</i> , 2012, 27, 267-274. | 0.1 | 21 |
| 310 | Pregabalin for the discontinuation of long-term benzodiazepines use: An assessment of its effectiveness in daily clinical practice. <i>European Psychiatry</i> , 2012, 27, 301-307. | 0.1 | 43 |
| 311 | Position statement of the European Psychiatric Association (EPA) on the value of antidepressants in the treatment of unipolar depression. <i>European Psychiatry</i> , 2012, 27, 114-128. | 0.1 | 39 |
| 312 | Recommendations for the prevention and management of suicidal behaviour. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2012, 5, 8-23. | 0.2 | 2 |
| 313 | Psychometric properties of the Spanish version of the Body Weight, Image and Self-Esteem Evaluation questionnaire in patients with severe mental disorders. <i>Comprehensive Psychiatry</i> , 2012, 53, 1237-1242. | 1.5 | 3 |
| 314 | Suicide prevention for youth - a mental health awareness program: lessons learned from the Saving and Empowering Young Lives in Europe (SEYLE) intervention study. <i>BMC Public Health</i> , 2012, 12, 776. | 1.2 | 62 |
| 315 | New treatment guidelines for acute bipolar mania: A critical review. <i>Journal of Affective Disorders</i> , 2012, 140, 125-141. | 2.0 | 76 |
| 316 | The role of genetic variability in the SLC6A4, BDNF and GABRA6 genes in anxiety-related traits. <i>Acta Psychiatrica Scandinavica</i> , 2012, 125, 194-202. | 2.2 | 41 |
| 317 | Prevalence of pathological internet use among adolescents in Europe: demographic and social factors. <i>Addiction</i> , 2012, 107, 2210-2222. | 1.7 | 517 |
| 318 | The Incidence of Hospital-Treated Attempted Suicide in Oviedo, Spain. <i>Crisis</i> , 2012, 33, 46-53. | 0.9 | 20 |
| 319 | Efectividad a largo plazo de los tratamientos de mantenimiento con metadona en personas con adicción a derivados opiáceos. <i>Revista De Psicología De La Salud</i> , 2012, 24, 179. | 0.2 | 5 |
| 320 | Sexual dysfunction in patients with schizophrenia vs bipolar disorder. <i>European Psychiatry</i> , 2011, 26, 1542-1542. | 0.1 | 0 |
| 321 | Clinical meaningful outcomes in schizophrenia: remission and recovery. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2011, 4, 53-65. | 0.2 | 7 |
| 322 | Recomendaciones para el cambio de antipsicóticos. Posicionamiento de la Sociedad Española de Psiquiatría y Sociedad Española de Psiquiatría Biológica. <i>Revista De Psiquiatría Y Salud Mental</i> , 2011, 4, 150-168. | 1.0 | 26 |
| 323 | Report of the 3rd European Brain Policy Forum. <i>Revista De Psiquiatría Y Salud Mental (English)</i> Tj ETQq1 1 0.784314.rgBT /Oyerklock 10 | 0.2 | 0 |
| 324 | PMH33 The Cost-Effectiveness of Paliperidone ER in Spain. <i>Value in Health</i> , 2011, 14, A292. | 0.1 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 325 | Disability and health-related quality of life in outpatients with generalised anxiety disorder treated in psychiatric clinics: is there still room for improvement?. <i>Annals of General Psychiatry</i> , 2011, 10, 7. | 1.2 | 10 |
| 326 | Physical illness in patients with severe mental disorders. II. Barriers to care, monitoring and treatment guidelines, plus recommendations at the system and individual level. <i>World Psychiatry</i> , 2011, 10, 138-151. | 4.8 | 631 |
| 327 | A 25-year follow-up of patients admitted to methadone treatment for the first time: Mortality and gender differences. <i>Addictive Behaviors</i> , 2011, 36, 1184-1190. | 1.7 | 51 |
| 328 | Role of serotonergic-related systems in suicidal behavior: Data from a case-control association study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011, 35, 1518-1524. | 2.5 | 21 |
| 329 | A cross-cultural comparison between Spain and the USA: Temperament and character distribution by sex and age. <i>Psychiatry Research</i> , 2011, 186, 397-401. | 1.7 | 12 |
| 330 | Interconnection between biological abnormalities in borderline personality disorder: Use of the Bayesian networks model. <i>Psychiatry Research</i> , 2011, 186, 315-319. | 1.7 | 15 |
| 331 | Validation of the Spanish Personal and Social Performance scale (PSP) in outpatients with stable and unstable schizophrenia. <i>Revista De Psiquiatr a Y Salud Mental (English Edition)</i> , 2011, 4, 9-18. | 0.2 | 21 |
| 332 | Change in psychiatrists' attitudes towards the physical health care of patients with schizophrenia coinciding with the dissemination of the consensus on physical health in patients with schizophrenia. <i>European Psychiatry</i> , 2011, 26, 305-312. | 0.1 | 15 |
| 333 | Psychopathology, coronary heart disease and metabolic syndrome in schizophrenia spectrum patients with deficit versus non-deficit schizophrenia: Findings from the CLAMORS study. <i>European Neuropsychopharmacology</i> , 2011, 21, 867-875. | 0.3 | 33 |
| 334 | Self-Perceived Needs Are Related to Violent Behavior Among Schizophrenia Outpatients. <i>Journal of Nervous and Mental Disease</i> , 2011, 199, 666-671. | 0.5 | 10 |
| 335 | Psychometric Properties of the Spanish Version of the Changes in Sexual Functioning Questionnaire Short-Form (CSFQ-14) in Patients with Severe Mental Disorders. <i>Journal of Sexual Medicine</i> , 2011, 8, 1371-1382. | 0.3 | 24 |
| 336 | Validaci3n de la versi3n espa ola de la escala de Funcionamiento Personal y Social en pacientes ambulatorios con esquizofrenia estable o inestable. <i>Revista De Psiquiatr a Y Salud Mental</i> , 2011, 4, 9-18. | 1.0 | 65 |
| 337 | Resultados cl nicos relevantes en esquizofrenia: remisi3n y recuperaci3n. <i>Revista De Psiquiatr a Y Salud Mental</i> , 2011, 4, 53-65. | 1.0 | 16 |
| 338 | Physical illness in patients with severe mental disorders. I. Prevalence, impact of medications and disparities in health care. <i>World Psychiatry</i> , 2011, 10, 52-77. | 4.8 | 1,767 |
| 339 | Borderline Personality Traits in Nonclinical Young Adults. <i>Journal of Personality Disorders</i> , 2011, 25, 542-556. | 0.8 | 29 |
| 340 | Topiramate for the Treatment of Alcohol Dependence: Comparison with Naltrexone. <i>European Addiction Research</i> , 2011, 17, 29-36. | 1.3 | 49 |
| 341 | Effects of Pregabalin on Subjective Sleep Disturbance Symptoms during Withdrawal from Long-Term Benzodiazepine Use. <i>European Addiction Research</i> , 2011, 17, 262-270. | 1.3 | 19 |
| 342 | Negative symptoms are prevalent in antipsychotic-treated adult outpatients with schizophrenia spectrum disorders. <i>Evidence-Based Mental Health</i> , 2011, 13, 106-106. | 2.2 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 343 | Necesidad de evaluación de la patología dual en contexto penitenciario. Revista De Psicología De La Salud, 2011, 23, 37. | 0.2 | 7 |
| 344 | Amisulpride en el tratamiento de la dependencia alcohólica. Revista De Psicología De La Salud, 2011, 23, 149. | 0.2 | 2 |
| 345 | Impact of substance use on the physical health of patients with bipolar disorder. Acta Psychiatrica Scandinavica, 2010, 121, 437-445. | 2.2 | 31 |
| 346 | Interactions between functional serotonergic polymorphisms and demographic factors influence personality traits in healthy Spanish Caucasians. Psychiatric Genetics, 2010, 20, 171-178. | 0.6 | 19 |
| 347 | Sociodemographic factors associated with personality traits assessed through the TCI. Personality and Individual Differences, 2010, 48, 809-814. | 1.6 | 9 |
| 348 | Saving and Empowering Young Lives in Europe (SEYLE): a randomized controlled trial. BMC Public Health, 2010, 10, 192. | 1.2 | 124 |
| 349 | The general problem of increased somatic comorbidity in bipolar patients. Annals of General Psychiatry, 2010, 9, . | 1.2 | 0 |
| 350 | Extended-release quetiapine fumarate (quetiapine XR): a once-daily monotherapy effective in generalized anxiety disorder. Data from a randomized, double-blind, placebo- and active-controlled study. International Journal of Neuropsychopharmacology, 2010, 13, 305. | 1.0 | 116 |
| 351 | Healthy lifestyle habits and 10-year cardiovascular risk in schizophrenia spectrum disorders: An analysis of the impact of smoking tobacco in the CLAMORS schizophrenia cohort. Schizophrenia Research, 2010, 119, 101-109. | 1.1 | 151 |
| 352 | Impact of the Spanish Consensus on Physical Health of Patients with Schizophrenia. Revista De Psiquiatría Y Salud Mental (English Edition), 2010, 3, 119-127. | 0.2 | 4 |
| 353 | Genetic polymorphisms in the dopamine-2 receptor (DRD2), dopamine-3 receptor (DRD3), and dopamine transporter (SLC6A3) genes in schizophrenia: Data from an association study. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2010, 34, 26-31. | 2.5 | 37 |
| 354 | Measurement Invariance of the Reynolds Depression Adolescent Scale across Gender and Age. International Journal of Testing, 2010, 10, 133-148. | 0.2 | 21 |
| 355 | Narcisismo manifiesto, narcisismo encubierto y trastornos de personalidad en una Unidad de Conductas Adictivas: validez predictiva de respuesta a tratamiento. Revista De Psicología De La Salud, 2010, 22, 107. | 0.2 | 7 |
| 356 | Validez de la versión española de la Hypersensitive Narcissism Scale (HSNS) en una Unidad de Conductas Adictivas. Revista De Psicología De La Salud, 2010, 22, 29. | 0.2 | 7 |
| 357 | Prevalence of Negative Symptoms in Outpatients With Schizophrenia Spectrum Disorders Treated With Antipsychotics in Routine Clinical Practice. Journal of Clinical Psychiatry, 2010, 71, 280-286. | 1.1 | 210 |
| 358 | the Criteria Sets for Further Study. International Journal of Social Psychiatry, 2009, 55, 195-197. | 1.6 | 2 |
| 359 | Psychometric Properties of the Revised Physical and Social Anhedonia Scales in Non-Clinical Young Adults. Spanish Journal of Psychology, 2009, 12, 815-822. | 1.1 | 32 |
| 360 | Cardiovascular risk in patients with bipolar disorder. Journal of Affective Disorders, 2009, 115, 302-308. | 2.0 | 68 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 361 | Violence among schizophrenia outpatients compliant with medication: prevalence and associated factors. <i>Acta Psychiatrica Scandinavica</i> , 2009, 119, 218-225. | 2.2 | 47 |
| 362 | Polymorphisms of the IL6 Gene Complex Are Associated With Alcohol Dependence in Spanish Caucasians: Data From an Association Study. <i>Alcoholism: Clinical and Experimental Research</i> , 2009, 33, 2147-2153. | 1.4 | 19 |
| 363 | Differential role of serotonergic polymorphisms in alcohol and heroin dependence. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009, 33, 695-700. | 2.5 | 35 |
| 364 | Remission in schizophrenia: Results from a 1-year follow-up observational study. <i>Schizophrenia Research</i> , 2009, 108, 214-222. | 1.1 | 50 |
| 365 | Recovery from schizophrenia: Results from a 1-year follow-up observational study of patients in symptomatic remission. <i>Schizophrenia Research</i> , 2009, 115, 58-66. | 1.1 | 75 |
| 366 | Spanish Consensus on Physical Health in Patients with Bipolar Disorder [PW05-04]. <i>European Psychiatry</i> , 2009, 24, . | 0.1 | 0 |
| 367 | Substance Use and Physical Health in Patients with Bipolar Disorder Under Maintenance Treatment. <i>European Psychiatry</i> , 2009, 24, . | 0.1 | 1 |
| 368 | Cardiovascular and Respiratory Comorbidities in Patients with Bipolar Disorder: A Systematic Review. <i>European Psychiatry</i> , 2009, 24, . | 0.1 | 0 |
| 369 | Nutritional, Metabolic and Endocrine Disorders in Patients with Bipolar Disorder: A Systematic Review. <i>European Psychiatry</i> , 2009, 24, . | 0.1 | 0 |
| 370 | Gynaecological and Obstetric Comorbidities in Patients with Bipolar Disorder: A Systematic Review. <i>European Psychiatry</i> , 2009, 24, . | 0.1 | 0 |
| 371 | Spanish Consensus on Physical Health in Patients with Bipolar Disorder [P01-205]. <i>European Psychiatry</i> , 2009, 24, . | 0.1 | 0 |
| 372 | Implicación de polimorfismos serotoninérgicos en la gravedad clínica del trastorno de pánico. <i>Revista De Psiquiatría Y Salud Mental</i> , 2009, 2, 35-41. | 1.0 | 5 |
| 373 | Rendimiento psicométrico del Cuestionario Oviedo de Sueño en pacientes con trastorno mental grave. <i>Revista De Psiquiatría Y Salud Mental</i> , 2009, 2, 169-177. | 1.0 | 21 |
| 374 | Role of serotonergic polymorphisms in the clinical severity of the panic disorder. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2009, 2, 35-41. | 0.2 | 1 |
| 375 | Psychometric performance of the Oviedo Sleep Questionnaire in patients with severe mental disorder. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2009, 2, 169-177. | 0.2 | 6 |
| 376 | P.2.e.009 Gynaecological and obstetric comorbidities in patients with bipolar disorder: a systematic review. <i>European Neuropsychopharmacology</i> , 2009, 19, S453-S454. | 0.3 | 0 |
| 377 | P.3.a.025 Influence of knowledge of the Spanish consensus on physical health in schizophrenic patients in clinical practice. <i>European Neuropsychopharmacology</i> , 2009, 19, S494-S495. | 0.3 | 0 |
| 378 | P.6.c.005 Benzodiazepines use withdrawal tapering gradually with pregabalin: findings from the medical practice. <i>European Neuropsychopharmacology</i> , 2009, 19, S652. | 0.3 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 379 | Prevalence of Metabolic Syndrome and Coronary Heart Disease Risk in Patients with Schizoaffective Disorder: Clamors Study. <i>European Psychiatry</i> , 2009, 24, . | 0.1 | 0 |
| 380 | Differences in Personality Traits Evaluated by TCI According to Physical Illness. <i>European Psychiatry</i> , 2009, 24, . | 0.1 | 0 |
| 381 | Evaluation of symptomatology on schizophrenia. <i>Medical Psychiatry</i> , 2009, , 32-38. | 0.2 | 0 |
| 382 | Validity and reliability of the Spanish versions of the Bechâ€Rafaelsenâ€™s mania and melancholia scales for bipolar disorders. <i>Acta Psychiatrica Scandinavica</i> , 2008, 117, 207-215. | 2.2 | 6 |
| 383 | Using Topiramate or Naltrexone for the Treatment of Alcoholâ€™Dependent Patients. <i>Alcoholism: Clinical and Experimental Research</i> , 2008, 32, 1251-1259. | 1.4 | 64 |
| 384 | The prevalence of metabolic syndrome in patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2008, 106, 197-201. | 2.0 | 107 |
| 385 | Concordance of standard and modified NCEP ATP III criteria for identification of metabolic syndrome in outpatients with schizophrenia treated with antipsychotics: A corollary from the CLAMORS study. <i>Schizophrenia Research</i> , 2008, 99, 23-28. | 1.1 | 21 |
| 386 | A comparison of schizophrenia outpatients treated with antipsychotics with and without metabolic syndrome: Findings from the CLAMORS study. <i>Schizophrenia Research</i> , 2008, 104, 1-12. | 1.1 | 74 |
| 387 | Consenso EspaÃ±ol de Salud FÃsica del Paciente con Trastorno Bipolar. <i>Revista De PsiquiatrÃa Y Salud Mental</i> , 2008, 1, 26-37. | 1.0 | 33 |
| 388 | Spanish Consensus on Physical Health of Patients With Bipolar Disorder. <i>Revista De PsiquiatrÃa Y Salud Mental (English Edition)</i> , 2008, 1, 26-37. | 0.2 | 5 |
| 389 | Is attempted suicide different in adolescent and adults?. <i>Psychiatry Research</i> , 2008, 157, 131-137. | 1.7 | 49 |
| 390 | Association study between obsessiveâ€compulsive disorder and serotonergic candidate genes. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008, 32, 765-770. | 2.5 | 47 |
| 391 | A simulation model to estimate the coronary heart disease risk in schizophrenic patients treated with second-generation-antipsychotic drugs: A Spanish perspective. <i>European Psychiatry</i> , 2008, 23, S139. | 0.1 | 0 |
| 392 | Association between Heroin Dependence and 5-HT_{2A} Receptor Gene Polymorphisms. <i>European Addiction Research</i> , 2008, 14, 47-52. | 1.3 | 20 |
| 393 | Association Between the Stin2 VNTR Polymorphism of the Serotonin Transporter Gene and Treatment Outcome in Alcohol-Dependent Patients. <i>Alcohol and Alcoholism</i> , 2008, 43, 516-522. | 0.9 | 26 |
| 394 | Association study of the interleukin-1 gene complex and tumor necrosis factor alpha gene with suicide attempts. <i>Psychiatric Genetics</i> , 2008, 18, 147-150. | 0.6 | 11 |
| 395 | Association between the A-1438G polymorphism of the serotonin 2A receptor gene and nonimpulsive suicide attempts. <i>Psychiatric Genetics</i> , 2008, 18, 213-218. | 0.6 | 29 |
| 396 | RemisiÃ³n sintomÃ¡tica y funcionamiento social/profesional en pacientes con esquizofrenia tratados ambulatoriamente: prevalencia y asociaciones en un estudio transversal. <i>European Psychiatry (Ed) Tj ETQq0 0 0 rgBT. (Overlook 10 Tf 00</i> | | |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 397 | The "Seroquel" Outcomes Study (SOS): Efficacy and tolerability of quetiapine in a long-term, naturalistic study of patients with schizophrenia. <i>International Journal of Psychiatry in Clinical Practice</i> , 2007, 11, 222-232. | 1.2 | 0 |
| 398 | The sufficiency of the HAM-D6 as an outcome instrument in the acute therapy of antidepressants in the outpatient setting. <i>International Journal of Psychiatry in Clinical Practice</i> , 2007, 11, 146-150. | 1.2 | 5 |
| 399 | Association study of serotonin 2A receptor (5-HT2A) and serotonin transporter (5-HTT) gene polymorphisms with schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2007, 31, 741-745. | 2.5 | 38 |
| 400 | Schizophrenia and overweight/obesity: Pathophysiology and medical consequences. <i>European Psychiatry</i> , 2007, 22, S94. | 0.1 | 0 |
| 401 | Do brain imaging and neurophysiology differentiate borderline personality disorder and depression?. <i>European Psychiatry</i> , 2007, 22, S35. | 0.1 | 1 |
| 402 | Consensus guideline for the evaluation of physical health in patients with schizophrenia. <i>European Psychiatry</i> , 2007, 22, S105. | 0.1 | 1 |
| 403 | Symptomatic remission and social/vocational functioning in outpatients with schizophrenia: Prevalence and associations in a cross-sectional study. <i>European Psychiatry</i> , 2007, 22, 490-498. | 0.1 | 105 |
| 404 | P.3.c.037 Neuropsychological performance and cognitive disability in schizophrenia outpatients. <i>European Neuropsychopharmacology</i> , 2007, 17, S445-S446. | 0.3 | 0 |
| 405 | Cardiovascular and metabolic risk in outpatients with schizophrenia treated with antipsychotics: Results of the CLAMORS Study. <i>Schizophrenia Research</i> , 2007, 90, 162-173. | 1.1 | 177 |
| 406 | Lack of association between endothelial nitric oxide synthase (NOS3) gene polymorphisms and suicide attempts. <i>Behavioral and Brain Functions</i> , 2007, 3, 32. | 1.4 | 6 |
| 407 | Sensitivity to change, discriminative performance, and cutoff criteria to define remission for embedded short scales of the Hamilton depression rating scale (HAM-D). <i>Journal of Affective Disorders</i> , 2007, 102, 93-99. | 2.0 | 45 |
| 408 | Quality of Life in Obsessive-Compulsive Disorder. , 2007, , 293-303. | | 4 |
| 409 | Quality of life in schizophrenic patients. <i>Dialogues in Clinical Neuroscience</i> , 2007, 9, 215-226. | 1.8 | 128 |
| 410 | P.3.c.050 Psychopathology and metabolic syndrome (MS) in psychotic patients: the CLAMORS study. <i>European Neuropsychopharmacology</i> , 2006, 16, S423-S424. | 0.3 | 0 |
| 411 | Negative evidences in association between apolipoprotein E polymorphism and panic disorder. <i>European Psychiatry</i> , 2006, 21, 59-61. | 0.1 | 5 |
| 412 | Randomised clinical trial comparing oral versus depot formulations of zuclopenthixol in patients with schizophrenia and previous violence. <i>European Psychiatry</i> , 2006, 21, 34-40. | 0.1 | 70 |
| 413 | N-acetyltransferase-2 polymorphisms and schizophrenia. <i>European Psychiatry</i> , 2006, 21, 333-337. | 0.1 | 5 |
| 414 | Interleukin-1 Gene Complex in Schizophrenia: An Association Study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2006, 141B, 678-680. | 1.1 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 415 | Neurologic Soft Signs in Borderline Personality Disorder. <i>Journal of Clinical Psychiatry</i> , 2006, 67, 541-546. | 1.1 | 19 |
| 416 | Psychometric properties of the Spanish version of the screening scale for DSM-IV Generalized Anxiety Disorder of Carroll and Davidson. <i>Actas Espanolas De Psiquiatria</i> , 2006, 34, 83-93. | 0.1 | 4 |
| 417 | PMH41 REMISSION CRITERIA FOR DEPRESSION WHEN USING SHORT VERSIONS OF THE HAMILTON DEPRESSION RATING SCALE (HDRS). <i>Value in Health</i> , 2005, 8, A208. | 0.1 | 0 |
| 418 | Safety and effectiveness of olanzapine in monotherapy: A multivariate analysis of a naturalistic study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2005, 29, 944-951. | 2.5 | 10 |
| 419 | Safety, effectiveness, and patterns of use of olanzapine in acute schizophrenia: a multivariate analysis of a large naturalistic study in the hospital setting. <i>Medicina Clínica</i> , 2005, 124, 481-486. | 0.3 | 3 |
| 420 | Quality of life measures in schizophrenia. <i>European Psychiatry</i> , 2005, 20, S313-S317. | 0.1 | 79 |
| 421 | Serotonin gene polymorphisms in patients with panic disorder. <i>Actas Espanolas De Psiquiatria</i> , 2005, 33, 210-5. | 0.1 | 21 |
| 422 | Evaluation of the Two-Way Communication Checklist as a clinical intervention. <i>British Journal of Psychiatry</i> , 2004, 184, 79-83. | 1.7 | 57 |
| 423 | Managing acute exacerbations of schizophrenia: focus on quetiapine. <i>Current Medical Research and Opinion</i> , 2004, 20, 619-626. | 0.9 | 33 |
| 424 | Economic consequences of the adverse reactions related with antipsychotics: an economic model comparing tolerability of ziprasidone, olanzapine, risperidone, and haloperidol in Spain. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2004, 28, 1287-1297. | 2.5 | 29 |
| 425 | Is the biological nature of depressive symptoms in borderline patients without concomitant Axis I pathology idiosyncratic? Sleep EEG comparison with recurrent brief, major depression and control subjects. <i>Psychiatry Research</i> , 2004, 129, 65-73. | 1.7 | 28 |
| 426 | Psychosocial factors associated with cancer behavioural risk in relatives of cancer patients. <i>European Journal of Cancer Prevention</i> , 2004, 13, 105-111. | 0.6 | 3 |
| 427 | Maintenance treatment with depot opioid antagonists in subcutaneous implants: an alternative in the treatment of opioid dependence. <i>Addiction Biology</i> , 2003, 8, 429-438. | 1.4 | 39 |
| 428 | Weight gain in patients with schizophrenia treated with risperidone, olanzapine, quetiapine or haloperidol: results of the EIRE study. <i>Schizophrenia Research</i> , 2003, 62, 77-88. | 1.1 | 113 |
| 429 | Predictors of number and severity of violence episodes in a one-year follow-up schizophrenia sample. <i>Schizophrenia Research</i> , 2003, 60, 333. | 1.1 | 0 |
| 430 | Patterns of use of olanzapine in the inpatient treatment of acute schizophrenia: A multivariate approach of the EUROPA study. <i>Schizophrenia Research</i> , 2003, 60, 278. | 1.1 | 0 |
| 431 | Safety of olanzapine versus conventional antipsychotics in the treatment of patients with acute schizophrenia. A naturalistic study. <i>European Neuropsychopharmacology</i> , 2003, 13, 39-48. | 0.3 | 17 |
| 432 | Safety and effectiveness of olanzapine versus conventional antipsychotics in the acute treatment of first-episode schizophrenic inpatients. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2003, 27, 473-481. | 2.5 | 36 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 433 | Frequency of Sexual Dysfunction and Other Reproductive Side-effects in Patients with Schizophrenia Treated with Risperidone, Olanzapine, Quetiapine, or Haloperidol: The Results of the EIRE Study. <i>Journal of Sex and Marital Therapy</i> , 2003, 29, 125-147. | 1.0 | 178 |
| 434 | Use of Cocaine by Secondary School Students in Northern Spain. <i>European Addiction Research</i> , 2003, 9, 138-143. | 1.3 | 11 |
| 435 | Evaluating Changes in Sexual Functioning in Depressed Patients: Sensitivity to Change of the CSFQ. <i>Journal of Sex and Marital Therapy</i> , 2002, 28, 93-103. | 1.0 | 24 |
| 436 | Apolipoprotein E genotype and schizophrenia: further negative evidence. <i>Acta Psychiatrica Scandinavica</i> , 2002, 105, 71-75. | 2.2 | 14 |
| 437 | Use of MDMA and Other Illicit Drugs by Young Adult Males in Northern Spain. <i>European Addiction Research</i> , 2002, 8, 147-154. | 1.3 | 29 |
| 438 | Effects of Carbamazepine on Dexamethasone Suppression and Sleep Electroencephalography in Borderline Personality Disorder. <i>Neuropsychobiology</i> , 2002, 45, 113-119. | 0.9 | 10 |
| 439 | Treatment of severely psychotic inpatients with schizophrenia: olanzapine versus other antipsychotic drugs. <i>International Clinical Psychopharmacology</i> , 2002, 17, 287-295. | 0.9 | 5 |
| 440 | Is antipsychotic-induced weight gain related to sexual dysfunction?. <i>European Neuropsychopharmacology</i> , 2002, 12, 282-283. | 0.3 | 0 |
| 441 | Effectiveness and safety of olanzapine versus conventional antipsychotics in the treatment of inpatient with acute schizophrenia: A multivariate analysis. <i>European Neuropsychopharmacology</i> , 2002, 12, 303. | 0.3 | 0 |
| 442 | Frequency of Extrapyramidal Adverse Reactions in Schizophrenic Outpatients Treated with Risperidone, Olanzapine, Quetiapine or Haloperidol. <i>Clinical Drug Investigation</i> , 2002, 22, 609-622. | 1.1 | 9 |
| 443 | Biological nature of depressive symptoms in borderline personality disorder: endocrine comparison to recurrent brief and major depression. <i>Journal of Psychiatric Research</i> , 2002, 36, 137-145. | 1.5 | 25 |
| 444 | 2-COM: an instrument to facilitate patient-professional communication in routine clinical practice. <i>Acta Psychiatrica Scandinavica</i> , 2002, 106, 446-452. | 2.2 | 23 |
| 445 | 24-Hour opiate detoxification and antagonist induction at home-the "Asturian method": a report on 1368 procedures. <i>Addiction Biology</i> , 2002, 7, 243-250. | 1.4 | 18 |
| 446 | High Degree of Tolerability for Monotherapy With High Doses of Quetiapine. <i>Journal of Clinical Psychiatry</i> , 2002, 63, 1048-1049. | 1.1 | 11 |
| 447 | Quality of life and disability in patients with obsessive-compulsive disorder. <i>European Psychiatry</i> , 2001, 16, 239-245. | 0.1 | 201 |
| 448 | Sleep-EEG in borderline patients without concomitant major depression: a comparison with major depressives and normal control subjects. <i>Psychiatry Research</i> , 2001, 105, 87-95. | 1.7 | 47 |
| 449 | Current status of quality of life assessment in schizophrenic patients. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2001, 251, 38-42. | 1.8 | 15 |
| 450 | Evoluci3n de la gravedad de la adicci3n a los dos aÑos de tratamiento en pacientes heroin3manos. <i>Revista De Psicología De La Salud</i> , 2001, 13, 51. | 0.2 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 451 | Calidad de vida y discapacidad en pacientes con trastorno obsesivo-compulsivo. <i>European Psychiatry (Ed España)</i> , 2001, 8, 436-442. | 0.0 | 0 |
| 452 | Developments in the treatment of drug dependence. <i>Current Opinion in Psychiatry</i> , 2000, 13, 333-338. | 3.1 | 6 |
| 453 | Therapeutic advances: Paroxetine for the treatment of social anxiety disorder. , 2000, 11, 99-104. | | 17 |
| 454 | Quality of Life in Obsessive-Compulsive Disorder. <i>CNS Spectrums</i> , 2000, 5, 37-39. | 0.7 | 20 |
| 455 | Validation of the Spanish Version of the Changes in Sexual Functioning Questionnaire (CSFQ). <i>Journal of Sex and Marital Therapy</i> , 2000, 26, 119-131. | 1.0 | 33 |
| 456 | The importance of psychosocial interventions and patient involvement in the treatment of schizophrenia. <i>International Journal of Psychiatry in Clinical Practice</i> , 2000, 4, 35-51. | 1.2 | 16 |
| 457 | Sexual dysfunction in depressed patients undergoing treatment with antidepressants. <i>International Journal of Psychiatry in Clinical Practice</i> , 2000, 4, 311-317. | 1.2 | 7 |
| 458 | A European perspective on social anxiety disorder. <i>European Psychiatry</i> , 2000, 15, 5-16. | 0.1 | 95 |
| 459 | P01.163 For how long can be expected a sustained improvement in schizophrenic patients treated with antipsychotics? A clinical experience with risperidone. <i>European Psychiatry</i> , 2000, 15, 363s-364s. | 0.1 | 0 |
| 460 | P02.320 Safety and effectiveness of olanzapine versus typical antipsychotic drugs in the treatment of inpatients with schizophrenia (Europa study). <i>European Psychiatry</i> , 2000, 15, 409s-409s. | 0.1 | 2 |
| 461 | Paroxetine in social phobia/social anxiety disorder. <i>British Journal of Psychiatry</i> , 1999, 175, 120-126. | 1.7 | 216 |
| 462 | Quality of Life Assessment in Schizophrenia. , 1999, , 239-248. | | 2 |
| 463 | Quality of life in schizophrenia: Long-term follow-up in 362 chronic Spanish schizophrenic outpatients undergoing risperidone maintenance treatment. <i>European Psychiatry</i> , 1998, 13, 158-163. | 0.1 | 30 |
| 464 | Quality of Life in Schizophrenia. <i>European Psychiatry</i> , 1997, 12, 116s-116s. | 0.1 | 10 |
| 465 | Searching for a predictive peripheral biological model in parasuicidal behaviour. <i>European Psychiatry</i> , 1997, 12, 75-81. | 0.1 | 7 |
| 466 | Brain glucose metabolism in borderline personality disorder. <i>Journal of Psychiatric Research</i> , 1997, 31, 531-541. | 1.5 | 157 |
| 467 | Trends in suicide in the elderly in Asturias (Spain). <i>European Psychiatry</i> , 1995, 10, 339-344. | 0.1 | 2 |
| 468 | Synergistic effects of childhood adversity and polygenic risk in first-episode psychosis: the EU-GEI study. <i>Psychological Medicine</i> , 0, , 1-9. | 2.7 | 10 |