

Julio Bobes

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8228336/publications.pdf>

Version: 2024-02-01

470
papers

19,779
citations

23567

58
h-index

17105

122
g-index

537
all docs

537
docs citations

537
times ranked

19037
citing authors

#	ARTICLE	IF	CITATIONS
1	Use of multiple polygenic risk scores for distinguishing schizophrenia-spectrum disorder and affective psychosis categories in a first-episode sample; the EU-GEI study. <i>Psychological Medicine</i> , 2023, 53, 3396-3405.	4.5	9
2	The impact of school-based screening on service use in adolescents at risk for mental health problems and risk-behaviour. <i>European Child and Adolescent Psychiatry</i> , 2023, 32, 1745-1754.	4.7	3
3	A replication study of JTC bias, genetic liability for psychosis and delusional ideation. <i>Psychological Medicine</i> , 2022, 52, 1777-1783.	4.5	10
4	Evidence, and replication thereof, that molecular-genetic and environmental risks for psychosis impact through an affective pathway. <i>Psychological Medicine</i> , 2022, 52, 1910-1922.	4.5	14
5	Migration history and risk of psychosis: results from the multinational EU-GEI study. <i>Psychological Medicine</i> , 2022, 52, 2972-2984.	4.5	22
6	Early Impact of the COVID-19 Outbreak on Sleep in a Large Spanish Sample. <i>Behavioral Sleep Medicine</i> , 2022, 20, 100-115.	2.1	15
7	Perceived major experiences of discrimination, ethnic group, and risk of psychosis in a six-country case-control study. <i>Psychological Medicine</i> , 2022, 52, 3668-3676.	4.5	7
8	Gender, age at onset, and duration of being ill as predictors for the long-term course and outcome of schizophrenia: an international multicenter study. <i>CNS Spectrums</i> , 2022, 27, 716-723.	1.2	3
9	Examining facial emotion recognition as an intermediate phenotype for psychosis: Findings from the EU-GEI study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022, 113, 110440.	4.8	10
10	Results of the COVID-19 mental health international for the general population (COMET-G) study. <i>European Neuropsychopharmacology</i> , 2022, 54, 21-40.	0.7	84
11	A polygenic approach to the association between smoking and schizophrenia. <i>Addiction Biology</i> , 2022, 27, e13104.	2.6	6
12	Polygenic contribution to the relationship of loneliness and social isolation with schizophrenia. <i>Nature Communications</i> , 2022, 13, 51.	12.8	16
13	Childhood Maltreatment, Educational Attainment, and IQ: Findings From a Multicentric Case-control Study of First-episode Psychosis (EU-GEI). <i>Schizophrenia Bulletin</i> , 2022, 48, 575-589.	4.3	9
14	Facial Emotion Recognition in Psychosis and Associations With Polygenic Risk for Schizophrenia: Findings From the Multi-Center EU-GEI Case-Control Study. <i>Schizophrenia Bulletin</i> , 2022, 48, 1104-1114.	4.3	9
15	Validation of a European Spanish adaptation of the Apathy Evaluation Scale-self-rated version (AES-S) in patients with schizophrenia. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2022, 15, 22-28.	0.3	1
16	Validation of a European Spanish-version of the Self-Evaluation of Negative Symptoms (SNS) in patients with schizophrenia. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2022, 15, 14-21.	0.3	2
17	Suicidal Ideation Trends and Associated Factors in Different Large Spanish Samples During the First Year of the COVID-19 Pandemic. <i>Journal of Clinical Psychiatry</i> , 2022, 83, .	2.2	3
18	Does COVID-19 psychological fatigue exist? Results of three online cross-sectional studies conducted in Spain from April 2020 to March 2021. <i>Journal of Global Health</i> , 2022, 12, 05001.	2.7	7

#	ARTICLE	IF	CITATIONS
19	Mapping genomic loci implicates genes and synaptic biology in schizophrenia. <i>Nature</i> , 2022, 604, 502-508.	27.8	929
20	Is it possible to stage schizophrenia? A systematic review. <i>Translational Psychiatry</i> , 2022, 12, 197.	4.8	3
21	Utility and validity of the Brief Psychiatric Rating Scale (BPRS) as a transdiagnostic scale. <i>Psychiatry Research</i> , 2022, 314, 114659.	3.3	12
22	Searching for bridges between psychopathology and real-world functioning in first-episode psychosis: A network analysis from the OPTiMiSE trial. <i>European Psychiatry</i> , 2022, 65, .	0.2	4
23	The effect of different degrees of lockdown and self-identified gender on anxiety, depression and suicidality during the COVID-19 pandemic: Data from the international COMET-G study.. <i>Psychiatry Research</i> , 2022, 315, 114702.	3.3	17
24	Are older adults also at higher psychological risk from COVID-19?. <i>Aging and Mental Health</i> , 2021, 25, 1297-1304.	2.8	78
25	Daily use of high-potency cannabis is associated with more positive symptoms in first-episode psychosis patients: the EU-GEI caseâ€control study. <i>Psychological Medicine</i> , 2021, 51, 1329-1337.	4.5	38
26	Social disadvantage, linguistic distance, ethnic minority status and first-episode psychosis: results from the EU-GEI caseâ€control study. <i>Psychological Medicine</i> , 2021, 51, 1536-1548.	4.5	58
27	Jumping to conclusions, general intelligence, and psychosis liability: findings from the multi-centre EU-GEI case-control study. <i>Psychological Medicine</i> , 2021, 51, 623-633.	4.5	34
28	Modeling psychological function in patients with schizophrenia with the PANSS: an international multi-center study. <i>CNS Spectrums</i> , 2021, 26, 290-298.	1.2	5
29	Network structure of psychoticâ€like experiences in adolescents: Links with risk and protective factors. <i>Microbial Biotechnology</i> , 2021, 15, 595-605.	1.7	13
30	Difficulties in delivery and depressive symptomatology in schizophrenia. <i>Revista De PsiquiatrÃa Y Salud Mental (English Edition)</i> , 2021, 14, 66-68.	0.3	2
31	Consumo de alcohol y factores de riesgo de conductas autolesivas en adolescentes espaÃoles. <i>Revista De Psicología De La Salud</i> , 2021, 33, 53.	0.5	4
32	Examining the association between exposome score for schizophrenia and functioning in schizophrenia, siblings, and healthy controls: Results from the EUGEI study. <i>European Psychiatry</i> , 2021, 64, e25.	0.2	18
33	Dificultades en el parto y sintomatologÃa depresiva en la esquizofrenia. <i>Revista De PsiquiatrÃa Y Salud Mental</i> , 2021, 14, 66-68.	1.8	5
34	La formaciÃn del residente de PsiquiatrÃa: Resumen de la Mesa de Debate realizada durante el XXII Congreso Nacional de PsiquiatrÃa. EspaÃa, 2019. <i>Revista De PsiquiatrÃa Y Salud Mental</i> , 2021, 14, 74-76.	1.8	0
35	The Independent Effects of Psychosocial Stressors on Subclinical Psychosis: Findings From the Multinational EU-GEI Study. <i>Schizophrenia Bulletin</i> , 2021, 47, 1674-1684.	4.3	17
36	Duration of Untreated Psychosis in First-Episode Psychosis is not Associated With Common Genetic Variants for Major Psychiatric Conditions: Results From the Multi-Center EU-GEI Study. <i>Schizophrenia Bulletin</i> , 2021, 47, 1653-1662.	4.3	4

#	ARTICLE	IF	CITATIONS
37	Psychopathological Symptom Load and Distinguishable Cerebral Blood Flow Velocity Patterns in Patients With Schizophrenia and Healthy Controls: A Functional Transcranial Doppler Study. <i>Frontiers in Psychiatry</i> , 2021, 12, 679021.	2.6	6
38	The prevention of relapses in first episodes of schizophrenia: The 2EPs Project, background, rationale and study design. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2021, 14, 164-176.	0.3	3
39	The prevention of relapses in first episodes of schizophrenia: The 2EPs Project, background, rationale and study design. <i>Revista De Psiquiatría Y Salud Mental</i> , 2021, 14, 164-176.	1.8	13
40	Estrategias de intervención en la prevención de comportamiento suicida en pacientes con trastorno por consumo de sustancias en tiempos de COVID-19. <i>Revista De Psicología De La Salud</i> , 2021, 33, 185.	0.5	1
41	The continuity of effect of schizophrenia polygenic risk score and patterns of cannabis use on transdiagnostic symptom dimensions at first-episode psychosis: findings from the EU-GEI study. <i>Translational Psychiatry</i> , 2021, 11, 423.	4.8	12
42	Real-World Functioning in Patients With Schizophrenia: Beyond Negative and Cognitive Symptoms. <i>Frontiers in Psychiatry</i> , 2021, 12, 700747.	2.6	8
43	The relationship of symptom dimensions with premorbid adjustment and cognitive characteristics at first episode psychosis: Findings from the EU-GEI study. <i>Schizophrenia Research</i> , 2021, 236, 69-79.	2.0	4
44	Impact of previous tobacco use with or without cannabis on first psychotic experiences in patients with first-episode psychosis. <i>Schizophrenia Research</i> , 2021, 236, 19-28.	2.0	5
45	Factors associated with alcohol and tobacco consumption as a coping strategy to deal with the coronavirus disease (COVID-19) pandemic and lockdown in Spain. <i>Addictive Behaviors</i> , 2021, 121, 107003.	3.0	23
46	Excessive and pathological Internet use “Risk-behavior or psychopathology?”. <i>Addictive Behaviors</i> , 2021, 123, 107045.	3.0	20
47	Cognitive functioning throughout adulthood and illness stages in individuals with psychotic disorders and their unaffected siblings. <i>Molecular Psychiatry</i> , 2021, 26, 4529-4543.	7.9	23
48	Chronic obstructive pulmonary disease in severe mental illness: A timely diagnosis to advance the process of quitting smoking. <i>European Psychiatry</i> , 2021, 64, e22.	0.2	8
49	Spanish validation of the Empirically Developed Clinical Staging Model (EmDe-5) for patients with bipolar disorder. <i>Revista De Psiquiatría Y Salud Mental</i> , 2021, , .	1.8	0
50	Functional transcranial Doppler: Selection of methods for statistical analysis and representation of changes in flow velocity. <i>Health Science Reports</i> , 2021, 4, e400.	1.5	2
51	Funcionamiento cognitivo en pacientes con trastorno por uso de alcohol que inician tratamiento ambulatorio de deshabituación alcohólica. <i>Revista De Psicología De La Salud</i> , 2021, 33, 161.	0.5	2
52	Estudio para la determinación de medidas de resultados en salud relevantes en el trastorno por consumo de opiáceos. Análisis de Decisión Multicriterio. <i>Revista De Psicología De La Salud</i> , 2021, 33, 109.	0.5	0
53	Exploring the factor structure of the mini-ICF-APP in an inpatient clinical sample, according to the psychiatric diagnosis. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2021, 14, 186-195.	0.3	0
54	The mediating role of impulsivity in the relationship between suicidal behaviour and early traumatic experiences in depressed subjects. <i>European Psychiatry</i> , 2021, 64, S583-S583.	0.2	0

#	ARTICLE	IF	CITATIONS
55	Insomnia associated with neutrophil/lymphocyte ratio in female patients with schizophrenia. European Psychiatry, 2021, 64, S806-S806.	0.2	1
56	Association of traumatic events in childhood, impulsivity and decision-making with previous suicide attempt and/or current suicidal ideation in adult patients with major depressive disorder. European Psychiatry, 2021, 64, S177-S178.	0.2	0
57	COVID-19 psychological impact in patients with depressive disorder: Differences based on their age. European Psychiatry, 2021, 64, S674-S675.	0.2	0
58	Factors associated with real-world functioning in first stages of schizophrenia disorder. European Psychiatry, 2021, 64, S805-S805.	0.2	0
59	P.0564 Active suicidal ideation one year after the beginning of COVID-19 pandemic in a large spanish sample: risk and protective factors. European Neuropsychopharmacology, 2021, 53, S414-S415.	0.7	0
60	P.0787 Women with schizophrenia have better communication capacity than men, but surprisingly, alogia plays no role on it. European Neuropsychopharmacology, 2021, 53, S575.	0.7	0
61	P.0786 Cognitive and depressive symptoms lose their impact on real world functioning in the later stages of schizophrenia in both genders. European Neuropsychopharmacology, 2021, 53, S574.	0.7	0
62	P.0647 Psychological impact in patients with common mental disorders after six months of COVID-19 outbreak. European Neuropsychopharmacology, 2021, 53, S476-S477.	0.7	0
63	P.0397 Orexin a in patients with bipolar disorder treated with lithium. European Neuropsychopharmacology, 2021, 53, S285-S286.	0.7	0
64	P.0776 Premorbid childhood and adolescent functioning trajectories in patients with first-episode of schizophrenia using Latent Class Growth Analysis: 2-year follow-up study. European Neuropsychopharmacology, 2021, 53, S566.	0.7	0
65	Spanish Validation of the MAP-SR: Two Heads Better Than One for the Assessment of Negative Symptoms of Schizophrenia. Psicothema, 2021, 33, 473-480.	0.9	0
66	Replicated evidence that endophenotypic expression of schizophrenia polygenic risk is greater in healthy siblings of patients compared to controls, suggesting geneâ€environment interaction. The EUGEL study. Psychological Medicine, 2020, 50, 1884-1897.	4.5	28
67	Premorbid Adjustment and IQ in Patients With First-Episode Psychosis: A Multisite Case-Control Study of Their Relationship With Cannabis Use. Schizophrenia Bulletin, 2020, 46, 517-529.	4.3	14
68	Life Events Predicting the First Onset of Adolescent Direct Self-Injurious Behaviorâ€A Prospective Multicenter Study. Journal of Adolescent Health, 2020, 66, 195-201.	2.5	31
69	Influence of social cognition as a mediator between cognitive reserve and psychosocial functioning in patients with first episode psychosis. Psychological Medicine, 2020, 50, 2702-2710.	4.5	31
70	Personalized medicine begins with the phenotype: identifying antipsychotic response phenotypes in a firstâ€episode psychosis cohort. Acta Psychiatrica Scandinavica, 2020, 141, 541-552.	4.5	6
71	Relevant risk factors of repeated suicidal attempts in a sample of outpatients. Revista De Psiquiatr�a Y Salud Mental (English Edition), 2020, 13, 11-21.	0.3	2
72	Early Psychological Correlates Associated With COVID-19 in A Spanish Older Adult Sample. American Journal of Geriatric Psychiatry, 2020, 28, 1287-1298.	1.2	30

#	ARTICLE	IF	CITATIONS
73	A Smart Band for Automatic Supervision of Restrained Patients in a Hospital Environment. <i>Sensors</i> , 2020, 20, 5211.	3.8	4
74	Hostility and aggressive behaviour in first episode psychosis: Results from the OPTiMiSE trial. <i>Schizophrenia Research</i> , 2020, 223, 271-278.	2.0	9
75	P.247 Psychological impact of COVID-19 confinement among people with history of mental disorders (bipolar, anxiety, depression) and general population in Spain. <i>European Neuropsychopharmacology</i> , 2020, 40, S141-S142.	0.7	0
76	P.502 Impact of previous tobacco use with or without cannabis on first psychotic experiences in patients with first-episode psychosis. <i>European Neuropsychopharmacology</i> , 2020, 40, S281-S282.	0.7	0
77	P.690 Post-traumatic stress symptoms during the COVID-19 in different regions of Spain. <i>European Neuropsychopharmacology</i> , 2020, 40, S393-S394.	0.7	0
78	The Mediating Role of Impulsivity in the Relationship Between Suicidal Behavior and Early Traumatic Experiences in Depressed Subjects. <i>Frontiers in Psychiatry</i> , 2020, 11, 538172.	2.6	7
79	Suicide. The post-COVID era: A time for action. <i>Revista De Psiquiatr�a Y Salud Mental (English Edition)</i> , 2020, 13, 229-231.	0.3	0
80	The King's neurologist. <i>Lancet Neurology</i> , The, 2020, 19, 977.	10.2	0
81	Suicide. The post-COVID era: A time for action. <i>Revista De Psiquiatr�a Y Salud Mental</i> , 2020, 13, 229-231.	1.8	1
82	The Suicide Prevention and Intervention Study (SURVIVE): Study protocol for a multisite cohort study with nested randomized-controlled trials. <i>Revista De Psiquiatr�a Y Salud Mental</i> , 2020, , .	1.8	1
83	Examining the independent and joint effects of genomic and exposomic liabilities for schizophrenia across the psychosis spectrum. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e182.	3.9	36
84	COVID-19 lockdown in people with severe mental disorders in Spain: Do they have a specific psychological reaction compared with other mental disorders and healthy controls?. <i>Schizophrenia Research</i> , 2020, 223, 192-198.	2.0	64
85	Smoking cessation improves clinical outcome in severe mental disorders and is modulated by genetic variability at CHRNA5 gene. <i>Schizophrenia Research</i> , 2020, 222, 516-519.	2.0	0
86	Early psychological impact of the 2019 coronavirus disease (COVID-19) pandemic and lockdown in a large Spanish sample. <i>Journal of Global Health</i> , 2020, 10, 020505.	2.7	57
87	Cognitive impairment and C-reactive protein in clinically stable schizophrenia outpatients: a focus on sex differences. <i>Scientific Reports</i> , 2020, 10, 15963.	3.3	5
88	Compulsory admissions of patients with mental disorders: State of the art on ethical and legislative aspects in 40 European countries. <i>European Psychiatry</i> , 2020, 63, e82.	0.2	23
89	Assessing the severity of psychiatric disorders using the Health of the Nation Outcome Scales: An equipercentile linking analysis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 1192-1199.	2.3	1
90	Real-Time Assessment of Stress and Stress Response Using Digital Phenotyping: A Study Protocol. <i>Frontiers in Digital Health</i> , 2020, 2, 544418.	2.8	2

#	ARTICLE	IF	CITATIONS
91	Despedida como Editor de la RPSM. Revista De Psiquiatr�a Y Salud Mental, 2020, 13, 51-52.	1.8	0
92	Sex-dependent grades of haematopoietic modulation in patients with major depressive episodes are associated with suicide attempts. European Neuropsychopharmacology, 2020, 40, 17-30.	0.7	10
93	Psychiatry residency during the COVID-19 pandemic: Navigating uncharted waters. Asian Journal of Psychiatry, 2020, 53, 102214.	2.0	2
94	Influence of coping strategies on the efficacy of YAM (Youth Aware of Mental Health): a universal school-based suicide preventive program. European Child and Adolescent Psychiatry, 2020, 29, 1671-1681.	4.7	17
95	Association of cannabinoid receptor genes (CNR1 and CNR2) polymorphisms and panic disorder. Anxiety, Stress and Coping, 2020, 33, 256-265.	2.9	9
96	Neutrophil-to-lymphocyte ratio: A potential new peripheral biomarker of suicidal behavior. European Psychiatry, 2020, 63, e14.	0.2	51
97	Association study of candidate genes with obesity and metabolic traits in antipsychotic-treated patients with first-episode psychosis over a 2-year period. Journal of Psychopharmacology, 2020, 34, 514-523.	4.0	12
98	Longitudinal effects of clozapine concentration and clozapine to N-desmethylozapine ratio on cognition: A mediation model. European Neuropsychopharmacology, 2020, 33, 158-163.	0.7	9
99	The EUropean Network of National Schizophrenia Networks Studying Gene�Environment Interactions (EU-GEI): Incidence and First-Episode Case�Control Programme. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 645-657.	3.1	41
100	Factores predictores de riesgo de repetici�n de intento de suicidio en una muestra de pacientes ambulatorios. Revista De Psiquiatr�a Y Salud Mental, 2020, 13, 11-21.	1.8	10
101	Birth weight and antipsychotic induced weight gain: A prenatal programming approach in the PEPs study. Schizophrenia Research, 2020, 218, 292-294.	2.0	6
102	Doing Nothing is Sometimes Worse: Comparing Avoidant versus Approach Coping Strategies with Peer Victimization and Their Association to Depression and Suicide Ideation. Journal of School Violence, 2020, 19, 456-469.	1.9	14
103	Twelve-month service use, suicidality and mental health problems of European adolescents after a school-based screening for current suicidality. European Child and Adolescent Psychiatry, 2020, , 1.	4.7	7
104	Detecci�n de ansiedad y depresi�n en Atenci�n Primaria: utilidad de 2 escalas breves adaptadas a los nuevos criterios CIE-11-AP. Revista De Psiquiatr�a Y Salud Mental, 2020, , .	1.8	2
105	Exploring the factor structure of the mini-ICF-APP in an inpatient clinical sample, according to the psychiatric diagnosis. Revista De Psiquiatr�a Y Salud Mental, 2020, , .	1.8	5
106	�Se observar�n cambios en el consumo de alcohol y tabaco durante el confinamiento por COVID-19?. Revista De Psicolog�a De La Salud, 2020, 32, 85.	0.5	65
107	Prevalence of Passive Suicidal Ideation in the Early Stage of the Coronavirus Disease 2019 (COVID-19) Pandemic and Lockdown in a Large Spanish Sample. Journal of Clinical Psychiatry, 2020, 81, .	2.2	16
108	Validation of a European Spanish-version of the Self-Evaluation of Negative Symptoms (SNS) in patients with schizophrenia. Revista De Psiquiatr�a Y Salud Mental, 2020, , .	1.8	2

#	ARTICLE	IF	CITATIONS
109	Validation of a European Spanish adaptation of the Apathy Evaluation Scale-self-rated version (AES-S) in patients with schizophrenia. <i>Revista De Psiquiatr�a Y Salud Mental</i> , 2020, , .	1.8	2
110	Dimensional analysis of depressive, anxious and somatic symptoms presented by primary care patients and their relationship with ICD-11 PHC proposed diagnoses. <i>Psychological Medicine</i> , 2019, 49, 764-771.	4.5	13
111	Bi�directional longitudinal associations between different types of bullying victimization, suicide ideation/attempts, and depression among a large sample of European adolescents. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2019, 60, 209-215.	5.2	106
112	Patient characteristics driving clinical utility in psychiatric pharmacogenetics: a reanalysis from the AB-GEN multicentric trial. <i>Journal of Neural Transmission</i> , 2019, 126, 95-99.	2.8	4
113	Phenotypic factors associated with amisulpride�induced weight gain in first�episode psychosis patients (from the OPT iMi SE cohort). <i>Acta Psychiatrica Scandinavica</i> , 2019, 140, 283-290.	4.5	6
114	Clinical staging in severe mental disorders: Bipolar disorder, depression and schizophrenia. <i>Revista De Psiquiatr�a Y Salud Mental (English Edition)</i> , 2019, 12, 106-115.	0.3	7
115	��Readiness to Change��Predicts Efficacy of Reduction among Smokers with Severe Mental Illness. <i>European Addiction Research</i> , 2019, 25, 256-262.	2.4	3
116	Pharmacological treatment of obsessive compulsive disorder in adults: A clinical practice guideline based on the ADAPTE methodology. <i>Revista De Psiquiatr�a Y Salud Mental (English Edition)</i> , 2019, 12, 77-91.	0.3	3
117	Early Parental Death and Risk of Psychosis in Offspring: A Six-Country Case-Control Study. <i>Journal of Clinical Medicine</i> , 2019, 8, 1081.	2.4	10
118	Estimating Exposome Score for Schizophrenia Using Predictive Modeling Approach in Two Independent Samples: The Results From the EUGEI Study. <i>Schizophrenia Bulletin</i> , 2019, 45, 960-965.	4.3	46
119	A longitudinal examination of the interpersonal theory of suicide and effects of school�based suicide prevention interventions in a multinational study of adolescents. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2019, 60, 1104-1111.	5.2	31
120	Predicting real-world functioning in outpatients with schizophrenia: Role of inflammation and psychopathology. <i>Psychiatry Research</i> , 2019, 280, 112509.	3.3	19
121	White Noise Speech Illusions: A Trait-Dependent Risk Marker for Psychotic Disorder?. <i>Frontiers in Psychiatry</i> , 2019, 10, 676.	2.6	5
122	Staging of Schizophrenia With the Use of PANSS: An International Multi-Center Study. <i>International Journal of Neuropsychopharmacology</i> , 2019, 22, 681-697.	2.1	28
123	Association of childhood trauma and genetic variability of CRH-BP and FKBP5 genes with suicidal behavior in bipolar patients. <i>Journal of Affective Disorders</i> , 2019, 255, 15-22.	4.1	20
124	Examining the independent and joint effects of molecular genetic liability and environmental exposures in schizophrenia: results from the EUGEI study. <i>World Psychiatry</i> , 2019, 18, 173-182.	10.4	127
125	Can interleukin-2 and interleukin-1�� be specific biomarkers of negative symptoms in schizophrenia?. <i>Revista De Psiquiatr�a Y Salud Mental (English Edition)</i> , 2019, 12, 9-16.	0.3	0
126	History of Lifetime Cannabis Use Is Associated with Better Cognition and Worse Real-World Functioning in Schizophrenia Spectrum Disorders. <i>European Addiction Research</i> , 2019, 25, 111-118.	2.4	7

#	ARTICLE	IF	CITATIONS
127	The contribution of cannabis use to variation in the incidence of psychotic disorder across Europe (EU-GEI): a multicentre case-control study. <i>Lancet Psychiatry</i> , 2019, 6, 427-436.	7.4	528
128	CIBERSAM: Ten years of collaborative translational research in mental disorders. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2019, 12, 1-8.	0.3	5
129	Emotion recognition in major depressed patients: Evidence of lack of relationship with suicidal behavior. <i>European Neuropsychopharmacology</i> , 2019, 29, S376-S377.	0.7	0
130	Los cambios estructurales de la retina, ¿nuevos biomarcadores de los trastornos mentales? Una revisión sistemática y síntesis temática de la literatura. <i>Revista De Psiquiatría Y Salud Mental</i> , 2019, 12, 116-129.	1.8	9
131	Spanish validation of the Barcelona TEMPS-A questionnaire in patients with bipolar disorder and general population. <i>Journal of Affective Disorders</i> , 2019, 249, 199-207.	4.1	11
132	Assessing the severity of functional impairment of psychiatric disorders: equipercentile linking the mini-ICF-APP and CGI. <i>Health and Quality of Life Outcomes</i> , 2019, 17, 174.	2.4	10
133	P.378 Metabolic syndrome and quality of life in schizophrenia and bipolar disorder. <i>European Neuropsychopharmacology</i> , 2019, 29, S268-S269.	0.7	0
134	P.586 Comorbid depression in patients with schizophrenia: does it have an impact on their neurocognitive functioning?. <i>European Neuropsychopharmacology</i> , 2019, 29, S407-S408.	0.7	0
135	Estadificación clínica en los trastornos mentales graves: trastorno bipolar, depresión y esquizofrenia. <i>Revista De Psiquiatría Y Salud Mental</i> , 2019, 12, 106-115.	1.8	15
136	Barreras para la recuperación completa en la depresión mayor: estudio transversal multicéntrico en la práctica clínica. Estudio RECORD. <i>Revista De Psiquiatría Y Salud Mental</i> , 2019, 12, 141-150.	1.8	0
137	Smoking Status and Cost of Illness in Patients with Depressive Disorder Based on the National Health Survey in Spain. <i>Substance Use and Misuse</i> , 2019, 54, 713-723.	1.4	2
138	Updated European Consensus Statement on diagnosis and treatment of adult ADHD. <i>European Psychiatry</i> , 2019, 56, 14-34.	0.2	330
139	Diez años de investigación traslacional colaborativa en enfermedades mentales: el CIBERSAM. <i>Revista De Psiquiatría Y Salud Mental</i> , 2019, 12, 1-8.	1.8	68
140	Latent profile analysis of psychosis liability in a community-derived sample of adolescents: Links with mental health difficulties, suicidal ideation, bipolar-like experiences and psychotic-like experiences. <i>Microbial Biotechnology</i> , 2019, 13, 1111-1120.	1.7	10
141	Influence of secondary sources in the Brief Negative Symptom Scale. <i>Schizophrenia Research</i> , 2019, 204, 452-454.	2.0	5
142	Early versus late stage schizophrenia. What markers make the difference?. <i>World Journal of Biological Psychiatry</i> , 2019, 20, 159-165.	2.6	3
143	Diagnostic consequences of a new category of anxious depression and a reduced duration requirement for anxiety symptoms in the ICD-11 PHC. <i>Journal of Affective Disorders</i> , 2019, 245, 120-125.	4.1	8
144	Transdiagnostic dimensions of psychopathology at first episode psychosis: findings from the multinational EU-GEI study. <i>Psychological Medicine</i> , 2019, 49, 1378-1391.	4.5	69

#	ARTICLE	IF	CITATIONS
145	<i>5-HTTLPR</i> brain-derived neurotrophic factor (<i>BDNF</i>) gene interactions and early adverse life events effect on impulsivity in suicide attempters. <i>World Journal of Biological Psychiatry</i> , 2019, 20, 137-149.	2.6	17
146	¿Pueden ser la interleucina-2 y la interleucina-1 ² biomarcadores específicos de la sintomatología negativa en la esquizofrenia?. <i>Revista De Psiquiatría Y Salud Mental</i> , 2019, 12, 9-16.	1.8	8
147	Factores asociados con consumo de tabaco en pacientes con depresión. <i>Revista De Psicología De La Salud</i> , 2019, 31, 298.	0.5	12
148	Prevention of recurrent suicidal behavior: Case management and psychoeducation. <i>Psicothema</i> , 2019, 31, 107-113.	0.9	5
149	Factores predictores del consumo de alcohol en adolescentes: datos de un estudio prospectivo de 1 año de seguimiento. <i>Revista De Psicología De La Salud</i> , 2019, 31, 52-63.	0.5	2
150	Consumo de cannabis y alteraciones cognitivas en esquizofrenia y primeros episodios psicóticos. <i>Revista De Psicología De La Salud</i> , 2019, 31, 89.	0.5	2
151	Tratamiento farmacológico del trastorno obsesivo-compulsivo en adultos: una guía de práctica clínica basada en el método ADAPTE. <i>Revista De Psiquiatría Y Salud Mental</i> , 2019, 12, 77-91.	1.8	5
152	¿Mejora la CIE-11 los propósitos epidemiológicos y nosológicos de los Trastornos mentales, del comportamiento y del desarrollo?. <i>Revista De Psicología De La Salud</i> , 2019, 31, 183.	0.5	3
153	Validación española de la escala de evaluación de los síntomas negativos-16 (NSA-16) en pacientes con esquizofrenia. <i>Revista De Psiquiatría Y Salud Mental</i> , 2018, 11, 169-175.	1.8	5
154	The Network Structure of Schizotypal Personality Traits. <i>Schizophrenia Bulletin</i> , 2018, 44, S468-S479.	4.3	52
155	Smoking does not impact social and non-social cognition in patients with first episode psychosis. <i>Schizophrenia Research</i> , 2018, 199, 64-74.	2.0	13
156	A cost-effectiveness analysis of school-based suicide prevention programmes. <i>European Child and Adolescent Psychiatry</i> , 2018, 27, 1295-1304.	4.7	30
157	Association between genetic variation in the myo-inositol monophosphatase 2 (IMPA2) gene and age at onset of bipolar disorder. <i>Journal of Affective Disorders</i> , 2018, 232, 229-236.	4.1	8
158	Is cognitive impairment associated with antipsychotic dose and anticholinergic equivalent loads in first-episode psychosis?. <i>Psychological Medicine</i> , 2018, 48, 2247-2256.	4.5	40
159	Biomarcadores de estrés oxidativo y dimensiones clínicas en los 10 primeros años de esquizofrenia. <i>Revista De Psiquiatría Y Salud Mental</i> , 2018, 11, 130-140.	1.8	15
160	Inverse association between negative symptoms and body mass index in chronic schizophrenia. <i>Schizophrenia Research</i> , 2018, 192, 69-74.	2.0	25
161	Evolution of metabolic risk factors over a two-year period in a cohort of first episodes of psychosis. <i>Schizophrenia Research</i> , 2018, 193, 188-196.	2.0	50
162	Regulation of inflammatory pathways in schizophrenia: A comparative study with bipolar disorder and healthy controls. <i>European Psychiatry</i> , 2018, 47, 50-59.	0.2	32

#	ARTICLE	IF	CITATIONS
163	Brief assessment of schizotypal traits: A multinational study. Schizophrenia Research, 2018, 197, 182-191.	2.0	52
164	Treated Incidence of Psychotic Disorders in the Multinational EU-GEI Study. JAMA Psychiatry, 2018, 75, 36.	11.0	235
165	S240. DETERMINANT FACTORS OF REAL-WORLD FUNCTIONING IN SCHIZOPHRENIA. Schizophrenia Bulletin, 2018, 44, S420-S420.	4.3	0
166	T17. OXIDATIVE STRESS BIOMARKERS AND NEGATIVE DIMENSION IN THE FIRST TEN YEARS OF SCHIZOPHRENIA: A 1-YEAR FOLLOW-UP STUDY. Schizophrenia Bulletin, 2018, 44, S119-S119.	4.3	0
167	Obstetric Phenotypes in the Heterogeneity of Schizophrenia. Journal of Nervous and Mental Disease, 2018, 206, 882-886.	1.0	18
168	Psychopathology is associated with reproductive health risk in European adolescents. Reproductive Health, 2018, 15, 186.	3.1	15
169	Elevated C-reactive protein as a predictor of a random one-year clinical course in the first ten years of schizophrenia. Psychiatry Research, 2018, 269, 688-691.	3.3	7
170	F12. INFLAMMATORY BIOMARKERS AND COGNITION IN FIRST EPISODE PSYCHOSIS: GENDER DIFFERENCES. Schizophrenia Bulletin, 2018, 44, S222-S223.	4.3	0
171	Characterizing decision-making and reward processing in bipolar disorder: A cluster analysis. European Neuropsychopharmacology, 2018, 28, 863-874.	0.7	16
172	Genome wide analysis of rare copy number variations in alcohol abuse or dependence. Journal of Psychiatric Research, 2018, 103, 212-218.	3.1	8
173	Oxidative stress biomarkers and clinical dimensions in first 10 years of schizophrenia. Revista De Psiquiatr�a Y Salud Mental (English Edition), 2018, 11, 130-140.	0.3	7
174	Spanish validation of the Negative Symptom Assessment-16 (NSA-16) in patients with schizophrenia. Revista De Psiquiatr�a Y Salud Mental (English Edition), 2018, 11, 169-175.	0.3	0
175	Baseline results from the European non-interventional Antipsychotic Long acting injection in schizophrenia (ALTO) study. European Psychiatry, 2018, 52, 85-94.	0.2	17
176	Amisulpride and olanzapine followed by open-label treatment with clozapine in first-episode schizophrenia and schizophreniform disorder (OPTiMiSE): a three-phase switching study. Lancet Psychiatry, 2018, 5, 797-807.	7.4	141
177	Cardiovascular Risk in Early Psychosis: Relationship with Inflammation and Clinical Features 6 Months after Diagnosis. International Journal of Neuropsychopharmacology, 2018, 21, 410-422.	2.1	13
178	Comorbidity of Physical and Anxiety Symptoms in Adolescent: Functional Impairment, Self-Rated Health and Subjective Well-Being. International Journal of Environmental Research and Public Health, 2018, 15, 1698.	2.6	28
179	Correlates of sexual initiation among European adolescents. PLoS ONE, 2018, 13, e0191451.	2.5	32
180	An�lisis de decisi�n multicriterio en programas de tratamiento de sustituci�n de opi�ceos en trastornos por consumo de opi�ceos. Revista De Psicolog�a De La Salud, 2018, 30, 167.	0.5	2

#	ARTICLE	IF	CITATIONS
181	Physical activity in European adolescents and associations with anxiety, depression and well-being. European Child and Adolescent Psychiatry, 2017, 26, 111-122.	4.7	358
182	Evidence-based national suicide prevention taskforce in Europe: A consensus position paper. European Neuropsychopharmacology, 2017, 27, 418-421.	0.7	45
183	Do patients with bipolar disorder and subsyndromal symptoms benefit from functional remediation? A 12-month follow-up study. European Neuropsychopharmacology, 2017, 27, 350-359.	0.7	26
184	The course of negative symptoms in first-episode schizophrenia and its predictors: A prospective two-year follow-up study. Schizophrenia Research, 2017, 189, 84-90.	2.0	49
185	Intuitive pharmacogenetic dosing of risperidone according to CYP2D6 phenotype extrapolated from genotype in a cohort of first episode psychosis patients. European Neuropsychopharmacology, 2017, 27, 647-656.	0.7	13
186	Factors associated with different smoking status in European adolescents: results of the SEYLE study. European Child and Adolescent Psychiatry, 2017, 26, 1319-1329.	4.7	27
187	Risky Drinkers Underestimate their Own Alcohol Consumption. Alcohol and Alcoholism, 2017, 52, 516-517.	1.6	12
188	Primary care physicians' use of the proposed classification of common mental disorders for ICD-11. Family Practice, 2017, 34, 574-580.	1.9	7
189	Bullying Victimization and Suicide Ideation and Behavior Among Adolescents in Europe: A 10-Country Study. Journal of Adolescent Health, 2017, 61, 179-186.	2.5	167
190	Suicidio, desempleo y recesi3n econ3mica en Espa±a. Revista De PsiquiatrĀ Y Salud Mental, 2017, 10, 70-77.	1.8	33
191	EPICOG-SCH: A brief battery to screen cognitive impact of schizophrenia in stable outpatients. Schizophrenia Research: Cognition, 2017, 8, 7-20.	1.3	2
192	Suicide, unemployment, and economic recession in Spain. Revista De PsiquiatrĀ Y Salud Mental (English Edition), 2017, 10, 70-77.	0.3	13
193	Variaciones en las concentraciones plasmĀticas de clozapina en pacientes con esquizofrenia y trastorno esquizoafectivo. Revista De PsiquiatrĀ Y Salud Mental, 2017, 10, 192-196.	1.8	12
194	Impact of childhood trauma on cognitive profile in bipolar disorder. Bipolar Disorders, 2017, 19, 363-374.	1.9	49
195	Is it Feasible and Effective to Help Patients with Severe Mental Disorders to Quit Smoking?. European Psychiatry, 2017, 41, S32-S33.	0.2	0
196	Recomendaciones preventivas sobre el uso de Ācido valproico en mujeres embarazadas o con capacidad de gestaci3n para tener muy presentes. Revista De PsiquiatrĀ Y Salud Mental, 2017, 10, 129-133.	1.8	5
197	Recommendations for buprenorphine and methadone therapy in opioid use disorder: a European consensus. Expert Opinion on Pharmacotherapy, 2017, 18, 1987-1999.	1.8	96
198	Concentrations in plasma clozapine levels in schizophrenic and schizoaffective patients. Revista De PsiquiatrĀ Y Salud Mental (English Edition), 2017, 10, 192-196.	0.3	6

#	ARTICLE	IF	CITATIONS
199	Why prudence is needed when interpreting articles reporting clinical trial results in mental health. <i>Trials</i> , 2017, 18, 143.	1.6	10
200	Psychosis risk screening: Validation of the youth psychosis at-risk questionnaire – brief in a community-derived sample of adolescents. <i>International Journal of Methods in Psychiatric Research</i> , 2017, 26, .	2.1	11
201	Mental health difficulties and suicidal behaviours among young migrants: multicentre study of European adolescents. <i>BJPsych Open</i> , 2017, 3, 291-299.	0.7	21
202	Efficacy of prospective pharmacogenetic testing in the treatment of major depressive disorder: results of a randomized, double-blind clinical trial. <i>BMC Psychiatry</i> , 2017, 17, 250.	2.6	148
203	Tabaco y rendimiento cognitivo en pacientes con esquizofrenia: diseÃ±o del estudio COGNICO. <i>Revista De Psicología De La Salud</i> , 2017, 29, 6.	0.5	4
204	Uso y abuso de sustancias psicotrópicas e internet, psicopatología e ideación suicida en adolescentes. <i>Revista De Psicología De La Salud</i> , 2017, 29, 97.	0.5	51
205	Persistent Negative Symptoms in First-Episode Psychosis. <i>Journal of Clinical Psychiatry</i> , 2017, 78, 1414-1422.	2.2	28
206	Treatments for Opioid Dependence and Methadone. , 2016, , 595-602.		0
207	Pathological Internet Use and Risk-Behaviors among European Adolescents. <i>International Journal of Environmental Research and Public Health</i> , 2016, 13, 294.	2.6	105
208	Cognitive reserve in bipolar disorder: relation to cognition, psychosocial functioning and quality of life. <i>Acta Psychiatrica Scandinavica</i> , 2016, 133, 386-398.	4.5	103
209	Clinical features, impulsivity, temperament and functioning and their role in suicidality in patients with bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2016, 133, 266-276.	4.5	35
210	Differential blood-based biomarkers of psychopathological dimensions of schizophrenia. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2016, 9, 219-227.	0.3	6
211	Smoking cessation programs for persons with schizophrenia: An urgent unmet need. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2016, 9, 181-184.	0.3	3
212	Programas de cesación tabáquica para personas con esquizofrenia: una necesidad urgente no cubierta. <i>Revista De Psiquiatría Y Salud Mental</i> , 2016, 9, 181-184.	1.8	13
213	Inflammatory and metabolic biomarkers of psychopathological dimensions of schizophrenia. <i>European Psychiatry</i> , 2016, 33, s250-s250.	0.2	1
214	Effects of functional remediation on neurocognitively impaired bipolar patients: enhancement of verbal memory. <i>Psychological Medicine</i> , 2016, 46, 291-301.	4.5	43
215	Trastorno obsesivo-compulsivo: utilidad de una guía terapéutica farmacológica. <i>Revista De Psiquiatría Y Salud Mental</i> , 2016, 9, 131-133.	1.8	4
216	Obsessive-compulsive disorder: The usefulness of a pharmacological practice guideline. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2016, 9, 131-133.	0.3	0

#	ARTICLE	IF	CITATIONS
217	Multiple somatic symptoms in primary care: A field study for ICD-11 PHC, WHO's revised classification of mental disorders in primary care settings. <i>Journal of Psychosomatic Research</i> , 2016, 91, 48-54.	2.6	33
218	Biomarcadores sanguíneos diferenciales de las dimensiones psicopatológicas de la esquizofrenia. <i>Revista De Psiquiatría Y Salud Mental</i> , 2016, 9, 219-227.	1.8	21
219	Validation of a Spanish version of the Columbia-Suicide Severity Rating Scale (C-SSRS). <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2016, 9, 134-142.	0.3	19
220	Cognition and psychopathology in first-episode psychosis: are they related to inflammation?. <i>Psychological Medicine</i> , 2016, 46, 2133-2144.	4.5	36
221	Effectiveness of pharmacogenetic information in the treatment of major depressive disorder: results from the AB-GEN randomized clinical trial. <i>European Neuropsychopharmacology</i> , 2016, 26, S404-S405.	0.7	1
222	Métodos de exploración de la función cognitiva en la práctica clínica. <i>Psiquiatría Biológica</i> , 2016, 23, 29-33.	0.1	14
223	Suicide prevention strategies revisited: 10-year systematic review. <i>Lancet Psychiatry</i> , 2016, 3, 646-659.	7.4	1,160
224	Pathological Internet Use Is on the Rise Among European Adolescents. <i>Journal of Adolescent Health</i> , 2016, 59, 236-239.	2.5	57
225	Pharmacogenetic study of antipsychotic induced acute extrapyramidal symptoms in a first episode psychosis cohort: role of dopamine, serotonin and glutamate candidate genes. <i>Pharmacogenomics Journal</i> , 2016, 16, 439-445.	2.0	30
226	Childhood trauma in suicide attempters: Case-control study. <i>European Psychiatry</i> , 2016, 33, S111-S111.	0.2	2
227	Effects of nicotine abstinence on clinical symptoms. Study at 3 and 6-months follow-up of outpatients with schizophrenia. <i>European Psychiatry</i> , 2016, 33, s261-s262.	0.2	1
228	Psychometric properties of a Spanish-version of the Schizophrenia Objective Functioning Instrument (Sp-SOFI). <i>International Journal of Clinical and Health Psychology</i> , 2016, 16, 58-75.	5.1	5
229	Validación de la versión en español de la Columbia-Suicide Severity Rating Scale (Escala Columbia para la evaluación de la gravedad de los intentos de suicidio). <i>Revista De Psiquiatría Y Salud Mental</i> , 2016, 9, 134-142.	1.8	19
230	It is feasible and effective to help patients with severe mental disorders to quit smoking: An ecological pragmatic clinical trial with transdermal nicotine patches and varenicline. <i>Schizophrenia Research</i> , 2016, 176, 272-280.	2.0	22
231	Antipsychotic switching in schizoaffective disorder: A systematic review. <i>World Journal of Biological Psychiatry</i> , 2016, 17, 495-513.	2.6	17
232	Association between victimization by bullying and direct self injurious behavior among adolescence in Europe: a ten-country study. <i>European Child and Adolescent Psychiatry</i> , 2016, 25, 1183-1193.	4.7	62
233	A Pharmacovigilance Study in First Episode of Psychosis: Psychopharmacological Interventions and Safety Profiles in the PEPs Project. <i>International Journal of Neuropsychopharmacology</i> , 2016, 19, pyv121.	2.1	29
234	Reasons for Attempted Suicide in Europe: Prevalence, Associated Factors, and Risk of Repetition. <i>Archives of Suicide Research</i> , 2016, 20, 45-58.	2.3	38

#	ARTICLE	IF	CITATIONS
235	Functional remediation in bipolar disorder: 1-year follow-up of neurocognitive and functional outcome. British Journal of Psychiatry, 2016, 208, 87-93.	2.8	95
236	Opposite Cannabis-Cognition Associations in Psychotic Patients Depending on Family History. PLoS ONE, 2016, 11, e0160949.	2.5	22
237	El alcoholismo y su abordaje desde una perspectiva ciudadana. Revista De Psicología De La Salud, 2016, 28, 163.	0.5	7
238	Diferencias de género en la gravedad de la adicción. Revista De Psicología De La Salud, 2016, 28, 221.	0.5	14
239	A Review of Quality-of-Life Assessment Measures in Schizophrenia: Limitations and Future Developments. , 2016, , 65-77.		0
240	Exploring Genetic Variability at PI, GSK3, HPA, and Glutamatergic Pathways in Lithium Response. Journal of Clinical Psychopharmacology, 2015, 35, 600-604.	1.4	20
241	Reading Books and Watching Films as a Protective Factor against Suicidal Ideation. International Journal of Environmental Research and Public Health, 2015, 12, 15937-15942.	2.6	10
242	Cognitive Performance associated to functional outcomes in stable outpatients with schizophrenia. Schizophrenia Research: Cognition, 2015, 2, 146-158.	1.3	19
243	Predictors of Posttreatment Drinking Outcomes in Patients with Alcohol Dependence. European Addiction Research, 2015, 21, 19-30.	2.4	11
244	Pathological Internet use among adolescents: Comparing gamers and non-gamers. Psychiatry Research, 2015, 228, 128-135.	3.3	117
245	Pro-/Antiinflammatory Dysregulation in Early Psychosis: Results from a 1-Year Follow-Up Study. International Journal of Neuropsychopharmacology, 2015, 18, pyu037-pyu037.	2.1	26
246	Assessing and Treating Alcohol Relapse Risk in Liver Transplantation Candidates. Alcohol and Alcoholism, 2015, 50, 164-172.	1.6	40
247	Help-seeking behaviour following school-based screening for current suicidality among European adolescents. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 973-982.	3.1	30
248	Risk Factors and Comorbidities for Occasional and Daily Smoking in European Adolescents: Results of the Seyle Project. European Psychiatry, 2015, 30, 515.	0.2	1
249	Differential Biomarkers of Negative Dimension in Schizophrenia. European Psychiatry, 2015, 30, 1697.	0.2	1
250	Premorbid adjustment and clinical correlates of cognitive impairment in first-episode psychosis. The PEPsCog Study. Schizophrenia Research, 2015, 164, 65-73.	2.0	92
251	Predictive factors of functional capacity and real-world functioning in patients with schizophrenia. European Psychiatry, 2015, 30, 622-627.	0.2	40
252	School-based suicide prevention programmes: the SEYLE cluster-randomised, controlled trial. Lancet, The, 2015, 385, 1536-1544.	13.7	452

#	ARTICLE	IF	CITATIONS
253	How can we promote smoking cessation in people with schizophrenia in practice? A clinical overview. <i>Acta Psychiatrica Scandinavica</i> , 2015, 132, 122-130.	4.5	42
254	Psychometric evaluation of the negative syndrome of schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2015, 265, 559-566.	3.2	50
255	The negative syndrome of schizophrenia: Three -underlying components are better than two. <i>Schizophrenia Research</i> , 2015, 166, 115-118.	2.0	18
256	Functional remediation for patients with bipolar II disorder: Improvement of functioning and subsyndromal symptoms. <i>European Neuropsychopharmacology</i> , 2015, 25, 257-264.	0.7	52
257	Factors Associated with Hospitalization after Suicide Spectrum Behaviors: Results from a Multicenter Study in Spain. <i>Archives of Suicide Research</i> , 2015, 19, 17-34.	2.3	15
258	Effectiveness of a Multi-Component Smoking Cessation Support Programme (McSCSP) for Patients with Severe Mental Disorders: Study Design. <i>International Journal of Environmental Research and Public Health</i> , 2014, 11, 373-389.	2.6	6
259	Alcohol Consumption Patterns among Adolescents are Related to Family Structure and Exposure to Drunkenness within the Family: Results from the SEYLE Project. <i>International Journal of Environmental Research and Public Health</i> , 2014, 11, 12700-12715.	2.6	25
260	Identifying Gene-Environment Interactions in Schizophrenia: Contemporary Challenges for Integrated, Large-scale Investigations. <i>Schizophrenia Bulletin</i> , 2014, 40, 729-736.	4.3	229
261	Immigration and recommended care after a suicide attempt in Europe: equity or bias?. <i>European Journal of Public Health</i> , 2014, 24, 63-65.	0.3	5
262	Long term outcomes of pharmacological treatments for opioid dependence: does methadone still lead the pack?. <i>British Journal of Clinical Pharmacology</i> , 2014, 77, 272-284.	2.4	36
263	Pharmacogenetic study of second-generation antipsychotic long-term treatment metabolic side effects (the SLiM Study): Rationale, objectives, design and sample description. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2014, 7, 166-178.	0.3	5
264	Spanish consensus on the physical health of patients with depressive disorders. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2014, 7, 195-207.	0.3	5
265	Effect of one year of a gluten-free diet on the clinical evolution of irritable bowel syndrome plus fibromyalgia in patients with associated lymphocytic enteritis: a case-control study. <i>Arthritis Research and Therapy</i> , 2014, 16, 421.	3.5	16
266	Antipsychotic switching in bipolar disorders: a systematic review. <i>International Journal of Neuropsychopharmacology</i> , 2014, 17, 497-507.	2.1	25
267	Teacher satisfaction with school and psychological well-being affects their readiness to help children with mental health problems. <i>Health Education Journal</i> , 2014, 73, 382-393.	1.2	81
268	Treatment adherence and quality of sleep in schizophrenia outpatients. <i>International Journal of Psychiatry in Clinical Practice</i> , 2014, 18, 70-76.	2.4	30
269	Prevención del suicidio en España: una necesidad cl�nica no resuelta. <i>Revista De Psiquiatría Y Salud Mental</i> , 2014, 7, 1-4.	1.8	36
270	Risk-behaviour screening for identifying adolescents with mental health problems in Europe. <i>European Child and Adolescent Psychiatry</i> , 2014, 23, 611-620.	4.7	60

#	ARTICLE	IF	CITATIONS
271	Response to “Remarkable prevalence of celiac disease in patients with irritable bowel syndrome plus fibromyalgia in comparison with those with isolated irritable bowel syndrome: a case-finding study” authors’ reply. Arthritis Research and Therapy, 2014, 16, 403.	3.5	0
272	Hours of sleep in adolescents and its association with anxiety, emotional concerns, and suicidal ideation. Sleep Medicine, 2014, 15, 248-254.	1.6	144
273	Consenso español de salud física del paciente con depresión. Revista De Psiquiatría Y Salud Mental, 2014, 7, 195-207.	1.8	16
274	Estudio farmacogenético del tratamiento a largo plazo con antipsicóticos de segunda generación y sus efectos adversos metabólicos (Estudio SLIM): justificación, objetivos, diseño y descripción de la muestra. Revista De Psiquiatría Y Salud Mental, 2014, 7, 166-178.	1.8	9
275	Study protocol of a prevention of recurrent suicidal behaviour program based on case management (PSyMAC). Revista De Psiquiatría Y Salud Mental (English Edition), 2014, 7, 131-138.	0.3	3
276	Development of the Spanish Brief-version of the University of California Performance Skills Assessment (Sp-UPSA-Brief) in patients with schizophrenia and bipolar disorder. Revista De Psiquiatría Y Salud Mental (English Edition), 2014, 7, 113-120.	0.3	2
277	Life-time prevalence and psychosocial correlates of adolescent direct self-harm/injurious behavior: A comparative study of findings in 11 European countries. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2014, 55, 337-348.	5.2	298
278	Pathological Internet use among European adolescents: psychopathology and self-destructive behaviours. European Child and Adolescent Psychiatry, 2014, 23, 1093-1102.	4.7	184
279	P.6.d.014 Psychopathological tolerability of varenicline and nicotine patches for smoking cessation in severe mental disorders. European Neuropsychopharmacology, 2014, 24, S694.	0.7	0
280	Replication of previous genome-wide association studies of psychiatric diseases in a large schizophrenia case-control sample from Spain. Schizophrenia Research, 2014, 159, 107-113.	2.0	36
281	Verbal memory as a mediator in the relationship between subthreshold depressive symptoms and functional outcome in bipolar disorder. Journal of Affective Disorders, 2014, 160, 50-54.	4.1	71
282	Suicide prevention in Spain: An uncovered clinical need. Revista De Psiquiatría Y Salud Mental (English) 17(1) 10-19	0.3	0
283	EPA Guidance on Tobacco Dependence and Strategies for Smoking Cessation in People with Mental Illness. European Psychiatry, 2014, 29, 65-82.	0.2	119
284	Spanish adaptation and validation of the Brief Negative Symptoms Scale. Comprehensive Psychiatry, 2014, 55, 1726-1729.	3.1	54
285	Association between GSK3 β gene and increased impulsivity in bipolar disorder. European Neuropsychopharmacology, 2014, 24, 510-518.	0.7	25
286	Patología dual en trastornos de ansiedad: recomendaciones en el tratamiento farmacológico. Revista De Psicología De La Salud, 2014, 26, 254.	0.5	8
287	Effects of the economic crisis on demand due to mental disorders in Asturias: data from the Asturias Cumulative Psychiatric Case Register (2000-2010). Actas Espanolas De Psiquiatria, 2014, 42, 108-15.	0.1	16
288	Child coping, parent coping assistance, and post-traumatic stress following paediatric physical injury. Child: Care, Health and Development, 2013, 39, 171-177.	1.7	42

#	ARTICLE	IF	CITATIONS
289	The Saving and Empowering Young Lives in Europe (SEYLE) Randomized Controlled Trial (RCT): methodological issues and participant characteristics. BMC Public Health, 2013, 13, 479.	2.9	57
290	Guilt and depression: Two different factors in individuals with negative symptoms of schizophrenia. European Psychiatry, 2013, 28, 327-331.	0.2	19
291	Remarkable prevalence of coeliac disease in patients with irritable bowel syndrome plus fibromyalgia in comparison with those with isolated irritable bowel syndrome: a case-finding study. Arthritis Research and Therapy, 2013, 15, R201.	3.5	27
292	Clinical impact of a gluten-free diet on health-related quality of life in seven fibromyalgia syndrome patients with associated celiac disease. BMC Gastroenterology, 2013, 13, 157.	2.0	36
293	Genetic variability at IMPA2, INPP1 and GSK3 β increases the risk of suicidal behavior in bipolar patients. European Neuropsychopharmacology, 2013, 23, 1452-1462.	0.7	46
294	Ante el nuevo reto de identificar el s�ndrome negativo de la esquizofrenia. Revista De Psiquiatr�a Y Salud Mental, 2013, 6, 141-143.	1.8	17
295	The new challenge in identifying the negative syndrome of schizophrenia. Revista De Psiquiatr�a Y Salud Mental (English Edition), 2013, 6, 141-143.	0.3	6
296	Validation of a European Spanish-version of the University of California performance Skills Assessment (Sp-UPSA) in patients with schizophrenia and bipolar disorder. Schizophrenia Research, 2013, 150, 421-426.	2.0	31
297	P.7.e.003 Sleep in adolescents: association with emotional problems and suicidal ideation. European Neuropsychopharmacology, 2013, 23, S613-S614.	0.7	0
298	A randomised, double-blind, placebo-controlled, efficacy study of nalmefene, as-needed use, in patients with alcohol dependence. European Neuropsychopharmacology, 2013, 23, 1432-1442.	0.7	359
299	P.2.d.014 Genetic variability at IMPA2 and INPP1 genes is associated to lithium response in bipolar patients. European Neuropsychopharmacology, 2013, 23, S370-S371.	0.7	1
300	Evoluci�n de la prevalencia administrativa de los trastornos mentales durante 13 a�os en Asturias (norte de Espa�a). Revista De Psiquiatr�a Y Salud Mental, 2013, 6, 60-66.	1.8	8
301	Efficacy of Functional Remediation in Bipolar Disorder: A Multicenter Randomized Controlled Study. American Journal of Psychiatry, 2013, 170, 852-859.	7.2	269
302	Satisfaction with Life of Schizophrenia Outpatients and Their Caregivers: Differences between Patients with and without Self-Reported Sleep Complaints. Schizophrenia Research and Treatment, 2013, 2013, 1-3.	1.5	13
303	Adolescent subthreshold depression and anxiety: psychopathology, functional impairment and increased suicide risk. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2013, 54, 670-677.	5.2	387
304	Switching to Ziprasidone in the Clinical Practice Setting: An Open-Label Study. International Journal of Psychiatry in Medicine, 2013, 45, 125-142.	1.8	8
305	The state of psychiatry in Spain. International Review of Psychiatry, 2012, 24, 347-355.	2.8	5
306	The cost-effectiveness of paliperidone extended release in Spain. Journal of Medical Economics, 2012, 15, 26-34.	2.1	15

#	ARTICLE	IF	CITATIONS
307	Functional impairment as a defining feature of: amnesic MCI cognitive, emotional, and demographic correlates. <i>International Psychogeriatrics</i> , 2012, 24, 1494-1504.	1.0	23
308	P.3.f.002 Epidemiologic naturalistic study to determine the relationship between the Personal and Social Performance (PSP) scale and the perceived sleep quality in schizophrenia. <i>European Neuropsychopharmacology</i> , 2012, 22, S356.	0.7	0
309	Cardiovascular and metabolic risk in outpatients with schizoaffective disorder treated with antipsychotics: Results from the CLAMORS study. <i>European Psychiatry</i> , 2012, 27, 267-274.	0.2	21
310	Pregabalin for the discontinuation of long-term benzodiazepines use: An assessment of its effectiveness in daily clinical practice. <i>European Psychiatry</i> , 2012, 27, 301-307.	0.2	43
311	Position statement of the European Psychiatric Association (EPA) on the value of antidepressants in the treatment of unipolar depression. <i>European Psychiatry</i> , 2012, 27, 114-128.	0.2	39
312	Recommendations for the prevention and management of suicidal behaviour. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2012, 5, 8-23.	0.3	2
313	Psychometric properties of the Spanish version of the Body Weight, Image and Self-Esteem Evaluation questionnaire in patients with severe mental disorders. <i>Comprehensive Psychiatry</i> , 2012, 53, 1237-1242.	3.1	3
314	Suicide prevention for youth - a mental health awareness program: lessons learned from the Saving and Empowering Young Lives in Europe (SEYLE) intervention study. <i>BMC Public Health</i> , 2012, 12, 776.	2.9	62
315	New treatment guidelines for acute bipolar mania: A critical review. <i>Journal of Affective Disorders</i> , 2012, 140, 125-141.	4.1	76
316	The role of genetic variability in the SLC6A4, BDNF and GABRA6 genes in anxiety-related traits. <i>Acta Psychiatrica Scandinavica</i> , 2012, 125, 194-202.	4.5	41
317	Prevalence of pathological internet use among adolescents in Europe: demographic and social factors. <i>Addiction</i> , 2012, 107, 2210-2222.	3.3	517
318	The Incidence of Hospital-Treated Attempted Suicide in Oviedo, Spain. <i>Crisis</i> , 2012, 33, 46-53.	1.2	20
319	Efectividad a largo plazo de los tratamientos de mantenimiento con metadona en personas con adicción a derivados opiáceos. <i>Revista De Psicología De La Salud</i> , 2012, 24, 179.	0.5	5
320	Sexual dysfunction in patients with schizophrenia vs bipolar disorder. <i>European Psychiatry</i> , 2011, 26, 1542-1542.	0.2	0
321	Clinical meaningful outcomes in schizophrenia: remission and recovery. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2011, 4, 53-65.	0.3	7
322	Recomendaciones para el cambio de antipsicóticos. Posicionamiento de la Sociedad Española de Psiquiatría y Sociedad Española de Psiquiatría Biológica. <i>Revista De Psiquiatría Y Salud Mental</i> , 2011, 4, 150-168.	1.8	26
323	Report of the 3rd European Brain Policy Forum. <i>Revista De Psiquiatría Y Salud Mental (English)</i> Tj ETQq1 1 0.784314rgBT /Overlock 10	0.3	0
324	PMH33 The Cost-Effectiveness of Paliperidone ER in Spain. <i>Value in Health</i> , 2011, 14, A292.	0.3	0

#	ARTICLE	IF	CITATIONS
325	Disability and health-related quality of life in outpatients with generalised anxiety disorder treated in psychiatric clinics: is there still room for improvement?. <i>Annals of General Psychiatry</i> , 2011, 10, 7.	2.7	10
326	Physical illness in patients with severe mental disorders. II. Barriers to care, monitoring and treatment guidelines, plus recommendations at the system and individual level. <i>World Psychiatry</i> , 2011, 10, 138-151.	10.4	631
327	A 25-year follow-up of patients admitted to methadone treatment for the first time: Mortality and gender differences. <i>Addictive Behaviors</i> , 2011, 36, 1184-1190.	3.0	51
328	Role of serotonergic-related systems in suicidal behavior: Data from a case-control association study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011, 35, 1518-1524.	4.8	21
329	A cross-cultural comparison between Spain and the USA: Temperament and character distribution by sex and age. <i>Psychiatry Research</i> , 2011, 186, 397-401.	3.3	12
330	Interconnection between biological abnormalities in borderline personality disorder: Use of the Bayesian networks model. <i>Psychiatry Research</i> , 2011, 186, 315-319.	3.3	15
331	Validation of the Spanish Personal and Social Performance scale (PSP) in outpatients with stable and unstable schizophrenia. <i>Revista De Psiquiatr�a Y Salud Mental (English Edition)</i> , 2011, 4, 9-18.	0.3	21
332	Change in psychiatrists' attitudes towards the physical health care of patients with schizophrenia coinciding with the dissemination of the consensus on physical health in patients with schizophrenia. <i>European Psychiatry</i> , 2011, 26, 305-312.	0.2	15
333	Psychopathology, coronary heart disease and metabolic syndrome in schizophrenia spectrum patients with deficit versus non-deficit schizophrenia: Findings from the CLAMORS study. <i>European Neuropsychopharmacology</i> , 2011, 21, 867-875.	0.7	33
334	Self-Perceived Needs Are Related to Violent Behavior Among Schizophrenia Outpatients. <i>Journal of Nervous and Mental Disease</i> , 2011, 199, 666-671.	1.0	10
335	Psychometric Properties of the Spanish Version of the Changes in Sexual Functioning Questionnaire Short-Form (CSFQ-14) in Patients with Severe Mental Disorders. <i>Journal of Sexual Medicine</i> , 2011, 8, 1371-1382.	0.6	24
336	Validaci�n de la versi�n espa�ola de la escala de Funcionamiento Personal y Social en pacientes ambulatorios con esquizofrenia estable o inestable. <i>Revista De Psiquiatr�a Y Salud Mental</i> , 2011, 4, 9-18.	1.8	65
337	Resultados cl�nicos relevantes en esquizofrenia: remisi�n y recuperaci�n. <i>Revista De Psiquiatr�a Y Salud Mental</i> , 2011, 4, 53-65.	1.8	16
338	Physical illness in patients with severe mental disorders. I. Prevalence, impact of medications and disparities in health care. <i>World Psychiatry</i> , 2011, 10, 52-77.	10.4	1,767
339	Borderline Personality Traits in Nonclinical Young Adults. <i>Journal of Personality Disorders</i> , 2011, 25, 542-556.	1.4	29
340	Topiramate for the Treatment of Alcohol Dependence: Comparison with Naltrexone. <i>European Addiction Research</i> , 2011, 17, 29-36.	2.4	49
341	Effects of Pregabalin on Subjective Sleep Disturbance Symptoms during Withdrawal from Long-Term Benzodiazepine Use. <i>European Addiction Research</i> , 2011, 17, 262-270.	2.4	19
342	Negative symptoms are prevalent in antipsychotic-treated adult outpatients with schizophrenia spectrum disorders. <i>Evidence-Based Mental Health</i> , 2011, 13, 106-106.	4.5	1

#	ARTICLE	IF	CITATIONS
343	Necesidad de evaluación de la patología dual en contexto penitenciario. Revista De Psicología De La Salud, 2011, 23, 37.	0.5	7
344	Amisulpride en el tratamiento de la dependencia alcohólica. Revista De Psicología De La Salud, 2011, 23, 149.	0.5	2
345	Impact of substance use on the physical health of patients with bipolar disorder. Acta Psychiatrica Scandinavica, 2010, 121, 437-445.	4.5	31
346	Interactions between functional serotonergic polymorphisms and demographic factors influence personality traits in healthy Spanish Caucasians. Psychiatric Genetics, 2010, 20, 171-178.	1.1	19
347	Sociodemographic factors associated with personality traits assessed through the TCI. Personality and Individual Differences, 2010, 48, 809-814.	2.9	9
348	Saving and Empowering Young Lives in Europe (SEYLE): a randomized controlled trial. BMC Public Health, 2010, 10, 192.	2.9	124
349	The general problem of increased somatic comorbidity in bipolar patients. Annals of General Psychiatry, 2010, 9, .	2.7	0
350	Extended-release quetiapine fumarate (quetiapine XR): a once-daily monotherapy effective in generalized anxiety disorder. Data from a randomized, double-blind, placebo- and active-controlled study. International Journal of Neuropsychopharmacology, 2010, 13, 305.	2.1	116
351	Healthy lifestyle habits and 10-year cardiovascular risk in schizophrenia spectrum disorders: An analysis of the impact of smoking tobacco in the CLAMORS schizophrenia cohort. Schizophrenia Research, 2010, 119, 101-109.	2.0	151
352	Impact of the Spanish Consensus on Physical Health of Patients with Schizophrenia. Revista De Psiquiatría Y Salud Mental (English Edition), 2010, 3, 119-127.	0.3	4
353	Genetic polymorphisms in the dopamine-2 receptor (DRD2), dopamine-3 receptor (DRD3), and dopamine transporter (SLC6A3) genes in schizophrenia: Data from an association study. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2010, 34, 26-31.	4.8	37
354	Measurement Invariance of the Reynolds Depression Adolescent Scale across Gender and Age. International Journal of Testing, 2010, 10, 133-148.	0.3	21
355	Narcisismo manifiesto, narcisismo encubierto y trastornos de personalidad en una Unidad de Conductas Adictivas: validez predictiva de respuesta a tratamiento. Revista De Psicología De La Salud, 2010, 22, 107.	0.5	7
356	Validez de la versión española de la Hypersensitive Narcissism Scale (HSNS) en una Unidad de Conductas Adictivas. Revista De Psicología De La Salud, 2010, 22, 29.	0.5	7
357	Prevalence of Negative Symptoms in Outpatients With Schizophrenia Spectrum Disorders Treated With Antipsychotics in Routine Clinical Practice. Journal of Clinical Psychiatry, 2010, 71, 280-286.	2.2	210
358	the Criteria Sets for Further Study. International Journal of Social Psychiatry, 2009, 55, 195-197.	3.1	2
359	Psychometric Properties of the Revised Physical and Social Anhedonia Scales in Non-Clinical Young Adults. Spanish Journal of Psychology, 2009, 12, 815-822.	2.1	32
360	Cardiovascular risk in patients with bipolar disorder. Journal of Affective Disorders, 2009, 115, 302-308.	4.1	68

#	ARTICLE	IF	CITATIONS
361	Violence among schizophrenia outpatients compliant with medication: prevalence and associated factors. <i>Acta Psychiatrica Scandinavica</i> , 2009, 119, 218-225.	4.5	47
362	Polymorphisms of the IL6 Gene Complex Are Associated With Alcohol Dependence in Spanish Caucasians: Data From an Association Study. <i>Alcoholism: Clinical and Experimental Research</i> , 2009, 33, 2147-2153.	2.4	19
363	Differential role of serotonergic polymorphisms in alcohol and heroin dependence. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009, 33, 695-700.	4.8	35
364	Remission in schizophrenia: Results from a 1-year follow-up observational study. <i>Schizophrenia Research</i> , 2009, 108, 214-222.	2.0	50
365	Recovery from schizophrenia: Results from a 1-year follow-up observational study of patients in symptomatic remission. <i>Schizophrenia Research</i> , 2009, 115, 58-66.	2.0	75
366	Spanish Consensus on Physical Health in Patients with Bipolar Disorder [PW05-04]. <i>European Psychiatry</i> , 2009, 24, .	0.2	0
367	Substance Use and Physical Health in Patients with Bipolar Disorder Under Maintenance Treatment. <i>European Psychiatry</i> , 2009, 24, .	0.2	1
368	Cardiovascular and Respiratory Comorbidities in Patients with Bipolar Disorder: A Systematic Review. <i>European Psychiatry</i> , 2009, 24, .	0.2	0
369	Nutritional, Metabolic and Endocrine Disorders in Patients with Bipolar Disorder: A Systematic Review. <i>European Psychiatry</i> , 2009, 24, .	0.2	0
370	Gynaecological and Obstetric Comorbidities in Patients with Bipolar Disorder: A Systematic Review. <i>European Psychiatry</i> , 2009, 24, .	0.2	0
371	Spanish Consensus on Physical Health in Patients with Bipolar Disorder [P01-205]. <i>European Psychiatry</i> , 2009, 24, .	0.2	0
372	Implicación de polimorfismos serotoninérgicos en la gravedad clínica del trastorno de pánico. <i>Revista De Psiquiatría Y Salud Mental</i> , 2009, 2, 35-41.	1.8	5
373	Rendimiento psicométrico del Cuestionario Oviedo de Sueño en pacientes con trastorno mental grave. <i>Revista De Psiquiatría Y Salud Mental</i> , 2009, 2, 169-177.	1.8	21
374	Role of serotonergic polymorphisms in the clinical severity of the panic disorder. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2009, 2, 35-41.	0.3	1
375	Psychometric performance of the Oviedo Sleep Questionnaire in patients with severe mental disorder. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2009, 2, 169-177.	0.3	6
376	P.2.e.009 Gynaecological and obstetric comorbidities in patients with bipolar disorder: a systematic review. <i>European Neuropsychopharmacology</i> , 2009, 19, S453-S454.	0.7	0
377	P.3.a.025 Influence of knowledge of the Spanish consensus on physical health in schizophrenic patients in clinical practice. <i>European Neuropsychopharmacology</i> , 2009, 19, S494-S495.	0.7	0
378	P.6.c.005 Benzodiazepines use withdrawal tapering gradually with pregabalin: findings from the medical practice. <i>European Neuropsychopharmacology</i> , 2009, 19, S652.	0.7	2

#	ARTICLE	IF	CITATIONS
379	Prevalence of Metabolic Syndrome and Coronary Heart Disease Risk in Patients with Schizoaffective Disorder: Clamors Study. <i>European Psychiatry</i> , 2009, 24, .	0.2	0
380	Differences in Personality Traits Evaluated by TCI According to Physical Illness. <i>European Psychiatry</i> , 2009, 24, .	0.2	0
381	Evaluation of symptomatology on schizophrenia. <i>Medical Psychiatry</i> , 2009, , 32-38.	0.2	0
382	Validity and reliability of the Spanish versions of the Bechâ€Rafaelsenâ€™s mania and melancholia scales for bipolar disorders. <i>Acta Psychiatrica Scandinavica</i> , 2008, 117, 207-215.	4.5	6
383	Using Topiramate or Naltrexone for the Treatment of Alcoholâ€™Dependent Patients. <i>Alcoholism: Clinical and Experimental Research</i> , 2008, 32, 1251-1259.	2.4	64
384	The prevalence of metabolic syndrome in patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2008, 106, 197-201.	4.1	107
385	Concordance of standard and modified NCEP ATP III criteria for identification of metabolic syndrome in outpatients with schizophrenia treated with antipsychotics: A corollary from the CLAMORS study. <i>Schizophrenia Research</i> , 2008, 99, 23-28.	2.0	21
386	A comparison of schizophrenia outpatients treated with antipsychotics with and without metabolic syndrome: Findings from the CLAMORS study. <i>Schizophrenia Research</i> , 2008, 104, 1-12.	2.0	74
387	Consenso EspaÃ±ol de Salud FÃsica del Paciente con Trastorno Bipolar. <i>Revista De PsiquiatrÃa Y Salud Mental</i> , 2008, 1, 26-37.	1.8	33
388	Spanish Consensus on Physical Health of Patients With Bipolar Disorder. <i>Revista De PsiquiatrÃa Y Salud Mental (English Edition)</i> , 2008, 1, 26-37.	0.3	5
389	Is attempted suicide different in adolescent and adults?. <i>Psychiatry Research</i> , 2008, 157, 131-137.	3.3	49
390	Association study between obsessiveâ€™compulsive disorder and serotonergic candidate genes. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008, 32, 765-770.	4.8	47
391	A simulation model to estimate the coronary heart disease risk in schizophrenic patients treated with second-generation-antipsychotic drugs: A Spanish perspective. <i>European Psychiatry</i> , 2008, 23, S139.	0.2	0
392	Association between Heroin Dependence and 5-HT_{2A} Receptor Gene Polymorphisms. <i>European Addiction Research</i> , 2008, 14, 47-52.	2.4	20
393	Association Between the Stin2 VNTR Polymorphism of the Serotonin Transporter Gene and Treatment Outcome in Alcohol-Dependent Patients. <i>Alcohol and Alcoholism</i> , 2008, 43, 516-522.	1.6	26
394	Association study of the interleukin-1 gene complex and tumor necrosis factor alpha gene with suicide attempts. <i>Psychiatric Genetics</i> , 2008, 18, 147-150.	1.1	11
395	Association between the A-1438G polymorphism of the serotonin 2A receptor gene and nonimpulsive suicide attempts. <i>Psychiatric Genetics</i> , 2008, 18, 213-218.	1.1	29
396	RemisiÃ³n sintomÃ¡tica y funcionamiento social/profesional en pacientes con esquizofrenia tratados ambulatoriamente: prevalencia y asociaciones en un estudio transversal. <i>European Psychiatry (Ed) Tj ETQq0 0 0 rgBT.0 Overlook 10 Tf 50</i>		

#	ARTICLE	IF	CITATIONS
397	The "Seroquel" Outcomes Study (SOS): Efficacy and tolerability of quetiapine in a long-term, naturalistic study of patients with schizophrenia. <i>International Journal of Psychiatry in Clinical Practice</i> , 2007, 11, 222-232.	2.4	0
398	The sufficiency of the HAM-D6 as an outcome instrument in the acute therapy of antidepressants in the outpatient setting. <i>International Journal of Psychiatry in Clinical Practice</i> , 2007, 11, 146-150.	2.4	5
399	Association study of serotonin 2A receptor (5-HT2A) and serotonin transporter (5-HTT) gene polymorphisms with schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2007, 31, 741-745.	4.8	38
400	Schizophrenia and overweight/obesity: Pathophysiology and medical consequences. <i>European Psychiatry</i> , 2007, 22, S94.	0.2	0
401	Do brain imaging and neurophysiology differentiate borderline personality disorder and depression?. <i>European Psychiatry</i> , 2007, 22, S35.	0.2	1
402	Consensus guideline for the evaluation of physical health in patients with schizophrenia. <i>European Psychiatry</i> , 2007, 22, S105.	0.2	1
403	Symptomatic remission and social/vocational functioning in outpatients with schizophrenia: Prevalence and associations in a cross-sectional study. <i>European Psychiatry</i> , 2007, 22, 490-498.	0.2	105
404	P.3.c.037 Neuropsychological performance and cognitive disability in schizophrenia outpatients. <i>European Neuropsychopharmacology</i> , 2007, 17, S445-S446.	0.7	0
405	Cardiovascular and metabolic risk in outpatients with schizophrenia treated with antipsychotics: Results of the CLAMORS Study. <i>Schizophrenia Research</i> , 2007, 90, 162-173.	2.0	177
406	Lack of association between endothelial nitric oxide synthase (NOS3) gene polymorphisms and suicide attempts. <i>Behavioral and Brain Functions</i> , 2007, 3, 32.	3.3	6
407	Sensitivity to change, discriminative performance, and cutoff criteria to define remission for embedded short scales of the Hamilton depression rating scale (HAM-D). <i>Journal of Affective Disorders</i> , 2007, 102, 93-99.	4.1	45
408	Quality of Life in Obsessive-Compulsive Disorder. , 2007, , 293-303.		4
409	Quality of life in schizophrenic patients. <i>Dialogues in Clinical Neuroscience</i> , 2007, 9, 215-226.	3.7	128
410	P.3.c.050 Psychopathology and metabolic syndrome (MS) in psychotic patients: the CLAMORS study. <i>European Neuropsychopharmacology</i> , 2006, 16, S423-S424.	0.7	0
411	Negative evidences in association between apolipoprotein E polymorphism and panic disorder. <i>European Psychiatry</i> , 2006, 21, 59-61.	0.2	5
412	Randomised clinical trial comparing oral versus depot formulations of zuclopenthixol in patients with schizophrenia and previous violence. <i>European Psychiatry</i> , 2006, 21, 34-40.	0.2	70
413	N-acetyltransferase-2 polymorphisms and schizophrenia. <i>European Psychiatry</i> , 2006, 21, 333-337.	0.2	5
414	Interleukin-1 Gene Complex in Schizophrenia: An Association Study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2006, 141B, 678-680.	1.7	12

#	ARTICLE	IF	CITATIONS
415	Neurologic Soft Signs in Borderline Personality Disorder. <i>Journal of Clinical Psychiatry</i> , 2006, 67, 541-546.	2.2	19
416	Psychometric properties of the Spanish version of the screening scale for DSM-IV Generalized Anxiety Disorder of Carroll and Davidson. <i>Actas Espanolas De Psiquiatria</i> , 2006, 34, 83-93.	0.1	4
417	PMH41 REMISSION CRITERIA FOR DEPRESSION WHEN USING SHORT VERSIONS OF THE HAMILTON DEPRESSION RATING SCALE (HDRS). <i>Value in Health</i> , 2005, 8, A208.	0.3	0
418	Safety and effectiveness of olanzapine in monotherapy: A multivariate analysis of a naturalistic study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2005, 29, 944-951.	4.8	10
419	Safety, effectiveness, and patterns of use of olanzapine in acute schizophrenia: a multivariate analysis of a large naturalistic study in the hospital setting. <i>Medicina Clínica</i> , 2005, 124, 481-486.	0.6	3
420	Quality of life measures in schizophrenia. <i>European Psychiatry</i> , 2005, 20, S313-S317.	0.2	79
421	Serotonin gene polymorphisms in patients with panic disorder. <i>Actas Espanolas De Psiquiatria</i> , 2005, 33, 210-5.	0.1	21
422	Evaluation of the Two-Way Communication Checklist as a clinical intervention. <i>British Journal of Psychiatry</i> , 2004, 184, 79-83.	2.8	57
423	Managing acute exacerbations of schizophrenia: focus on quetiapine. <i>Current Medical Research and Opinion</i> , 2004, 20, 619-626.	1.9	33
424	Economic consequences of the adverse reactions related with antipsychotics: an economic model comparing tolerability of ziprasidone, olanzapine, risperidone, and haloperidol in Spain. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2004, 28, 1287-1297.	4.8	29
425	Is the biological nature of depressive symptoms in borderline patients without concomitant Axis I pathology idiosyncratic? Sleep EEG comparison with recurrent brief, major depression and control subjects. <i>Psychiatry Research</i> , 2004, 129, 65-73.	3.3	28
426	Psychosocial factors associated with cancer behavioural risk in relatives of cancer patients. <i>European Journal of Cancer Prevention</i> , 2004, 13, 105-111.	1.3	3
427	Maintenance treatment with depot opioid antagonists in subcutaneous implants: an alternative in the treatment of opioid dependence. <i>Addiction Biology</i> , 2003, 8, 429-438.	2.6	39
428	Weight gain in patients with schizophrenia treated with risperidone, olanzapine, quetiapine or haloperidol: results of the EIRE study. <i>Schizophrenia Research</i> , 2003, 62, 77-88.	2.0	113
429	Predictors of number and severity of violence episodes in a one-year follow-up schizophrenia sample. <i>Schizophrenia Research</i> , 2003, 60, 333.	2.0	0
430	Patterns of use of olanzapine in the inpatient treatment of acute schizophrenia: A multivariate approach of the EUROPA study. <i>Schizophrenia Research</i> , 2003, 60, 278.	2.0	0
431	Safety of olanzapine versus conventional antipsychotics in the treatment of patients with acute schizophrenia. A naturalistic study. <i>European Neuropsychopharmacology</i> , 2003, 13, 39-48.	0.7	17
432	Safety and effectiveness of olanzapine versus conventional antipsychotics in the acute treatment of first-episode schizophrenic inpatients. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2003, 27, 473-481.	4.8	36

#	ARTICLE	IF	CITATIONS
433	Frequency of Sexual Dysfunction and Other Reproductive Side-effects in Patients with Schizophrenia Treated with Risperidone, Olanzapine, Quetiapine, or Haloperidol: The Results of the EIRE Study. <i>Journal of Sex and Marital Therapy</i> , 2003, 29, 125-147.	1.5	178
434	Use of Cocaine by Secondary School Students in Northern Spain. <i>European Addiction Research</i> , 2003, 9, 138-143.	2.4	11
435	Evaluaci3n psicom3trica comparativa de las versiones en espa3ol de 6, 17 y 21 ítems de la Escala de valoraci3n de Hamilton para la evaluaci3n de la depresi3n. <i>Medicina Clínica</i> , 2003, 120, 693-700.	0.6	20
436	Validaci3n de las versiones en espa3ol de la Clinical Anxiety Scale y del Physician Questionnaire para la evaluaci3n de los trastornos de ansiedad. <i>Medicina Clínica</i> , 2003, 121, 367-374.	0.6	2
437	Evaluating Changes in Sexual Functioning in Depressed Patients: Sensitivity to Change of the CSFQ. <i>Journal of Sex and Marital Therapy</i> , 2002, 28, 93-103.	1.5	24
438	Apolipoprotein E genotype and schizophrenia: further negative evidence. <i>Acta Psychiatrica Scandinavica</i> , 2002, 105, 71-75.	4.5	14
439	Use of MDMA and Other Illicit Drugs by Young Adult Males in Northern Spain. <i>European Addiction Research</i> , 2002, 8, 147-154.	2.4	29
440	Effects of Carbamazepine on Dexamethasone Suppression and Sleep Electroencephalography in Borderline Personality Disorder. <i>Neuropsychobiology</i> , 2002, 45, 113-119.	1.9	10
441	Treatment of severely psychotic inpatients with schizophrenia: olanzapine versus other antipsychotic drugs. <i>International Clinical Psychopharmacology</i> , 2002, 17, 287-295.	1.7	5
442	Is antipsychotic-induced weight gain related to sexual dysfunction?. <i>European Neuropsychopharmacology</i> , 2002, 12, 282-283.	0.7	0
443	Effectiveness and safety of olanzapine versus conventional antipsychotics in the treatment of inpatient with acute schizophrenia: A multivariate analysis. <i>European Neuropsychopharmacology</i> , 2002, 12, 303.	0.7	0
444	Frequency of Extrapyramidal Adverse Reactions in Schizophrenic Outpatients Treated with Risperidone, Olanzapine, Quetiapine or Haloperidol. <i>Clinical Drug Investigation</i> , 2002, 22, 609-622.	2.2	9
445	Biological nature of depressive symptoms in borderline personality disorder: endocrine comparison to recurrent brief and major depression. <i>Journal of Psychiatric Research</i> , 2002, 36, 137-145.	3.1	25
446	2-COM: an instrument to facilitate patient-professional communication in routine clinical practice. <i>Acta Psychiatrica Scandinavica</i> , 2002, 106, 446-452.	4.5	23
447	24-hour opiate detoxification and antagonist induction at home: the "Asturian method": a report on 1368 procedures. <i>Addiction Biology</i> , 2002, 7, 243-250.	2.6	18
448	High Degree of Tolerability for Monotherapy With High Doses of Quetiapine. <i>Journal of Clinical Psychiatry</i> , 2002, 63, 1048-1049.	2.2	11
449	Quality of life and disability in patients with obsessive-compulsive disorder. <i>European Psychiatry</i> , 2001, 16, 239-245.	0.2	201
450	Sleep-EEG in borderline patients without concomitant major depression: a comparison with major depressives and normal control subjects. <i>Psychiatry Research</i> , 2001, 105, 87-95.	3.3	47

#	ARTICLE	IF	CITATIONS
451	Current status of quality of life assessment in schizophrenic patients. European Archives of Psychiatry and Clinical Neuroscience, 2001, 251, 38-42.	3.2	15
452	Evoluci3n de la gravedad de la adicci3n a los dos a3os de tratamiento en pacientes heroin3manos. Revista De Psicología De La Salud, 2001, 13, 51.	0.5	3
453	Calidad de vida y discapacidad en pacientes con trastorno obsesivo-compulsivo. European Psychiatry (Ed Espa3ola), 2001, 8, 436-442.	0.0	0
454	Developments in the treatment of drug dependence. Current Opinion in Psychiatry, 2000, 13, 333-338.	6.3	6
455	Therapeutic advances: Paroxetine for the treatment of social anxiety disorder. , 2000, 11, 99-104.		17
456	Quality of Life in Obsessive-Compulsive Disorder. CNS Spectrums, 2000, 5, 37-39.	1.2	20
457	Validation of the Spanish Version of the Changes in Sexual Functioning Questionnaire (CSFQ). Journal of Sex and Marital Therapy, 2000, 26, 119-131.	1.5	33
458	The importance of psychosocial interventions and patient involvement in the treatment of schizophrenia. International Journal of Psychiatry in Clinical Practice, 2000, 4, 35-51.	2.4	16
459	Sexual dysfunction in depressed patients undergoing treatment with antidepressants. International Journal of Psychiatry in Clinical Practice, 2000, 4, 311-317.	2.4	7
460	A European perspective on social anxiety disorder. European Psychiatry, 2000, 15, 5-16.	0.2	95
461	P01.163 For how long can be expected a sustained improvement in schizophrenic patients treated with antipsychotics? A clinical experience with risperidone. European Psychiatry, 2000, 15, 363s-364s.	0.2	0
462	P02.320 Safety and effectiveness of olanzapine versus typical antipsychotic drugs in the treatment of inpatients with schizophrenia (Europa study). European Psychiatry, 2000, 15, 409s-409s.	0.2	2
463	Paroxetine in social phobia/social anxiety disorder. British Journal of Psychiatry, 1999, 175, 120-126.	2.8	216
464	Quality of Life Assessment in Schizophrenia. , 1999, , 239-248.		2
465	Quality of life in schizophrenia: Long-term follow-up in 362 chronic Spanish schizophrenic outpatients undergoing risperidone maintenance treatment. European Psychiatry, 1998, 13, 158-163.	0.2	30
466	Quality of Life in Schizophrenia. European Psychiatry, 1997, 12, 116s-116s.	0.2	10
467	Searching for a predictive peripheral biological model in parasuicidal behaviour. European Psychiatry, 1997, 12, 75-81.	0.2	7
468	Brain glucose metabolism in borderline personality disorder. Journal of Psychiatric Research, 1997, 31, 531-541.	3.1	157

#	ARTICLE	IF	CITATIONS
469	Trends in suicide in the elderly in Asturias (Spain). European Psychiatry, 1995, 10, 339-344.	0.2	2
470	Synergistic effects of childhood adversity and polygenic risk in first-episode psychosis: the EU-GEI study. Psychological Medicine, 0, , 1-9.	4.5	10