

# Hossein Farhadnejad

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8235025/publications.pdf>

Version: 2024-02-01

52  
papers

642  
citations

687363

13  
h-index

677142

22  
g-index

53  
all docs

53  
docs citations

53  
times ranked

887  
citing authors

#	ARTICLE	IF	CITATIONS
1	The association between dietary acid load and odds of non-alcoholic fatty liver disease: A case-control study. <i>Nutrition and Health</i> , 2023, 29, 637-644.	1.5	5
2	The higher adherence to healthy lifestyle factors is associated with a decreased risk of metabolic syndrome in Iranian adults. <i>Nutrition Bulletin</i> , 2022, 47, 57-67.	1.8	7
3	Development and validation of dietary and lifestyle insulinemic indices among Iranian adult population. <i>Nutrition and Metabolism</i> , 2022, 19, 5.	3.0	3
4	High Dietary Diabetes Risk Reduction Score Is Associated with Decreased Risk of Chronic Kidney Disease in Tehranian Adults. <i>International Journal of Clinical Practice</i> , 2022, 2022, 1-7.	1.7	3
5	The higher adherence to a healthy lifestyle score is associated with a decreased risk of type 2 diabetes in Iranian adults. <i>BMC Endocrine Disorders</i> , 2022, 22, 42.	2.2	8
6	The association of dietary insulin load and index with the risk of cancer and cancer mortality: a systematic review and meta-analysis. <i>Journal of Diabetes and Metabolic Disorders</i> , 2022, 21, 1105-1118.	1.9	3
7	Higher scores of dietary and lifestyle inflammatory indices are associated with increased risk of insulin-related disorders in Iranian adults. <i>European Journal of Clinical Nutrition</i> , 2022, , .	2.9	2
8	Dietary and lifestyle indices for hyperinsulinemia with the risk of obesity phenotypes: a prospective cohort study among Iranian adult population. <i>BMC Public Health</i> , 2022, 22, 990.	2.9	3
9	The association between dietary inflammation scores and non-alcoholic fatty liver diseases in Iranian adults. <i>BMC Gastroenterology</i> , 2022, 22, .	2.0	12
10	The association between nutrition knowledge and adherence to a Mediterranean dietary pattern in Iranian female adolescents. <i>International Journal of Adolescent Medicine and Health</i> , 2021, 33, .	1.3	10
11	The association of dietary insulin and glycemic indices with the risk of type 2 diabetes. <i>Clinical Nutrition</i> , 2021, 40, 2138-2144.	5.0	15
12	Dietary sodium intake in relation to non-alcoholic fatty liver disease risk: a case-control study. <i>Nutrition and Food Science</i> , 2021, 51, 541-550.	0.9	10
13	Vitamin D intake and risk of psychological disorders among female adolescents. <i>Nutrition and Food Science</i> , 2021, 51, 633-642.	0.9	2
14	Role of dietary approaches to stop hypertension diet in risk of metabolic syndrome: Evidence from observational and interventional studies. <i>International Journal of Preventive Medicine</i> , 2021, 12, 24.	0.4	6
15	Dietary and lifestyle inflammatory scores are associated with increased risk of metabolic syndrome in Iranian adults. <i>Diabetology and Metabolic Syndrome</i> , 2021, 13, 30.	2.7	8
16	Association of the insulinemic potential of diet and lifestyle with risk of diabetes incident in Tehranian adults: a population based cohort study. <i>Nutrition Journal</i> , 2021, 20, 39.	3.4	12
17	The association of insulinemic potential of diet and lifestyle with the risk of insulin-related disorders: a prospective cohort study among participants of Tehran Lipid and Glucose Study. <i>Diabetology and Metabolic Syndrome</i> , 2021, 13, 53.	2.7	6
18	Spinach consumption and nonalcoholic fatty liver disease among adults: a caseâ€“control study. <i>BMC Gastroenterology</i> , 2021, 21, 196.	2.0	17

#	ARTICLE	IF	CITATIONS
19	Dietary Amino Acid Patterns Are Associated With Incidence of Chronic Kidney Disease. , 2021, , .		3
20	Association of Dietary Diabetes Risk Reduction Score With Risk of Cardiovascular Diseases in the Iranian Population: Tehran Lipid and Glucose Study. Heart Lung and Circulation, 2021, 31, 101-109.	0.4	4
21	Dietary and lifestyle inflammatory scores and risk of incident diabetes: a prospective cohort among participants of Tehran lipid and glucose study. BMC Public Health, 2021, 21, 1293.	2.9	6
22	Dairy-originated digestion-resistant and bioactive peptides increase the risk of hypertension: Tehran Lipid and Glucose Study. Hypertension Research, 2021, 44, 1194-1204.	2.7	7
23	The association of dietary diabetes risk reduction score and its components with risk of metabolic syndrome incident in Tehranian adults. BMC Endocrine Disorders, 2021, 21, 206.	2.2	5
24	Various proline food sources and blood pressure: substitution analysis. International Journal of Food Sciences and Nutrition, 2020, 71, 332-340.	2.8	8
25	Low-carbohydrate diet and cardiovascular diseases in Iranian population: Tehran Lipid and Glucose Study. Nutrition, Metabolism and Cardiovascular Diseases, 2020, 30, 581-588.	2.6	11
26	The association between dietary glycemic and insulin indices with incidence of cardiovascular disease: Tehran lipid and glucose study. BMC Public Health, 2020, 20, 1496.	2.9	17
27	Animal based low carbohydrate diet is associated with increased risk of type 2 diabetes in Tehranian adults. Diabetology and Metabolic Syndrome, 2020, 12, 87.	2.7	6
28	Antioxidant vitamin intakes and risk of depression, anxiety and stress among female adolescents. Clinical Nutrition ESPEN, 2020, 40, 257-262.	1.2	12
29	Association of allium vegetables intake and non-alcoholic fatty liver disease risk. Nutrition and Food Science, 2020, 50, 1075-1083.	0.9	7
30	A systematic review and meta-analysis of the response of serum 25-hydroxyvitamin D concentration to vitamin D supplementation from RCTs from around the globe. European Journal of Clinical Nutrition, 2020, 74, 1613-1614.	2.9	0
31	An in silico model to predict and estimate digestion-resistant and bioactive peptide content of dairy products: A primarily study of a time-saving and affordable method for practical research purposes. LWT - Food Science and Technology, 2020, 130, 109616.	5.2	25
32	Effects of Phytosterols supplementation on blood glucose, glycosylated hemoglobin (HbA1c) and insulin levels in humans: a systematic review and meta-analysis of randomized controlled trials. Journal of Diabetes and Metabolic Disorders, 2020, 19, 625-632.	1.9	21
33	Differential Effects of Dietary Fatty Acids on Body Composition and Adiposity. Current Nutrition and Food Science, 2020, 16, 142-154.	0.6	3
34	The Effect of Resveratrol on Cellular Senescence in Normal and Cancer Cells: Focusing on Cancer and Age-Related Diseases. Nutrition and Cancer, 2019, 71, 1175-1180.	2.0	13
35	The association of Dietary Approach to Stop Hypertension (DASH) diet with metabolic healthy and metabolic unhealthy obesity phenotypes. Scientific Reports, 2019, 9, 18690.	3.3	26
36	Low-Carbohydrate High-Protein Diet is Associated With Increased Risk of Incident Chronic Kidney Diseases Among Tehranian Adults. , 2019, 29, 343-349.		25

#	ARTICLE	IF	CITATIONS
37	Galactose intake is related to nonalcoholic fatty liver disease. <i>Nutrition and Food Science</i> , 2019, 49, 359-367.	0.9	5
38	Do dietary amino acid ratios predict risk of incident hypertension among adults?. <i>International Journal of Food Sciences and Nutrition</i> , 2019, 70, 387-395.	2.8	5
39	The Association between Fish Consumption and Risk of Metabolic Syndrome in Adults: Tehran Lipid and Glucose Study. <i>International Journal for Vitamin and Nutrition Research</i> , 2019, 89, 192-199.	1.5	3
40	Seasonal Variations of Serum Zinc Concentration in Adult Population: Tehran Lipid and Glucose Study. <i>Iranian Journal of Public Health</i> , 2019, 48, 1496-1502.	0.5	0
41	The Association of Potato Intake With Risk for Incident Type 2 Diabetes in Adults. <i>Canadian Journal of Diabetes</i> , 2018, 42, 613-618.	0.8	24
42	Adherence to Mediterranean dietary pattern and depression, anxiety and stress among high-school female adolescents. <i>Mediterranean Journal of Nutrition and Metabolism</i> , 2018, 11, 73-83.	0.5	15
43	Dietary approach to stop hypertension diet and cardiovascular risk factors among 10â€•to 18â€•yearâ€•old individuals. <i>Pediatric Obesity</i> , 2018, 13, 185-194.	2.8	13
44	High dietary intake of branchedâ€•chain amino acids is associated with an increased risk of insulin resistance in adults. <i>Journal of Diabetes</i> , 2018, 10, 357-364.	1.8	62
45	Prevalence of Micronutrient Deficiencies Prior to Bariatric Surgery: Tehran Obesity Treatment Study (TOTS). <i>Obesity Surgery</i> , 2018, 28, 2465-2472.	2.1	27
46	Effect of vitamin D supplementation on serum 25-hydroxyvitamin D concentration in children and adolescents: a systematic review and meta-analysis protocol. <i>BMJ Open</i> , 2018, 8, e021636.	1.9	3
47	Adherence to Mediterranean dietary pattern in female adolescents. <i>Nutrition and Food Science</i> , 2018, 48, 722-732.	0.9	2
48	Adherence to the Mediterranean diet is associated with reduced risk of incident chronic kidney diseases among Tehranian adults. <i>Hypertension Research</i> , 2017, 40, 96-102.	2.7	65
49	Low carbohydrate diet is associated with reduced risk of metabolic syndrome in Tehranian adults. <i>International Journal of Food Sciences and Nutrition</i> , 2017, 68, 358-365.	2.8	29
50	The Association Between Dietary Pattern and Weight Status in School-Aged Children: A Cross-Sectional Study. <i>Journal of Comprehensive Pediatrics</i> , 2017, In Press, .	0.3	1
51	Micronutrient Intakes and Incidence of Chronic Kidney Disease in Adults: Tehran Lipid and Glucose Study. <i>Nutrients</i> , 2016, 8, 217.	4.1	50
52	The Relationship Between Occupation Transition Status and Metabolic Syndrome in Adult Women: Tehran Lipid and Glucose Study. <i>Metabolic Syndrome and Related Disorders</i> , 2016, 14, 265-271.	1.3	6