

Teh-Ia Huo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8235517/publications.pdf>

Version: 2024-02-01

288
papers

8,030
citations

50276

46
h-index

76900

74
g-index

289
all docs

289
docs citations

289
times ranked

8265
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Risk factors for early and late recurrence in hepatitis B-related hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2009, 51, 890-897. | 3.7 | 369 |
| 2 | Sero-clearance of hepatitis B surface antigen in chronic carriers does not necessarily imply a good prognosis. <i>Hepatology</i> , 1998, 28, 231-236. | 7.3 | 233 |
| 3 | Prognosis of hepatocellular carcinoma: Assessment of eleven staging systems. <i>Journal of Hepatology</i> , 2016, 64, 601-608. | 3.7 | 220 |
| 4 | Performance status in patients with hepatocellular carcinoma: Determinants, prognostic impact, and ability to improve the Barcelona Clinic Liver Cancer system. <i>Hepatology</i> , 2013, 57, 112-119. | 7.3 | 168 |
| 5 | Gastrointestinal and liver manifestations in patients with COVID-19. <i>Journal of the Chinese Medical Association</i> , 2020, 83, 521-523. | 1.4 | 165 |
| 6 | Genotyping of hepatitis D virus by restriction-fragment length polymorphism and relation to outcome of hepatitis D. <i>Lancet, The</i> , 1995, 346, 939-941. | 13.7 | 158 |
| 7 | A new prognostic model for hepatocellular carcinoma based on total tumor volume: The Taipei Integrated Scoring system. <i>Journal of Hepatology</i> , 2010, 53, 108-117. | 3.7 | 157 |
| 8 | Survival Rates Are Comparable After Radiofrequency Ablation or Surgery in Patients With Small Hepatocellular Carcinomas. <i>Clinical Gastroenterology and Hepatology</i> , 2011, 9, 79-86. | 4.4 | 151 |
| 9 | Surgical Resection Versus Radiofrequency Ablation for Single Hepatocellular Carcinoma ≤ 2 cm in a Propensity Score Model. <i>Annals of Surgery</i> , 2016, 263, 538-545. | 4.2 | 148 |
| 10 | Gallic Acid Ameliorated Impaired Glucose and Lipid Homeostasis in High Fat Diet-Induced NAFLD Mice. <i>PLoS ONE</i> , 2014, 9, e96969. | 2.5 | 143 |
| 11 | Evaluation of the increase in model for end-stage liver disease (MELD) score over time as a prognostic predictor in patients with advanced cirrhosis: risk factor analysis and comparison with initial MELD and Child-Turcotte-Pugh score. <i>Journal of Hepatology</i> , 2005, 42, 826-832. | 3.7 | 135 |
| 12 | ALBI and PALBI grade predict survival for HCC across treatment modalities and BCLC stages in the MELD Era. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017, 32, 879-886. | 2.8 | 126 |
| 13 | Comparison of Surgical Resection and Transarterial Chemoembolization for Hepatocellular Carcinoma beyond the Milan Criteria: A Propensity Score Analysis. <i>Annals of Surgical Oncology</i> , 2012, 19, 842-849. | 1.5 | 108 |
| 14 | External Validation of Fatty Liver Index for Identifying Ultrasonographic Fatty Liver in a Large-Scale Cross-Sectional Study in Taiwan. <i>PLoS ONE</i> , 2015, 10, e0120443. | 2.5 | 105 |
| 15 | Model for end-stage liver disease score to serum sodium ratio index as a prognostic predictor and its correlation with portal pressure in patients with liver cirrhosis. <i>Liver International</i> , 2007, 27, 498-506. | 3.9 | 96 |
| 16 | Hepatocellular Carcinoma with Portal Vein Tumor Involvement: Best Management Strategies. <i>Seminars in Liver Disease</i> , 2018, 38, 242-251. | 3.6 | 95 |
| 17 | Surgical Resection Versus Transarterial Chemoembolization for Hepatocellular Carcinoma with Portal Vein Tumor Thrombosis: A Propensity Score Analysis. <i>Annals of Surgical Oncology</i> , 2014, 21, 1825-1833. | 1.5 | 93 |
| 18 | Vandetanib in patients with inoperable hepatocellular carcinoma: A phase II, randomized, double-blind, placebo-controlled study. <i>Journal of Hepatology</i> , 2012, 56, 1097-1103. | 3.7 | 91 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Selecting an optimal staging system for hepatocellular carcinoma. <i>Cancer</i> , 2010, 116, 3006-3014. | 4.1 | 88 |
| 20 | Hepatocellular Carcinoma: Nomograms Based on the Albumin-Bilirubin Grade to Assess the Outcomes of Radiofrequency Ablation. <i>Radiology</i> , 2017, 285, 670-680. | 7.3 | 88 |
| 21 | Hepatitis B virus X mutants derived from human hepatocellular carcinoma retain the ability to abrogate p53-induced apoptosis. <i>Oncogene</i> , 2001, 20, 3620-3628. | 5.9 | 86 |
| 22 | Selecting an optimal prognostic system for liver cirrhosis: the model for end-stage liver disease and beyond. <i>Liver International</i> , 2008, 28, 606-613. | 3.9 | 77 |
| 23 | Inverse Association between Hepatitis B Virus Infection and Fatty Liver Disease: A Large-Scale Study in Populations Seeking for Check-Up. <i>PLoS ONE</i> , 2013, 8, e72049. | 2.5 | 76 |
| 24 | Proposal of a modified Child-Turcotte-Pugh scoring system and comparison with the model for end-stage liver disease for outcome prediction in patients with cirrhosis. <i>Liver Transplantation</i> , 2006, 12, 65-71. | 2.4 | 74 |
| 25 | Decreasing hepatitis D virus infection in Taiwan: An analysis of contributory factors. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 1997, 12, 747-751. | 2.8 | 72 |
| 26 | Vascular Invasion in Hepatocellular Carcinoma. <i>Journal of Clinical Gastroenterology</i> , 2014, 48, 734-741. | 2.2 | 68 |
| 27 | METTL3-dependent N ⁶ -methyladenosine RNA modification mediates the atherogenic inflammatory cascades in vascular endothelium. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, . | 7.1 | 68 |
| 28 | The Influence of Hepatitis B Viral Load and Pre-S Deletion Mutations on Post-Operative Recurrence of Hepatocellular Carcinoma and the Tertiary Preventive Effects by Anti-Viral Therapy. <i>PLoS ONE</i> , 2013, 8, e66457. | 2.5 | 67 |
| 29 | Outcome After Percutaneous Cholecystostomy for Acute Cholecystitis: a Single-Center Experience. <i>Journal of Gastrointestinal Surgery</i> , 2012, 16, 1860-1868. | 1.7 | 66 |
| 30 | The Model for End-Stage Liver Disease Based Cancer Staging Systems Are Better Prognostic Models for Hepatocellular Carcinoma: A Prospective Sequential Survey. <i>American Journal of Gastroenterology</i> , 2007, 102, 1920-1930. | 0.4 | 65 |
| 31 | Reprogramming induced pluripotent stem cells in the absence of c-Myc for differentiation into hepatocyte-like cells. <i>Biomaterials</i> , 2011, 32, 5994-6005. | 11.4 | 65 |
| 32 | Diabetes Mellitus Is A Risk Factor for Hepatic Decompensation in Patients With Hepatocellular Carcinoma Undergoing Resection: A Longitudinal Study. <i>American Journal of Gastroenterology</i> , 2003, 98, 2293-2298. | 0.4 | 63 |
| 33 | Comparison of radiofrequency ablation and transarterial chemoembolization for hepatocellular carcinoma within the Milan criteria: A propensity score analysis. <i>Liver Transplantation</i> , 2011, 17, 556-566. | 2.4 | 63 |
| 34 | Survival benefit of transcatheter arterial chemoembolization in patients with hepatocellular carcinoma larger than 10 cm in diameter. <i>Alimentary Pharmacology and Therapeutics</i> , 2006, 23, 129-135. | 3.7 | 61 |
| 35 | Incidence and risk factors for acute renal failure in patients with hepatocellular carcinoma undergoing transarterial chemoembolization: a prospective study. <i>Liver International</i> , 2004, 24, 210-215. | 3.9 | 60 |
| 36 | Limitation of the model for end-stage liver disease for outcome prediction in patients with cirrhosis-related complications. <i>Clinical Transplantation</i> , 2006, 20, 188-194. | 1.6 | 60 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Fibrosis and AST to platelet ratio index predict post-operative prognosis for solitary small hepatitis B-related hepatocellular carcinoma. <i>Hepatology International</i> , 2010, 4, 691-699. | 4.2 | 60 |
| 38 | Differential Mechanism and Prognostic Impact of Diabetes Mellitus on Patients with Hepatocellular Carcinoma Undergoing Surgical and Nonsurgical Treatment. <i>American Journal of Gastroenterology</i> , 2004, 99, 1479-1487. | 0.4 | 58 |
| 39 | A new ALBI-based model to predict survival after transarterial chemoembolization for BCLC stage B hepatocellular carcinoma. <i>Liver International</i> , 2019, 39, 1704-1712. | 3.9 | 58 |
| 40 | Younger Hepatocellular Carcinoma Patients Have Better Prognosis After Percutaneous Radiofrequency Ablation Therapy. <i>Journal of Clinical Gastroenterology</i> , 2012, 46, 62-70. | 2.2 | 56 |
| 41 | The model for end-stage liver disease-based Japan Integrated Scoring system may have a better predictive ability for patients with hepatocellular carcinoma undergoing locoregional therapy. <i>Cancer</i> , 2006, 107, 141-148. | 4.1 | 54 |
| 42 | Risk factors for long-term prognosis in hepatocellular carcinoma after radiofrequency ablation therapy. <i>European Journal of Gastroenterology and Hepatology</i> , 2011, 23, 1. | 1.6 | 53 |
| 43 | Antiplatelet Therapy is Associated with a Better Prognosis for Patients with Hepatitis B Virus-Related Hepatocellular Carcinoma after Liver Resection. <i>Annals of Surgical Oncology</i> , 2016, 23, 874-883. | 1.5 | 51 |
| 44 | Comparison of four model for end-stage liver disease-based prognostic systems for cirrhosis. <i>Liver Transplantation</i> , 2008, 14, 837-844. | 2.4 | 50 |
| 45 | Liver Failure After Transarterial Chemoembolization for Patients With Hepatocellular Carcinoma and Ascites. <i>Journal of Clinical Gastroenterology</i> , 2011, 45, 556-562. | 2.2 | 49 |
| 46 | Serum interferon gamma level predicts recurrence in hepatocellular carcinoma patients after curative treatments. <i>International Journal of Cancer</i> , 2013, 133, 2895-2902. | 5.1 | 49 |
| 47 | Injection with nondisposable needles as an important route for transmission of acute community-acquired hepatitis C virus infection in Taiwan. <i>Journal of Medical Virology</i> , 1995, 46, 247-251. | 5.0 | 48 |
| 48 | The MELD-Na is an independent short- and long-term prognostic predictor for hepatocellular carcinoma: A prospective survey. <i>Digestive and Liver Disease</i> , 2008, 40, 882-889. | 0.9 | 48 |
| 49 | Oncogenic circRNA C190 Promotes Non-Small Cell Lung Cancer via Modulation of the EGFR/ERK Pathway. <i>Cancer Research</i> , 2022, 82, 75-89. | 0.9 | 48 |
| 50 | Proposal of a Modified Cancer of the Liver Italian Program Staging System Based on the Model for End-Stage Liver Disease for Patients with Hepatocellular Carcinoma Undergoing Loco-Regional Therapy. <i>American Journal of Gastroenterology</i> , 2006, 101, 975-982. | 0.4 | 47 |
| 51 | Diabetes Mellitus as a Risk Factor of Liver Cirrhosis in Patients With Chronic Hepatitis B Virus Infection. <i>Journal of Clinical Gastroenterology</i> , 2000, 30, 250-254. | 2.2 | 45 |
| 52 | Is the Corrected-Creatinine Model for End-Stage Liver Disease a Feasible Strategy to Adjust Gender Difference in Organ Allocation for Liver Transplantation?. <i>Transplantation</i> , 2007, 84, 1406-1412. | 1.0 | 44 |
| 53 | Acute renal failure after transarterial chemoembolization for hepatocellular carcinoma: a retrospective study of the incidence, risk factors, clinical course and long-term outcome. <i>Alimentary Pharmacology and Therapeutics</i> , 2004, 19, 999-1007. | 3.7 | 43 |
| 54 | Serum alpha-fetoprotein response can predict prognosis in hepatocellular carcinoma patients undergoing radiofrequency ablation therapy. <i>Clinical Radiology</i> , 2012, 67, 429-436. | 1.1 | 42 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Synergistic effects of carboxymethyl-hexanoyl chitosan, cationic polyurethane-short branch PEI in miR122 gene delivery: Accelerated differentiation of iPSCs into mature hepatocyte-like cells and improved stem cell therapy in a hepatic failure model. <i>Acta Biomaterialia</i> , 2015, 13, 228-244. | 8.3 | 41 |
| 56 | Proposal and validation of a new model to estimate survival for hepatocellular carcinoma patients. <i>European Journal of Cancer</i> , 2016, 63, 25-33. | 2.8 | 40 |
| 57 | Dual Delivery of HNF4 β and Cisplatin by Mesoporous Silica Nanoparticles Inhibits Cancer Pluripotency and Tumorigenicity in Hepatoma-Derived CD133-Expressing Stem Cells. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 19808-19818. | 8.0 | 40 |
| 58 | Prospective Case-controlled Trial of Adjuvant Chemotherapy after Resection of Hepatocellular Carcinoma. <i>World Journal of Surgery</i> , 2000, 24, 551-555. | 1.6 | 39 |
| 59 | Surgical Resection is Better than Transarterial Chemoembolization for Patients with Hepatocellular Carcinoma Beyond the Milan Criteria: A Prognostic Nomogram Study. <i>Annals of Surgical Oncology</i> , 2016, 23, 994-1002. | 1.5 | 38 |
| 60 | Albumin-bilirubin (ALBI) grade-based nomogram to predict tumor recurrence in patients with hepatocellular carcinoma. <i>European Journal of Surgical Oncology</i> , 2019, 45, 776-781. | 1.0 | 38 |
| 61 | Analysis of clinical, biochemical and viral factors associated with early relapse after lamivudine treatment for hepatitis B e antigen-negative chronic hepatitis B patients in Taiwan. <i>Journal of Viral Hepatitis</i> , 2003, 10, 277-284. | 2.0 | 37 |
| 62 | Predictors of response to pegylated interferon in chronic hepatitis B: a real-world hospital-based analysis. <i>Scientific Reports</i> , 2016, 6, 29605. | 3.3 | 37 |
| 63 | Validation of the albumin-bilirubin grade-based integrated model as a predictor for sorafenib-failed hepatocellular carcinoma. <i>Liver International</i> , 2018, 38, 321-330. | 3.9 | 37 |
| 64 | Solitary Large Hepatocellular Carcinoma: Staging and Treatment Strategy. <i>PLoS ONE</i> , 2016, 11, e0155588. | 2.5 | 37 |
| 65 | Correlation and Comparison of the Model for End-stage Liver Disease, Portal Pressure, and Serum Sodium for Outcome Prediction in Patients With Liver Cirrhosis. <i>Journal of Clinical Gastroenterology</i> , 2007, 41, 706-712. | 2.2 | 36 |
| 66 | Ascites in patients with hepatocellular carcinoma: prevalence, associated factors, prognostic impact, and staging strategy. <i>Hepatology International</i> , 2013, 7, 188-198. | 4.2 | 36 |
| 67 | Using Serum α -Fetoprotein for Prognostic Prediction in Patients with Hepatocellular Carcinoma: What is the Most Optimal Cutoff?. <i>PLoS ONE</i> , 2015, 10, e0118825. | 2.5 | 36 |
| 68 | Percutaneous Ablation Therapy for Hepatocellular Carcinoma: Current Practice and Future Perspectives. <i>Journal of the Chinese Medical Association</i> , 2005, 68, 155-159. | 1.4 | 35 |
| 69 | Occurrence of cirrhosis-related complications is a time-dependent prognostic predictor independent of baseline model for end-stage liver disease score. <i>Liver International</i> , 2006, 26, 55-61. | 3.9 | 35 |
| 70 | Comparison of the model for end-stage liver disease (MELD), MELD-Na and MELDNa for outcome prediction in patients with acute decompensated hepatitis. <i>Digestive and Liver Disease</i> , 2010, 42, 137-142. | 0.9 | 35 |
| 71 | Validation of the HCC-MELD for dropout probability in patients with small hepatocellular carcinoma undergoing locoregional therapy. <i>Clinical Transplantation</i> , 2008, 22, 469-475. | 1.6 | 34 |
| 72 | Renal failure in patients with hepatocellular carcinoma and ascites undergoing transarterial chemoembolization. <i>Liver International</i> , 2010, 30, 77-84. | 3.9 | 34 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | The role of transcatheter arterial embolization for patients with unresectable hepatocellular carcinoma: a nationwide, multicentre study evaluated by cancer stage. <i>Alimentary Pharmacology and Therapeutics</i> , 2005, 21, 687-694. | 3.7 | 33 |
| 74 | Radiofrequency Ablation is Better Than Surgical Resection in Patients With Hepatocellular Carcinoma Within the Milan Criteria and Preserved Liver Function. <i>Journal of Clinical Gastroenterology</i> , 2015, 49, 242-249. | 2.2 | 33 |
| 75 | Prognosis of Early-Stage Hepatocellular Carcinoma. <i>Medicine (United States)</i> , 2015, 94, e1929. | 1.0 | 32 |
| 76 | Prognostic role of noninvasive liver reserve markers in patients with hepatocellular carcinoma undergoing transarterial chemoembolization. <i>PLoS ONE</i> , 2017, 12, e0180408. | 2.5 | 31 |
| 77 | Diabetes mellitus is a recurrence-independent risk factor in patients with hepatitis B virus-related hepatocellular carcinoma undergoing resection. <i>European Journal of Gastroenterology and Hepatology</i> , 2003, 15, 1203-1208. | 1.6 | 30 |
| 78 | Diabetes mellitus as an independent prognostic predictor and its association with renal dysfunction in patients with hepatocellular carcinoma. <i>Liver International</i> , 2010, 30, 198-207. | 3.9 | 30 |
| 79 | Enhanced Antioxidant Capacity of Dental Pulp-Derived iPSC-Differentiated Hepatocytes and Liver Regeneration by Injectable HGF-Releasing Hydrogel in Fulminant Hepatic Failure. <i>Cell Transplantation</i> , 2015, 24, 541-559. | 2.5 | 30 |
| 80 | Determinants of Survival After Sorafenib Failure in Patients With BCLC-C Hepatocellular Carcinoma in Real-World Practice. <i>Medicine (United States)</i> , 2015, 94, e688. | 1.0 | 30 |
| 81 | Clopidogrel inhibits angiogenesis of gastric ulcer healing via downregulation of vascular endothelial growth factor receptor 2. <i>Journal of the Formosan Medical Association</i> , 2016, 115, 764-772. | 1.7 | 30 |
| 82 | Correlation and prognostic accuracy between noninvasive liver fibrosis markers and portal pressure in cirrhosis: Role of ALBI score. <i>PLoS ONE</i> , 2018, 13, e0208903. | 2.5 | 30 |
| 83 | Survival Benefit of Cirrhotic Patients with Hepatocellular Carcinoma Treated by Percutaneous Ethanol Injection as a Salvage Therapy. <i>Scandinavian Journal of Gastroenterology</i> , 2002, 37, 350-355. | 1.5 | 29 |
| 84 | Changing seroepidemiology of hepatitis B, C, and D virus infections in high-risk populations. <i>Journal of Medical Virology</i> , 2004, 72, 41-45. | 5.0 | 29 |
| 85 | Transarterial Chemoembolization in Patients With Hepatocellular Carcinoma and Renal Insufficiency. <i>Journal of Clinical Gastroenterology</i> , 2010, 44, e171-e177. | 2.2 | 29 |
| 86 | Deterioration of Hepatic Functional Reserve in Patients with Hepatocellular Carcinoma after Resection: Incidence, Risk Factors, and Association with Intrahepatic Tumor Recurrence. <i>World Journal of Surgery</i> , 2004, 28, 258-262. | 1.6 | 28 |
| 87 | Comparative Analysis of Noninvasive Models to Predict Early Liver Fibrosis in Hepatitis B e Antigen-negative Chronic Hepatitis B. <i>Journal of Clinical Gastroenterology</i> , 2011, 45, 278-285. | 2.2 | 28 |
| 88 | Albuminâ€bilirubin gradeâ€based nomogram of the BCLC system for personalized prognostic prediction in hepatocellular carcinoma. <i>Liver International</i> , 2020, 40, 205-214. | 3.9 | 28 |
| 89 | Sequential transarterial chemoembolization and percutaneous acetic acid injection therapy versus repeated percutaneous acetic acid injection for unresectable hepatocellular carcinoma: a prospective study. <i>Annals of Oncology</i> , 2003, 14, 1648-1653. | 1.2 | 27 |
| 90 | Survival impact of delayed treatment in patients with hepatocellular carcinoma undergoing locoregional therapy: Is there a lead-time bias?. <i>Scandinavian Journal of Gastroenterology</i> , 2007, 42, 485-492. | 1.5 | 27 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | The Prognosis of Single Large Hepatocellular Carcinoma Was Distinct from Barcelona Clinic Liver Cancer Stage A or B: The Role of Albumin-Bilirubin Grade. <i>Liver Cancer</i> , 2018, 7, 335-358. | 7.7 | 27 |
| 92 | Comparison of clinico-pathological features in hepatitis B virus-associated hepatocellular carcinoma with or without hepatitis D virus superinfection. <i>Journal of Hepatology</i> , 1996, 25, 439-444. | 3.7 | 26 |
| 93 | Total Tumor Volume Is a Better Marker of Tumor Burden in Hepatocellular Carcinoma Defined by the Milan Criteria. <i>World Journal of Surgery</i> , 2013, 37, 1348-1355. | 1.6 | 26 |
| 94 | When to Perform Surgical Resection or Radiofrequency Ablation for Early Hepatocellular Carcinoma?. <i>Medicine (United States)</i> , 2015, 94, e1808. | 1.0 | 26 |
| 95 | The Beneficial Effects of P2X7 Antagonism in Rats with Bile Duct Ligation-induced Cirrhosis. <i>PLoS ONE</i> , 2015, 10, e0124654. | 2.5 | 26 |
| 96 | Comparison of twelve liver functional reserve models for outcome prediction in patients with hepatocellular carcinoma undergoing surgical resection. <i>Scientific Reports</i> , 2018, 8, 4773. | 3.3 | 26 |
| 97 | IL28B Polymorphism Correlates with Active Hepatitis in Patients with HBeAg-Negative Chronic Hepatitis B. <i>PLoS ONE</i> , 2013, 8, e58071. | 2.5 | 26 |
| 98 | Association of core promoter/precore mutations and viral load in e antigen-negative chronic hepatitis B patients. <i>Journal of Viral Hepatitis</i> , 2006, 13, 336-342. | 2.0 | 25 |
| 99 | Predictive Value of Aspartate Aminotransferase to Alanine Aminotransferase Ratio for Hepatic Fibrosis and Clinical Adverse Outcomes in Patients With Primary Biliary Cirrhosis. <i>Journal of Clinical Gastroenterology</i> , 2009, 43, 876-883. | 2.2 | 25 |
| 100 | Surgical resection versus transarterial chemoembolization for BCLC stage C hepatocellular carcinoma. <i>Journal of Surgical Oncology</i> , 2015, 111, 404-409. | 1.7 | 25 |
| 101 | Nomogram of the Barcelona Clinic Liver Cancer system for individual prognostic prediction in hepatocellular carcinoma. <i>Liver International</i> , 2016, 36, 1498-1506. | 3.9 | 25 |
| 102 | The impact of esophagogastric varices on the prognosis of patients with hepatocellular carcinoma. <i>Scientific Reports</i> , 2017, 7, 42577. | 3.3 | 25 |
| 103 | Prognostic Performance of Ten Liver Function Models in Patients with Hepatocellular Carcinoma Undergoing Radiofrequency Ablation. <i>Scientific Reports</i> , 2018, 8, 843. | 3.3 | 25 |
| 104 | Higher platelet counts are associated with metabolic syndrome independent of fatty liver diagnosis. <i>Journal of the Chinese Medical Association</i> , 2017, 80, 125-132. | 1.4 | 24 |
| 105 | Comparison of transarterial chemoembolization and percutaneous acetic acid injection as the primary loco-regional therapy for unresectable hepatocellular carcinoma: a prospective survey. <i>Alimentary Pharmacology and Therapeutics</i> , 2004, 19, 1301-1308. | 3.7 | 23 |
| 106 | Natural history and prognostic factors of primary biliary cirrhosis in Taiwan: a follow-up study up to 18 years. <i>Liver International</i> , 2008, 28, 1305-1313. | 3.9 | 23 |
| 107 | ±-Fetoprotein-to-Total Tumor Volume Ratio Predicts Post-operative Tumor Recurrence in Hepatocellular Carcinoma. <i>Journal of Gastrointestinal Surgery</i> , 2013, 17, 730-738. | 1.7 | 23 |
| 108 | Induction of complete tumor necrosis may reduce intrahepatic metastasis and prolong survival in patients with hepatocellular carcinoma undergoing locoregional therapy: a prospective study. <i>Annals of Oncology</i> , 2004, 15, 775-780. | 1.2 | 22 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 109 | The First Case of Multidrug-resistant NDM-1-harboring Enterobacteriaceae in Taiwan: Here Comes the Superbacteria!. <i>Journal of the Chinese Medical Association</i> , 2010, 73, 557-558. | 1.4 | 22 |
| 110 | Proton Pump Inhibitors and Risk of Hepatocellular Carcinoma in Patients With Chronic Hepatitis B or C. <i>Hepatology</i> , 2019, 69, 1151-1164. | 7.3 | 22 |
| 111 | Determination of the optimal model for end-stage liver disease score in patients with small hepatocellular carcinoma undergoing loco-regional therapy. <i>Liver Transplantation</i> , 2004, 10, 1507-1513. | 2.4 | 21 |
| 112 | Different Model for End-Stage Liver Disease Score Block Distributions May Have a Variable Ability for Outcome Prediction. <i>Transplantation</i> , 2005, 80, 1414-1418. | 1.0 | 21 |
| 113 | Selecting a Short-term Prognostic Model for Hepatocellular Carcinoma. <i>Journal of Clinical Gastroenterology</i> , 2009, 43, 773-781. | 2.2 | 21 |
| 114 | Impact of body mass index and viral load on liver histology in hepatitis B e antigen-negative chronic hepatitis B. <i>Clinical Nutrition</i> , 2011, 30, 647-652. | 5.0 | 21 |
| 115 | Hong Kong Liver Cancer Staging System Is Associated With Better Performance for Hepatocellular Carcinoma. <i>Medicine (United States)</i> , 2015, 94, e1772. | 1.0 | 21 |
| 116 | Tumor burden score as a new prognostic marker for patients with hepatocellular carcinoma undergoing transarterial chemoembolization. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021, 36, 3196-3203. | 2.8 | 21 |
| 117 | Transarterial chemoembolization can prolong survival for patients with metastatic hepatocellular carcinoma: a propensity score matching analysis. <i>Hepatology International</i> , 2012, 6, 753-762. | 4.2 | 20 |
| 118 | Uncompromised Treatment Efficacy in Elderly Patients With Hepatocellular Carcinoma. <i>Medicine (United States)</i> , 2014, 93, e264. | 1.0 | 20 |
| 119 | ALBI grade as a new player in hepatocellular carcinoma. <i>Journal of the Chinese Medical Association</i> , 2019, 82, 1. | 1.4 | 20 |
| 120 | Ash2l interacts with Oct4-stemness circuitry to promote super-enhancer-driven pluripotency network. <i>Nucleic Acids Research</i> , 2019, 47, 10115-10133. | 14.5 | 20 |
| 121 | Thrombocytosis is associated with worse survival in patients with hepatocellular carcinoma. <i>Liver International</i> , 2020, 40, 2522-2534. | 3.9 | 20 |
| 122 | Active Vitamin D ₃ Treatment Attenuated Bacterial Translocation via Improving Intestinal Barriers in Cirrhotic Rats. <i>Molecular Nutrition and Food Research</i> , 2021, 65, e2000937. | 3.3 | 20 |
| 123 | Diagnostic value of anti-hepatitis D virus (HDV) antibodies revisited: A study of total and IgM anti-HDV compared with detection of HDV-RNA by polymerase chain reaction. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 1998, 13, 57-61. | 2.8 | 19 |
| 124 | Hepatitis C Virus Infection is a Risk Factor for Tumor Recurrence after Resection of Small Hepatocellular Carcinomas. <i>World Journal of Surgery</i> , 2004, 28, 787-791. | 1.6 | 19 |
| 125 | Staging for hepatocellular carcinoma: look for a perfect classification system. <i>Journal of Hepatology</i> , 2004, 40, 1041-1042. | 3.7 | 19 |
| 126 | Characteristics and outcome of patients with dual hepatitis B and C-associated hepatocellular carcinoma: are they different from patients with single virus infection?. <i>Liver International</i> , 2009, 29, 767-773. | 3.9 | 19 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Prognostic Significance of Computed Tomography Scan-derived Splenic Volume in Hepatocellular Carcinoma Treated With Radiofrequency Ablation. <i>Journal of Clinical Gastroenterology</i> , 2012, 46, 789-795. | 2.2 | 19 |
| 128 | Survival Advantage of Radiofrequency Ablation Over Transarterial Chemoembolization for Patients with Hepatocellular Carcinoma and Good Performance Status Within the Milan Criteria. <i>Annals of Surgical Oncology</i> , 2014, 21, 3835-3843. | 1.5 | 19 |
| 129 | Using nomogram of the Barcelona Clinic Liver Cancer system for treatment selection in patients with stage C hepatocellular carcinoma. <i>BMC Cancer</i> , 2018, 18, 289. | 2.6 | 19 |
| 130 | Aspirin is associated with low recurrent risk in hepatitis B virus-related hepatocellular carcinoma patients after curative resection. <i>Journal of the Formosan Medical Association</i> , 2020, 119, 218-229. | 1.7 | 19 |
| 131 | Selective prognostic impact of serum alpha-fetoprotein level in patients with hepatocellular carcinoma: analysis of 543 patients in a single center. <i>Oncology Reports</i> , 2004, 11, 543-50. | 2.6 | 19 |
| 132 | Improvement of Carbon Tetrachloride-Induced Acute Hepatic Failure by Transplantation of Induced Pluripotent Stem Cells without Reprogramming Factor c-Myc. <i>International Journal of Molecular Sciences</i> , 2012, 13, 3598-3617. | 4.1 | 18 |
| 133 | CXCL9 Associated with Sustained Virological Response in Chronic Hepatitis B Patients Receiving Peginterferon Alfa-2a Therapy: A Pilot Study. <i>PLoS ONE</i> , 2013, 8, e76798. | 2.5 | 18 |
| 134 | Comparison of prognosis by viral etiology in patients with hepatocellular carcinoma after radiofrequency ablation. <i>Annals of Hepatology</i> , 2013, 12, 263-273. | 1.5 | 18 |
| 135 | Pharmacokinetics of Ractopamine and Its Organ Distribution in Rats. <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 9273-9278. | 5.2 | 18 |
| 136 | Surgical Resection Is Better than Transarterial Chemoembolization for Hepatocellular Carcinoma Beyond Milan Criteria Independent of Performance Status. <i>Journal of Gastrointestinal Surgery</i> , 2014, 18, 1623-1631. | 1.7 | 18 |
| 137 | Aggressive Therapeutic Strategies Improve the Survival of Hepatocellular Carcinoma Patients with Performance Status 1 or 2: A Propensity Score Analysis. <i>Annals of Surgical Oncology</i> , 2015, 22, 1324-1331. | 1.5 | 18 |
| 138 | Metastasis in patients with hepatocellular carcinoma: Prevalence, determinants, prognostic impact and ability to improve the Barcelona Clinic Liver Cancer system. <i>Liver International</i> , 2018, 38, 1803-1811. | 3.9 | 18 |
| 139 | Evolution of etiology, presentation, management and prognostic tool in hepatocellular carcinoma. <i>Scientific Reports</i> , 2020, 10, 3925. | 3.3 | 18 |
| 140 | The Sequential Changes of the Model for End-stage Liver Disease Score Correlate With the Severity of Liver Cirrhosis in Patients With Hepatocellular Carcinoma Undergoing Locoregional Therapy. <i>Journal of Clinical Gastroenterology</i> , 2006, 40, 543-550. | 2.2 | 17 |
| 141 | Alcoholism worsens the survival of patients with hepatitis B virus and C virus-related hepatocellular carcinoma. <i>Hepatology International</i> , 2013, 7, 645-654. | 4.2 | 17 |
| 142 | Performance Status Enhances the Selection of Treatment for Patients with Hepatocellular Carcinoma Within the Milan Criteria. <i>Annals of Surgical Oncology</i> , 2013, 20, 2035-2042. | 1.5 | 17 |
| 143 | A Comparison of Clinical Manifestations and Prognoses Between Patients with Hepatocellular Carcinoma and Child-Pugh Scores of 5 or 6. <i>Medicine (United States)</i> , 2014, 93, e348. | 1.0 | 17 |
| 144 | Comparison of prognosis between surgical resection and transarterial chemoembolization for patients with solitary huge hepatocellular carcinoma. <i>Annals of Translational Medicine</i> , 2020, 8, 238-238. | 1.7 | 17 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Easy albuminâ€“bilirubin score as a new prognostic predictor in hepatocellular carcinoma. <i>Hepatology Research</i> , 2021, 51, 1129-1138. | 3.4 | 17 |
| 146 | A New Tumor Burden Score and Albuminâ€“Bilirubin Grade-Based Prognostic Model for Hepatocellular Carcinoma. <i>Cancers</i> , 2022, 14, 649. | 3.7 | 17 |
| 147 | Kidney transplantation in patients with chronic hepatitis B virus infection: is the prognosis worse?. <i>Digestive Diseases and Sciences</i> , 2001, 46, 469-475. | 2.3 | 16 |
| 148 | An Albumin-Bilirubin (ALBI) Gradeâ€“based Prognostic Model For Patients With Hepatocellular Carcinoma Within Milan Criteria. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2019, 42, 698-704. | 1.3 | 15 |
| 149 | Prognostic impact of diabetes mellitus on hepatocellular carcinoma: Special emphasis from the BCLC perspective. <i>PLoS ONE</i> , 2017, 12, e0174333. | 2.5 | 14 |
| 150 | Fatty Liver Index and Lipid Accumulation Product Can Predict Metabolic Syndrome in Subjects without Fatty Liver Disease. <i>Gastroenterology Research and Practice</i> , 2017, 2017, 1-12. | 1.5 | 14 |
| 151 | A New Prognostic Model Based on Albuminâ€“Bilirubin Grade for Hepatocellular Carcinoma Beyond the Milan Criteria. <i>Digestive Diseases and Sciences</i> , 2020, 65, 658-667. | 2.3 | 14 |
| 152 | Early and late recurrence of surgically resected hepatitis B virus-related hepatocellular carcinoma on nucleos(t)ide analogues therapy. <i>Journal of the Formosan Medical Association</i> , 2021, 120, 1563-1571. | 1.7 | 14 |
| 153 | Impact of tumor burden on prognostic prediction for patients with terminal stage hepatocellular carcinoma: A nomogram study. <i>PLoS ONE</i> , 2017, 12, e0188031. | 2.5 | 14 |
| 154 | Evidence of transmission of hepatitis B virus to spouses from sequence analysis of the viral genome. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 1998, 13, 1138-1142. | 2.8 | 13 |
| 155 | Comparison of clinical manifestations and epidemiology between acute hepatitis A and acute hepatitis E in Taiwan. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2002, 17, 1187-1191. | 2.8 | 13 |
| 156 | Model for End-stage Liver Disease and Organ Allocation in Liver Transplantation: Where Are We and Where Should We Go?. <i>Journal of the Chinese Medical Association</i> , 2006, 69, 193-198. | 1.4 | 13 |
| 157 | Early identification of poor responders to transarterial chemoembolization for hepatocellular carcinoma. <i>Hepatology International</i> , 2011, 5, 975-984. | 4.2 | 13 |
| 158 | Induced pluripotent stem cells and hepatic differentiation. <i>Journal of the Chinese Medical Association</i> , 2013, 76, 599-605. | 1.4 | 13 |
| 159 | The impact of clinically significant portal hypertension on the prognosis of patients with hepatocellular carcinoma after radiofrequency ablation: a propensity score matching analysis. <i>European Radiology</i> , 2017, 27, 2600-2609. | 4.5 | 13 |
| 160 | Association between esophagogastric varices in hepatocellular carcinoma and poor prognosis after transarterial chemoembolization: A propensity score matching analysis. <i>Journal of the Formosan Medical Association</i> , 2020, 119, 610-620. | 1.7 | 13 |
| 161 | (Pro)renin Receptor Knockdown Attenuates Liver Fibrosis Through Inactivation of ERK/TGF-Î²1/SMAD3 Pathway. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2021, 12, 813-838. | 4.5 | 13 |
| 162 | Decrypting Cryptogenic Hepatocellular Carcinoma: Clinical Manifestations, Prognostic Factors and Long-Term Survival by Propensity Score Model. <i>PLoS ONE</i> , 2014, 9, e89373. | 2.5 | 13 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | Prognostic factor analysis of fulminant and subfulminant hepatic failure in an area endemic for hepatitis B. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 1996, 11, 560-565. | 2.8 | 12 |
| 164 | Prevalence, implication, and viral nucleotide sequence analysis of GB virus-C/hepatitis G virus infection in acute fulminant and nonfulminant hepatitis. , 1998, 56, 118-122. | | 12 |
| 165 | Ranitidine-related Stevens-Johnson syndrome in patients with severe liver diseases: A report of two cases. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2001, 16, 481-483. | 2.8 | 12 |
| 166 | Differential prognostic impact of renal insufficiency on patients with hepatocellular carcinoma: A propensity score analysis and staging strategy. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2012, 27, 690-699. | 2.8 | 12 |
| 167 | Eritoran Attenuates Hepatic Inflammation and Fibrosis in Mice with Chronic Liver Injury. <i>Cells</i> , 2021, 10, 1562. | 4.1 | 12 |
| 168 | Anti-hepatitis C virus seropositivity is not associated with metabolic syndrome irrespective of age, gender and fibrosis. <i>Annals of Hepatology</i> , 2015, 14, 181-9. | 1.5 | 12 |
| 169 | MELD in liver transplantation: the da Vinci code for the Holy Grail?. <i>Journal of Hepatology</i> , 2005, 42, 477-478. | 3.7 | 11 |
| 170 | The predictive ability of serum Î±-fetoprotein for hepatocellular carcinoma is linked with the characteristics of the target population at surveillance. <i>Journal of Surgical Oncology</i> , 2007, 95, 645-651. | 1.7 | 11 |
| 171 | Selecting a prognostic renal surrogate for patients with hepatocellular carcinoma undergoing transarterial chemoembolization. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2012, 27, 1581-1588. | 2.8 | 11 |
| 172 | A prognostic model for patients with hepatocellular carcinoma within the Milan criteria undergoing non-transplant therapies, based on 1106 patients. <i>Alimentary Pharmacology and Therapeutics</i> , 2012, 36, 551-559. | 3.7 | 11 |
| 173 | Hepatocellular carcinoma in uremic patients: Is there evidence for an increased risk of mortality?. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2013, 28, 348-356. | 2.8 | 11 |
| 174 | Hepatocellular Carcinoma Patients With Performance Status 1 Deserve New Classification and Treatment Algorithm in the BCLC System. <i>Medicine (United States)</i> , 2015, 94, e1223. | 1.0 | 11 |
| 175 | The Role of Interferon-Î³ Inducible Protein-10 in a Mouse Model of Acute Liver Injury Post Induced Pluripotent Stem Cells Transplantation. <i>PLoS ONE</i> , 2012, 7, e50577. | 2.5 | 11 |
| 176 | Correlation between clinical indication for treatment and liver histology in HBeAg-negative chronic hepatitis B: a novel role of Î±-fetoprotein. <i>Liver International</i> , 2010, 30, 1161-1168. | 3.9 | 10 |
| 177 | Defining the severity of liver dysfunction in patients with hepatocellular carcinoma by the model for end-stage liver disease-derived systems. <i>Digestive and Liver Disease</i> , 2012, 44, 868-874. | 0.9 | 10 |
| 178 | Survival of Patients with Hepatocellular Carcinoma in Renal Insufficiency: Prognostic Role of Albumin-Bilirubin Grade. <i>Cancers</i> , 2020, 12, 1130. | 3.7 | 10 |
| 179 | Albumin-Bilirubin (ALBI) Grade-Based Nomogram for Patients with Hepatocellular Carcinoma Undergoing Transarterial Chemoembolization. <i>Digestive Diseases and Sciences</i> , 2021, 66, 1730-1738. | 2.3 | 10 |
| 180 | The Impact of Spironolactone on the Severity of Portal-Systemic Collaterals and Hepatic Encephalopathy in Cirrhotic Rats. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2015, 355, 117-124. | 2.5 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 181 | Comparison of Seven Noninvasive Models for Predicting Decompensation and Hospitalization in Patients with Cirrhosis. <i>Digestive Diseases and Sciences</i> , 2021, 66, 4508-4517. | 2.3 | 9 |
| 182 | Staging for hepatocellular carcinoma: Treatment strategy matters. <i>Hepatology</i> , 2005, 41, 678-678. | 7.3 | 8 |
| 183 | A New Child-Turcotte-Pugh Class 0 for Patients with Hepatocellular Carcinoma: Determinants, Prognostic Impact and Ability to Improve the Current Staging Systems. <i>PLoS ONE</i> , 2014, 9, e99115. | 2.5 | 8 |
| 184 | Current noninvasive liver reserve models do not predict histological fibrosis severity in hepatocellular carcinoma. <i>Scientific Reports</i> , 2018, 8, 15074. | 3.3 | 8 |
| 185 | Clinical Utility of Albumin Bilirubin Grade as a Prognostic Marker in Patients with Hepatocellular Carcinoma Undergoing Transarterial Chemoembolization: a Systematic Review and Meta-analysis. <i>Journal of Gastrointestinal Cancer</i> , 2023, 54, 420-432. | 1.3 | 8 |
| 186 | Persistent retention of acetic acid is associated with complete tumour necrosis in patients with hepatocellular carcinoma undergoing percutaneous acetic acid injection. <i>Scandinavian Journal of Gastroenterology</i> , 2004, 39, 168-173. | 1.5 | 7 |
| 187 | Selective prognostic impact of serum α -fetoprotein level in patients with hepatocellular carcinoma: Analysis of 543 patients in a single center. <i>Oncology Reports</i> , 2004, 11, 543. | 2.6 | 7 |
| 188 | Fever and Infectious Complications After Percutaneous Acetic Acid Injection Therapy for Hepatocellular Carcinoma: Incidence and Risk Factor Analysis. <i>Journal of Clinical Gastroenterology</i> , 2006, 40, 639-642. | 2.2 | 7 |
| 189 | Hepatitis after arterial embolization for hepatocellular carcinoma: Viral reactivation or ischemia?. <i>Hepatology</i> , 2006, 43, 1400-1401. | 7.3 | 7 |
| 190 | Major adverse events, pretransplant assessment and outcome prediction. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2009, 24, 1716-1724. | 2.8 | 7 |
| 191 | Selecting an optimal cutoff value for creatinine in the model for end-stage liver disease equation. <i>Clinical Transplantation</i> , 2010, 24, 157-163. | 1.6 | 7 |
| 192 | Core Antigen Expression Is Associated with Hepatic Necroinflammation in e Antigen-Negative Chronic Hepatitis B Patients with Low DNA Loads. <i>Vaccine Journal</i> , 2010, 17, 1048-1053. | 3.1 | 7 |
| 193 | Esophageal varices are not predictive of patient prognosis after surgical resection of hepatocellular carcinoma. <i>European Journal of Gastroenterology and Hepatology</i> , 2018, 30, 1368-1377. | 1.6 | 7 |
| 194 | A comparison of prognoses between surgical resection and radiofrequency ablation therapy for patients with hepatocellular carcinoma and esophagogastric varices. <i>Scientific Reports</i> , 2020, 10, 17259. | 3.3 | 7 |
| 195 | Liver stiffness measured by acoustic radiation force impulse elastography predicted prognoses of hepatocellular carcinoma after radiofrequency ablation. <i>Scientific Reports</i> , 2020, 10, 2006. | 3.3 | 7 |
| 196 | Reliability of contemporary radiology to measure tumour size of hepatocellular carcinoma in patients undergoing resection: limitations and clinical implications. <i>Scandinavian Journal of Gastroenterology</i> , 2004, 39, 46-52. | 1.5 | 6 |
| 197 | Percutaneous injection therapy for hepatocellular carcinoma in patients with chronic renal insufficiency. <i>European Journal of Gastroenterology and Hepatology</i> , 2004, 16, 325-331. | 1.6 | 6 |
| 198 | Is there an ideal prognostic model for hepatocellular carcinoma?. <i>Gut</i> , 2005, 54, 1348-1348. | 12.1 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | Metastatic hepatocellular carcinoma: when, how, where and so what?. <i>Liver International</i> , 2008, 28, 1183-1185. | 3.9 | 6 |
| 200 | Validation of the behavior and concept based assessment of professionalism competence in postgraduate first-year residents. <i>Journal of the Chinese Medical Association</i> , 2013, 76, 186-194. | 1.4 | 6 |
| 201 | Assessing liver dysfunction in cirrhosis: Role of the model for end-stage liver disease and its derived systems. <i>Journal of the Chinese Medical Association</i> , 2013, 76, 419-424. | 1.4 | 6 |
| 202 | 2'-O-Methylhydroxyflavanone ameliorates mesenteric angiogenesis and portal-systemic collaterals in rats with liver fibrosis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016, 31, 1045-1051. | 2.8 | 6 |
| 203 | A New Treatment-integrated Prognostic Nomogram of the Barcelona Clinic Liver Cancer System for Hepatocellular Carcinoma. <i>Scientific Reports</i> , 2017, 7, 7914. | 3.3 | 6 |
| 204 | Risk of recurrence in chronic hepatitis B patients developing hepatocellular carcinoma with antiviral secondary prevention failure. <i>PLoS ONE</i> , 2017, 12, e0188552. | 2.5 | 6 |
| 205 | Development of a Graphene Oxide-Incorporated Polydimethylsiloxane Membrane with Hexagonal Micropillars. <i>International Journal of Molecular Sciences</i> , 2018, 19, 2517. | 4.1 | 6 |
| 206 | Nanodiamond-based microRNA delivery system promotes pluripotent stem cells toward myocardiogenic reprogramming. <i>Journal of the Chinese Medical Association</i> , 2021, 84, 177-182. | 1.4 | 6 |
| 207 | Nomogram for surgical hepatocellular carcinoma: What have we missed?. <i>Liver International</i> , 2021, 41, 3034-3035. | 3.9 | 5 |
| 208 | Dual hepatitis B and C-associated hepatocellular carcinoma: clinical characteristics, outcome, and prognostic role of albumin-bilirubin grade. <i>International Journal of Clinical Oncology</i> , 2022, 27, 739-748. | 2.2 | 5 |
| 209 | Surgical resection could provide better outcomes for patients with hepatocellular carcinoma and tumor rupture. <i>Scientific Reports</i> , 2022, 12, 8343. | 3.3 | 5 |
| 210 | Management of inoperable hepatocellular carcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2004, 19, S272-S278. | 2.8 | 4 |
| 211 | Cholestatic Jaundice as the Predominant Presentation in a Patient with Autoimmune Hepatitis. <i>Journal of the Chinese Medical Association</i> , 2008, 71, 45-48. | 1.4 | 4 |
| 212 | Generation of cytotoxicity against hepatitis delta virus genotypes and quasispecies by epitope modification. <i>Journal of Hepatology</i> , 2009, 50, 779-788. | 3.7 | 4 |
| 213 | Impact of renal insufficiency on patients with hepatocellular carcinoma undergoing radiofrequency ablation. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015, 30, 192-198. | 2.8 | 4 |
| 214 | Insulin reverses major portal hypertension-related derangements in rats with liver cirrhosis and diabetes. <i>Clinical Science</i> , 2018, 132, 2391-2405. | 4.3 | 4 |
| 215 | Diabetes Diminishes the Portal-Systemic Collateral Vascular Response to Vasopressin via Vasopressin Receptor and Gl \pm Proteins Regulations in Cirrhotic Rats. <i>PLoS ONE</i> , 2013, 8, e67703. | 2.5 | 4 |
| 216 | Predictors of long-term recurrence and survival after resection of HBV-related hepatocellular carcinoma: the role of HBsAg. <i>American Journal of Cancer Research</i> , 2021, 11, 3711-3725. | 1.4 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 217 | Cryptogenic hepatocellular carcinoma: characteristics, outcome, and prognostic role of albumin-bilirubin (ALBI) grade vs easy ALBI grade. <i>Scandinavian Journal of Gastroenterology</i> , 2023, 58, 61-69. | 1.5 | 4 |
| 218 | Contrast medium-associated renal dysfunction in patients with cirrhosis. <i>Hepatology</i> , 2004, 40, 1474-1474. | 7.3 | 3 |
| 219 | Is diabetes a risk factor for hepatocellular carcinoma?. <i>Gastroenterology</i> , 2004, 127, 360-361. | 1.3 | 3 |
| 220 | Role of the model for end-stage liver disease and serum α -fetoprotein as prognostic predictors for hepatocellular carcinoma. <i>Liver International</i> , 2006, 26, 1300-1301. | 3.9 | 3 |
| 221 | Interleukin-1 receptor antagonist correlates with hepatic venous pressure gradient and predicts occurrence of overall complications and bacterial infections in patients with cirrhosis. <i>Hepatology Research</i> , 2015, 45, 294-304. | 3.4 | 3 |
| 222 | Active Treatments Prolong the Survival in Patients With Hepatocellular Carcinoma and Performance Status 3 or 4. <i>Journal of Clinical Gastroenterology</i> , 2015, 49, 878-884. | 2.2 | 3 |
| 223 | Reply to "Hepatocellular carcinoma scoring and staging systems. Do we need new tools?". <i>Journal of Hepatology</i> , 2016, 64, 1450-1452. | 3.7 | 3 |
| 224 | Performance status in patients with HCC: New kid on the block. <i>Journal of Hepatology</i> , 2017, 67, 1352-1353. | 3.7 | 3 |
| 225 | Pharmacokinetics of Rhodamine 110 and Its Organ Distribution in Rats. <i>Journal of Agricultural and Food Chemistry</i> , 2017, 65, 7797-7804. | 5.2 | 3 |
| 226 | Ascorbate lacks significant influence in rats with bile duct ligation-induced liver injury. <i>Journal of the Chinese Medical Association</i> , 2017, 80, 539-550. | 1.4 | 3 |
| 227 | Magic mirror on the wall: Which is the best biomarker for hepatocellular carcinoma?. <i>Hepatology</i> , 2018, 67, 2482-2483. | 7.3 | 3 |
| 228 | Microvascular Invasion as a Prognostic Predictor in Hepatocellular Carcinoma: How Accurate Is It?. <i>Liver Cancer</i> , 2020, 9, 787-788. | 7.7 | 3 |
| 229 | Changing faces of hepatocellular carcinoma: East vs West. <i>Liver International</i> , 2021, 41, 1430-1431. | 3.9 | 3 |
| 230 | To MELD or not to MELD, that is a question. <i>Liver Transplantation</i> , 2007, 13, 1618-1618. | 2.4 | 2 |
| 231 | Lack of therapeutic effects of gabexate mesilate on the hepatic encephalopathy in rats with acute and chronic hepatic failure. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2010, 25, 1321-1328. | 2.8 | 2 |
| 232 | The Global Spread of 2009 H1N1 Influenza: A False Pandemic?. <i>Journal of the Chinese Medical Association</i> , 2010, 73, 60-61. | 1.4 | 2 |
| 233 | Diabetes enhances the intrahepatic vascular response to endothelin-1 in cirrhotic rats: association with the ET _A receptor and pERK α regulation. <i>Liver International</i> , 2015, 35, 704-712. | 3.9 | 2 |
| 234 | Nomogram of the Barcelona clinic liver cancer system: on the go. <i>Liver International</i> , 2016, 36, 1717-1718. | 3.9 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 235 | Treating Very Early-stage HCC. <i>Annals of Surgery</i> , 2017, 266, e31-e32. | 4.2 | 2 |
| 236 | Comment on "Transarterial chemo-embolisation of hepatocellular carcinoma: impact of liver function and vascular invasion". <i>British Journal of Cancer</i> , 2017, 117, e5-e5. | 6.4 | 2 |
| 237 | ALBI Score as a Novel Tool in Staging and Treatment Planning for Hepatocellular Carcinoma: Is It Sufficient. <i>Liver Cancer</i> , 2017, 6, 375-376. | 7.7 | 2 |
| 238 | Detecting microvascular invasion in HCC with contrast-enhanced MRI: Is it a good idea?. <i>Journal of Hepatology</i> , 2018, 68, 862-863. | 3.7 | 2 |
| 239 | Folic acid ameliorates homocysteine-induced angiogenesis and portosystemic collaterals in cirrhotic rats. <i>Annals of Hepatology</i> , 2019, 18, 633-639. | 1.5 | 2 |
| 240 | Low dose of propranolol treatment is associated with better survival in cirrhotic patients with hepatic encephalopathy. <i>European Journal of Gastroenterology and Hepatology</i> , 2020, 32, 365-372. | 1.6 | 2 |
| 241 | Are inflammation-based models feasible tools in predicting the outcome of patients with hepatocellular carcinoma?. <i>Liver International</i> , 2020, 40, 1498-1498. | 3.9 | 2 |
| 242 | Judicious use of sodium-glucose cotransporter 2 inhibitors in patients with diabetes on coronavirus-19 pandemic. <i>Journal of the Chinese Medical Association</i> , 2020, 83, 809-811. | 1.4 | 2 |
| 243 | Nomogram to predict surgical hepatocellular carcinoma with Child-Pugh B: Feasibility and overlooked predictors. <i>Journal of Hepatology</i> , 2020, 72, 1032-1033. | 3.7 | 2 |
| 244 | Differential Survival Impact of Diabetes Mellitus on Hepatocellular Carcinoma: Role of Staging Determinants. <i>Digestive Diseases and Sciences</i> , 2020, 65, 3389-3402. | 2.3 | 2 |
| 245 | Persistent liver inflammation in chronic hepatitis C patients with advanced fibrosis after direct-acting antivirals induced sustained virological response. <i>Journal of the Chinese Medical Association</i> , 2021, 84, 472-477. | 1.4 | 2 |
| 246 | Predicting microvascular invasion in HCC with ctDNA: What are the pitfalls?. <i>Liver International</i> , 2021, 41, 1148-1149. | 3.9 | 2 |
| 247 | Role of locoregional therapy for hepatocellular carcinoma before liver transplantation: Answer or myth?. <i>Liver Transplantation</i> , 2006, 12, 1560-1560. | 2.4 | 1 |
| 248 | Successful Radiofrequency Ablation Therapy for Hepatocellular Carcinoma in a Male Patient with Early Stage Primary Biliary Cirrhosis and Positive Serum Hepatitis B Core Antibody. <i>Journal of the Chinese Medical Association</i> , 2008, 71, 40-44. | 1.4 | 1 |
| 249 | Utility of prognostic scoring systems in management of hepatocellular carcinoma. <i>European Journal of Cancer</i> , 2016, 68, 206-207. | 2.8 | 1 |
| 250 | Predicting post-resection recurrence of hepatocellular carcinoma: Spleen stiffness vs. ALBI grade. <i>Journal of Hepatology</i> , 2019, 70, 808. | 3.7 | 1 |
| 251 | Too Many versus Too Few Platelets in Patients with Hepatocellular Carcinoma: Good or Bad?. <i>Liver Cancer</i> , 2020, 9, 108-109. | 7.7 | 1 |
| 252 | Metavir Fibrosis Stage in Hepatitis C-Related Hepatocellular Carcinoma and Association with Noninvasive Liver Reserve Models. <i>Journal of Gastrointestinal Surgery</i> , 2020, 24, 1860-1862. | 1.7 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 253 | Treating Small Hepatocellular Carcinoma: Stereotactic Body Radiation Therapy Versus Radiofrequency Ablation. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020, 35, 2020-2020. | 2.8 | 1 |
| 254 | Changing patterns of etiology and management of hepatocellular carcinoma: need for global reappraisal. <i>Journal of Gastroenterology</i> , 2021, 56, 406-407. | 5.1 | 1 |
| 255 | ALBI grade in dialysis patients with hepatocellular carcinoma: prognostic impact and staging strategy. <i>Journal of Gastrointestinal Oncology</i> , 2021, 12, 722-734. | 1.4 | 1 |
| 256 | Dual DNA Transfection Using 1,6-Hexanedithiol-Conjugated Maleimide-Functionalized PU-PEI600 For Gene Correction in a Patient iPSC-Derived Fabry Cardiomyopathy Model. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 634190. | 3.7 | 1 |
| 257 | Selecting an optimal prognostic model for advanced hepatocellular carcinoma: Any new ideas?. <i>Digestive and Liver Disease</i> , 2021, 53, 1208-1209. | 0.9 | 1 |
| 258 | Outstanding research paper awards of the Journal of the Chinese Medical Association in 2020. <i>Journal of the Chinese Medical Association</i> , 2021, Publish Ahead of Print, . | 1.4 | 1 |
| 259 | Development of polydimethylsiloxane-based biomimetic scaffolds with cylinder micropillars for retinal pigment epithelial cell cultivation. <i>Journal of the Chinese Medical Association</i> , 2020, 83, 1029-1033. | 1.4 | 1 |
| 260 | Prognostic prediction for patients with hepatocellular carcinoma receiving immunotherapy: Are we there yet?. <i>Journal of Hepatology</i> , 2021, , . | 3.7 | 1 |
| 261 | Long-term outcome of kidney transplantation in patients with hepatitis C virus infection. <i>Hepato-Gastroenterology</i> , 2001, 48, 169-73. | 0.5 | 1 |
| 262 | <scp>3â€œMercaptopyruvate</scp> sulfurtransferase in hepatocellular carcinoma: Is it an authentic clinical prognostic predictor?. <i>Liver International</i> , 2022, 42, 1475-1475. | 3.9 | 1 |
| 263 | Does antibody to hepatitis B surface antigen protect renal transplant patients from hepatitis B?. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2004, 19, 841-843. | 2.8 | 0 |
| 264 | Which is the holy grail in liver transplantation: Hyponatremia, MELD, or a combination?. <i>Liver Transplantation</i> , 2005, 11, 710-710. | 2.4 | 0 |
| 265 | Does hepatitis B viral load determine the outcome of patients with hepatocellular carcinoma undergoing chemotherapy?. <i>Hepatology</i> , 2007, 46, 1665-1666. | 7.3 | 0 |
| 266 | Transarterial chemoembolization and renal failure in hepatocellular carcinoma patients: authors' reply. <i>Liver International</i> , 2010, 30, 924-925. | 3.9 | 0 |
| 267 | Commentary: predicting survival in hepatocellular carcinoma patients â€œ authorsâ€™ reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2012, 36, 681-681. | 3.7 | 0 |
| 268 | Surgery for advanced hepatocellular carcinoma: Time to take action. <i>Journal of Surgical Oncology</i> , 2015, 112, 909-909. | 1.7 | 0 |
| 269 | Ablation for Hepatocellular Carcinoma. <i>Annals of Surgery</i> , 2017, 266, e55-e56. | 4.2 | 0 |
| 270 | The effects of proton pump inhibitor on hepatic vascular responsiveness and hemodynamics in cirrhotic rats. <i>Journal of the Chinese Medical Association</i> , 2018, 81, 585-592. | 1.4 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 271 | Comparison of twelve noninvasive liver reserve models in HCC patients undergoing resection. Journal of Hepatology, 2018, 68, S640. | 3.7 | 0 |
| 272 | The effect of primary prophylaxis therapy for large esophageal varices in patients with hepatocellular carcinoma. Journal of Hepatology, 2018, 68, S713. | 3.7 | 0 |
| 273 | Correlation and prognostic accuracy between noninvasive liver reserve markers and portal pressure in cirrhosis: Role of ALBI score. Journal of Hepatology, 2018, 68, S736-S737. | 3.7 | 0 |
| 274 | SAT-462-Current non-invasive liver reserve models do not predict histological fibrosis severity in hepatocellular carcinoma. Journal of Hepatology, 2019, 70, e836-e837. | 3.7 | 0 |
| 275 | SAT-463-Albumin-bilirubin grade-based nomogram to predict tumor recurrence in patients with hepatocellular carcinoma. Journal of Hepatology, 2019, 70, e837-e838. | 3.7 | 0 |
| 276 | Staging and Restaging for Hepatocellular Carcinoma: Solution of Confusion?. Hepatology, 2019, 69, 464-465. | 7.3 | 0 |
| 277 | Evolution of hepatocellular carcinoma: non-B, non-C and beyond. Journal of Gastroenterology, 2020, 55, 123-124. | 5.1 | 0 |
| 278 | Stereotactic body radiation therapy vs. radiofrequency ablation for HCC: More questions than answers. Journal of Hepatology, 2020, 73, 972-973. | 3.7 | 0 |
| 279 | Is computed tomography-enhanced clinical significant portal hypertension surrogate an authentic prognostic predictor for surgical hepatocellular carcinoma?. Journal of Gastroenterology and Hepatology (Australia), 2020, 35, 2289-2289. | 2.8 | 0 |
| 280 | Tumour burden score for hepatocellular carcinoma: Is it an authentic prognostic marker?. British Journal of Surgery, 2020, 107, e625-e625. | 0.3 | 0 |
| 281 | Letter to the Editor: Using Circulating Biomarkers to Stage HCC: Pitfalls and Limitations. Hepatology, 2021, 73, 2611-2611. | 7.3 | 0 |
| 282 | Post hepatitis B-eliminated hepatocellular carcinoma: New challenges. Liver International, 2021, 41, 1173-1174. | 3.9 | 0 |
| 283 | Improved patient survival in hepatitis C virus-related hepatocellular carcinoma: Do direct-acting antivirals play a role?. Journal of Gastroenterology and Hepatology (Australia), 2021, , . | 2.8 | 0 |
| 284 | Hepatitis B and Hepatocellular Carcinoma and Their Treatment. , 2012, , 119-141. | | 0 |
| 285 | Comment on "Effect of Microvascular Invasion Risk on Early Recurrence of Hepatocellular Carcinoma After Surgery and Radiofrequency Ablation". Annals of Surgery, 2021, 274, e101-e102. | 4.2 | 0 |
| 286 | Improving the accuracy of outcome prediction for hepatocellular carcinoma: Asia strategies. Liver International, 2022, 42, 714-715. | 3.9 | 0 |
| 287 | Comparable benefits of HCV eradication by direct acting antivirals and interferon-based therapy in patients with hepatocellular carcinoma undergoing surgical resection. American Journal of Cancer Research, 2021, 11, 5526-5542. | 1.4 | 0 |
| 288 | Look for a Physical Health Status Surrogate in Hepatocellular Carcinoma: Have we Found the Holy Grail?. Clinical Gastroenterology and Hepatology, 2021, , . | 4.4 | 0 |