Adrian Bateman

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8245097/publications.pdf

Version: 2024-02-01

126907 76900 5,724 89 33 74 h-index citations g-index papers 89 89 89 6961 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	Consensus statement on the pathology of IgG4-related disease. Modern Pathology, 2012, 25, 1181-1192.	5 . 5	2,171
2	Type I Collagen Promotes the Malignant Phenotype of Pancreatic Ductal Adenocarcinoma. Clinical Cancer Research, 2004, 10, 7427-7437.	7.0	267
3	British Society of Gastroenterology position statement on serrated polyps in the colon and rectum. Gut, 2017, 66, 1181-1196.	12.1	250
4	Elevated Serum IgG4 Levels in Diagnosis, Treatment Response, Organ Involvement, and Relapse in a Prospective IgG4-Related Disease UK Cohort. American Journal of Gastroenterology, 2016, 111, 733-743.	0.4	167
5	Influence of vascular endothelial growth factor single nucleotide polymorphisms on tumour development in cutaneous malignant melanoma. Genes and Immunity, 2002, 3, 229-232.	4.1	153
6	IL-10 promoter polymorphisms influence tumour development in cutaneous malignant melanoma. Genes and Immunity, 2001, 2, 25-31.	4.1	138
7	An insight into the genetic pathway of adenocarcinoma of the small intestine. Gut, 2002, 50, 218-223.	12.1	128
8	Cytokine gene polymorphisms and breast cancer susceptibility and prognosis*. International Journal of Immunogenetics, 2004, 31, 167-173.	1.2	117
9	Increases in IgE, Eosinophils, and Mast Cells Can be Used in Diagnosis and to Predict Relapse of IgG4-Related Disease. Clinical Gastroenterology and Hepatology, 2017, 15, 1444-1452.e6.	4.4	116
10	lgG4â€related systemic sclerosing disease – an emerging and underâ€diagnosed condition. Histopathology, 2009, 55, 373-383.	2.9	107
11	A novel HER2-positive breast cancer phenotype arising from germline TP53 mutations. Journal of Medical Genetics, 2010, 47, 771-774.	3.2	102
12	Invasiveness of cutaneous malignant melanoma is influenced by matrix metalloproteinase 1 gene polymorphism. Cancer Research, 2001, 61, 1296-8.	0.9	88
13	Immunohistochemical phenotype of malignant mesothelioma: predictive value of CA125 and HBMEâ€1 expression. Histopathology, 1997, 30, 49-56.	2.9	80
14	Hepatocyte Expression of the Senescence Marker p21 Is Linked to Fibrosis and an Adverse Liver-Related Outcome in Alcohol-Related Liver Disease. PLoS ONE, 2013, 8, e72904.	2.5	76
15	Colonic expression of leukotriene-pathway enzymes in inflammatory bowel diseases. Inflammatory Bowel Diseases, 2007, 13, 537-546.	1.9	69
16	Vascular Invasion is Underrecognized in Colorectal Cancer Using Conventional Hematoxylin and Eosin Staining. Diseases of the Colon and Rectum, 2007, 50, 1867-1872.	1.3	69
17	Rectal cancer staging post neoadjuvant therapy – how should the changes be assessed?. Histopathology, 2009, 54, 713-721.	2.9	68
18	Cytokine gene single nucleotide polymorphisms and susceptibility to and prognosis in cutaneous malignant melanoma. International Journal of Immunogenetics, 2003, 30, 409-414.	1.2	67

#	Article	IF	CITATIONS
19	The nuclear BAG-1 isoform, BAG-1L, enhances oestrogen-dependent transcription. Oncogene, 2003, 22, 4973-4982.	5.9	63
20	The Desmoplastic Reaction Surrounding Hepatic Colorectal Adenocarcinoma Metastases Aids Tumor Growth and Survival via $\hat{l}\pm v$ Integrin Ligation. Clinical Cancer Research, 2008, 14, 6405-6413.	7.0	62
21	<i>EGF</i> $+61$ gene polymorphism and susceptibility to and prognostic markers in cutaneous malignant melanoma. International Journal of Cancer, 2003, 107, 673-675.	5.1	59
22	Up-Regulation of Collagen and Tissue Inhibitors of Matrix Metalloproteinase in Colonic Diverticular Disease. Diseases of the Colon and Rectum, 2004, 47, 371-379.	1.3	57
23	HLAâ€DQB1*0303 and *0301 alleles influence susceptibility to and prognosis in cutaneous malignant melanoma in the British Caucasian population. Tissue Antigens, 1998, 52, 67-73.	1.0	55
24	BAG-1 expression and function in human cancer. British Journal of Cancer, 2002, 87, 834-839.	6.4	55
25	Expression of CtBP family protein isoforms in breast cancer and their role in chemoresistance. Biology of the Cell, 2011, 103, 1-19.	2.0	55
26	Apoptosis and proliferation of acinar and islet cells in chronic pancreatitis: evidence for differential cell loss mediating preservation of islet function. Gut, 2002, 50, 542-548.	12.1	52
27	Intraduct papillary mucinous neoplasm of the pancreas: a tumour linked with IgG4-related disease?. Journal of Clinical Pathology, 2013, 66, 671-675.	2.0	52
28	Cytokeratin expression as an aid to diagnosis in medical liver biopsies. Histopathology, 2010, 56, 415-425.	2.9	50
29	lgG4â€related diseaseâ€"experience of 100 consecutive cases from a specialist centre. Histopathology, 2017, 70, 798-813.	2.9	47
30	Refining pathological evaluation of neoadjuvant therapy for adenocarcinoma of the esophagus. World Journal of Gastroenterology, 2013, 19, 9282.	3.3	44
31	Are plasma cell-rich inflammatory conditions of the oral mucosa manifestations of IgG4-related disease?. Journal of Clinical Pathology, 2015, 68, 802-807.	2.0	44
32	Human leukocyte antigens and cancer: is it in our genes?. Journal of Pathology, 1999, 188, 231-236.	4.5	39
33	The retroperitoneal surface in distal caecal and proximal ascending colon carcinoma: the Cinderella surgical margin?. Journal of Clinical Pathology, 2005, 58, 426-428.	2.0	37
34	DNA mismatch repair proteins: scientific update and practical guide. Journal of Clinical Pathology, 2021, 74, 264-268.	2.0	37
35	Prognostic significance of cyclooxygenase-2 (COX-2) expression in patients with surgically resectable adenocarcinoma of the oesophagus. BMC Cancer, 2006, 6, 134.	2.6	34
36	Influence of TNF $\hat{l}\pm$ and LT $\hat{l}\pm$ single nucleotide polymorphisms on susceptibility to and prognosis in cutaneous malignant melanoma in the British population. International Journal of Immunogenetics, 2002, 29, 17-23.	1.2	33

#	Article	IF	CITATIONS
37	UK guidance for the pathological reporting of serrated lesions of the colorectum. Journal of Clinical Pathology, 2015, 68, 585-591.	2.0	31
38	Chronic gastric ulceration: a novel manifestation of IgG4-related disease?. Journal of Clinical Pathology, 2012, 65, 569-570.	2.0	29
39	Activated T-Follicular Helper 2 Cells Are Associated With Disease Activity in IgG4-Related Sclerosing Cholangitis and Pancreatitis. Clinical and Translational Gastroenterology, 2019, 10, e00020.	2.5	29
40	Epitheliotropism in high-grade lymphomas of mucosa-associated lymphoid tissue. Histopathology, 1993, 23, 409-415.	2.9	28
41	Developing a â€ [*] traffic light' test with potential for rational early diagnosis of liver fibrosis and cirrhosis in the community. British Journal of General Practice, 2012, 62, e616-e624.	1.4	26
42	Mucosal expression of cyclooxygenase isoforms 1 and 2 is increased with worsening damage to the gastric mucosa. Histopathology, 2005, 46, 280-286.	2.9	24
43	Histopathological diagnosis of tumour deposits in colorectal cancer: a Delphi consensus study. Histopathology, 2021, 79, 168-175.	2.9	22
44	IgG4-related disease: can non-classical histopathological features or the examination of clinically uninvolved tissues be helpful in the diagnosis?. Journal of Clinical Pathology, 2012, 65, 963-969.	2.0	21
45	Investigation of specimen mislabelling in paraffinâ€embedded tissue using a rapid, alleleâ€specific, PCRâ€based HLA class II typing method. Histopathology, 1996, 28, 169-174.	2.9	19
46	Patterns of histological change in liver disease: my approach to †medical†liver biopsy reporting. Histopathology, 2007, 51, 585-596.	2.9	19
47	Pathological grading of regression: an International Study Group perspective. Journal of Clinical Pathology, 2012, 65, 865-866.	2.0	19
48	A multi-centre pathologist survey on pathological processing and regression grading of colorectal cancer resection specimens treated by neoadjuvant chemoradiation. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2012, 460, 151-155.	2.8	19
49	Detection of specimen contamination in routine histopathology by HLA class II typing using the polymerase chain reaction and sequence specific oligonucleotide probing. Journal of Pathology, 1994, 173, 243-248.	4.5	18
50	Pathology of serrated colorectal lesions. Journal of Clinical Pathology, 2014, 67, 865-874.	2.0	18
51	Lymph node granulomas in immunoglobulin G4â€related disease. Histopathology, 2015, 67, 557-561.	2.9	18
52	Breast cancer in patients with germline TP53 pathogenic variants have typical tumour characteristics: the Cohort study of TP53 carrier early onset breast cancer (COPE study). Journal of Pathology: Clinical Research, 2019, 5, 189-198.	3.0	18
53	ICAM-1 polymorphisms and development of cutaneous malignant melanoma. International Journal of Immunogenetics, 2005, 32, 367-373.	1.8	17
54	Fatal infection associated with group C streptococci Journal of Clinical Pathology, 1993, 46, 965-967.	2.0	15

#	Article	IF	Citations
55	General principles of IgG4-related disease. Diagnostic Histopathology, 2013, 19, 111-118.	0.4	15
56	A 63-year-old man with a recurrent right-sided pleural effusion: FigureÂ1. Thorax, 2015, 70, 504-507.	5.6	14
57	Massive hepatosplenomegaly caused by Penicillium marneffei associated with human immunodeficiency virus infection in a Thai patient. Journal of Clinical Pathology, 2002, 55, 143-144.	2.0	13
58	Massive arterial haemorrhage from the lower gastrointestinal tract. Histopathology, 1996, 29, 225-231.	2.9	12
59	The successful treatment of IgG4-positive colitis with adalimumab in a patient with IgG4-related sclerosing disease – a new subtype of aggressive colitis?. Journal of Crohn's and Colitis, 2013, 7, e81-e84.	1.3	12
60	Molecules in cancer immunotherapy: benefits and side effects. Journal of Clinical Pathology, 2019, 72, 20-24.	2.0	12
61	The spectrum of serrated colorectal lesionsâ€"new entities and unanswered questions. Histopathology, 2021, 78, 780-790.	2.9	12
62	DNA mismatch repair protein immunohistochemistry – an illustrated guide. Histopathology, 2021, 79, 128-138.	2.9	12
63	Polymerase chain reaction based human leucocyte antigen genotyping for the investigation of suspected gastrointestinal biopsy contamination. Gut, 1999, 45, 259-263.	12.1	10
64	Influence of cytokine and ICAM-1 gene polymorphisms on susceptibility to chronic pancreatitis. Journal of Clinical Pathology, 2005, 58, 595-599.	2.0	10
65	Genetic analysis of hydatidiform moles in paraffin wax embedded tissue using rapid, sequence specific PCR-based HLA class II typing Journal of Clinical Pathology, 1997, 50, 288-293.	2.0	9
66	Nested polymerase chain reaction-based HLA class II typing for the unique identification of formalin-fixed and paraffin-embedded tissue., 1997, 181, 228-234.		9
67	A pathologist's survey on the reporting of sessile serrated adenomas/polyps. Journal of Clinical Pathology, 2014, 67, 426-430.	2.0	9
68	Interobserver variation in the classification of tumor deposits in rectal cancerâ€"is the use of histopathological characteristics the way to go?. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2021, 479, 1111-1118.	2.8	9
69	Interobserver agreement of a gastric adenocarcinoma tumor regression grading system that incorporates assessment of lymph nodes. Human Pathology, 2021, 116, 94-101.	2.0	9
70	Fatal myocarditis associated with a Lancefield group B streptococcus. Journal of Infection, 1998, 36, 354-355.	3.3	7
71	CD117/KIT Expression in Pancreatic Adenocarcinoma. Pancreas, 2008, 36, 76-79.	1.1	7
72	A comparison of formalin and GEWF in fixation of colorectal carcinoma specimens: rates of lymph node retrieval and effect on TNM staging. Journal of Clinical Pathology, 2016, 69, 511-517.	2.0	7

#	Article	IF	CITATIONS
73	Current and Emerging Biomarkers and Imaging Modalities for Nonalcoholic Fatty Liver Disease: Clinical and Research Applications. Clinical Therapeutics, 2021, 43, 1505-1522.	2.5	6
74	BAG-1 Immunostaining and Survival in Early Breast Cancer. Journal of Clinical Oncology, 2001, 19, 3706-3707.	1.6	5
75	DIPLOMA Approach for Standardized Pathology Assessment of Distal Pancreatectomy Specimens. Journal of Visualized Experiments, 2020, , .	0.3	5
76	The Bowel Cancer Screening Programme Expert Board: an analysis of activity during 2017–2020. Histopathology, 2022, 80, 782-789.	2.9	4
77	Cutaneous T-lymphocyte infiltrate associated with B-cell chronic lymphocytic leukaemia. Histopathology, 1999, 34, 183-4.	2.9	4
78	HLA genotype and increased risk of skin cancer. British Journal of Dermatology, 1998, 139, 1111-1111.	1.5	3
79	Breast pathology. Surgery, 2016, 34, 1-7.	0.3	3
80	Immune Checkpoint Inhibitor Therapy in Colorectal Cancerâ€"The Role of Cellular Pathology. International Journal of Surgical Pathology, 2021, 29, 584-591.	0.8	3
81	EDITORIAL. WHOSE TISSUE IS IT ANYWAY?. , 1996, 179, 229-231.		2
82	Spindle cell tumour with glandular elements: an unusual ileal neoplasm. Journal of Clinical Pathology, 2009, 62, 555-557.	2.0	1
83	The endoscopically normal colon - when is mapping biopsy histopathologically justifiable?. Gut, 2011, 60, A53-A53.	12.1	1
84	Current dilemmas in the pathological staging of colorectal cancer: the results of a national survey. Histopathology, 2021, 78, 634-639.	2.9	1
85	Gastrointestinal Involvement by Systemic Disease. , 2020, , 13-29.		0
86	New life for old cellular pathology: a transformational approach to the upcycling of historic e-pathology records for contemporary clinical uses. Journal of Clinical Pathology, 2021, , jclinpath-2021-207385.	2.0	0
87	Genetic Polymorphism, the Immune Response and Chronic Pancreatitis., 2004,, 306-317.		0
88	Prognostic utility of the presence of extramural vascular invasion in stage II and III colorectal cancer: Data from the FACS randomised controlled trial Journal of Clinical Oncology, 2016, 34, 3575-3575.	1.6	0
89	Expert opinion in bowel cancer screening pathology. Histopathology, 2022, 80, 779-781.	2.9	0